

## Subject Index of Volume 487

### Ab initio

Kristallstruktur von  $[\text{Cp}^*\text{BBr}][\text{AlBr}_4]$  (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127

### Acetylenes

Hydrosilylation of phenylacetylene catalyzed by  $[\text{Ir}(\text{COD})(\eta^2\text{-}^1\text{Pr}_2\text{PCH}_2\text{CH}_2\text{OMe})][\text{BF}_4]$  (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143

### Acetylide

New synthesis of  $\mu$ -allenylidene complexes from dimolybdenum carbenium ions crystal structure of  $[\{\text{Mo}(\eta^5\text{-C}_5\text{H}_5\text{XCO})_2\}_2(\mu, \eta^2\text{-C}=\text{C}=\text{C}_6\text{H}_{10})]$  (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201

### Acyl

Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273

### Alkoxide

Synthesis and characterization of bifunctional *trans*-( $\text{Ph}_3\text{P}$ )<sub>2</sub>Pt-(CO<sub>2</sub>Me)(X) complexes (R.K. Merwin and D.M. Roddick), 69  
The first solid-state structure of a mixed-anion ROLi/LiOH compound: (<sup>t</sup>BuOLi)<sub>10</sub>·(LiOH)<sub>6</sub> (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139

### Alkyl

Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23

### Alkylpalladate

Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23

### Alkyne

Formation, Structure, Spectra, and Reactivity of the Adduct between ( $\eta^5$ -Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8

### Alkynyl complexes

Reactions of transition-metal  $\eta^1$ -allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal-carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95

### Allene

A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89

### Allenylidene cpdx

New synthesis of  $\mu$ -allenylidene complexes from dimolybdenum carbenium ions crystal structure of  $[\{\text{Mo}(\eta^5\text{-C}_5\text{H}_5\text{XCO})_2\}_2(\mu, \eta^2\text{-C}=\text{C}=\text{C}_6\text{H}_{10})]$  (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201

### Allyl

Formation and reactivity of the chloromethyl  $\pi$ -allyl complex ( $\eta^5\text{-C}_5\text{Me}_5$ )Ru( $\eta^3\text{-C}_3\text{H}_5$ )(CH<sub>2</sub>Cl)Cl (J.L. Hubbard and C.R. Zoch), 65

Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273

### Allyl complexes

Reactions of transition-metal  $\eta^1$ -allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal-carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95

### Alumina

The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35

### Aluminium

Competitive intramolecular Ti-C versus Al-C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler-Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47

### Amine

A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89

### $\alpha$ -olefin

(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis (Y.-X. Chen, M.D. Rausch and J.C.W. Chien), 29

### Aquo complexes

The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex, [(Cp)IrCl(H<sub>2</sub>O)<sub>2</sub>][PF<sub>6</sub>] (S. Bodige and L.C. Porter), 1

### Arenechromiumtricarbonyl

Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119

### Arene complexes

A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1 + ) hexafluorophosphate(1 - ) (D.K. Astley and S.T. Astley), 253

Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119

### Arenes

Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction inter-

- mediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167
- Arsanide**  
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westershausen und A. Pfitzner), 187
- Aryls**  
Surprising stability of a monomeric bis azide of gallium(III) (A.H. Cowley, F.P. Gabbaï, F. Olbrich, S. Corbelin and R.J. Lagow), C5
- Azides**  
Surprising stability of a monomeric bis azide of gallium(III) (A.H. Cowley, F.P. Gabbaï, F. Olbrich, S. Corbelin and R.J. Lagow), C5
- $\eta^6$ -Azobenzene  
Préparation de cations  $\eta^5$ -cyclopentadiényl- $\eta^6$ -azobenzènes fer(1 +) (N. Guennec et C. Moinet), 177
- Beta-elimination**  
Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23
- Binuclear complex**  
Preparation, isolation and chemical reactivity of the  $\alpha$ -CF<sub>3</sub>-propargylum ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégué), C15
- Binuclear species**  
Reactivity of bis(cyclopentadiényl)niobium and bis(cyclopentadiényl)tantalum trihydride towards bis(diorganosphosphino)alkanes R<sub>2</sub>P(CH<sub>2</sub>)<sub>n</sub>PR<sub>2</sub> (R ≡ Ph, *n* = 1, 2 or 3; R ≡ Me, *n* = 1 or 2): synthesis of bimetallic dibridged complexes [Cp<sub>2</sub>M(μ-H)(μ-diphosphine)M'(CO)<sub>4</sub>] (M ≡ Nb or Ta; M' ≡ Cr, Mo or W) (G. Boni, P. Oudet and C. Moïse), 105
- Bis(trimethylsilyl)arsanide**  
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westershausen und A. Pfitzner), 187
- Bis(trimethylsilyl)phosphanide**  
Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westershausen und A. Pfitzner), 187
- Bond activation**  
Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)Fe(CO)<sub>2</sub>]<sup>–</sup> and [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)W(CO)<sub>3</sub>]<sup>–</sup>-anions (T.V. Magdesieva, I.I. Kukhareva, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 163
- Boron**  
Kristallstruktur von [Cp\*BBr][AlBr<sub>4</sub>] (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127  
Synthesis and spectroscopic characterization of 3,5-diaryl-cyclo-1,2,4-trithia-3,5-diborolanes, Ar<sub>2</sub>B<sub>2</sub>S<sub>3</sub> (Ar = Ph, 2-MeC<sub>6</sub>H<sub>4</sub>, 3-MeC<sub>6</sub>H<sub>4</sub>, 4-MeC<sub>6</sub>H<sub>4</sub>, 4-EtC<sub>6</sub>H<sub>4</sub>, 3,5-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209  
The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35
- Boronic acids**  
The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35
- Borhiins**  
Synthesis and spectroscopic characterization of 3,5-diaryl-cyclo-1,2,4-trithia-3,5-diborolanes, Ar<sub>2</sub>B<sub>2</sub>S<sub>3</sub> (Ar = Ph, 2-MeC<sub>6</sub>H<sub>4</sub>, 3-MeC<sub>6</sub>H<sub>4</sub>, 4-MeC<sub>6</sub>H<sub>4</sub>, 4-EtC<sub>6</sub>H<sub>4</sub>, 3,5-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209
- Bromide**  
Kristallstruktur von [Cp\*BBr][AlBr<sub>4</sub>] (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127
- Bromine**  
The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35
- Bromobenzene**  
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167
- Cadmium**  
Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes (J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon), 61
- Carbamate**  
Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár), 267
- Carbanions**  
A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89
- Carbonyl**  
A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1 +) hexafluorophosphate(1 –) (D.K. Astley and S.T. Astley), 253  
Preparation, fluxionality and some reactions of ring-linked [Fe<sub>2</sub>( $\eta$ , $\eta$ -C<sub>5</sub>H<sub>4</sub>-A-B-C<sub>5</sub>H<sub>4</sub>)(CO)<sub>4–n</sub>(CNMe)<sub>n</sub>] complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151  
Synthesis and characterization of bifunctional *trans*-(Ph<sub>3</sub>P)<sub>2</sub>Pt-(CO<sub>2</sub>Me)(X) complexes (R.K. Merwin and D.M. Roddick), 69  
The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111  
Unusual mixed metal cluster reactions: formation of the mixed metal chain Rh<sub>2</sub>Ru<sub>3</sub>(CO)<sub>10</sub>(μ-SEt)<sub>8</sub> (S. Jääskeläinen, J. Purssainen and T.A. Pakkanen), 197  
X-ray crystal structure of [FeRh(CO)<sub>6</sub>(μ-P<sup>t</sup>Bu<sub>2</sub>)](Fe–Rh): a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1
- Catalysis**  
Hydrosilylation of phenylacetylene catalyzed by [Ir(COD)( $\eta^2$ -<sup>i</sup>Pr<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>OMe)][BF<sub>4</sub>] (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143  
Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give β,γ unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41
- Chain transfer**  
Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47

## Chelate Conformation

Palladium(II) and platinum(II) complexes formed from  $C_6H_4$ -1,3-( $CH_2PCy_2$ )<sub>2</sub> (Cy = Cyclohexyl); crystal and molecular structures of  $[PdX\{C_6H_3-2,6-(CH_2PCy_2)_2\}]$ , X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227

## Chirality

Resolution of racemic mixtures of chiral arenechromiumtricarboxyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119

## Chiral separation

Resolution of racemic mixtures of chiral arenechromiumtricarboxyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119

## Chloromethyl

Formation and reactivity of the chloromethyl  $\pi$ -allyl complex ( $\eta^5$ - $C_5Me_5$ )Ru( $\eta^3$ - $C_3H_5$ )( $CH_2Cl$ )Cl (J.L. Hubbard and C.R. Zoch), 65

## Chromium

Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of  $[K^+ \cdot 18$ -crown-6][Cr(CO)<sub>5</sub>Cl],  $[H_3O^+ \cdot 18$ -crown-6][W(CO)<sub>5</sub>Cl],  $[H_3O^+ \cdot 18$ -crown-6][W(CO)<sub>4</sub>Cl<sub>3</sub>], and  $[H_2O \cdot bis$ -*aza*-18-crown-6  $\cdot (H^+)_2][W(CO)_4Cl_3]_2$  (J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May), 7

Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131

Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and <sup>1</sup>H, <sup>13</sup>C, <sup>17</sup>O and <sup>29</sup>Si NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215

Resolution of racemic mixtures of chiral arenechromiumtricarboxyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119

Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167

*cis*-influence

Synthesis and characterization of [pyRh(salen)adam], an adamantyl Rh<sup>III</sup> complex containing bis(salicylaldehyde)ethylendiiminato as equatorial ligand (R. Dreos-Garlatti, S. Geremia, L. Randaccio, S. Ruffini and G. Tazher), C24

## Clathrates

Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of  $[K^+ \cdot 18$ -crown-6][Cr(CO)<sub>5</sub>Cl],  $[H_3O^+ \cdot 18$ -crown-6][W(CO)<sub>5</sub>Cl],  $[H_3O^+ \cdot 18$ -crown-6][W(CO)<sub>4</sub>Cl<sub>3</sub>], and  $[H_2O \cdot bis$ -*aza*-18-crown-6  $\cdot (H^+)_2][W(CO)_4Cl_3]_2$  (J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May), 7

## Clusters

Unusual mixed metal cluster reactions: formation of the mixed metal chain Rh<sub>2</sub>Ru<sub>3</sub>(CO)<sub>10</sub>( $\mu$ -SEt)<sub>8</sub> (S. Jääskeläinen, J. Purssiainen and T.A. Pakkanen), 197

## Cobalt

Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and <sup>1</sup>H, <sup>13</sup>C, <sup>17</sup>O and <sup>29</sup>Si NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215

Preparation, isolation and chemical reactivity of the  $\alpha$ -CF<sub>3</sub>-propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégulé), C15

## Conjugated dienes

Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give  $\beta,\gamma$  unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41

## Crystal structure

Palladium(II) and platinum(II) complexes formed from  $C_6H_4$ -1,3-( $CH_2PCy_2$ )<sub>2</sub> (Cy = Cyclohexyl); crystal and molecular structures of  $[PdX\{C_6H_3-2,6-(CH_2PCy_2)_2\}]$ , X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227

Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westershausen und A. Pfitzner), 187

Synthese, Struktur und Eigenschaften neuer Übergangsmetallkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, B. Gangnus, H. Pritzkow, H. Schulz, M. Stephan und W. Siebert), 235

The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111

Unusual mixed metal cluster reactions: formation of the mixed metal chain Rh<sub>2</sub>Ru<sub>3</sub>(CO)<sub>10</sub>( $\mu$ -SEt)<sub>8</sub> (S. Jääskeläinen, J. Purssiainen and T.A. Pakkanen), 197

## Cycloadditions

Reactions of transition-metal  $\eta^1$ -allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal-carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95

## Cyclopentadienyl

Formation, Structure, Spectra, and Reactivity of the Adduct between ( $\eta^5$ -Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarbonylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8

Kristallstruktur von  $[Cp^*BBr][AlBr_4]$  (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127

New synthesis of  $\mu$ -allenylidene complexes from dimolybdenum carbenium ions crystal structure of  $\{[Mo(\eta^5-C_5H_5)(CO)_2]_2(\mu, \eta^2-C=C=C_6H_{10})\}$  (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201

Preparation, fluxionality and some reactions of ring-linked  $[Fe_2(\eta, \eta-C_5H_4-A-B-C_5H_4)(CO)_{4-n}(CNMe)_n]$  complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151

 $\eta^5$ -Cyclopentadienyl

Préparation de cations  $\eta^5$ -cyclopentadiényl- $\eta^6$ -azobenzènes fer-(1+) (N. Guennec et C. Moinet), 177

## Cyclopentenones

Reactions of transition-metal  $\eta^1$ -allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal-carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95

## Decomposition

Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23

## Diacetoxylation

Diacetoxylation of nonconjugated dienes with TeO<sub>2</sub> and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55

- 9,10-Diboraanthracene  
Synthese, Struktur und Eigenschaften neuer Übergangsmetallkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, B. Gangnus, H. Pritzkow, H. Schulz, M. Stephan und W. Siebert), 235
- Diolefin  
Diacetoxylation of nonconjugated dienes with TeO<sub>2</sub> and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55
- Dioxirane  
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273
- Diphenylcyclopentadiene  
Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von Ti(C<sub>5</sub>H<sub>3</sub>Ph<sub>2</sub>)(THF) und Fe(C<sub>5</sub>H<sub>3</sub>Ph<sub>2</sub>)<sub>2</sub> (H. Schumann, A. Lentz und R. Weimann), 245
- Diphosphadistannetanes  
Reaktionen mit primären Stannyolphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17
- Diphosphines  
Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)alkanes R<sub>2</sub>P(CH<sub>2</sub>)<sub>n</sub>PR<sub>2</sub> (R ≡ Ph, n = 1, 2 or 3; R ≡ Me, n = 1 or 2): synthesis of bimetallic dibridged complexes [Cp<sub>2</sub>M(μ-H)(μ-diphosphine)M'(CO)<sub>4</sub>] (M ≡ Nb or Ta; M' ≡ Cr, Mo or W) (G. Boni, P. Oudet and C. Moïse), 105
- Dithiadiboretanes  
Synthesis and spectroscopic characterization of 3,5-diaryl-cyclo-1,2,4-trithia-3,5-diborolanes, Ar<sub>2</sub>B<sub>2</sub>S<sub>3</sub> (Ar = Ph, 2-MeC<sub>6</sub>H<sub>4</sub>, 3-MeC<sub>6</sub>H<sub>4</sub>, 4-MeC<sub>6</sub>H<sub>4</sub>, 4-EtC<sub>6</sub>H<sub>4</sub>, 3,5-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209
- Electrochemical synthesis  
Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes (J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon), 61
- Electrochemistry  
Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with [(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Fe(CO)<sub>2</sub>]<sup>-</sup> and [(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)W(CO)<sub>3</sub>]<sup>-</sup> anions (T.V. Magdesieva, I.I. Kukhareva, G.A. Artamkina, I.P. Beletskaia and K.P. Butin), 163  
Préparation de cations η<sup>5</sup>-cyclopentadiényl-η<sup>6</sup>-azobenzènes fer-(1+) (N. Guennec et C. Moinet), 177
- Electrophilic reactivity  
The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111
- Epoxidation  
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273
- Ferrocene  
Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex Li[Cp<sub>2</sub>Y(FcN)<sub>2</sub>] (FcN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelman), C18  
Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273
- Ferrocenium  
The effects of an interannular bridge on the electronic structure of ferrocenium cations (T.-Y. Dong and S.-H. Lee), 77
- Fluxionalty  
Preparation, fluxionalty and some reactions of ring-linked [Fe<sub>2</sub>{η,η-C<sub>5</sub>H<sub>4</sub>-A-B-C<sub>5</sub>H<sub>4</sub>}(CO)<sub>4-n</sub>(CNMe)<sub>n</sub>] complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151  
Synthesis, characterisation and fluxional behaviour of [Ni(η<sup>5</sup>-P<sub>2</sub>C<sub>3</sub>Bu<sub>3</sub>)(η<sup>3</sup>-P<sub>2</sub>C<sub>3</sub>Bu<sub>3</sub>)] (F.G.N. Cloke, K.R. Flower, C. Jones, R.M. Matos and J.F. Nixon), C21
- Gallium  
Surprising stability of a monomeric bis azide of gallium(III) (A.H. Cowley, F.P. Gabbai, F. Olbrich, S. Corbelin and R.J. Lagow), C5
- Group B  
Kristallstruktur von [Cp\*BBR][AlBr<sub>4</sub>] (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127
- Halogenated disilanes  
Synthese und Eigenschaften von 1,1,2,2-Tetrachlor- und 1,1,2,2-Tetrafluoridisilan (K. Hassler und W. Köll), 223
- Heterotrimetallic complex  
Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex Li[Cp<sub>2</sub>Y(FcN)<sub>2</sub>] (FcN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelman), C18
- Hexafluorobenzene  
Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167
- High pressure liquid chromatography  
Resolution of racemic mixtures of chiral arenechromiumtricarbonyl complexes using a Bakerbond Chiralcel HPLC column (T.E. Bitterwolf and T.L. Hubler), 119
- Homogeneous polymerization  
(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis (Y.-X. Chen, M.D. Rausch and J.C.W. Chien), 29
- Hydrides  
Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)alkanes R<sub>2</sub>P(CH<sub>2</sub>)<sub>n</sub>PR<sub>2</sub> (R ≡ Ph, n = 1, 2 or 3; R ≡ Me, n = 1 or 2): synthesis of bimetallic dibridged complexes [Cp<sub>2</sub>M(μ-H)(μ-diphosphine)M'(CO)<sub>4</sub>] (M ≡ Nb or Ta; M' ≡ Cr, Mo or W) (G. Boni, P. Oudet and C. Moïse), 105
- Hydroformylation  
Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give β,γ unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41
- Hydrosilylation  
Hydrosilylation of phenylacetylene catalyzed by [Ir(COD)(η<sup>2</sup>-<sup>i</sup>Pr<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>OMe)][BF<sub>4</sub>] (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143
- Hydroxide  
Synthesis and characterization of bifunctional *trans*-(Ph<sub>3</sub>P)<sub>2</sub>Pt-(CO<sub>2</sub>Me)(X) complexes (R.K. Merwin and D.M. Roddick), 69  
The first solid-state structure of a mixed-anion ROLi/LiOH compound: (<sup>t</sup>BuOLi)<sub>10</sub> · (LiOH)<sub>6</sub> (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139

## Imide

N-[2-(4-Methoxyphenyltelluro)ethyl]phthalimide: synthesis and complexation with palladium(II) (R. Batheja, S.K. Dhingra and A.K. Singh), 173

## Indium

Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von  $Ti(C_5H_3Ph_2)(THF)$  und  $Fe(C_5H_3Ph_2)_2$  (H. Schumann, A. Lentz und R. Weimann), 245

## Infrared

The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257

## Infrared spectroscopy

Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and  $^1H$ ,  $^{13}C$ ,  $^{17}O$  and  $^{29}Si$  NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215

## Iodine

Diacetoxylation of nonconjugated dienes with  $TeO_2$  and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55

## Iridium

Hydrosilylation of phenylacetylene catalyzed by  $[Ir(COD)(\eta^2-^iPr_2PCH_2CH_2OMe)] [BF_4]$  (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143

## Iridium derivatives

The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex,  $[(Cp)IrCl(H_2O)_2] [PF_6]$  (S. Bodige and L.C. Porter), 1

## Iron

Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von  $Ti(C_5H_3Ph_2)(THF)$  und  $Fe(C_5H_3Ph_2)_2$  (H. Schumann, A. Lentz und R. Weimann), 245

Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with  $[(\eta^5-C_5H_5)Fe(CO)_2]^-$  and  $[(\eta^5-C_5H_5)W(CO)_3]^-$  anions (T.V. Magdesieva, I.I. Kuchareva, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 163

Optical absorption study of "half-open ferrocene" and "open ferrocene" (S.Yu. Ketkov, W. Trakarnpruk and R.D. Ernst), 263

Préparation de cations  $\eta^5$ -cyclopentadiényl- $\eta^6$ -azobenzènes fer(1+) (N. Guennec et C. Moinet), 177

Preparation, fluxionality and some reactions of ring-linked  $[Fe_2(\eta, \eta-C_5H_4-A-B-C_5H_4)(CO)_{4-n}(CNMe)_n]$  complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151

Reactions of transition-metal  $\eta^1$ -allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal-carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95

Synthesis of epoxyferrocenes by the oxidation of acyl- and allyl-substituted ferrocenes with dimethyldioxirane (W. Adam and R.M. Schuhmann), 273

X-ray crystal structure of  $[FeRh(CO)_6(\mu-P^tBu_2)](Fe-Rh)$ : a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1

## Iron metallocene

The effects of an interannular bridge on the electronic structure of ferrocenium cations (T.-Y. Dong and S.-H. Lee), 77

## Isocyanide

Preparation, fluxionality and some reactions of ring-linked  $[Fe_2(\eta, \eta-C_5H_4-A-B-C_5H_4)(CO)_{4-n}(CNMe)_n]$  complexes (A.R. Manning, K. Boss, M.G. Cox, A. McCabe, P. Soye, S.C. Wade, P.A. McArdle and D. Cunningham), 151

## Isospecific polymerization

(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis (Y.-X. Chen, M.D. Rausch and J.C.W. Chien), 29

## Ketenes

Reactions of transition-metal  $\eta^1$ -allyl and propargyl complexes with ketenes and some new nonoxidative transition-metal-carbon bond cleaving reactions of the ketene cycloadducts which yield cyclopentenones (H.L. Stokes, L.M. Ni, J.A. Belot and M.E. Welker), 95

## Kinetics

Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár), 267

## Lithium

Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex  $Li[Cp_2Y(FCN)_2]$  ( $FCN = 2$ -Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick and F.T. Edelmann), C18

The first solid-state structure of a mixed-anion ROLi/LiOH compound:  $(^tBuOLi)_{10} \cdot (LiOH)_6$  (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139

## Lithium halide

Diacetoxylation of nonconjugated dienes with  $TeO_2$  and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55

## Magnesium

Competitive intramolecular Ti-C versus Al-C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler-Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47

Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westershausen und A. Pfitzner), 187

## Manganese

A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1+) hexafluorophosphate(1-) (D.K. Astley and S.T. Astley), 253

The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpate (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111

## Mechanism

Hydrosilylation of phenylacetylene catalyzed by  $[Ir(COD)(\eta^2-^iPr_2PCH_2CH_2OMe)] [BF_4]$  (M.A. Esteruelas, M. Oliván, L.A. Oro and J.I. Tolosa), 143

Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újszászy and P. Sohár), 267

Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23

## Metal carbonyl cations

A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(1+) hexafluorophosphate(1-) (D.K. Astley and S.T. Astley), 253

## Metal carbonyls

Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of  $[\text{K}^+ \cdot 18\text{-crown-6}][\text{Cr}(\text{CO})_5\text{Cl}]$ ,  $[\text{H}_3\text{O}^+ \cdot 18\text{-crown-6}][\text{W}(\text{CO})_5\text{Cl}]$ ,  $[\text{H}_3\text{O}^+ \cdot 18\text{-crown-6}][\text{W}(\text{CO})_4\text{Cl}_3]$ , and  $[\text{H}_2\text{O} \cdot \text{bis-aza-18-crown-6} \cdot (\text{H}^+)_2][\text{W}(\text{CO})_4\text{Cl}_3]_2$  (J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May), 7

## Metallacycle

Formation, Structure, Spectra, and Reactivity of the Adduct between  $(\eta^5\text{-Cyclopentadienyl})(1,2\text{-dimethoxycarbonyl-1,2-ethylenedithiolato})\text{rhodium(III)}$  and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8

## Metallation

Palladium(II) and platinum(II) complexes formed from  $\text{C}_6\text{H}_4\text{-1,3-(CH}_2\text{PCy}_2)_2$  (Cy = Cyclohexyl); crystal and molecular structures of  $[\text{PdX}\{\text{C}_6\text{H}_3\text{-2,6-(CH}_2\text{PCy}_2)_2\}]$ , X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227

## Metalloxyalates

Synthesis and characterization of bifunctional *trans*-( $\text{Ph}_3\text{P}$ ) $_2\text{Pt}(\text{CO}_2\text{Me})(\text{X})$  complexes (R.K. Merwin and D.M. Roddick), 69

## Metal vapour synthesis

Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167

## Mixed anion aggregate

The first solid-state structure of a mixed-anion  $\text{ROLi/LiOH}$  compound:  $(^1\text{BuOLi})_{10} \cdot (\text{LiOH})_6$  (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139

## Molybdenum

Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131

New synthesis of  $\mu$ -allenylidene complexes from dimolybdenum carbenium ions crystal structure of  $[\{\text{Mo}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\}_2(\mu, \eta^2\text{-C}=\text{C}=\text{C}_6\text{H}_{10})]$  (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201

Preparation, isolation and chemical reactivity of the  $\alpha\text{-CF}_3$ -propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégue), C15

Some reactions of metal atoms with arenes illustrating the importance of half sandwich molecules, M(arene), as reaction intermediates (A.J. Seeley, S. Hudson, P.D. Sykes, W.B. Weise and P.L. Timms), 167

## Nickel

Synthesis, characterisation and fluxional behaviour of  $[\text{Ni}(\eta^5\text{-P}_2\text{C}_3\text{Bu}_3)(\eta^3\text{-P}_2\text{C}_3\text{Bu}_3)]$  (F.G.N. Cloke, K.R. Flower, C. Jones, R.M. Matos and J.F. Nixon), C21

## Niobium

Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganosphosphino)alkanes  $\text{R}_2\text{P}(\text{CH}_2)_n\text{PR}_2$  (R  $\equiv$  Ph,  $n = 1, 2$  or  $3$ ; R  $\equiv$  Me,  $n = 1$  or  $2$ ); synthesis of bimetallic dibridged complexes  $[\text{Cp}_2\text{M}(\mu\text{-H})(\mu\text{-diphosphine})\text{M}'(\text{CO})_4]$  (M  $\equiv$  Nb or Ta; M'  $\equiv$  Cr, Mo or W) (G. Boni, P. Oudet and C. Moise), 105

## Nitrogen heterocycles

The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex,  $[(\text{Cp})\text{IrCl}(\text{H}_2\text{O})_2][\text{PF}_6]$  (S. Bodige and L.C. Porter), 1

## NMR spectroscopy

Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westershausen und A. Pfitzner), 187

Synthese und Eigenschaften von 1,1,2,2-Tetrachlor- und 1,1,2,2-Tetrafluordisilan (K. Hassler und W. Köll), 223

## Nuclear magnetic resonance

Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis and  $^1\text{H}$ ,  $^{13}\text{C}$ ,  $^{17}\text{O}$  and  $^{29}\text{Si}$  NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215

## Nucleophilic attack

Preparation, isolation and chemical reactivity of the  $\alpha\text{-CF}_3$ -propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégue), C15

## Olefin insertion

Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47

## Oligomeric compounds

Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17

## Orthometallation

A beneficial effect of ortho-substituents in the arylation of (benzene)tricarbonylmanganese(I + ) hexafluorophosphate(I – ) (D.K. Astley and S.T. Astley), 253

## Oxidation

Diacetoxylation of nonconjugated dienes with  $\text{TeO}_2$  and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55

## Palladium

N-[2-(4-Methoxyphenyltelluro)ethyl]phthalimide: synthesis and complexation with palladium(II) (R. Batheja, S.K. Dhingra and A.K. Singh), 173

Palladium(II) and platinum(II) complexes formed from  $\text{C}_6\text{H}_4\text{-1,3-(CH}_2\text{PCy}_2)_2$  (Cy = Cyclohexyl); crystal and molecular structures of  $[\text{PdX}\{\text{C}_6\text{H}_3\text{-2,6-(CH}_2\text{PCy}_2)_2\}]$ , X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227

Thermal decomposition of palladium-*n*-alkyl complexes by hydrogen elimination (J.W. Keister and E.J. Parsons), 23

## Pentadienyl complexes

Optical absorption study of “half-open ferrocene” and “open ferrocene” (S.Yu. Ketkov, W. Trakarnpruk and R.D. Ernst), 263

## Pentamethylcyclopentadienyl

The binding of small nitrogen-containing heterocycles to neutral and cationic (pentamethylcyclopentadienyl)Ir(III) complexes and the X-ray crystal structure of an unexpected diaquo complex,  $[(\text{Cp})\text{IrCl}(\text{H}_2\text{O})_2][\text{PF}_6]$  (S. Bodige and L.C. Porter), 1

## Phosphanide

Synthese sowie Vergleich der spektroskopischen Parameter und Molekülstrukturen von Bis(tetrahydrofuran-O)magnesium-bis[bis(trimethylsilyl)phosphanid] und -arsanid] (M. Westershausen und A. Pfitzner), 187

## Phosphido-bridged

X-ray crystal structure of  $[\text{FeRh}(\text{CO})_6(\mu\text{-P}^1\text{Bu}_2)](\text{Fe–Rh})$ : a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1

## Phosphorus

Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17

## Photoabsorption

Optical absorption study of "half-open ferrocene" and "open ferrocene" (S.Yu. Ketkov, W. Trakarnpruk and R.D. Ernst), 263

## Platinum

Palladium(II) and platinum(II) complexes formed from  $C_6H_4-1,3-(CH_2PCy_2)_2$  (Cy = Cyclohexyl); crystal and molecular structures of  $[PdX\{C_6H_3-2,6-(CH_2PCy_2)_2\}]$ , X = Cl and Br (R.J. Cross, A.R. Kennedy and K.W. Muir), 227

Synthesis and characterization of bifunctional *trans*-( $Ph_3P$ )<sub>2</sub>Pt-(CO<sub>2</sub>Me)(X) complexes (R.K. Merwin and D.M. Roddick), 69

## Podocarpic acid

The synthesis and electrophilic reactivity of manganese tricarbonyl complexes of the C-ring aromatic diterpenoid methyl *O*-methylpodocarpace (K. Woo, P.G. Williard, D.A. Sweigart, N.W. Duffy, B.H. Robinson and J. Simpson), 111

## Polyphospholyl ligands

Synthesis, characterisation and fluxional behaviour of  $[Ni(\eta^5-P_2C_3Bu_3)(\eta^3-P_2C_3Bu_3)]$  (F.G.N. Cloke, K.R. Flower, C. Jones, R.M. Matos and J.F. Nixon), C21

## Pyrolysis

The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257

## Pyrolytic oxidation

The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257

## Rhodium

Formation, Structure, Spectra, and Reactivity of the Adduct between ( $\eta^5$ -Cyclopentadienyl)(1,2-dimethoxycarbonyl-1,2-ethylenedithiolato)rhodium(III) and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8

Synthesis and characterization of [pyRh(salen)adam], an adamantyl Rh<sup>III</sup> complex containing bis(salicylaldehyde)ethylendiimine as equatorial ligand (R. Dreos-Garlatti, S. Geremia, L. Randaccio, S. Ruffini and G. Tazher), C24

Unusual mixed metal cluster reactions: formation of the mixed metal chain  $Rh_2Ru_3(CO)_{10}(\mu-SEt)_8$  (S. Jääskeläinen, J. Purssainen and T.A. Pakkanen), 197

X-ray crystal structure of  $[FeRh(CO)_6(\mu-P^tBu_2)](Fe-Rh)$ : a molecule with two semibridging carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1

## Rhodium vapour

Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give  $\beta,\gamma$  unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41

## Ring slippage

Synthesis, characterisation and fluxional behaviour of  $[Ni(\eta^5-P_2C_3Bu_3)(\eta^3-P_2C_3Bu_3)]$  (F.G.N. Cloke, K.R. Flower, C. Jones, R.M. Matos and J.F. Nixon), C21

## Ruthenium

Formation and reactivity of the chloromethyl  $\pi$ -allyl complex  $(\eta^3-C_5Me_5)Ru(\eta^3-C_3H_5)(CH_2Cl)Cl$  (J.L. Hubbard and C.R. Zoch), 65

Mono-, bi- and polynuclear complexes of dimethyldiphenylsilane, diphenylether and biphenyl with Cr, Co and Ru. Synthesis

and <sup>1</sup>H, <sup>13</sup>C, <sup>17</sup>O and <sup>29</sup>Si NMR spectroscopic characterization (E. Kolehmainen, K. Laihia, J. Korvola, V.S. Kaganovich, M.I. Rybinskaya and Z.A. Kerzina), 215

Unusual mixed metal cluster reactions: formation of the mixed metal chain  $Rh_2Ru_3(CO)_{10}(\mu-SEt)_8$  (S. Jääskeläinen, J. Purssainen and T.A. Pakkanen), 197

## Rydberg transitions

Optical absorption study of "half-open ferrocene" and "open ferrocene" (S.Yu. Ketkov, W. Trakarnpruk and R.D. Ernst), 263

## Schiff base

Synthesis and characterization of [pyRh(salen)adam], an adamantyl Rh<sup>III</sup> complex containing bis(salicylaldehyde)ethylendiimine as equatorial ligand (R. Dreos-Garlatti, S. Geremia, L. Randaccio, S. Ruffini and G. Tazher), C24

## Silicon

A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89

Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újzászy and P. Sohár), 267

Synthese und Eigenschaften von 1,1,2,2-Tetrachlor- und 1,1,2,2-Tetrafluordisilan (K. Hassler und W. Köll), 223

## Silyl

A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89

## Sodium

Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von  $Tl(C_5H_3Ph_2)(THF)$  und  $Fe(C_5H_3Ph_2)_2$  (H. Schumann, A. Lentz und R. Weimann), 245

## Solvolysis

Preparation and solvolysis kinetics of trimethylsilyl *N*-alkyl-*N*-phenyl-carbamates (R. Szalay, D. Knausz, L. Szakács, K. Újzászy and P. Sohár), 267

## Substitution reaction

The bromination of vinylboronic acids on alumina (D.A. Willis, M.B. McGinnis, G.W. Kabalka and R.M. Pagni), 35

## Sulphur

Synthesis and spectroscopic characterization of 3,5-diaryl-*cyclo*-1,2,4-trithia-3,5-diborolanes,  $Ar_2B_2S_3$  (Ar = Ph, 2-MeC<sub>6</sub>H<sub>4</sub>, 3-MeC<sub>6</sub>H<sub>4</sub>, 4-MeC<sub>6</sub>H<sub>4</sub>, 4-EtC<sub>6</sub>H<sub>4</sub>, 3,5-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>), and some related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209

## Synthesis Stannylphosphines, primary

Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17

## Tantalum

Reactivity of bis(cyclopentadienyl)niobium and bis(cyclopentadienyl)tantalum trihydride towards bis(diorganophosphino)alkanes  $R_2P(CH_2)_nPR_2$  (R ≡ Ph, n = 1, 2 or 3; R ≡ Me, n = 1 or 2): synthesis of bimetallic dibridged complexes  $[Cp_2M(\mu-H)(\mu-diphosphine)M'(CO)_4]$  (M ≡ Nb or Ta; M' ≡ Cr, Mo or W) (G. Boni, P. Oudet and C. Moise), 105

## Tellurium

Diacetoxylation of nonconjugated dienes with TeO<sub>2</sub> and the isolation of intermediate organotellurium compounds (Y. Yoshimori, C.S. Cho and S. Uemura), 55

*N*-[2-(4-Methoxyphenyltelluro)ethyl]phthalimide: synthesis and complexation with palladium(II) (R. Batheja, S.K. Dhingra and A.K. Singh), 173

## Tetraalkylstannanes

The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257

## Tetraamine complexes

Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131

## Thallium

Die 1,3-Diphenylcyclopentadienylkomplexe von Natrium, Indium(I), Thallium(I) und Eisen(II): Röntgenstrukturanalyse von  $Tl(C_5H_3Ph_2)(THF)$  und  $Fe(C_5H_3Ph_2)_2$  (H. Schumann, A. Lentz und R. Weimann), 245

## Thermolysis

The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257

## Thiol

Unusual mixed metal cluster reactions: formation of the mixed metal chain  $Rh_2Ru_3(CO)_{10}(\mu-SEt)_8$  (S. Jääskeläinen, J. Purssainen and T.A. Pakkanen), 197

## Thiolate

Formation, Structure, Spectra, and Reactivity of the Adduct between  $(\eta^5\text{-Cyclopentadienyl})(1,2\text{-dimethoxycarbonyl-1,2-ethylenedithiolato})rhodium(III)$  and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8

## Tin

Reaktionen mit primären Stannylphosphinen: Synthese offenkettiger und ring-oligomerer Zinn-Phosphorverbindungen (D. Hänssgen, A. Dörr, H. Hens und R. Jeske), 17

The gas phase thermolysis and oxidative thermolysis of some homoleptic tetraalkylstannanes: an FT-IR study (A. Ashworth and P.G. Harrison), 257

## Titanium

Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47

## Transition metal complexes

Synthese, Struktur und Eigenschaften neuer Übergangsmetallkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, B. Gangnus, H. Pritzkow, H. Schulz, M. Stephan und W. Siebert), 235

## Triamine complexes

Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131

## Trifluoromethyl compounds

Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes (J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon), 61

## Trifluoropropargylic alcohol derivative

Preparation, isolation and chemical reactivity of the  $\alpha\text{-CF}_3$ -propargylium ion stabilized by a heterobimetallic [Co–Mo] cluster (M.A. Kondratenko, B. Malézieux, M. Gruselle, D. Bonnet-Delpon and J.P. Bégué), C15

## Trimethylsilyl

A preparation of *N,N*-bis(trimethylsilyl)allenamines (R.F. Cunico and C.P. Kuan), 89

## Trithiadiborolanes

Synthesis and spectroscopic characterization of 3,5-diaryl-cyclo-1,2,4-trithia-3,5-diborolanes,  $Ar_2B_2S_3$  (Ar = Ph, 2-MeC<sub>6</sub>H<sub>4</sub>, 3-MeC<sub>6</sub>H<sub>4</sub>, 4-MeC<sub>6</sub>H<sub>4</sub>, 4-EtC<sub>6</sub>H<sub>4</sub>, 3,5-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>), and some

related chemistry of boron-sulphur heterocyclic species (M.A. Beckett and P.R. Minton), 209

## Tungsten

Electrochemically induced aromatic nucleophilic substitution in *p*-diiodobenzene with  $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]^-$  and  $[(\eta^5\text{-C}_5\text{H}_5)\text{W}(\text{CO})_3]^-$ -anions (T.V. Magdesieva, I.I. Kukhareva, G.A. Artamkina, I.P. Beletskaya and K.P. Butin), 163

Liquid clathrate media containing transition metal halocarbonyl anions; formation and crystal structures of  $[K^+ \cdot 18\text{-crown-6}][Cr(\text{CO})_5Cl]$ ,  $[H_3O^+ \cdot 18\text{-crown-6}][W(\text{CO})_5Cl]$ ,  $[H_3O^+ \cdot 18\text{-crown-6}][W(\text{CO})_4Cl_3]$ , and  $[H_2O \cdot \text{bis-aza-18-crown-6} \cdot (H^+)_2][W(\text{CO})_4Cl_3]_2$  (J.L. Atwood, S.G. Bott, P.C. Junk and M.T. May), 7

Modes of complexation of linear tri- and tetraamines with group 6 metal carbonyls (N. Le Bris, J.-J. Yaouanc, J.-C. Clément, H. Handel and H. Des Abbayes), 131

## Unsaturated aldehydes

Selective hydroformylation of open-chain conjugated dienes promoted by mesitylene-solvated rhodium atoms to give  $\beta,\gamma$  unsaturated monoaldehydes (S. Bertozzi, N. Campigli, G. Vitulli, R. Lazzaroni and P. Salvadori), 41

## X-ray crystal structure

Surprising stability of a monomeric bis azide of gallium(III) (A.H. Cowley, F.P. Gabbai, F. Olbrich, S. Corbelin and R.J. Lagow), C5

## X-ray diffraction

Formation, Structure, Spectra, and Reactivity of the Adduct between  $(\eta^5\text{-Cyclopentadienyl})(1,2\text{-dimethoxycarbonyl-1,2-ethylenedithiolato})rhodium(III)$  and Dimethyl Acetylenedicarboxylate (M. Kajitani, T. Suetsugu, T. Takagi, T. Akiyama, A. Sugimori, K. Aoki and H. Yamazaki), C8

The first solid-state structure of a mixed-anion  $ROLi/LiOH$  compound:  $(^t\text{BuOLi})_{10} \cdot (LiOH)_6$  (C. Lambert, F. Hampel, P. Von Ragé Schleyer, M.G. Davidson and R. Snaith), 139

## X-ray structure

Kristallstruktur von  $[Cp^*BBr][AlBr_4]$  (C. Dohmeier, R. Köppe, C. Robl und H. Schnöckel), 127

Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex  $Li[Cp_2Y(FeN)_2]$  (FeN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelman), C18

New synthesis of  $\mu$ -allenylidene complexes from dimolybdenum carbenium ions crystal structure of  $\{[Mo(\eta^5\text{-C}_5\text{H}_5)(CO)_2]_2(\mu, \eta^2\text{-C=C=C}_6\text{H}_{10})\}$  (J.F. Capon, N. Le Berre-Cosquer, S. Bernier, R. Pichon, R. Kergoat and P. L'Haridon), 201

Synthesis and characterization of  $[pyRh(\text{salen})\text{adam}]$ , an adamantyl  $Rh^{III}$  complex containing bis(salicylaldehyde)ethylendiimine as equatorial ligand (R. Dreos-Garlatti, S. Geremia, L. Randaccio, S. Ruffini and G. Tazher), C24

X-ray crystal structure of  $[FeRh(CO)_6(\mu\text{-P}^t\text{Bu}_2)](Fe\text{-Rh})$ : a molecule with two semibringing carbonyl ligands (H. Hartung, A. Krug and H.-C. Böttcher), C1

## Yttrium

Neuartige Koordination eines Cyclopentadienylrings im heterotrimetallischen Organoyttrium-Komplex  $Li[Cp_2Y(FeN)_2]$  (FeN = 2-Dimethylaminomethylferrocenyl) (K. Jacob, M. Schäfer, A. Steiner, G.M. Sheldrick und F.T. Edelman), C18

## Ziegler–Natta catalysts

Competitive intramolecular Ti–C versus Al–C alkene insertions: examining the role of Lewis acid cocatalysts in Ziegler–Natta alkene insertion and chain transfer reactions (N.S. Barta, B.A. Kirk and J.R. Stille), 47



## Zinc

Electrochemical synthesis of trifluoromethylcadmium and trifluoromethylzinc species using bromotrifluoromethane and sacrificial anodes (J.M. Paratian, E. Labbé, S. Sibille, J.Y. Nédélec and J. Périchon), 61

## Zirconocene

(1,3-Propanediyl)silylene-bis(1-indenyl)dichlorozirconium. Synthesis and polymerization catalysis (Y.-X. Chen, M.D. Rausch and J.C.W. Chien), 29

## Book Reviews

*Catalyzed Direct Reactions of Silicon*, K.M. Lewis and D.G. Rethwisch (Eds.) (C. Eaborn)), C27

*Concise Encyclopedia Chemistry*, H.-D. Jakubke and H. Jeschkest (Eds.) (C. Eaborn)), C28

*Phase Transfer Catalysis. Selected Problems and Applications*, Y. Goldberg, Gordon and Breach (C. Eaborn)), C27