

## Subject index of Volume 555

### Ab initio

Characterization of an agostic bond on the basis of the electron density, 101

### Agostic

Characterization of an agostic bond on the basis of the electron density, 101

### Alkylidyne

Reactions of dinuclear and polynuclear complexes XIX. Rearrangements of terminal or disubstituted alkyne ligands present in homo- and heterodinuclear complexes of cobalt and molybdenum during reactions with molybdenum and cobalt carbonyl compounds: formation of trinuclear and tetranuclear clusters, 89

### Alkyne

Reactions of dinuclear and polynuclear complexes XIX. Rearrangements of terminal or disubstituted alkyne ligands present in homo- and heterodinuclear complexes of cobalt and molybdenum during reactions with molybdenum and cobalt carbonyl compounds: formation of trinuclear and tetranuclear clusters, 89

### Ansa-zirconocene

Bis(triisopropylsiloxyindenyl) zirconocenes, 127

### Antimony(V)

Reactions of  $[\text{SbR}_3\text{X}_2]_2\text{O}$  with carboxylates and the crystal structures of  $[\text{SbPh}_3(\text{O}_2\text{CCF}_3)_2]_2\text{O}$  and  $[\text{SbMe}_3(\text{O}_2\text{CCH}_3)_2]_2\text{O}$ , 271

### 1,2-Asymmetric induction

1,2-Asymmetric induction in the radical addition of organotin hydrides to (–)-menthyl(*E*)-2,3-disubstituted propenoates, 151

### Bis( $\eta^3$ -allyl) lanthanum(III) halides

Komplekxkatalyse: LIII. Darstellung und Charakterisierung der Bis( $\eta^3$ -allyl)lanthanhalogenid-Komplexe  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_2\text{X} \cdot 2\text{THF}$  (X = Cl, Br, I) als Präkatalysatoren für die stereospezifische Butadienpolymerisation, ein Beitrag zur weiteren Klärung der katalytischen Struktur-Wirkungsbeziehung, 201

### 1,2-Bis{bis(pentafluorophenyl)phosphino}ethane

Activation of C–F and C–H bonds by polyalkylcyclopentadienylrhodium complexes: crystal structure of  $[(\eta^5\text{-C}_5\text{Me}_4\text{Et})\text{RhCl}\{(\text{C}_6\text{F}_5)_2\text{PCH}_2\text{CH}_2\text{P}(\text{C}_6\text{F}_5)_2\}]^+ \cdot \text{BF}_4^-$ , 67

### Bis-imine ligand

Stereochemically non-rigid transition metal complexes of 2,6-bis[1-(phenylimino)ethyl]pyridine (BIP). Part 3. Dynamic NMR studies of *fac*-[PtXMe<sub>3</sub>(BIP)] (X = Cl, Br, or I). Crystal structure of *fac*-[PtIm<sub>3</sub>(BIP)], 35

### Butadienpolymerisation

Komplekxkatalyse: LIII. Darstellung und Charakterisierung der Bis( $\eta^3$ -allyl)lanthanhalogenid-Komplexe  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_2\text{X} \cdot 2\text{THF}$  (X = Cl, Br, I) als Präkatalysatoren für die stereospezifische Butadienpolymerisation, ein Beitrag zur weiteren Klärung der katalytischen Struktur-Wirkungsbeziehung, 201

### Caprolactamate

Synthesis, characterisation and properties of magnesium di(*e*-caprolactamate), 237

### Carbonyl

Mixed-metal cluster chemistry VIII<sup>1</sup>: phosphite substitution at  $[\text{CpWIr}_3(\text{CO})_{11}]$ ; X-ray crystal structure of  $[\text{CpWIr}_3(\mu\text{-CO})_3(\text{CO})_6\{\text{P}(\text{OPh})_3\}_2]$ , 25

Photochemical reaction of  $\text{Re}_2(\text{CO})_{10}$  with tetramethylthiourea; structural characterization of two novel pentarhenium carbonyl complexes containing sulfido and tetramethyldiaminocarbene ligands,  $[\text{Re}_5(\text{CO})_{17}(\mu\text{-R})(\mu_4\text{-S})_2\{\text{C}(\text{NMe}_2)_2\}_2]$  (R = SH or OH), 285

### Carbonyl complexes

Stabilization of 17-electron metal-centered species. Electrochemical study of  $[\text{WX}(\text{CO})_3(\eta^5\text{-C}_5\text{H}_5)]$  (X = Cl, Br, I) and  $[\text{WI}(\text{CO})_2(\text{PCy}_3)(\eta^5\text{-C}_5\text{H}_5)]$ , 57

### Carboranes

Reactions of Pd(II) with *closo*-1,2-dicarbododecaborane-1,2-diphosphines, 17

### Carboxylates

Reactions of  $[\text{SbR}_3\text{X}_2]_2\text{O}$  with carboxylates and the crystal structures of  $[\text{SbPh}_3(\text{O}_2\text{CCF}_3)_2]_2\text{O}$  and  $[\text{SbMe}_3(\text{O}_2\text{CCH}_3)_2]_2\text{O}$ , 271

### Catalysis

Methyltrioxorhenium/pyrazole—A highly efficient catalyst for the epoxidation of olefins, 293

### C–F bond activation

Activation of C–F and C–H bonds by polyalkylcyclopentadienylrhodium complexes: crystal structure of  $[(\eta^5\text{-C}_5\text{Me}_4\text{Et})\text{RhCl}\{(\text{C}_6\text{F}_5)_2\text{PCH}_2\text{CH}_2\text{P}(\text{C}_6\text{F}_5)_2\}]^+ \cdot \text{BF}_4^-$ , 67

### Charge density

Characterization of an agostic bond on the basis of the electron density, 101

### C–H bond activation

Activation of C–F and C–H bonds by polyalkylcyclopentadienylrhodium complexes: crystal structure of  $[(\eta^5\text{-C}_5\text{Me}_4\text{Et})\text{RhCl}\{(\text{C}_6\text{F}_5)_2\text{PCH}_2\text{CH}_2\text{P}(\text{C}_6\text{F}_5)_2\}]^+ \cdot \text{BF}_4^-$ , 67

### Chloride-bridged

Reactions of Pd(II) with *closo*-1,2-dicarbododecaborane-1,2-diphosphines, 17

### Cluster

A facile high-yield synthesis of the tetrahedral gallium(I) compounds  $\text{Ga}_4[\text{C}(\text{SiMe}_2\text{R})_3]_4$ —crystal structure of  $\text{Ga}_4[\text{C}(\text{SiMe}_2\text{Et})_3]_4$ , 263

Mixed-metal cluster chemistry VIII<sup>1</sup>: phosphite substitution at  $[\text{CpWIr}_3(\text{CO})_{11}]$ ; X-ray crystal structure of  $[\text{CpWIr}_3(\mu\text{-CO})_3(\text{CO})_6\{\text{P}(\text{OPh})_3\}_2]$ , 25

### Cobalt

Reactions of dinuclear and polynuclear complexes XIX. Rearrangements of terminal or disubstituted alkyne ligands present in homo- and heterodinuclear complexes of cobalt and molybdenum during reactions with molybdenum and cobalt carbonyl compounds: formation of trinuclear and tetranuclear clusters, 89

## Coordinated ligand

Different reactivity of the Ru–O bond in the chelated [(methoxyethyl)diphenylphosphine]ruthenium(II) complexes  $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\text{P}^\circ\text{O})\text{X}][\text{BR}_4]$  in dependence on X = Cl and CH<sub>3</sub>, 247

## Crystal Structure

Activation of C–F and C–H bonds by polyalkylcyclopentadienylrhodium complexes: crystal structure of  $[(\eta^5\text{-C}_5\text{Me}_4\text{Et})\text{RhCl}\{(\text{C}_6\text{F}_5)_2\text{PCH}_2\text{CH}_2\text{P}(\text{C}_6\text{F}_5)_2\}]^+ \cdot \text{BF}_4^-$ , 67

Interaction of methylmercury(II) with the bifunctional ligand *o*-diphenylphosphinobenzoate, dpb. Synthesis and characterization of  $[(\text{dpb})\text{HgMe}]$  and  $[(\text{dpbo})\text{HgMe}]$ , dpbo = *o*-diphenylphosphinobenzoate, 255

Mixed-metal cluster chemistry VIII<sup>1</sup>: phosphite substitution at  $[\text{CpWIr}_3(\text{CO})_{11}]$ ; X-ray crystal structure of  $[\text{CpWIr}_3(\mu\text{-CO})_3(\text{CO})_6\{\text{P}(\text{OPh})_3\}_2]$ , 25

New O- and N-bonded zirconocene complexes and their catalytic properties in ethylene polymerization. X-ray crystal structure of  $(\text{C}_5\text{H}_5)_2\text{Zr}\{2,6\text{-OC}_6\text{H}_3(\text{CH}_3)_2\}_2$ ,  $(\text{C}_5\text{H}_5)_2\text{Zr}\{2,4,6\text{-OC}_6\text{H}_2(\text{CH}_3)_3\}_2$  and  $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CH}_3)\{\text{CH}(\text{NC}_6\text{H}_5)_2\}$ , 177

Photochemical reaction of  $\text{Re}_2(\text{CO})_{10}$  with tetramethylthiourea; structural characterization of two novel pentarhenium carbonyl complexes containing sulfido and tetramethyldiaminocarbene ligands,  $[\text{Re}_5(\text{CO})_{17}(\mu\text{-R})(\mu_4\text{-S})_2\{\text{C}(\text{NMe}_2)_2\}_2]$  (R = SH or OH), 285

Reactions of  $[\text{SbR}_3\text{X}_2]\text{O}$  with carboxylates and the crystal structures of  $[\text{SbPh}_3(\text{O}_2\text{CCF}_3)_2]\text{O}$  and  $[\text{SbMe}_3(\text{O}_2\text{CCH}_3)_2]\text{O}$ , 271

## Cyclopalladated

Influences of the electronic and steric effects of the substituents in cyclopalladation of ferrocenylhydrazones, 211

## Cyclopalladation

Cyclopalladated Schiff's base liquid crystals: the effect of the acac group on the thermal behaviour, 81

## Cyclopentadienyl

Mixed-metal cluster chemistry VIII<sup>1</sup>: phosphite substitution at  $[\text{CpWIr}_3(\text{CO})_{11}]$ ; X-ray crystal structure of  $[\text{CpWIr}_3(\mu\text{-CO})_3(\text{CO})_6\{\text{P}(\text{OPh})_3\}_2]$ , 25

Stabilization of 17-electron metal-centered species. Electrochemical study of  $[\text{WX}(\text{CO})_3(\eta^5\text{-C}_5\text{H}_5)]$  (X = Cl, Br, I) and  $[\text{WI}(\text{CO})_2(\text{PCy}_3)(\eta^5\text{-C}_5\text{H}_5)]$ , 57

## Degradation

Reactions of Pd(II) with *closo*-1,2-dicarbadodecaborane-1,2-diphosphines, 17

## Derivative

The tetracyclopentadienyls of titanium, zirconium and hafnium: new synthetic procedures and reactivity, 49

## 2D-EXSY NMR

Stereochemically non-rigid transition metal complexes of 2,6-bis[1-(phenylimino)ethyl]pyridine (BIP). Part 3. Dynamic NMR studies of *fac*- $[\text{PtXMe}_3(\text{BIP})]$  (X = Cl, Br, or I). Crystal structure of *fac*- $[\text{PtI}(\text{Me}_3)(\text{BIP})]$ , 35

## Dichlorides

Titanocenes and zirconocenes with (chiral) *O*-functionalized side chains on the Cp ring, 5

## Diene complexes

Nucleophilic additions of phenylsulfonyl-substituted tricarbonyl(1,3-cyclohexadiene)iron complexes, 227

## Diphosphines

Reactions of Pd(II) with *closo*-1,2-dicarbadodecaborane-1,2-diphosphines, 17

## Direct MO dynamics

Photoreaction dynamics of permethylcyclohexasilane ( $\text{Me}_2\text{Si}$ )<sub>6</sub> via triplet state surface: A direct MO dynamics study, 161

## Electrochemistry

Stabilization of 17-electron metal-centered species. Electrochemical study of  $[\text{WX}(\text{CO})_3(\eta^5\text{-C}_5\text{H}_5)]$  (X = Cl, Br, I) and  $[\text{WI}(\text{CO})_2(\text{PCy}_3)(\eta^5\text{-C}_5\text{H}_5)]$ , 57

## Electron transfer behaviour

Oxidatively induced metal–carbon bond cleavage reactions in iridium dimethyl complexes: formation of cationic pyridine and nitrosyl iridium(III) alkyl derivatives, 135

## EPR spectroscopy

Oxidatively induced metal–carbon bond cleavage reactions in iridium dimethyl complexes: formation of cationic pyridine and nitrosyl iridium(III) alkyl derivatives, 135

## Ether–phosphine ligands

Different reactivity of the Ru–O bond in the chelated [(methoxyethyl)diphenylphosphine]ruthenium(II) complexes  $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\text{P}^\circ\text{O})\text{X}][\text{BR}_4]$  in dependence on X = Cl and CH<sub>3</sub>, 247

## Ethylene polymerization

New O- and N-bonded zirconocene complexes and their catalytic properties in ethylene polymerization. X-ray crystal structure of  $(\text{C}_5\text{H}_5)_2\text{Zr}\{2,6\text{-OC}_6\text{H}_3(\text{CH}_3)_2\}_2$ ,  $(\text{C}_5\text{H}_5)_2\text{Zr}\{2,4,6\text{-OC}_6\text{H}_2(\text{CH}_3)_3\}_2$  and  $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CH}_3)\{\text{CH}(\text{NC}_6\text{H}_5)_2\}$ , 177

## Ferracyclopentadiene ring

Reactivity of  $\text{Fe}_3(\text{CO})_9(\mu_3\text{-C}_2\text{Et}_2)$ . Synthesis and structures of  $\text{Fe}_2(\text{CO})_6\{\text{C}_2\text{Et}_2\text{C}[\text{CH}_2\text{N}(\text{Me})\text{CH}_2\text{Ph}]\text{CH}\}$  and  $\text{Fe}_3(\text{CO})_8\{\text{C}_2\text{Et}_2\text{C}(\text{H})\text{C}[\text{CH}_2\text{N}(\text{Me})\text{CH}_2\text{Ph}]\}$ , 113

## Ferrocene

Phosphor(III)- und Phosphor(V)-Verbindungen mit Ferrocenolato- und 1,1'-Ferrocendiolato-Substituenten, 187

The transition-metal complexes of the thiamacrocycle containing two ferrocene nuclei in the main chain. Synthesis, properties, and molecular structure of Ag(I), Cu(I), Pd(II), and Pt(II) complexes of 1,5,16,21-tetrathia[5.5]ferrocenophane, 167

## Ferrocenolato substituents

Phosphor(III)- und Phosphor(V)-Verbindungen mit Ferrocenolato- und 1,1'-Ferrocendiolato-Substituenten, 187

## Ferrocenophanes

Phosphor(III)- und Phosphor(V)-Verbindungen mit Ferrocenolato- und 1,1'-Ferrocendiolato-Substituenten, 187

## Ferrocenylhydrazones

Influences of the electronic and steric effects of the substituents in cyclopalladation of ferrocenylhydrazones, 211

## Fluxionality

Stereochemically non-rigid transition metal complexes of 2,6-bis[1-(phenylimino)ethyl]pyridine (BIP). Part 3. Dynamic NMR studies of *fac*- $[\text{PtXMe}_3(\text{BIP})]$  (X = Cl, Br, or I). Crystal structure of *fac*- $[\text{PtI}(\text{Me}_3)(\text{BIP})]$ , 35

## Functionalized cyclopentadienyl

Tripod-Liganden mit Cyclopentadienyl-Donorgruppe: Aufbau und Reaktionen des Tripod-Mo-Templats  $\text{CH}_3\text{C}(\text{CH}_2\text{-}\eta^5\text{-C}_5\text{H}_4)(\text{CH}_2\text{PPh}_2)_2\text{Mo}$ , 119

## Gallium

A facile high-yield synthesis of the tetrahedral gallium(I) compounds  $\text{Ga}_4[\text{C}(\text{SiMe}_2\text{R})_3]_4$ —crystal structure of  $\text{Ga}_4[\text{C}(\text{SiMe}_2\text{Et})_3]_4$ , 263

## Heck reaction

A survey of reaction conditions for palladium-catalyzed processes, 141

## Heterotetrametallics

Reactions of dinuclear and polynuclear complexes XIX. Rearrangements of terminal or disubstituted alkyne ligands present in homo- and heterodinuclear complexes of cobalt and molybdenum during reactions with molybdenum and cobalt carbonyl compounds: formation of trinuclear and tetranuclear clusters, 89

## Heterotrimetallics

Reactions of dinuclear and polynuclear complexes XIX. Rearrangements of terminal or disubstituted alkyne ligands present in homo- and heterodinuclear complexes of cobalt and molybdenum during reactions with molybdenum and cobalt carbonyl compounds: formation of trinuclear and tetranuclear clusters, 89

## Hydrolysis

Reactions of  $[\text{SbR}_3\text{X}_2]_2\text{O}$  with carboxylates and the crystal structures of  $[\text{SbPh}_3(\text{O}_2\text{CCF}_3)_2]_2\text{O}$  and  $[\text{SbMe}_3(\text{O}_2\text{CCH}_3)_2]_2\text{O}$ , 271

## Indenyl

Bis(triisopropylsiloxyindenyl) zirconocenes, 127

## Iridium

Mixed-metal cluster chemistry VIII<sup>1</sup>: phosphite substitution at  $[\text{CpWIr}_3(\text{CO})_{11}]$ ; X-ray crystal structure of  $[\text{CpWIr}_3(\mu\text{-CO})_3(\text{CO})_6\{\text{P}(\text{OPh})_3\}_2]$ , 25

## Iridium-carbon bond cleavage

Oxidatively induced metal-carbon bond cleavage reactions in iridium dimethyl complexes: formation of cationic pyridine and nitrosyl iridium(III) alkyl derivatives, 135

## Iron

Nucleophilic additions of phenylsulfonyl-substituted tricarbonyl(1,3-cyclohexadiene)iron complexes, 227

## Ligand

Reactivity of  $\text{Fe}_3(\text{CO})_9(\mu_3\text{-C}_2\text{Et}_2)$ . Synthesis and structures of  $\text{Fe}_2(\text{CO})_6\{\text{C}_2\text{Et}_2\text{C}[\text{CH}_2\text{N}(\text{Me})\text{CH}_2\text{Ph}]\text{CH}\}$  and  $\text{Fe}_3(\text{CO})_8\{\text{C}_2\text{Et}_2\text{C}(\text{H})\text{C}[\text{CH}_2\text{N}(\text{Me})\text{CH}_2\text{Ph}]\}$ , 113

## Liquid crystals

Cyclopalladated Schiff's base liquid crystals: the effect of the acac group on the thermal behaviour, 81

## Low oxidation state

A facile high-yield synthesis of the tetrahedral gallium(I) compounds  $\text{Ga}_4[\text{C}(\text{SiMe}_2\text{R})_3]_4$ —crystal structure of  $\text{Ga}_4[\text{C}(\text{SiMe}_2\text{Et})_3]_4$ , 263

## Magnesium

Synthesis, characterisation and properties of magnesium di( $\epsilon$ -caprolactamate), 237

(–)-Menthyl(*E*)-2,3-disubstituted propenoates

1,2-Asymmetric induction in the radical addition of organotin hydrides to (–)-menthyl(*E*)-2,3-disubstituted propenoates, 151

## Mesogenic

Cyclopalladated Schiff's base liquid crystals: the effect of the acac group on the thermal behaviour, 81

## Metallocenes

Synthesis of new mixed ring zirconocenes and evidence of ring loss, 1

## Methylmercury

Interaction of methylmercury(II) with the bifunctional ligand *o*-diphenylphosphinobenzoate, dpb. Synthesis and characterization of  $[(\text{dpb})\text{HgMe}]$  and  $[(\text{dpbo})\text{HgMe}]$ , dpbo = *o*-diphenylphosphinoxidebenzoate, 255

## Methyltrioxorhenium

Methyltrioxorhenium/pyrazole—A highly efficient catalyst for the epoxidation of olefins, 293

## Molybdenum

Reactions of dinuclear and polynuclear complexes XIX. Rearrangements of terminal or disubstituted alkyne ligands present in homo- and heterodinuclear complexes of cobalt and molybdenum during reactions with molybdenum and cobalt carbonyl compounds: formation of trinuclear and tetranuclear clusters, 89

## Molybdenum complexes

Tripod-Liganden mit Cyclopentadienyl-Donorgruppe: Aufbau und Reaktionen des Tripod-Mo-Templats  $\text{CH}_3\text{C}(\text{CH}_2\text{-}\eta^5\text{-C}_5\text{H}_4)(\text{CH}_2\text{PPh}_2)_2\text{Mo}$ , 119

## NMR spectra

Reactions of  $[\text{SbR}_3\text{X}_2]_2\text{O}$  with carboxylates and the crystal structures of  $[\text{SbPh}_3(\text{O}_2\text{CCF}_3)_2]_2\text{O}$  and  $[\text{SbMe}_3(\text{O}_2\text{CCH}_3)_2]_2\text{O}$ , 271

## NMR spectroscopy

Interaction of methylmercury(II) with the bifunctional ligand *o*-diphenylphosphinobenzoate, dpb. Synthesis and characterization of  $[(\text{dpb})\text{HgMe}]$  and  $[(\text{dpbo})\text{HgMe}]$ , dpbo = *o*-diphenylphosphinoxidebenzoate, 255

Phosphor(III)- und Phosphor(V)-Verbindungen mit Ferrocenolato- und 1,1'-Ferrocendiolato-Substituenten, 187

## NMR-spectroscopy

Komplekxkatalyse: LIII. Darstellung und Charakterisierung der Bis( $\eta^3$ -allyl)lanthanhalogenid-Komplexe  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_2\text{X} \cdot 2\text{THF}$  (X = Cl, Br, I) als Präkatalysatoren für die stereospezifische Butadienpolymerisation, ein Beitrag zur weiteren Klärung der katalytischen Struktur-Wirkungsbeziehung, 201

## Olefin Epoxidation

Methyltrioxorhenium/pyrazole—A highly efficient catalyst for the epoxidation of olefins, 293

## Organotin hydrides

1,2-Asymmetric induction in the radical addition of organotin hydrides to (–)-menthyl(*E*)-2,3-disubstituted propenoates, 151

## Palladium

Influences of the electronic and steric effects of the substituents in cyclopalladation of ferrocenylhydrazones, 211

## Palladium catalysis

A survey of reaction conditions for palladium-catalyzed processes, 141

## Phosphido

Reactions of dinuclear and polynuclear complexes XIX. Rearrangements of terminal or disubstituted alkyne ligands present in homo- and heterodinuclear complexes of cobalt and molybdenum during reactions with molybdenum and cobalt carbonyl compounds: formation of trinuclear and tetranuclear clusters, 89

## Phosphine complexes

Interaction of methylmercury(II) with the bifunctional ligand *o*-diphenylphosphinobenzoate, dpb. Synthesis and characterization of  $[(\text{dpb})\text{HgMe}]$  and  $[(\text{dpbo})\text{HgMe}]$ , dpbo = *o*-diphenylphosphinoxidebenzoate, 255

## Phosphite

Mixed-metal cluster chemistry VIII<sup>1</sup>: phosphite substitution at  $[\text{CpWIr}_3(\text{CO})_{11}]$ ; X-ray crystal structure of  $[\text{CpWIr}_3(\mu\text{-CO})_3(\text{CO})_6\{\text{P}(\text{OPh})_3\}_2]$ , 25

## Phosphorus

Phosphor(III)- und Phosphor(V)-Verbindungen mit Ferrocenolato- und 1,1'-Ferrocendiolato-Substituenten, 187

## Platinum

Stereochemically non-rigid transition metal complexes of 2,6-bis[1-(phenylimino)ethyl]pyridine (BIP). Part 3. Dynamic NMR studies of *fac*- $[\text{PtXMe}_3(\text{BIP})]$  (X = Cl, Br, or I). Crystal structure of *fac*- $[\text{PtIme}_3(\text{BIP})]$ , 35

## Polysilanes

Photoreaction dynamics of permethylcyclohexasilane  $(\text{Me}_2\text{Si})_6$  via triplet state surface: A direct MO dynamics study, 161

## Propargylamine

Reactivity of  $\text{Fe}_3(\text{CO})_9(\mu_3\text{-C}_2\text{Et}_2)$ . Synthesis and structures of  $\text{Fe}_2(\text{CO})_6\{\text{C}_2\text{Et}_2\text{C}[\text{CH}_2\text{N}(\text{Me})\text{CH}_2\text{Ph}]\text{CH}\}$  and  $\text{Fe}_3(\text{CO})_8\{\text{C}_2\text{Et}_2\text{C}(\text{H})\text{C}[\text{CH}_2\text{N}(\text{Me})\text{CH}_2\text{Ph}]\}$ , 113

## Pyrazole

Methyltrioxorhenium/pyrazole—A highly efficient catalyst for the epoxidation of olefins, 293

## Rhenium

Photochemical reaction of  $\text{Re}_2(\text{CO})_{10}$  with tetramethylthiourea; structural characterization of two novel pentarhenium carbonyl complexes containing sulfido and tetramethyldiaminocarbene ligands,  $[\text{Re}_5(\text{CO})_{17}(\mu\text{-R})(\mu_4\text{-S})_2\{\text{C}(\text{NMe}_2)_2\}_2]$  (R = SH or OH), 285

## Rhodium

Activation of C–F and C–H bonds by polyalkylcyclopentadienyl-rhodium complexes: crystal structure of  $[(\eta^5\text{-C}_5\text{Me}_4\text{Et})\text{RhCl}\{\text{C}_6\text{F}_5\}_2\text{PCH}_2\text{CH}_2\text{P}(\text{C}_6\text{F}_5)_2\}]^+ \cdot \text{BF}_4^-$ , 67

The synthesis and NMR spectroscopic examination of coordination complexes of 2-telluraindane with rhodium, 279

## Ring loss

Synthesis of new mixed ring zirconocenes and evidence of ring loss, 1

## Ruthenium complexes

Different reactivity of the Ru–O bond in the chelated [(methoxyethyl)diphenylphosphine]ruthenium(II) complexes  $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\text{P}^{\text{O}}\text{X})][\text{BR}_4]$  in dependence on X = Cl and  $\text{CH}_3$ , 247

## Sulfido

Photochemical reaction of  $\text{Re}_2(\text{CO})_{10}$  with tetramethylthiourea; structural characterization of two novel pentarhenium carbonyl complexes containing sulfido and tetramethyldiaminocarbene ligands,  $[\text{Re}_5(\text{CO})_{17}(\mu\text{-R})(\mu_4\text{-S})_2\{\text{C}(\text{NMe}_2)_2\}_2]$  (R = SH or OH), 285

## Sulfones

Nucleophilic additions of phenylsulfonyl-substituted tricarbonyl(1,3-cyclohexadiene)iron complexes, 227

## Synthesis

New O- and N-bonded zirconocene complexes and their catalytic properties in ethylene polymerization. X-ray crystal structure of  $(\text{C}_5\text{H}_5)_2\text{Zr}\{2,6\text{-OC}_6\text{H}_3(\text{CH}_3)_2\}_2$ ,  $(\text{C}_5\text{H}_5)_2\text{Zr}\{2,4,6\text{-OC}_6\text{H}_2(\text{CH}_3)_3\}_2$  and  $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CH}_3)\{\text{CH}(\text{NC}_6\text{H}_5)_2\}$ , 177

## Telluraindane

The synthesis and NMR spectroscopic examination of coordination complexes of 2-telluraindane with rhodium, 279

<sup>125</sup>Te-NMR

The synthesis and NMR spectroscopic examination of coordination complexes of 2-telluraindane with rhodium, 279

## Tetramethyldiaminocarbene

Photochemical reaction of  $\text{Re}_2(\text{CO})_{10}$  with tetramethylthiourea; structural characterization of two novel pentarhenium carbonyl complexes containing sulfido and tetramethyldiaminocarbene ligands,  $[\text{Re}_5(\text{CO})_{17}(\mu\text{-R})(\mu_4\text{-S})_2\{\text{C}(\text{NMe}_2)_2\}_2]$  (R = SH or OH), 285

## Thiamacrocyclic

The transition-metal complexes of the thiamacrocyclic containing

two ferrocene nuclei in the main chain. Synthesis, properties, and molecular structure of Ag(I), Cu(I), Pd(II), and Pt(II) complexes of 1,5,16,21-tetrathia[5.5]ferrocenophane, 167

## Ti-alkyl

Characterization of an agostic bond on the basis of the electron density, 101

## Titanocene

Titanocenes and zirconocenes with (chiral) O-functionalized side chains on the Cp ring, 5

## Topological analysis

Characterization of an agostic bond on the basis of the electron density, 101

## Transition-metal complexes

The transition-metal complexes of the thiamacrocyclic containing two ferrocene nuclei in the main chain. Synthesis, properties, and molecular structure of Ag(I), Cu(I), Pd(II), and Pt(II) complexes of 1,5,16,21-tetrathia[5.5]ferrocenophane, 167

## Triisopropylsiloxy

Bis(triisopropylsiloxyindenyl) zirconocenes, 127

## Triplet state

Photoreaction dynamics of permethylcyclohexasilane ( $\text{Me}_2\text{Si}_6$ ) via triplet state surface: A direct MO dynamics study, 161

## Tripodal ligands

Tripod-Liganden mit Cyclopentadienyl-Donorgruppe: Aufbau und Reaktionen des Tripod-Mo-Templats  $\text{CH}_3\text{C}(\text{CH}_2\text{-}\eta^5\text{-C}_5\text{H}_4)(\text{CH}_2\text{PPh}_2)_2\text{Mo}$ , 119

## Tungsten

Mixed-metal cluster chemistry VIII<sup>1</sup>: phosphite substitution at  $[\text{CpWIr}_3(\text{CO})_{11}]$ ; X-ray crystal structure of  $[\text{CpWIr}_3(\mu\text{-CO})_3(\text{CO})_6\{\text{P}(\text{OPh})_3\}_2]$ , 25

Stabilization of 17-electron metal-centered species. Electrochemical study of  $[\text{WX}(\text{CO})_3(\eta^5\text{-C}_5\text{H}_5)]$  (X = Cl, Br, I) and  $[\text{WI}(\text{CO})_2(\text{PCy}_3)(\eta^5\text{-C}_5\text{H}_5)]$ , 57

## Ullmann reaction

A survey of reaction conditions for palladium-catalyzed processes, 141

## X-ray diffraction

The tetracyclopentadienyls of titanium, zirconium and hafnium: new synthetic procedures and reactivity, 49

## X-ray structure analysis

Phosphor(III)- und Phosphor(V)-Verbindungen mit Ferrocenolato- und 1,1'-Ferrocendiolato-Substituenten, 187

## Zirconium

Synthesis of new mixed ring zirconocenes and evidence of ring loss, 1

The tetracyclopentadienyls of titanium, zirconium and hafnium: new synthetic procedures and reactivity, 49

## Zirconocene

Titanocenes and zirconocenes with (chiral) O-functionalized side chains on the Cp ring, 5

## Zirconocene compounds

New O- and N-bonded zirconocene complexes and their catalytic properties in ethylene polymerization. X-ray crystal structure of  $(\text{C}_5\text{H}_5)_2\text{Zr}\{2,6\text{-OC}_6\text{H}_3(\text{CH}_3)_2\}_2$ ,  $(\text{C}_5\text{H}_5)_2\text{Zr}\{2,4,6\text{-OC}_6\text{H}_2(\text{CH}_3)_3\}_2$  and  $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CH}_3)\{\text{CH}(\text{NC}_6\text{H}_5)_2\}$ , 177