

Subject index of Volume 554

- Alcohols**
The versatile behavior of the PdCl₂/Et₃SiH system. Conversion of alcohols to the corresponding halides and alkanes, 135
- Alkane dehydrogenation**
Kinetics of photochemical alkane dehydrogenation catalyzed by Rh(PMe₃)₂(CO)Cl: implications concerning the C–H bond activation step, 41
- Alkanes**
The versatile behavior of the PdCl₂/Et₃SiH system. Conversion of alcohols to the corresponding halides and alkanes, 135
- alkyl imido pentamethylcyclopentadienyl complexes**
Alkyl chloro, dialkyl and mixed alkyl derivatives of imido(pentamethylcyclopentadienyl) tantalum(V). X-ray crystal structure of [TaCp* Cp'Cl{N(2,6-Me₂C₆H₃)}], (Cp' = η⁵-C₅H₄SiMe₃), 185
- Alkyne**
Elucidating the mechanism of the photochemical Pauson–Khand reaction: matrix photochemistry of phenylacetylenehexacarbonyldicobalt, 147
Isolation and characterization of [(RhCp*)₂{η¹:η⁴:η²-μ-CHC(Ph)CHC(Ph)CHCH₂}]⁺ (Cp* = η⁵-C₅Me₅). Reinvestigation of the carbon–carbon bond formation between μ-CH₂ group and alkynes in [(RhCp*)₂(μ-CH₂)₂(CH₃CN)₂]²⁺, 155
- Alkyne complexes**
Novel decomplexation method for alkyne–Co₂(CO)₆ complexes, 163
- η³-Allyliron complexes**
Synthesis of planar chiral η³-allyldicarbonylnitrosyliron complexes and stereochemistry of the complex forming reaction, 167
- Amide polymers**
Photochemically reactive polymers; the synthesis and photochemistry of amide polymers and model compounds containing metal–metal bonds and internal radical traps, 19
- Amino acid**
Synthesis and structure of Pd^{II} and Pt^{II} complexes containing chiral diphosphazane ligands, 105
- Azavinylidene ligands**
Protonation of triruthenium carbonyl cluster complexes containing a bridging 1-azavinylidene ligand. Experimental results and EHMO calculations, 117
- Bis-(chloro(dicarbonyl)rhodium}**
Photochemistry of bis-(chloro(dicarbonyl)rhodium} in low temperature frozen gas matrices at 12 K and in Nujol mulls at 77 K: infrared and electronic evidence for retention of the bis-(chloro)rhodium} bridging unit but photoejection of terminal carbonyl ligands, 75
- Calorimetry**
High temperature microcalorimetric studies of the thermal decomposition and halogenation of nonacarbonylcobaltmanganese, nonacarbonylcobaltrhenium and decacarbonylmanganeserhenium, 123
- Carbene complex**
A route to new methylpalladium(II) carbene complexes, 175
- Carbon–carbon bond formation**
Isolation and characterization of [(RhCp*)₂{η¹:η⁴:η²-μ-CHC(Ph)CHC(Ph)CHCH₂}]⁺ (Cp* = η⁵-C₅Me₅). Reinvestigation of the carbon–carbon bond formation between μ-CH₂ group and alkynes in [(RhCp*)₂(μ-CH₂)₂(CH₃CN)₂]²⁺, 155
- Carbonyl**
Elucidating the mechanism of the photochemical Pauson–Khand reaction: matrix photochemistry of phenylacetylenehexacarbonyldicobalt, 147
- Carbonyl clusters**
Trinuclear carbonyl clusters with capping sulphur ligands. crystal structures of Ru₃(CO)₈(μ₃-S)(η¹-L) and RuCo₂(CO)₈(μ₃-S)(η¹-L), 129
- Carbonyl complexes**
Novel decomplexation method for alkyne–Co₂(CO)₆ complexes, 163
- CD spectroscopy**
Synthesis of planar chiral η³-allyldicarbonylnitrosyliron complexes and stereochemistry of the complex forming reaction, 167
- C–H bond activation**
Kinetics of photochemical alkane dehydrogenation catalyzed by Rh(PMe₃)₂(CO)Cl: implications concerning the C–H bond activation step, 41
Photochemical features of intermolecular C–H bond activation, 1
- Chiral**
Synthesis and structure of Pd^{II} and Pt^{II} complexes containing chiral diphosphazane ligands, 105
- Chloromethylchlorophosphines**
Selective C–Cl versus P–Cl—activation syntheses of complexes with P–Cl functional phosphinomethyl bridges η²,μ₂-{P(R)Cl–CH₂}₂, 209
- Clusters**
Protonation of triruthenium carbonyl cluster complexes containing a bridging 1-azavinylidene ligand. Experimental results and EHMO calculations, 117
- Cobalt**
Elucidating the mechanism of the photochemical Pauson–Khand reaction: matrix photochemistry of phenylacetylenehexacarbonyldicobalt, 147
High temperature microcalorimetric studies of the thermal decomposition and halogenation of nonacarbonylcobaltmanganese, nonacarbonylcobaltrhenium and decacarbonylmanganeserhenium, 123
Novel decomplexation method for alkyne–Co₂(CO)₆ complexes, 163
Time resolved infrared spectroscopy as a technique to study reactive organometallic intermediates, 49
Trinuclear carbonyl clusters with capping sulphur ligands. crystal structures of Ru₃(CO)₈(μ₃-S)(η¹-L) and RuCo₂(CO)₈(μ₃-S)(η¹-L), 129

Crystal structure

- 1,2-*N,N*-dimethylaminomethylferrocenyl as a ligand towards silicon, 139
- Preparation and crystal structures of the mononuclear vanadium phenoxide complexes $[\text{VCl}(\text{OC}_6\text{H}_3\text{Pr}_2^1\text{-2,6})_2(\text{C}_4\text{H}_8\text{O})_2]$ and $[\text{VO}(\text{OC}_6\text{H}_3\text{Pr}_2^1\text{-2,6})_3]$: procatalysts for ethylene polymerisation, 197

Decomplexation

- Novel decomplexation method for alkyne- $\text{Co}_2(\text{CO})_6$ complexes, 163

Dendrimers

- Two-dimensional silicon-29 inadequate as a structural tool for branched and dendritic polysilanes, 113

Diazo compounds

- Synthesis and structure of Pd^{II} and Pt^{II} complexes containing chiral diphosphazane ligands, 105

1,3-dimethylimidazolin-2-ylidene

- A route to new methylpalladium(II) carbene complexes, 175

Diphosphazane

- Synthesis and structure of Pd^{II} and Pt^{II} complexes containing chiral diphosphazane ligands, 105

EHMO calculations

- Protonation of triruthenium carbonyl cluster complexes containing a bridging 1-azavinylidene ligand. Experimental results and EHMO calculations, 117

17-Electron complex

- Formation of α,ω -dienes upon photooxidation of alkenyl carbyne complexes, 13

Emission spectroscopy

- Excited states and emission spectroscopy of organometallic compounds interpreted by time-dependent theory, 87

Ethylene diamine

- Novel decomplexation method for alkyne- $\text{Co}_2(\text{CO})_6$ complexes, 163

Ethylidene

- Synthesis of η^1 -butadienyl iron complex upon coupling of two organometallic η^1 -vinyl units and selective decomplexation at one end, 205

Excited states

- Excited states and emission spectroscopy of organometallic compounds interpreted by time-dependent theory, 87
- Photochemical features of intermolecular C-H bond activation, 1

Halides

- The versatile behavior of the $\text{PdCl}_2/\text{Et}_3\text{SiH}$ system. Conversion of alcohols to the corresponding halides and alkanes, 135

INADEQUATE

- Two-dimensional silicon-29 inadequate as a structural tool for branched and dendritic polysilanes, 113

Insertion reaction

- Isolation and characterization of $[(\text{RhCp}^*)_2\{\eta^1:\eta^4:\eta^2-\mu\text{-CHC}(\text{Ph})\text{CHC}(\text{Ph})\text{CHCH}_2\}]^+$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$). Reinvestigation of the carbon-carbon bond formation between $\mu\text{-CH}_2$ group and alkynes in $[(\text{RhCp}^*)_2(\mu\text{-CH}_2)_2(\text{CH}_3\text{CN})_2]^{2+}$, 155

Ion pair

- Highly soluble complexes of $[\text{FeH}_6]^{4+}$ and ion pairing interactions, 171

Iron

- Highly soluble complexes of $[\text{FeH}_6]^{4+}$ and ion pairing interactions, 171
- 1,2-*N,N*-dimethylaminomethylferrocenyl as a ligand towards silicon, 139

Iron butadienyl

- Synthesis of η^1 -butadienyl iron complex upon coupling of two organometallic η^1 -vinyl units and selective decomplexation at one end, 205

Manganese

- High temperature microcalorimetric studies of the thermal decomposition and halogenation of nonacarbonylcobaltmanganese, nonacarbonylcobaltrhenium and decacarbonylmanganeserhenium, 123

- Time resolved infrared spectroscopy as a technique to study reactive organometallic intermediates, 49

Matrix isolation

- Elucidating the mechanism of the photochemical Pauson-Khand reaction: matrix photochemistry of phenylacetylenehexacarbonyldicobalt, 147

Metal carbyne

- Formation of α,ω -dienes upon photooxidation of alkenyl carbyne complexes, 13

Metal-metal bonds

- Photochemically reactive polymers; the synthesis and photochemistry of amide polymers and model compounds containing metal-metal bonds and internal radical traps, 19

Metal radical

- Formation of α,ω -dienes upon photooxidation of alkenyl carbyne complexes, 13

 μ -Methylene ligand

- Isolation and characterization of $\{[(\text{RhCp}^*)_2\{\eta^1:\eta^4:\eta^2-\mu\text{-CHC}(\text{Ph})\text{CHC}(\text{Ph})\text{CHCH}_2\}]^+\}$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$). Reinvestigation of the carbon-carbon bond formation between $\mu\text{-CH}_2$ group and alkynes in $[(\text{RhCp}^*)_2(\mu\text{-CH}_2)_2(\text{CH}_3\text{CN})_2]^{2+}$, 155

Mössbauer spectroscopy

- 1,2-*N,N*-dimethylaminomethylferrocenyl as a ligand towards silicon, 139

Nitrosyl ligand

- Synthesis of planar chiral η^3 -allyldicarbonylnitrosyliron complexes and stereochemistry of the complex forming reaction, 167

1,2-*N,N*-dimethylaminomethylferrocenyl

- 1,2-*N,N*-dimethylaminomethylferrocenyl as a ligand towards silicon, 139

Nuclear magnetic resonance

- Two-dimensional silicon-29 inadequate as a structural tool for branched and dendritic polysilanes, 113

Organoiron

- Synthesis of η^1 -butadienyl iron complex upon coupling of two organometallic η^1 -vinyl units and selective decomplexation at one end, 205

Organometallic compounds

- Excited states and emission spectroscopy of organometallic compounds interpreted by time-dependent theory, 87

Palladium

- A route to new methylpalladium(II) carbene complexes, 175
- Selective C-Cl versus P-Cl-activation syntheses of complexes with P-Cl functional phosphinomethyl bridges $\eta^2,\mu_2\text{-}\{\text{P}(\text{R})\text{Cl-CH}_2\}$, 209

- Synthesis and structure of Pd^{II} and Pt^{II} complexes containing chiral diphosphazane ligands, 105

Palladium dichloride

- The versatile behavior of the $\text{PdCl}_2/\text{Et}_3\text{SiH}$ system. Conversion of alcohols to the corresponding halides and alkanes, 135

Phenoxide

Preparation and crystal structures of the mononuclear vanadium phenoxide complexes $[\text{VCl}(\text{OC}_6\text{H}_3\text{Pr}_2^1\text{-2,6})_2(\text{C}_4\text{H}_8\text{O})_2]$ and $[\text{VO}(\text{OC}_6\text{H}_3\text{Pr}_2^1\text{-2,6})_3]$: procatalysts for ethylene polymerisation, 197

 η^2, μ_2 -Phosphinomethyl bridges

Selective C–Cl versus P–Cl—activation syntheses of complexes with P–Cl functional phosphinomethyl bridges η^2, μ_2 - $\{\text{P}(\text{R})\text{Cl}-\text{CH}_2\}$, 209

Photochemical decomposition

Photochemically reactive polymers; the synthesis and photochemistry of amide polymers and model compounds containing metal–metal bonds and internal radical traps, 19

Photochemistry

Elucidating the mechanism of the photochemical Pauson–Khand reaction: matrix photochemistry of phenylacetylenehexacarbonyldicobalt, 147

Kinetics of photochemical alkane dehydrogenation catalyzed by $\text{Rh}(\text{PMe}_3)_2(\text{CO})\text{Cl}$: implications concerning the C–H bond activation step, 41

Photochemical features of intermolecular C–H bond activation, 1

Photochemistry of thin amorphous films of $\text{Fe}(\text{CO})_4\text{PPh}_3$ on Si(III) surfaces, 63

Photooxidation

Formation of α, ω -dienes upon photooxidation of alkenyl carbyne complexes, 13

Photophysics

Photochemical features of intermolecular C–H bond activation, 1

Planar chirality

Synthesis of planar chiral η^3 -allyldicarbonylnitrosyliron complexes and stereochemistry of the complex forming reaction, 167

Platinum

Synthesis and structure of Pd^{II} and Pt^{II} complexes containing chiral diphosphazane ligands, 105

Polymerisation

Preparation and crystal structures of the mononuclear vanadium phenoxide complexes $[\text{VCl}(\text{OC}_6\text{H}_3\text{Pr}_2^1\text{-2,6})_2(\text{C}_4\text{H}_8\text{O})_2]$ and $[\text{VO}(\text{OC}_6\text{H}_3\text{Pr}_2^1\text{-2,6})_3]$: procatalysts for ethylene polymerisation, 197

Polymetallic

Using spectroelectrochemistry to probe the light absorbing properties of polymetallic complexes containing the tridentate bridging ligand 2,3,5,6-tetrakis(2-pyridyl)pyrazine, 29

Polysilanes

Two-dimensional silicon-29 inadequate as a structural tool for branched and dendritic polysilanes, 113

Protonation reactions

Protonation of triruthenium carbonyl cluster complexes containing a bridging 1-azavinylidene ligand. Experimental results and EHMO calculations, 117

3-Pyridyl

Convenient synthetic routes to bidentate and monodentate 2-, 3- and 4-pyridyl phosphines: potentially useful ligands for water-soluble complex catalysts, 181

4-Pyridyl

Convenient synthetic routes to bidentate and monodentate 2-, 3- and 4-pyridyl phosphines: potentially useful ligands for water-soluble complex catalysts, 181

Pyridylphosphines

Convenient synthetic routes to bidentate and monodentate 2-, 3- and 4-pyridyl phosphines: potentially useful ligands for water-soluble complex catalysts, 181

Rhenium

High temperature microcalorimetric studies of the thermal decomposition and halogenation of nonacarbonylcobaltmanganese, nonacarbonylcobalttrhenium and decacarbonylmanganeserhenium, 123

Rhodium

Isolation and characterization of $[(\text{RhCp}^*)_2\{\eta^1:\eta^4:\eta^2-\mu\text{-CHC}(\text{Ph})\text{CHC}(\text{Ph})\text{CHCH}_2\}]^+$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$). Reinvestigation of the carbon–carbon bond formation between $\mu\text{-CH}_2$ group and alkynes in $[(\text{RhCp}^*)_2(\mu\text{-CH}_2)_2(\text{CH}_3\text{CN})_2]^{2+}$, 155

Photochemical features of intermolecular C–H bond activation, 1

Ruthenium

Protonation of triruthenium carbonyl cluster complexes containing a bridging 1-azavinylidene ligand. Experimental results and EHMO calculations, 117

Trinuclear carbonyl clusters with capping sulphur ligands. crystal structures of $\text{Ru}_3(\text{CO})_8(\mu_3\text{-S})(\eta^1\text{-L})$ and $\text{RuCo}_2(\text{CO})_8(\mu_3\text{-S})(\eta^1\text{-L})$, 129

Selective C–Cl activation

Selective C–Cl versus P–Cl—activation syntheses of complexes with P–Cl functional phosphinomethyl bridges η^2, μ_2 - $\{\text{P}(\text{R})\text{Cl}-\text{CH}_2\}$, 209

Silicon

1,2-*N,N*-dimethylaminomethylferrocenyl as a ligand towards silicon, 139

Soluble

Highly soluble complexes of $[\text{FeH}_6]^{4-}$ and ion pairing interactions, 171

Spectroelectrochemistry

Using spectroelectrochemistry to probe the light absorbing properties of polymetallic complexes containing the tridentate bridging ligand 2,3,5,6-tetrakis(2-pyridyl)pyrazine, 29

Sulphur ligands

Trinuclear carbonyl clusters with capping sulphur ligands. crystal structures of $\text{Ru}_3(\text{CO})_8(\mu_3\text{-S})(\eta^1\text{-L})$ and $\text{RuCo}_2(\text{CO})_8(\mu_3\text{-S})(\eta^1\text{-L})$, 129

Surface chemistry

Photochemistry of thin amorphous films of $\text{Fe}(\text{CO})_4\text{PPh}_3$ on Si(III) surfaces, 63

Synthesis

Synthesis of η^1 -butadienyl iron complex upon coupling of two organometallic η^1 -vinyl units and selective decomplexation at one end, 205

Tantalum

Alkyl chloro, dialkyl and mixed alkyl derivatives of imido(pentamethylcyclopentadienyl) tantalum(V). X-ray crystal structure of $[\text{TaCp}^*\text{Cp}'\text{Cl}\{\text{N}(2,6\text{-Me}_2\text{C}_6\text{H}_3)\}]$, ($\text{Cp}' = \eta^5\text{-C}_5\text{H}_4\text{SiMe}_3$), 185

Terminal carbonyl ligands

Photochemistry of bis-{chloro(dicarbonyl)rhodium} in low temperature frozen gas matrices at 12 K and in Nujol mulls at 77 K: infrared and electronic evidence for retention of the bis-{(chloro)rhodium} bridging unit but photoejection of terminal carbonyl ligands, 75

Thin films

Photochemistry of thin amorphous films of $\text{Fe}(\text{CO})_4\text{PPh}_3$ on Si(III) surfaces, 63

Time-dependent theory

Excited states and emission spectroscopy of organometallic compounds interpreted by time-dependent theory, 87

Time resolved infrared spectroscopy

Time resolved infrared spectroscopy as a technique to study reactive organometallic intermediates, 49

Tridentate bridging ligand

Using spectroelectrochemistry to probe the light absorbing properties of polymetallic complexes containing the tridentate bridging ligand 2,3,5,6-tetrakis(2-pyridyl)pyrazine, 29

Triethylsilane

The versatile behavior of the PdCl₂/Et₃SiH system. Conversion of alcohols to the corresponding halides and alkanes, 135

UV-visible

Photochemistry of bis-{chloro(dicarbonyl)rhodium} in low temperature frozen gas matrices at 12 K and in Nujol mulls at 77 K: infrared and electronic evidence for retention of the bis-

{(chloro)rhodium} bridging unit but photoejection of terminal carbonyl ligands, 75

Vanadium

Preparation and crystal structures of the mononuclear vanadium phenoxide complexes [VCl(OC₆H₃Pr₂ⁱ-2,6)₂(C₄H₈O)₂] and [VO(OC₆H₃Pr₂ⁱ-2,6)₃]: procatalysts for ethylene polymerisation, 197

X-ray structure

Selective C-Cl versus P-Cl-activation syntheses of complexes with P-Cl functional phosphinomethyl bridges η^2, μ_2 -{P(R)Cl-CH₂}, 209