

Subject index of Volume 570

- Acetylacetonate complexes
Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63
- Acetylide
Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55
- Acyloxyboranes
Pyrazole complexes of acyloxydialkylboranes, 31
- μ -Alkoxide
Solid-state and solution structures of several new $[\text{LnCp}_2(\text{OR})_2]$ complexes (Ln = Pr, Yb) with chiral, oxygen-functionalized μ -alkoxide ligands, 89
- Alkyne
Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
- 1-Alkynylgermane
Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
- 1-Alkynylstannane
Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
- Allyloxy groups
Preparation and identification of dendritic carbosilanes containing allyloxy groups derived from 2,4,6,8-tetramethyl-2,4,6,8-tetravinylcyclotetrasiloxane $(\text{Me}(\text{CH}_2=\text{CH})\text{SiO})_4$ and 1,2-bis(triallyloxysilyl)ethane $(\text{CH}_2=\text{CHCH}_2\text{O})_3\text{SiCH}_2$, 9
- Aminophosphines
Synthesis and reactivity of $[(\text{R}^1\text{R}^2\text{N})_2\text{PH}]\text{Fe}(\text{CO})_4$ complexes. X-ray crystal structure of $[(\text{Ph}_2\text{N})_2\text{PH}]\text{Fe}(\text{CO})_4$, 195
- Antimony
Synthesis and characterization of organogallium-antimony compounds, 275
- Asymmetric synthesis
Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293
- Biferrocene
Syntheses, electrochemistry and crystal structure studies of novel *cis*-configuration biferrocene trinuclear complexes, 155
- Biphasic hydrogenation
Selective two-phase-hydrogenation of sorbic acid with novel water soluble ruthenium complexes, 139
- Bromide
High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145
- Carboranes
New NS_2 and $\text{S}'\text{S}'_2$ ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes, 79
- $\text{C}\equiv\text{C}$ acceptors
Weak hydrogen bonds from Cp donors to $\text{C}\equiv\text{C}$ acceptors, 235
- Chelate phosphane
Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
- Chiral stannane
Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293
- Chromium
The use of half-sandwich iridium dithiolate and diselenolate complexes, $\text{Cp}^*\text{Ir}(\text{L})(\text{ER})_2$ (L = CO, PMe_3 , PPh_3 ; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $\text{Cp}^*\text{Ir}(\text{CO})(\mu\text{-SePh})_2[\text{Mo}(\text{CO})_4]$, 241
- Cis*-configuration
Syntheses, electrochemistry and crystal structure studies of novel *cis*-configuration biferrocene trinuclear complexes, 155
- Cobalt-diphosphazene-carbonyl complexes
Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of $[\text{Co}(\text{CO})\{\text{P}(\text{OR})_2(\text{NHMe})_2\}_2\{\text{P}(\text{O})(\text{OR})_2\}\{\text{P}(\text{H})(\text{OR}')_2\}]$ (R = CH_2CF_3 , R' = CH_2CH_3), $[\text{Co}_2(\text{CO})_2\{\mu\text{-MeN}\{\text{P}(\text{OR})_2\}_2\}_3]$ (R = CH_2CF_3), and $[\text{Co}(\text{CO})\{\eta^2\text{-MeN}\{\text{P}(\text{OR})_2\}_2\}_2][\text{CoCl}_3(\text{OC}_4\text{H}_8)]$ (R = Ph), 247
- Cobalt hydride complex
Fundamental metal carbonyl equilibria, V: Reinvestigation of the equilibrium between dicobalt octacarbonyl and cobalt tetracarbonyl hydride under hydrogen pressure, 39
- Co-cyclopentadienone-complexes
Organometallic chemistry in supercritical water: metallorganic products of the CpCo-catalyzed cyclotrimerization of acetylenes, 119
- Coupling of oxyhalides with alkynes
Palladium-catalysed coupling of terminal alkynes with aryl halides aided by catalytic zinc, 219
- Cp donors
Weak hydrogen bonds from Cp donors to $\text{C}\equiv\text{C}$ acceptors, 235
- Crystal structure
Pyrazole complexes of acyloxydialkylboranes, 31
Syntheses, electrochemistry and crystal structure studies of novel *cis*-configuration biferrocene trinuclear complexes, 155
Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293
The use of half-sandwich iridium dithiolate and diselenolate complexes, $\text{Cp}^*\text{Ir}(\text{L})(\text{ER})_2$ (L = CO, PMe_3 , PPh_3 ; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of $\text{Cp}^*\text{Ir}(\text{CO})(\mu\text{-SePh})_2[\text{Mo}(\text{CO})_4]$, 241
- Cyclobutadiene complexes
Synthesis and characterization of novel dinuclear and cationic cyclobutadiene platinum complexes, 127
- Cycloheptadiene
Reactivity of (2,4-cycloheptadiene-1,6-dione) $\text{Fe}(\text{CO})_3$: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone) $\text{Fe}(\text{CO})_3$, 265
- Cyclopentadienyl-Co-complexes
Organometallic chemistry in supercritical water: metallorganic products of the CpCo-catalyzed cyclotrimerization of acetylenes, 119

Cyclotrimerization of acetylenes

Organometallic chemistry in supercritical water: metallorganic products of the CpCo-catalyzed cyclotrimerization of acetylenes, 119

Dendritic macromolecules

Preparation and identification of dendritic carbosilanes containing allyloxy groups derived from 2,4,6,8-tetramethyl-2,4,6,8-tetraylincyclotetrasiloxane $(\text{Me}(\text{CH}_2=\text{CH})\text{SiO})_4$ and 1,2-bis(-triallyloxysilyl)ethane $((\text{CH}_2=\text{CHCH}_2\text{O})_3\text{SiCH}_2)_2$, 9

Desamination

The dichloromethane induced fragmentation of ferrocenylmethylidimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(\text{FcCH}_2)_2\text{NMe}_2^+$ and $\text{FcCH}_2\text{NMe}_2\text{H}^+$ ions, 201

Dichloromethane

The dichloromethane induced fragmentation of ferrocenylmethylidimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(\text{FcCH}_2)_2\text{NMe}_2^+$ and $\text{FcCH}_2\text{NMe}_2\text{H}^+$ ions, 201

Dicobalt octacarbonyl

Fundamental metal carbonyl equilibria, V: Reinvestigation of the equilibrium between dicobalt octacarbonyl and cobalt tetracarbonyl hydride under hydrogen pressure, 39

Dimetal clusters

Synthesis and expansion reaction of ferrocenylacetylene dimetal carbonyl compounds. The molecular structures of $\mu\text{-FcC-CHCoMo}(\text{CO})_5\text{Cp}$ and $\mu_3\text{-FcCHCFeCo}_2(\text{CO})_9$, 71

2-(1,3-Dimethylimidazolidine-2-yl)aryl ligand

Intramolecular nitrogen ligand stabilization of phenyl-imidazolidine derived silicon species, 183

Dioxygen insertion reactions

Organocobaloximes: synthesis, oxygen insertion and kinetics, 1

Electrochemical synthesis

High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145

Electrochemistry

Syntheses, electrochemistry and crystal structure studies of novel *cis*-configuration biferrrocene trinuclear complexes, 155

Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55

Electron localization function

Theoretical study of electrophilic versus nucleophilic character of transition metal complexes of phosphinidene, 225

Electrophilic and nucleophilic behaviour

Theoretical study of electrophilic versus nucleophilic character of transition metal complexes of phosphinidene, 225

Electrophilic substitution

Reactions of methyl(pentafluorophenyl)- and methyl(pentafluorophenyl)phenylsilanes with electrophiles. A convenient preparative route to halogeno(methyl)pentafluorophenylsilanes $\text{C}_6\text{F}_5\text{SiMe}_2\text{X}$ and $\text{C}_6\text{F}_5\text{SiMeX}_2$ ($\text{X} = \text{F}, \text{Cl}$ and Br), 255

Expansion

Synthesis and expansion reaction of ferrocenylacetylene dimetal carbonyl compounds. The molecular structures of $\mu\text{-FcC-CHCoMo}(\text{CO})_5\text{Cp}$ and $\mu_3\text{-FcCHCFeCo}_2(\text{CO})_9$, 71

Ferrocenes

The dichloromethane induced fragmentation of ferrocenylmethylidimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(\text{FcCH}_2)_2\text{NMe}_2^+$ and $\text{FcCH}_2\text{NMe}_2\text{H}^+$ ions, 201

Ferrocenium salts

The dichloromethane induced fragmentation of ferrocenylmethylidimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(\text{FcCH}_2)_2\text{NMe}_2^+$ and $\text{FcCH}_2\text{NMe}_2\text{H}^+$ ions, 201

Ferrocenylacetylene

Synthesis and expansion reaction of ferrocenylacetylene dimetal carbonyl compounds. The molecular structures of $\mu\text{-FcC-CHCoMo}(\text{CO})_5\text{Cp}$ and $\mu_3\text{-FcCHCFeCo}_2(\text{CO})_9$, 71

Fragmentation

Photolysis of the cycloadduct of a 1,2-dihydrophosphinine oxide with *N*-phenylmaleimide in the presence of protic species: new aspects on the mechanism of the fragmentation of a 2-phospha-bicyclo[2.2.2]octene, 49

Fulvalene

Reactivity of (2,4-cycloheptadiene-1,6-dione) $\text{Fe}(\text{CO})_3$: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone) $\text{Fe}(\text{CO})_3$, 265

Functional primary amines

Synthèse régiosélective par voie organométallique d'amines primaires propargyliques γ -fonctionnelles et applications, 279

Furylchlorosilanes

High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145

Furylsilanes

High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145

Gallium

Synthesis and characterization of organogallium-antimony compounds, 275

Germaneseleno

Low coordinate germanium and tin compounds $(\text{ArO})_2\text{M}=\text{E}$ and $(\text{ArO})_2\text{M}=\text{M}'\text{L}_n$ $\text{M} = \text{Ge}, \text{Sn}$; $\text{E} = \text{S}, \text{Se}$, $-\text{NSiMe}_3$ $\text{M}' = \text{Cr}, \text{W}, \text{Fe}, \text{Pt}$ [$\text{Ar} = 2,4,6\text{-tris}(\text{dimethylamino})\text{methylphenyl}$], 163

Germanthiono

Low coordinate germanium and tin compounds $(\text{ArO})_2\text{M}=\text{E}$ and $(\text{ArO})_2\text{M}=\text{M}'\text{L}_n$ $\text{M} = \text{Ge}, \text{Sn}$; $\text{E} = \text{S}, \text{Se}$, $-\text{NSiMe}_3$ $\text{M}' = \text{Cr}, \text{W}, \text{Fe}, \text{Pt}$ [$\text{Ar} = 2,4,6\text{-tris}(\text{dimethylamino})\text{methylphenyl}$], 163

Half-sandwich iridium complexes

The use of half-sandwich iridium dithiolate and diselenolate complexes, $\text{Cp}^*\text{Ir}(\text{L})(\text{ER})_2$ ($\text{L} = \text{CO}, \text{PMe}_3, \text{PPh}_3$; $\text{ER} = \text{SPh}, \text{SePh}, \text{SeMe}$), for the synthesis of heterodimetallic compounds. The molecular structure of $\text{Cp}^*\text{Ir}(\text{CO})(\mu\text{-SePh})_2[\text{Mo}(\text{CO})_4]$, 241

Heterodimetal complexes

The use of half-sandwich iridium dithiolate and diselenolate complexes, $\text{Cp}^*\text{Ir}(\text{L})(\text{ER})_2$ ($\text{L} = \text{CO}, \text{PMe}_3, \text{PPh}_3$; $\text{ER} = \text{SPh}, \text{SePh}, \text{SeMe}$), for the synthesis of heterodimetallic compounds. The molecular structure of $\text{Cp}^*\text{Ir}(\text{CO})(\mu\text{-SePh})_2[\text{Mo}(\text{CO})_4]$, 241

Hinokitiol

Reactivity of (2,4-cycloheptadiene-1,6-dione) $\text{Fe}(\text{CO})_3$: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone) $\text{Fe}(\text{CO})_3$, 265

Homogeneous catalysis

Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63

Hydridotetracarbonylferrates

Synthesis and reactivity of $[(\text{R}^1\text{R}^2\text{N})_2\text{PH}]\text{Fe}(\text{CO})_4$ complexes. X-ray crystal structure of $[(\text{Ph}_2\text{N})_2\text{PH}]\text{Fe}(\text{CO})_4$, 195

Hydroformylation

Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63

Hydroformylation reaction

Fundamental metal carbonyl equilibria, V: Reinvestigation of the equilibrium between dicobalt octacarbonyl and cobalt tetracarbonyl hydride under hydrogen pressure, 39

Hydrogenation

Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63

Hydrogen bonds

Weak hydrogen bonds from Cp donors to C≡C acceptors, 235

Hydrosilation

Preparation and identification of dendritic carbosilanes containing allyloxy groups derived from 2,4,6,8-tetramethyl-2,4,6,8-tetravinylcyclotetrasiloxane (Me(CH₂=CH)SiO)₄ and 1,2-bis(triallyloxysilyl)ethane ((CH₂=CHCH₂O)₃SiCH₂)₂, 9

Intramolecular nucleophilic activation

Intramolecular nitrogen ligand stabilization of phenyl-imidazolidine derived silicon species, 183

Iron

Reactivity of (2,4-cycloheptadiene-1,6-dione)Fe(CO)₃: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone)Fe(CO)₃, 265

The use of half-sandwich iridium dithiolate and diselenolate complexes, Cp*Ir(L)(ER)₂ (L = CO, PMe₃, PPh₃; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of Cp*Ir(CO)(μ-SePh)₂[Mo(CO)₄], 241

Iron carbonyl

Synthesis and reactivity of [(R¹R²N)₂PH]Fe(CO)₄ complexes. X-ray crystal structure of [(Ph₂N)₂PH]Fe(CO)₄, 195

α-Keto ylide

Phosphorus ylide-containing niobium complexes: preparation and characterization of homo- and heteronuclear compounds with an α-keto ylide ligand, 97

Kinetic studies

Organocobaloximes: synthesis, oxygen insertion and kinetics, 1

Lanthanide complexes

Solid-state and solution structures of several new [LnCp₂(OR)₂]₂ complexes (Ln = Pr, Yb) with chiral, oxygen-functionalized μ-alkoxide ligands, 89

Ligands

Solid-state and solution structures of several new [LnCp₂(OR)₂]₂ complexes (Ln = Pr, Yb) with chiral, oxygen-functionalized μ-alkoxide ligands, 89

Lithium

Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293

Mechanism

Photolysis of the cycloadduct of a 1,2-dihydrophosphinine oxide with *N*-phenylmaleimide in the presence of protic species: new aspects on the mechanism of the fragmentation of a 2-phosphabicyclo[2.2.2]octene, 49

Metal-assisted coupling reaction

Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107

Metallanimine

Low coordinate germanium and tin compounds (ArO)₂M=E and (ArO)₂M=M'L_n M = Ge, Sn; E = S, Se, -NSiMe₃ M' = Cr, W, Fe, Pt [Ar = 2,4,6-tris((dimethylamino)methyl)phenyl-], 163

Molecular dot

The syntheses of pyridine-functionalized methylidynetricobalt nona-carbonyl clusters, their X-ray analyses, and its coordination to Pd(II), 113

Molybdenum

The use of half-sandwich iridium dithiolate and diselenolate complexes, Cp*Ir(L)(ER)₂ (L = CO, PMe₃, PPh₃; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of Cp*Ir(CO)(μ-SePh)₂[Mo(CO)₄], 241

Nanometer scale cluster

The syntheses of pyridine-functionalized methylidynetricobalt nona-carbonyl clusters, their X-ray analyses, and its coordination to Pd(II), 113

Niobium

Phosphorus ylide-containing niobium complexes: preparation and characterization of homo- and heteronuclear compounds with an α-keto ylide ligand, 97

NMR spectra

Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of [Co(CO){P(OR)₂(NHMe)}₂{P(O)(OR)₂}₂{P(H)(OR')₂}] (R = CH₂CF₃, R' = CH₂CH₃), [Co₂(CO)₂{μ-MeN{P(OR)₂}₂}₃] (R = CH₂CF₃), and [Co(CO){η²-MeN{P(OR)₂}₂}₂][CoCl₃(OC₄H₈)] (R = Ph), 247

The use of half-sandwich iridium dithiolate and diselenolate complexes, Cp*Ir(L)(ER)₂ (L = CO, PMe₃, PPh₃; ER = SPh, SePh, SeMe), for the synthesis of heterodimetallic compounds. The molecular structure of Cp*Ir(CO)(μ-SePh)₂[Mo(CO)₄], 241

NMR spectroscopy

Pyrazole complexes of acyloxydialkylboranes, 31

N-Trimethylsilylimine

Synthèse régiosélective par voie organométallique d'amines primaires propargyliques γ-fonctionnelles et applications, 279

Nucleophile

Reactivity of (2,4-cycloheptadiene-1,6-dione)Fe(CO)₃: synthesis of hinokitiol and (7,8-diphenylheptatriafulvalene-1,6-quinone)Fe(CO)₃, 265

Nucleophilic alkynes

Palladium-catalysed coupling of terminal alkynes with aryl halides aided by catalytic zinc, 219

Organocobaloximes

Organocobaloximes: synthesis, oxygen insertion and kinetics, 1

Organozincs

Synthèse régiosélective par voie organométallique d'amines primaires propargyliques γ-fonctionnelles et applications, 279

Osmium

Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylde complexes, 55

Palladium catalysis

Palladium-catalysed coupling of terminal alkynes with aryl halides aided by catalytic zinc, 219

P–H bond

Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107

2-Phosphabicyclo[2.2.2]octene 2-oxide

Photolysis of the cycloadduct of a 1,2-dihydrophosphinine oxide with *N*-phenylmaleimide in the presence of protic species: new aspects on the mechanism of the fragmentation of a 2-phosphabicyclo[2.2.2]octene, 49

Phosphidotetracarbonylferrates

Synthesis and reactivity of [(R¹R²N)₂PH]Fe(CO)₄ complexes. X-ray crystal structure of [(Ph₂N)₂PH]Fe(CO)₄, 195

Phosphine complexes

Synthesis and characterization of novel dinuclear and cationic cyclobutadiene platinum complexes, 127

Phosphinidene complexes

Theoretical study of electrophilic versus nucleophilic character of transition metal complexes of phosphinidene, 225

- Phosphoric triamide
 Synthesis and structure of a chiral bicyclic stannylated phosphoric triamide, 293
- Phosphorus ylides
 Phosphorus ylide-containing niobium complexes: preparation and characterization of homo- and heteronuclear compounds with an α -keto ylide ligand, 97
- Phosphorylation
 Photolysis of the cycloadduct of a 1,2-dihydrophosphinine oxide with *N*-phenylmaleimide in the presence of protic species: new aspects on the mechanism of the fragmentation of a 2-phosphabicyclo[2.2.2]octene, 49
- Photoelectron spectroscopy
 Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
- Platinum
 Synthesis and characterization of novel dinuclear and cationic cyclobutadiene platinum complexes, 127
 Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55
- Pyrazaboles
 Pyrazole complexes of acyloxydialkylboranes, 31
- Pyrazole
 Pyrazole complexes of acyloxydialkylboranes, 31
- Pyridine
 New NS₂ and S'S₂ ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes, 79
- Reductive carbonylation
 Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of [Co(CO){P(OR)₂(NHMe)}₂{P(O)(OR)₂}₂{P(H)(OR')₂}] (R = CH₂CF₃, R' = CH₂CH₃), [Co₂(CO)₂{ μ -MeN{P(OR)₂}₂}₃] (R = CH₂CF₃), and [Co(CO){ η ²-MeN{P(OR)₂}₂}₂][CoCl₃(OC₄H₈)] (R = Ph), 247
- Rhodium(I) complexes
 Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63
- Ruthenium
 Selective two-phase-hydrogenation of sorbic acid with novel water soluble ruthenium complexes, 139
 Synthetic, spectroscopic and electrochemical characterisation of mixed-metal acetylide complexes, 55
- Sacrificial anode
 High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145
- Secondary phosphane complexes
 Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
- Semiconductor
 Synthesis and characterization of organogallium-antimony compounds, 275
- Silanes
 Reactions of methyl(pentafluorophenyl)- and methyl(pentafluorophenyl)phenylsilanes with electrophiles. A convenient preparative route to halogeno(methyl)pentafluorophenylsilanes C₆F₅SiMe₂X and C₆F₅SiMeX₂ (X = F, Cl and Br), 255
- Silicon
 High-yield electrosynthesis of furylchlorosilanes, silyl and silanylene furans, 145
- Single crystal X-ray analysis
 The syntheses of pyridine-functionalized methylidynetricobalt nona-carbonyl clusters, their X-ray analyses, and its coordination to Pd(II), 113
- Single source precursor
 Synthesis and characterization of organogallium-antimony compounds, 275
- Si-pentacoordination
 Intramolecular nitrogen ligand stabilization of phenyl-imidazolidine derived silicon species, 183
- Sorbic acid
 Selective two-phase-hydrogenation of sorbic acid with novel water soluble ruthenium complexes, 139
- Supercritical water
 Organometallic chemistry in supercritical water: metallorganic products of the CpCo-catalyzed cyclotrimerization of acetylenes, 119
- Thioether
 New NS₂ and S'S₂ ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes, 79
- Thiophene
 New NS₂ and S'S₂ ligands derivatives of pyridine and thiophene incorporating icosahedral carboranes, 79
- Transition metal complexes of M₁₄ divalent species
 Low coordinate germanium and tin compounds (ArO)₂M=E and (ArO)₂M=M'L_n M = Ge, Sn; E = S, Se, -NSiMe₃ M' = Cr, W, Fe, Pt [Ar = 2,4,6-tris((dimethylamino)methyl)phenyl-], 163
- Tricobalt cluster with a pyridine ligand
 The syntheses of pyridine-functionalized methylidynetricobalt nona-carbonyl clusters, their X-ray analyses, and its coordination to Pd(II), 113
- Trimetal clusters
 Synthesis and expansion reaction of ferrocenylacetylene dimetal carbonyl compounds. The molecular structures of μ -FcCCH-CoMo(CO)₅Cp and μ_3 -FcCHCFeCo₂(CO)₉, 71
- Unusual P-N cleavage
 Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of [Co(CO){P(OR)₂(NHMe)}₂{P(O)(OR)₂}₂{P(H)(OR')₂}] (R = CH₂CF₃, R' = CH₂CH₃), [Co₂(CO)₂{ μ -MeN{P(OR)₂}₂}₃] (R = CH₂CF₃), and [Co(CO){ η ²-MeN{P(OR)₂}₂}₂][CoCl₃(OC₄H₈)] (R = Ph), 247
- Vinylgermane
 Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
- Vinylphosphane
 Transition-metal-substituted phosphanes, arsanes and stibanes, LXIII. Coupling reactions of alkynes with iron coordinated diphenylphosphane: generation of an alkenylphosphane and a chelating bisphosphane ligand, 107
- Vinylstannane
 Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes, 175
- Voltammetry
 The dichloromethane induced fragmentation of ferrocenylmethylidimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the (FcCH₂)₂NMe₂⁺ and FcCH₂NMe₂H⁺ ions, 201
- Water soluble complexes
 Selective two-phase-hydrogenation of sorbic acid with novel water soluble ruthenium complexes, 139
- Water soluble phosphines
 Rhodium(I) acetylacetonato complexes with functionalized phosphines, 63

X-ray diffraction

Synthesis and characterization of novel dinuclear and cationic cyclobutadiene platinum complexes, 127

X-ray structures

Reductive carbonylation route to Co(0) and Co(I) carbonyl complexes containing bridging, chelating and cleaved diphosphazanes. Structures of $[\text{Co}(\text{CO})\{\text{P}(\text{OR})_2(\text{NHMe})\}_2]$

$\{\text{P}(\text{O})(\text{OR})_2\}\{\text{P}(\text{H})(\text{OR}')_2\}$ ($\text{R} = \text{CH}_2\text{CF}_3$, $\text{R}' = \text{CH}_2\text{CH}_3$), $[\text{Co}_2(\text{CO})_2\{\mu\text{-MeN}\{\text{P}(\text{OR})_2\}_2\}_3]$ ($\text{R} = \text{CH}_2\text{CF}_3$), and $[\text{Co}(\text{CO})\{\eta^2\text{-MeN}\{\text{P}(\text{OR})_2\}_2\}][\text{CoCl}_3(\text{OC}_4\text{H}_8)]$ ($\text{R} = \text{Ph}$), 247

The dichloromethane induced fragmentation of ferrocenylmethylidimethylamine. Mechanistic aspects and crystallographic and electrochemical investigation of the $(\text{FcCH}_2)_2\text{NMe}_2^+$ and $\text{FcCH}_2\text{NMe}_2\text{H}^+$ ions, 201