

## Subject Index of Volume 578

### Acetylide

Synthesis and characterisation of mono-acetylide and unsymmetrical bis-acetylide complexes of ruthenium and osmium: X-ray structure determinations on [(dppe)<sub>2</sub>Ru(Cl)(C≡C–C<sub>6</sub>H<sub>4</sub>-*p*-NO<sub>2</sub>)], [(dppe)<sub>2</sub>Ru(Cl)(C≡C–C<sub>6</sub>H<sub>3</sub>-*o*-CH<sub>3</sub>-*p*-NO<sub>2</sub>)] and [(dppm)<sub>2</sub>Os(C≡C–C<sub>6</sub>H<sub>4</sub>-*p*-CH<sub>3</sub>)(C≡C–C<sub>6</sub>H<sub>4</sub>-*p*-NO<sub>2</sub>)], 198

### Acetylide complex

Reactions of acetylene-bridged diplatinum complexes with tetra-cyanoethylene, 169

### Acetylide coupling

Coupling of  $\sigma$ -acetylide ligands at Group 4 metallocene complexes to yield methylenecyclopropene-type frameworks, 115

### Acetylides

Luminescent polynuclear metal acetylides, 3

### Alkenes

Redox active alkenyl-bridged bi- and trinuclear arene–Cr(CO)<sub>3</sub>-complexes by Horner–Emmons–Wadsworth olefinations, 95

### Alkyne

Dimerization of titanacyclocumulenes to titanium substituted radicalenes: synthesis, stability and reactions of five-membered titanacyclocumulenes with a coupling of two 1,4-diphenyl-1,3-butadiyne between two titanocene molecules to radicalene-like fused titanacyclopentadiene compounds, 125

Reactions of M(C≡CC=CR)(CO)<sub>3</sub>Cp [M = Mo, W; R = H, Fe(CO)<sub>2</sub>Cp, M(CO)<sub>3</sub>Cp] with cobalt carbonyls: X-ray structures of {Cp(OC)<sub>8</sub>Co<sub>2</sub>M( $\mu$ -C)}C≡C{( $\mu$ -C)Co<sub>2</sub>-M'(CO)<sub>8</sub>Cp} (M = M' = Mo, W; M = Mo, M' = W), 155

### Alkyne dimerization

Coupling of alkynes promoted by Ru(CO)<sub>3</sub>(PPh<sub>3</sub>)<sub>2</sub> and carbon dioxide: syntheses and structures of ( $\eta^4$ -C<sub>4</sub>R<sub>2</sub>R'<sub>2</sub>-CO)Ru(CO)<sub>2</sub>(PPh<sub>3</sub>) (R = R' = Ph; R = Ph, R' = C≡CPh) and {Ph<sub>2</sub>C<sub>4</sub>(C≡CPh)<sub>2</sub>}Ru(CO)(PPh<sub>3</sub>)<sub>2</sub>, 61

### Alkyne insertion

Coupling of  $\sigma$ -acetylide ligands at Group 4 metallocene complexes to yield methylenecyclopropene-type frameworks, 115

### Alkynes

Acetylenic NIR-chromophores: 2,3-dialkynyl-1,4-diazabuta-1,3-diene complexes of Ni(0) and Ni(II), 193

An alternative synthesis of Vollhardt's [1,2-diethynyl-3,4-bis(trimethylsilyl)cyclobutadiene]cyclopentadienylcobalt and selective formation of its dimer, 144

Dialkynylated and functionalized alkynylated areneCr(CO)<sub>3</sub>-complexes—syntheses and structures of carbon rich chromium-complexed benzenes, 252

Novel mixed-metal–alkynyl complexes stabilised by di-imine ligands: synthesis, characterisation and electrochemistry of [(<sup>t</sup>Bu<sub>2</sub>bipy)Pt(C≡CR)<sub>2</sub>M(SCN)] (R = C<sub>6</sub>H<sub>4</sub>Me, SiMe<sub>3</sub>; M = Cu, Ag), 178

### Alkynyl complexes

Synthesis of triynylcarbene complexes and of bi- and trinuclear complexes with heptatriynylidene C<sub>7</sub>-bridges, 186

### Alkynylstannanes

A convenient *short cut* from aromatic iodides to alkynylstannanes and their use for the straightforward preparation of polyacetylene and polymetallaacetylene polymers, 210

### Allenylidene

Unprecedented coupling of vinylidene and allenylidene ligands with dithiocarbamates: X-ray structure of [Ru{C(=C=CPh<sub>2</sub>)SC(NMe<sub>2</sub>)S}(S<sub>2</sub>CNMe<sub>2</sub>)(CO)(PPh<sub>3</sub>)], 264

### Arene complexes

Dialkynylated and functionalized alkynylated areneCr(CO)<sub>3</sub>-complexes—syntheses and structures of carbon rich chromium-complexed benzenes, 252

Redox active alkenyl-bridged bi- and trinuclear arene–Cr(CO)<sub>3</sub>-complexes by Horner–Emmons–Wadsworth olefinations, 95

### Bent carbon chains

Appreciably bent sp carbon chains: synthesis, structure, and protonation of organometallic 1,3,5-triynes and 1,3,5,7-tetraynes of the formula ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)Re(NO)(PPh<sub>3</sub>)-((C≡C)<sub>n</sub>-*p*-C<sub>6</sub>H<sub>4</sub>Me), 229

### Benzannulation

Reactions of complex ligands 85: chiral quinoid and hydroquinoid [2.2]metacyclophanes via chromium-mediated intramolecular benzannulation, 223

### Binuclear complexes

Synthesis of triynylcarbene complexes and of bi- and trinuclear complexes with heptatriynylidene C<sub>7</sub>-bridges, 186

### Bipyridyl

Novel mixed-metal–alkynyl complexes stabilised by di-imine ligands: synthesis, characterisation and electrochemistry of [(<sup>t</sup>Bu<sub>2</sub>bipy)Pt(C≡CR)<sub>2</sub>M(SCN)] (R = C<sub>6</sub>H<sub>4</sub>Me, SiMe<sub>3</sub>; M = u, Ag), 178

### Bridging ligands

Synthesis of triynylcarbene complexes and of bi- and trinuclear complexes with heptatriynylidene C<sub>7</sub>-bridges, 186

### Butadiyne

Dimerization of titanacyclocumulenes to titanium substituted radicalenes: synthesis, stability and reactions of five-membered titanacyclocumulenes with a coupling of two 1,4-diphenyl-1,3-butadiyne between two titanocene molecules to radicalene-like fused titanacyclopentadiene compounds, 125

### Butatrienylidene complex

First synthesis and spectroscopic characterization of isolated butatrienylidene complexes of transition metals, 76

### C<sub>70</sub>

Organometallic C<sub>70</sub> chemistry. Preparation and crystallographic studies of ( $\eta^2$ -C<sub>70</sub>)Pd(PPh<sub>3</sub>)<sub>2</sub> · CH<sub>2</sub>Cl<sub>2</sub> and (C<sub>70</sub>) · 2{( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Fe}, 85

### Carbene

Formation of vinyl ether derivatives in the reaction of tributyltin hydride with cluster supported Fischer carbene complexes: structural characterisation of [(CO)<sub>6</sub>Fe<sub>2</sub>Te<sub>2</sub>{ $\mu$ -PhC=CC(OEt)}W(CO)<sub>5</sub>], 150

Hydrocarbon bridged metal complexes: XLV. Dinuclear polyene-bridged Fischer carbene complexes and a star-shaped benzene-bridged tris(ferrocenyl-decapentaenyl) compound, 247

### Carbene complexes

Reactions of complex ligands 85: chiral quinoid and hydroquinoid [2.2]metacyclophanes via chromium-mediated intramolecular benzannulation, 223

- Synthesis of triynylcarbene complexes and of bi- and trinuclear complexes with heptatriynylidene C<sub>7</sub>-bridges, 186
- Carbide**  
The cyclo-C<sub>3</sub> ligand: trimetallic cyclopropenium complexes of Group 6–8 metals, including the X-ray crystal structure of  $[\{\text{Fe}(\text{CO})_2(\text{Cp})\}_3(\mu_3\text{-C}_3)][\text{SbF}_6]$ , 133
- Carbon chain**  
Reactions of  $\text{M}(\text{C}\equiv\text{CC}=\text{CR})(\text{CO})_3\text{Cp}$  [M = Mo, W; R = H, Fe(CO)<sub>2</sub>Cp, M(CO)<sub>3</sub>Cp] with cobalt carbonyls: X-ray structures of  $\{\text{Cp}(\text{OC})_8\text{Co}_2\text{M}(\mu_3\text{-C})\}\text{C}\equiv\text{C}\{(\mu_3\text{-C})\text{Co}_2\text{M}'(\text{CO})_8\text{Cp}\}$  (M = M' = Mo, W; M = Mo, M' = W), 155
- Carbyne**  
Reactions of  $\text{M}(\text{C}\equiv\text{CC}=\text{CR})(\text{CO})_3\text{Cp}$  [M = Mo, W; R = H, Fe(CO)<sub>2</sub>Cp, M(CO)<sub>3</sub>Cp] with cobalt carbonyls: X-ray structures of  $\{\text{Cp}(\text{OC})_8\text{Co}_2\text{M}(\mu_3\text{-C})\}\text{C}\equiv\text{C}\{(\mu_3\text{-C})\text{Co}_2\text{M}'(\text{CO})_8\text{Cp}\}$  (M = M' = Mo, W; M = Mo, M' = W), 155
- Catalysis**  
Dialkynylated and functionalized alkynylated areneCr(CO)<sub>3</sub>-complexes—syntheses and structures of carbon rich chromium-complexed benzenes, 252
- C–C-coupling**  
Dimerization of titanacyclocumulenes to titanium substituted radicalenes: synthesis, stability and reactions of five-membered titanacyclocumulenes with a coupling of two 1,4-diphenyl-1,3-butadiyne between two titanocene molecules to radicalene-like fused titanacyclopentadiene compounds, 125
- Chalcogen**  
Formation of vinyl ether derivatives in the reaction of tributyltin hydride with cluster supported Fischer carbene complexes: structural characterisation of  $[(\text{CO})_6\text{Fe}_2\text{Te}_2\{\mu\text{-PhC}=\text{CC}(\text{OEt})\}\text{W}(\text{CO})_3]$ , 150
- Charge-transfer**  
Acetylenic NIR-chromophores: 2,3-dialkynyl-1,4-diazabuta-1,3-diene complexes of Ni(0) and Ni(II), 193
- Chromium**  
Dialkynylated and functionalized alkynylated areneCr(CO)<sub>3</sub>-complexes—syntheses and structures of carbon rich chromium-complexed benzenes, 252  
Redox active alkenyl-bridged bi- and trinuclear arene–Cr(CO)<sub>3</sub>-complexes by Horner–Emmons–Wadsworth olefinations, 95
- Chromium complexes**  
Reactions of complex ligands 85: chiral quinoid and hydroquinoid [2.2]metacyclophanes via chromium-mediated intramolecular benzannulation, 223
- Cluster**  
Formation of vinyl ether derivatives in the reaction of tributyltin hydride with cluster supported Fischer carbene complexes: structural characterisation of  $[(\text{CO})_6\text{Fe}_2\text{Te}_2\{\mu\text{-PhC}=\text{CC}(\text{OEt})\}\text{W}(\text{CO})_3]$ , 150  
Reactions of  $\text{M}(\text{C}\equiv\text{CC}=\text{CR})(\text{CO})_3\text{Cp}$  [M = Mo, W; R = H, Fe(CO)<sub>2</sub>Cp, M(CO)<sub>3</sub>Cp] with cobalt carbonyls: X-ray structures of  $\{\text{Cp}(\text{OC})_8\text{Co}_2\text{M}(\mu_3\text{-C})\}\text{C}\equiv\text{C}\{(\mu_3\text{-C})\text{Co}_2\text{M}'(\text{CO})_8\text{Cp}\}$  (M = M' = Mo, W; M = Mo, M' = W), 155  
The synthesis and structural analyses of ruthenium carbonyl cluster complexes containing the bis-(trimethylsilyl)hexatriyne ligand, 55
- Cobalt**  
An alternative synthesis of Vollhardt's [1,2-diethynyl-3,4-bis(trimethylsilyl)cyclobutadiene]cyclopentadienylcobalt and selective formation of its dimer, 144  
Reactions of  $\text{M}(\text{C}\equiv\text{CC}=\text{CR})(\text{CO})_3\text{Cp}$  [M = Mo, W; R = H, Fe(CO)<sub>2</sub>Cp, M(CO)<sub>3</sub>Cp] with cobalt carbonyls: X-ray structures of  $\{\text{Cp}(\text{OC})_8\text{Co}_2\text{M}(\mu_3\text{-C})\}\text{C}\equiv\text{C}\{(\mu_3\text{-C})\text{Co}_2\text{M}'(\text{CO})_8\text{Cp}\}$  (M = M' = Mo, W; M = Mo, M' = W), 155  
The synthesis and structural analysis of the bis-Co<sub>2</sub>(CO)<sub>6</sub> adduct of the cyclic tetrayne C<sub>20</sub>H<sub>8</sub>, 91
- Cobalt complex**  
Cobalt-templated radical processes: inter- and intramolecular coupling of propargyl radicals, 68
- Copper**  
Dialkynylated and functionalized alkynylated areneCr(CO)<sub>3</sub>-complexes—syntheses and structures of carbon rich chromium-complexed benzenes, 252  
Novel mixed-metal–alkynyl complexes stabilised by di-imine ligands: synthesis, characterisation and electrochemistry of  $[(\text{Bu}_2\text{bipy})\text{Pt}(\text{C}\equiv\text{CR})_2\text{M}(\text{SCN})]$  (R = C<sub>6</sub>H<sub>4</sub>Me, SiMe<sub>3</sub>; M = Cu, Ag), 178
- Copper(I)**  
Luminescent polynuclear metal acetylides, 3
- Coupling reaction**  
Synthesis of triynylcarbene complexes and of bi- and trinuclear complexes with heptatriynylidene C<sub>7</sub>-bridges, 186
- Crystallography**  
Appreciably bent sp carbon chains: synthesis, structure, and protonation of organometallic 1,3,5-triynes and 1,3,5,7-tetraynes of the formula  $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PPh}_3)\text{-}((\text{C}\equiv\text{C})_n\text{-}p\text{-C}_6\text{H}_4\text{Me})$ , 229
- Crystal structure**  
Cobalt-templated radical processes: inter- and intramolecular coupling of propargyl radicals, 68  
The synthesis and structural analysis of the bis-Co<sub>2</sub>(CO)<sub>6</sub> adduct of the cyclic tetrayne C<sub>20</sub>H<sub>8</sub>, 91
- Crystal structures**  
Coupling of alkynes promoted by Ru(CO)<sub>3</sub>(PPh<sub>3</sub>)<sub>2</sub> and carbon dioxide: syntheses and structures of  $(\eta^4\text{-C}_4\text{R}_2\text{R}'_2\text{CO})\text{Ru}(\text{CO})_2(\text{PPh}_3)$  (R = R' = Ph; R = Ph, R' = C≡CPh) and  $\{\text{Ph}_2\text{C}_4(\text{C}\equiv\text{CPh})_2\}\text{Ru}(\text{CO})(\text{PPh}_3)_2$ , 61  
Novel mixed-metal–alkynyl complexes stabilised by di-imine ligands: synthesis, characterisation and electrochemistry of  $[(\text{Bu}_2\text{bipy})\text{Pt}(\text{C}\equiv\text{CR})_2\text{M}(\text{SCN})]$  (R = C<sub>6</sub>H<sub>4</sub>Me, SiMe<sub>3</sub>; M = Cu, Ag), 178  
The synthesis and structural analyses of ruthenium carbonyl cluster complexes containing the bis-(trimethylsilyl)hexatriyne ligand, 55
- Cyclic tetrayne**  
The synthesis and structural analysis of the bis-Co<sub>2</sub>(CO)<sub>6</sub> adduct of the cyclic tetrayne C<sub>20</sub>H<sub>8</sub>, 91
- Cyclic voltammetry**  
Redox active alkenyl-bridged bi- and trinuclear arene–Cr(CO)<sub>3</sub>-complexes by Horner–Emmons–Wadsworth olefinations, 95
- Cycloaddition**  
Reactions of acetylene-bridged diplatinum complexes with tetra-cyanoethylene, 169
- 1,5-Cycloalkadiyne**  
Cobalt-templated radical processes: inter- and intramolecular coupling of propargyl radicals, 68
- Cyclobutadiene complexes**  
An alternative synthesis of Vollhardt's [1,2-diethynyl-3,4-bis(trimethylsilyl)cyclobutadiene]cyclopentadienylcobalt and selective formation of its dimer, 144
- Cyclocumulene**  
Dimerization of titanacyclocumulenes to titanium substituted radicalenes: synthesis, stability and reactions of five-membered titanacyclocumulenes with a coupling of two 1,4-diphenyl-1,3-butadiyne between two titanocene molecules to radicalene-like fused titanacyclopentadiene compounds, 125
- Cyclophanes**  
Reactions of complex ligands 85: chiral quinoid and hydroquinoid [2.2]metacyclophanes via chromium-mediated intramolecular benzannulation, 223
- Cyclopropenium**  
The cyclo-C<sub>3</sub> ligand: trimetallic cyclopropenium complexes of Group 6–8 metals, including the X-ray crystal structure of  $[\{\text{Fe}(\text{CO})_2(\text{Cp})\}_3(\mu_3\text{-C}_3)][\text{SbF}_6]$ , 133
- Diacetylene**  
Syntheses and crystal structures of strained planar silacyclines containing a diacetylene unit, 43

## Diazabutadienes

Acetylenic NIR-chromophores: 2,3-dialkynyl-1,4-diazabuta-1,3-diene complexes of Ni(0) and Ni(II), 193

## Diethynylated cyclobutadiene

Coupling of alkynes promoted by  $\text{Ru}(\text{CO})_3(\text{PPh}_3)_2$  and carbon dioxide: syntheses and structures of  $(\eta^4\text{-C}_4\text{R}_2\text{R}'_2\text{CO})\text{-Ru}(\text{CO})_2(\text{PPh}_3)$  ( $\text{R} = \text{R}' = \text{Ph}$ ;  $\text{R} = \text{Ph}$ ,  $\text{R}' = \text{C}\equiv\text{CPh}$ ) and  $\{\text{Ph}_2\text{C}_4(\text{C}\equiv\text{CPh})_2\}\text{Ru}(\text{CO})(\text{PPh}_3)_2$ , 61

## Diethynylated cyclopentadienone

Coupling of alkynes promoted by  $\text{Ru}(\text{CO})_3(\text{PPh}_3)_2$  and carbon dioxide: syntheses and structures of  $(\eta^4\text{-C}_4\text{R}_2\text{R}'_2\text{CO})\text{Ru}(\text{CO})_2(\text{PPh}_3)$  ( $\text{R} = \text{R}' = \text{Ph}$ ;  $\text{R} = \text{Ph}$ ,  $\text{R}' = \text{C}\equiv\text{CPh}$ ) and  $\{\text{Ph}_2\text{C}_4(\text{C}\equiv\text{CPh})_2\}\text{Ru}(\text{CO})(\text{PPh}_3)_2$ , 61

 $d^0$ -Isonitrile complexes

Coupling of  $\sigma$ -acetylide ligands at Group 4 metallocene complexes to yield methylenecyclopropene-type frameworks, 115

## Dithiocarbamate

Unprecedented coupling of vinylidene and allenylidene ligands with dithiocarbamates: X-ray structure of  $[\text{Ru}\{\text{C}(\text{C}\equiv\text{CPh}_2)\text{SC}(\text{NMe}_2)\text{S}\}(\text{S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)]$ , 264

## Electrochemistry

Synthesis and characterisation of mono-acetylide and unsymmetrical bis-acetylide complexes of ruthenium and osmium: X-ray structure determinations on  $[(\text{dppe})_2\text{Ru}(\text{Cl})(\text{C}\equiv\text{C}-\text{C}_6\text{H}_4\text{-}p\text{-NO}_2)]$ ,  $[(\text{dppe})_2\text{Ru}(\text{Cl})(\text{C}\equiv\text{C}-\text{C}_6\text{H}_3\text{-}o\text{-CH}_3\text{-}p\text{-NO}_2)]$  and  $[(\text{dppm})_2\text{Os}(\text{C}\equiv\text{C}-\text{C}_6\text{H}_4\text{-}p\text{-CH}_3)(\text{C}\equiv\text{C}-\text{C}_6\text{H}_4\text{-}p\text{-NO}_2)]$ , 198

## Electron-deficient olefin

Reactions of acetylene-bridged diplatinum complexes with tetra-cyanoethylene, 169

## Ethyne cluster

Synthesis and structure of metallocarbon clusters bearing pendant ethynyl ligands. X-ray crystal structures of  $\text{Os}_3(\text{CO})_9(\mu\text{-CO})(\mu_3\text{-}\eta^1, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$ ,  $\text{Os}_3\text{Ru}(\text{CO})_{12}(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$ ,  $\text{Ru}_4(\text{CO})_{12}(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$  and  $\{\text{Ru}_4(\text{CO})_{12}\}\{\text{Co}_2(\text{CO})_6\}(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-}\mu\text{-}\eta^2, \eta^2\text{-Me}_3\text{SiC}_2\text{C}\equiv\text{CC}_2\text{SiMe}_3)$ , 103

## Ferrocene

Ferrocenophanes with all carbon bridges, 31

Organometallic  $\text{C}_{70}$  chemistry. Preparation and crystallographic studies of  $(\eta^2\text{-C}_{70})\text{Pd}(\text{PPh}_3)_2 \cdot \text{CH}_2\text{Cl}_2$  and  $(\text{C}_{70}) \cdot 2\{\eta^2\text{-C}_5\text{H}_5\}_2\text{Fe}$ , 85

Redox active alkenyl-bridged bi- and trinuclear arene– $\text{Cr}(\text{CO})_3$ -complexes by Horner–Emmons–Wadsworth olefinations, 95

## Ferrocenophane

Ferrocenophanes with all carbon bridges, 31

## Ferrocenyl

Hydrocarbon bridged metal complexes: XLV. Dinuclear polyene-bridged Fischer carbene complexes and a star-shaped benzene-bridged tris(ferrocenyl-decapentaenyl) compound, 247

## Fullerene

Organometallic  $\text{C}_{70}$  chemistry. Preparation and crystallographic studies of  $(\eta^2\text{-C}_{70})\text{Pd}(\text{PPh}_3)_2 \cdot \text{CH}_2\text{Cl}_2$  and  $(\text{C}_{70}) \cdot 2\{\eta^2\text{-C}_5\text{H}_5\}_2\text{Fe}$ , 85

## Gold(I)

Luminescent polynuclear metal acetylides, 3

## Heterocyclyne

Syntheses and crystal structures of strained planar silacyclines containing a diacetylene unit, 43

## Hexatriyne

Synthesis and structure of metallocarbon clusters bearing pendant ethynyl ligands. X-ray crystal structures of  $\text{Os}_3(\text{CO})_9(\mu\text{-CO})(\mu_3\text{-}\eta^1, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$ ,  $\text{Os}_3\text{Ru}(\text{CO})_{12}$

$(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$ ,  $\text{Ru}_4(\text{CO})_{12}(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$  and  $\{\text{Ru}_4(\text{CO})_{12}\}\{\text{Co}_2(\text{CO})_6\}(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-}\mu\text{-}\eta^2, \eta^2\text{-Me}_3\text{SiC}_2\text{-C}\equiv\text{CC}_2\text{SiMe}_3)$ , 103

The synthesis and structural analyses of ruthenium carbonyl cluster complexes containing the bis-(trimethylsilyl)-hexatriyne ligand, 55

## Hydrogen bonding

An alternative synthesis of Vollhardt's [1,2-diethynyl-3,4-bis(trimethylsilyl)cyclobutadiene]cyclopentadienylcobalt and selective formation of its dimer, 144

## Iron

First synthesis and spectroscopic characterization of isolated butatrienylidene complexes of transition metals, 76

Formation of vinyl ether derivatives in the reaction of tributyltin hydride with cluster supported Fischer carbene complexes: structural characterisation of  $[(\text{CO})_6\text{Fe}_2\text{Te}_2\{\mu\text{-PhC}\equiv\text{C}(\text{OEt})\}\text{W}(\text{CO})_5]$ , 150

Redox active alkenyl-bridged bi- and trinuclear arene– $\text{Cr}(\text{CO})_3$ -complexes by Horner–Emmons–Wadsworth olefinations, 95

The cyclo- $\text{C}_3$  ligand: trimetallic cyclopropenium complexes of Group 6–8 metals, including the X-ray crystal structure of  $[\{\text{Fe}(\text{CO})_2(\text{Cp})\}_3(\mu_3\text{-C}_3)][\text{SbF}_6]$ , 133

## Ligand-coupling

Unprecedented coupling of vinylidene and allenylidene ligands with dithiocarbamates: X-ray structure of  $[\text{Ru}\{\text{C}(\text{C}\equiv\text{CPh}_2)\text{SC}(\text{NMe}_2)\text{S}\}(\text{S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)]$ , 264

## Luminescence

Luminescent polynuclear metal acetylides, 3

## Metallacycle

Unprecedented coupling of vinylidene and allenylidene ligands with dithiocarbamates: X-ray structure of  $[\text{Ru}\{\text{C}(\text{C}\equiv\text{CPh}_2)\text{SC}(\text{NMe}_2)\text{S}\}(\text{S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)]$ , 264

## Methylenecyclopropenes

Coupling of  $\sigma$ -acetylide ligands at Group 4 metallocene complexes to yield methylenecyclopropene-type frameworks, 115

## Molecular wires

Rapid assembly of rigid rods by metal complexation of bis(terpyridyl) ligands, 260

## Molybdenum

The cyclo- $\text{C}_3$  ligand: trimetallic cyclopropenium complexes of Group 6–8 metals, including the X-ray crystal structure of  $[\{\text{Fe}(\text{CO})_2(\text{Cp})\}_3(\mu_3\text{-C}_3)][\text{SbF}_6]$ , 133

## Nickel complexes

Acetylenic NIR-chromophores: 2,3-dialkynyl-1,4-diazabuta-1,3-diene complexes of Ni(0) and Ni(II), 193

## Organoiron(II)

First synthesis and spectroscopic characterization of isolated butatrienylidene complexes of transition metals, 76

## Organometallic

Ferrocenophanes with all carbon bridges, 31

## Osmium

Synthesis and characterisation of mono-acetylide and unsymmetrical bis-acetylide complexes of ruthenium and osmium: X-ray structure determinations on  $[(\text{dppe})_2\text{Ru}(\text{Cl})(\text{C}\equiv\text{C}-\text{C}_6\text{H}_4\text{-}p\text{-NO}_2)]$ ,  $[(\text{dppe})_2\text{Ru}(\text{Cl})(\text{C}\equiv\text{C}-\text{C}_6\text{H}_3\text{-}o\text{-CH}_3\text{-}p\text{-NO}_2)]$  and  $[(\text{dppm})_2\text{Os}(\text{C}\equiv\text{C}-\text{C}_6\text{H}_4\text{-}p\text{-CH}_3)(\text{C}\equiv\text{C}-\text{C}_6\text{H}_4\text{-}p\text{-NO}_2)]$ , 198

Synthesis and structure of metallocarbon clusters bearing pendant ethynyl ligands. X-ray crystal structures of  $\text{Os}_3(\text{CO})_9(\mu\text{-CO})(\mu_3\text{-}\eta^1, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$ ,  $\text{Os}_3\text{Ru}(\text{CO})_{12}(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$ ,  $\text{Ru}_4(\text{CO})_{12}(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-Me}_3\text{SiC}\equiv\text{CC}_2\text{C}\equiv\text{CSiMe}_3)$  and  $\{\text{Ru}_4(\text{CO})_{12}\}\{\text{Co}_2(\text{CO})_6\}(\mu_4\text{-}\eta^1, \eta^2, \eta^1, \eta^2\text{-}\mu\text{-}\eta^2, \eta^2\text{-Me}_3\text{SiC}_2\text{C}\equiv\text{CC}_2\text{SiMe}_3)$ , 103

## Palladium

Dialkynylated and functionalized alkynylated areneCr(CO)<sub>3</sub>-complexes—syntheses and structures of carbon rich chromium-complexed benzenes, 252

Organometallic C<sub>70</sub> chemistry. Preparation and crystallographic studies of (η<sup>2</sup>-C<sub>70</sub>)Pd(PPh<sub>3</sub>)<sub>2</sub> · CH<sub>2</sub>Cl<sub>2</sub> and (C<sub>70</sub>) · 2{(η<sup>2</sup>-C<sub>3</sub>H<sub>5</sub>)<sub>2</sub>Fe}, 85

## Photoredox

Luminescent polynuclear metal acetylides, 3

## Platinum

Novel mixed-metal-alkynyl complexes stabilised by di-imine ligands: synthesis, characterisation and electrochemistry of [(<sup>t</sup>Bu<sub>2</sub>bipy)Pt(C≡CR)<sub>2</sub>M(SCN)] (R = C<sub>6</sub>H<sub>4</sub>Me, SiMe<sub>3</sub>; M = Cu, Ag), 178

## Platinum complex

Reactions of acetylene-bridged diplatinum complexes with tetra-cyanoethylene, 169

## Platinum (II)

Luminescent polynuclear metal acetylides, 3

## Polyacetylene

A convenient *short cut* from aromatic iodides to alkynylstannanes and their use for the straightforward preparation of polyacetylene and polymetallaacetylene polymers, 210

## Polyene

Hydrocarbon bridged metal complexes: XLV. Dinuclear polyene-bridged Fischer carbene complexes and a star-shaped benzene-bridged tris(ferrocenyl-decapentaenyl) compound, 247

## Polymers

Ferrocenophanes with all carbon bridges, 31

## Polymetallaacetylene

A convenient *short cut* from aromatic iodides to alkynylstannanes and their use for the straightforward preparation of polyacetylene and polymetallaacetylene polymers, 210

## Polynes

Appreciably bent sp carbon chains: synthesis, structure, and protonation of organometallic 1,3,5-triynes and 1,3,5,7-tetraynes of the formula (η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)Re(NO)(PPh<sub>3</sub>)<sub>2</sub>((C≡C)<sub>n</sub>-*p*-C<sub>6</sub>H<sub>4</sub>Me), 229

## Propargyl cation

Cobalt-templated radical processes: inter- and intramolecular coupling of propargyl radicals, 68

## Propargyl radical

Cobalt-templated radical processes: inter- and intramolecular coupling of propargyl radicals, 68

## Quinones

Reactions of complex ligands 85: chiral quinoid and hydroquinoid [2.2]metacyclophanes via chromium-mediated intramolecular benzannulation, 223

## Radialene

Dimerization of titanacyclocumulenes to titanium substituted radialenes: synthesis, stability and reactions of five-membered titanacyclocumulenes with a coupling of two 1,4-diphenyl-1,3-butadiyne between two titanocene molecules to radialene-like fused titanacyclopentadiene compounds, 125

## Reductive disproportionation of carbon dioxide

Coupling of alkynes promoted by Ru(CO)<sub>3</sub>(PPh<sub>3</sub>)<sub>2</sub> and carbon dioxide: syntheses and structures of (η<sup>4</sup>-C<sub>4</sub>R<sub>2</sub>R'<sub>2</sub>CO)Ru(CO)<sub>2</sub>(PPh<sub>3</sub>) (R = R' = Ph; R = Ph, R' = C≡CPh) and {Ph<sub>2</sub>C<sub>4</sub>(C≡CPh)<sub>2</sub>}Ru(CO)(PPh<sub>3</sub>)<sub>2</sub>, 61

## Rhenium

Appreciably bent sp carbon chains: synthesis, structure, and protonation of organometallic 1,3,5-triynes and 1,3,5,7-tetraynes of the formula (η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)Re(NO)(PPh<sub>3</sub>)<sub>2</sub>((C≡C)<sub>n</sub>-*p*-C<sub>6</sub>H<sub>4</sub>Me), 229

The cyclo-C<sub>3</sub> ligand: trimetallic cyclopropenium complexes of Group 6–8 metals, including the X-ray crystal structure of [{Fe(CO)<sub>2</sub>(Cp)}<sub>3</sub>(μ<sub>3</sub>-C<sub>3</sub>)] [SbF<sub>6</sub>], 133

## Rhenium(I)

Luminescent polynuclear metal acetylides, 3

## Ruthenium

Rapid assembly of rigid rods by metal complexation of bis(terpyridyl) ligands, 260

Synthesis and characterisation of mono-acetylide and unsymmetrical bis-acetylide complexes of ruthenium and osmium: X-ray structure determinations of [(dppe)<sub>2</sub>Ru(CI)(C≡C-C<sub>6</sub>H<sub>4</sub>-*p*-NO<sub>2</sub>)], [(dppe)<sub>2</sub>Ru(CI)(C≡C-C<sub>6</sub>H<sub>3</sub>-*o*-CH<sub>3</sub>-*p*-NO<sub>2</sub>)] and [(dppm)<sub>2</sub>Os(C≡C-C<sub>6</sub>H<sub>4</sub>-*p*-CH<sub>3</sub>)(C≡C-C<sub>6</sub>H<sub>4</sub>-*p*-NO<sub>2</sub>)], 198

Synthesis and structure of metallocarbon clusters bearing pendant ethynyl ligands. X-ray crystal structures of Os<sub>3</sub>(CO)<sub>9</sub>(μ-CO)(μ<sub>3</sub>-η<sup>1</sup>,η<sup>1</sup>,η<sup>2</sup>-Me<sub>3</sub>SiC≡CC<sub>2</sub>C≡CSiMe<sub>3</sub>), Os<sub>3</sub>Ru(CO)<sub>12</sub>(μ<sub>4</sub>-η<sup>1</sup>,η<sup>2</sup>,η<sup>1</sup>,η<sup>2</sup>-Me<sub>3</sub>SiC≡CC<sub>2</sub>C≡CSiMe<sub>3</sub>), Ru<sub>4</sub>(CO)<sub>12</sub>(μ<sub>4</sub>-η<sup>1</sup>,η<sup>2</sup>,η<sup>1</sup>,η<sup>2</sup>-Me<sub>3</sub>SiC≡CC<sub>2</sub>C≡CSiMe<sub>3</sub>) and {Ru<sub>4</sub>(CO)<sub>12</sub>}{Co<sub>2</sub>(CO)<sub>6</sub>}(μ<sub>4</sub>-η<sup>1</sup>,η<sup>2</sup>,η<sup>1</sup>,η<sup>2</sup>-μ-η<sup>2</sup>,η<sup>2</sup>-Me<sub>3</sub>SiC<sub>2</sub>C≡CC<sub>2</sub>SiMe<sub>3</sub>), 103

Synthesis of triynylcarbene complexes and of bi- and trinuclear complexes with heptatriynylidene C<sub>7</sub>-bridges, 186

The cyclo-C<sub>3</sub> ligand: trimetallic cyclopropenium complexes of Group 6–8 metals, including the X-ray crystal structure of [{Fe(CO)<sub>2</sub>(Cp)}<sub>3</sub>(μ<sub>3</sub>-C<sub>3</sub>)] [SbF<sub>6</sub>], 133

The synthesis and structural analyses of ruthenium carbonyl cluster complexes containing the bis-(trimethylsilyl) hexatriyne ligand, 55

Unprecedented coupling of vinylidene and allenylidene ligands with dithiocarbamates: X-ray structure of [Ru{C(C≡CPh)<sub>2</sub>SC(NMe<sub>2</sub>)S}(S<sub>2</sub>CNMe<sub>2</sub>)(CO)(PPh<sub>3</sub>)], 264

## Silicon

Syntheses and crystal structures of strained planar silacyclines containing a diacetylene unit, 43

## Silver

Novel mixed-metal-alkynyl complexes stabilised by di-imine ligands: synthesis, characterisation and electrochemistry of [(<sup>t</sup>Bu<sub>2</sub>bipy)Pt(C≡CR)<sub>2</sub>M(SCN)] (R = C<sub>6</sub>H<sub>4</sub>Me, SiMe<sub>3</sub>; M = Cu, Ag), 178

## Silver(I)

Luminescent polynuclear metal acetylides, 3

## Stille coupling

A convenient *short cut* from aromatic iodides to alkynylstannanes and their use for the straightforward preparation of polyacetylene and polymetallaacetylene polymers, 210

## Synthesis

Coupling of alkynes promoted by Ru(CO)<sub>3</sub>(PPh<sub>3</sub>)<sub>2</sub> and carbon dioxide: syntheses and structures of (η<sup>4</sup>-C<sub>4</sub>R<sub>2</sub>R'<sub>2</sub>CO)Ru(CO)<sub>2</sub>(PPh<sub>3</sub>) (R = R' = Ph; R = Ph, R' = C≡CPh) and {Ph<sub>2</sub>C<sub>4</sub>(C≡CPh)<sub>2</sub>}Ru(CO)(PPh<sub>3</sub>)<sub>2</sub>, 61

## Tellurium

Formation of vinyl ether derivatives in the reaction of tributyltin hydride with cluster supported Fischer carbene complexes: structural characterisation of [(CO)<sub>6</sub>Fe<sub>2</sub>Te<sub>2</sub>{μ-PhC=CC(OEt)}W(CO)<sub>5</sub>], 150

## Terpyridine

Rapid assembly of rigid rods by metal complexation of bis(terpyridyl) ligands, 260

## Titanocene

Dimerization of titanacyclocumulenes to titanium substituted radialenes: synthesis, stability and reactions of five-membered titanacyclocumulenes with a coupling of two 1,4-diphenyl-1,3-butadiyne between two titanocene molecules to radialene-like fused titanacyclopentadiene compounds, 125

## 1,4-Topological polymerization

Syntheses and crystal structures of strained planar silacyclines containing a diacetylene unit, 43

## Tungsten

Reactions of M(C≡CC≡CR)(CO)<sub>3</sub>Cp [M = Mo, W; R = H, Fe(CO)<sub>2</sub>Cp, M(CO)<sub>3</sub>Cp] with cobalt carbonyls: X-ray structures of {Cp(OC)<sub>8</sub>Co<sub>2</sub>M(μ<sub>3</sub>-C)}C≡C(μ<sub>3</sub>-C)Co<sub>2</sub>M'(CO)<sub>8</sub>Cp} (M = M' = Mo, W; M = Mo, M' = W), 155

Synthesis of triynylcarbene complexes and of bi- and trinuclear complexes with heptatriynylidene C<sub>7</sub>-bridges, 186

- The cyclo-C<sub>3</sub> ligand: trimetallic cyclopropenium complexes of Group 6–8 metals, including the X-ray crystal structure of  $[\{\text{Fe}(\text{CO})_2(\text{Cp})\}_3(\mu_3\text{-C}_3)][\text{SbF}_6]$ , 133
- UV–vis/NIR  
Acetylenic NIR-chromophores: 2,3-dialkynyl-1,4-diazabuta-1,3-diene complexes of Ni(0) and Ni(II), 193
- Vinylidene  
Unprecedented coupling of vinylidene and allenylidene ligands with dithiocarbamates: X-ray structure of  $[\text{Ru}\{\text{C}(\text{C}=\text{CPh}_2)\text{SC}(\text{NMe}_2)\text{S}\}(\text{S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)]$ , 264
- X-ray diffraction  
Formation of vinyl ether derivatives in the reaction of tributyltin hydride with cluster supported Fischer carbene complexes: structural characterisation of  $[(\text{CO})_6\text{Fe}_2\text{Te}_2\{\mu\text{-PhC}=\text{CC}(\text{OEt})\}\text{W}(\text{CO})_5]$ , 150
- Zirconocene complexes  
Coupling of  $\sigma$ -acetylide ligands at Group 4 metallocene complexes to yield methylenecyclopropene-type frameworks, 115