

Subject Index of Volume 579

Acetylacetonate complexes

Cyclometallated compounds. XIII. Cyclopalladation of 2-phe-
noxy-pyridine and structurally-related compounds, 97

Acylchlorophosphine

Synthesis and reactivity of acylphosphine tetracarbonyl-iron
complexes, 198

Acylphosphine

Synthesis and reactivity of acylphosphine tetracarbonyl-iron
complexes, 198

¹⁰⁹Ag-NMR

NMR analysis of trinuclear silver(I) complexes with μ_2 -H bridged
group VI metallocene hydrides as ligands and X-ray struc-
ture analysis of $\{[(\eta^5\text{-MeC}_5\text{H}_4)_2\text{Mo}(\mu_2\text{-H})_2]\text{Ag}\}\text{PF}_6$, 298

Al(I) compounds

Tetrakis[tris(trimethylsilyl)silylaluminium(I)] $\text{Al}_4[\text{Si}(\text{SiMe}_3)_3]_4$ —
eine siliziumreiche Verbindung mit zentralem te-
traedrischem Al_4 -Kern, 373

Alkenylindenes

Synthesis and characterization of 1- and 2-(ω -alken-1-yl)indenes,
their lithium salts and dichlorozirconium(IV) complexes,
356

Alkenylindenyl lithium salts

Synthesis and characterization of 1- and 2-(ω -alken-1-yl)indenes,
their lithium salts and dichlorozirconium(IV) complexes,
356

Alkenyl indenyl zirconium complexes

Synthesis and characterization of 1- and 2-(ω -alken-1-yl)indenes,
their lithium salts and dichlorozirconium(IV) complexes,
356

Alkylation

Synthesis and some chemical properties of *s-cis*-diferrocenyl-
trienes. The role of stereoelectronic factors in cationic
dimerization reactions, 30

Alkyne-bridged complex

Preparation and characterization of Mo_2C_2 , $\text{Co}_2\text{Mo}_2\text{C}_2$ clusters
containing functionally substituted cyclopentadienyl lig-
ands. The crystal structures of $[\text{Mo}_2(\mu\text{-C}_2\text{HPh})(\text{CO})_4(\eta^5\text{-C}_5\text{H}_4\text{C}(\text{O})\text{Me})_2]$ and $[\text{Co}_2\text{Mo}_2(\mu_4\text{-C}_2\text{HPh})(\mu\text{-CO})_4(\text{CO})_4(\eta^5\text{-C}_5\text{H}_4\text{C}(\text{O})\text{Me})_2]$, 304

Alkynyl cluster

The synthesis, identification, and X-ray structure of a novel
cationic alkynyl silver cluster polymer $[\text{Ag}_3(\text{C}_2\text{Bu}^+)_2]_n$, 59

Alkynylphosphonate

The preparation and reactions of alkynylphosphonate hexacar-
bonyldicobalt complexes, 83

Allyl

Synthesis and characterization of new allyl palladium complexes
with thionate ligands; X-ray molecular structures of $[\text{Pd}_3(\eta^3\text{-C}_4\text{H}_7)_3\{\text{pm}(\text{Me})_2\text{S}\}_2](\text{CF}_3\text{SO}_3)$ and $[\text{Pd}\{\text{pm}(\text{Me})_2\text{-S}\}_2, \eta^3\text{-C}_4\text{H}_7 = \eta^3\text{-2-Me-C}_3\text{H}_4, \text{pm}(\text{Me})_2\text{S} = \text{Pyridine-4,6-dimethyl-2-thionate}, 321$

Allyl complexes

Bimetallische Allylkomplexe polycyclischer Kohlenwasserstoffe:
Erste Beispiele aus der Übergangsmetallchemie, 139

Aluminium

A methylene bridged dialuminium compound as a chelating Lewis
acid—complexation of azide and acetate anions by $\text{R}_2\text{Al-CH}_2\text{-AlR}_2$ [$\text{R} = \text{CH}(\text{SiMe}_3)_2$], 18

ansa-Titanocenes

Reductive dehydroxy coupling of 2-(hydroxymethyl)indenes to
prepare ethano-bridged bis(2-indenyl) *ansa*-titanocenes,
338

2-Arylazopyridine

Silicagel support mediated nonphotolytic cleavage of the rheni-
um–rhenium bond of $[\{\text{NC}_5\text{H}_4\text{N}=\text{NC}_6\text{H}_4(\text{R})\}(\text{CO})_3\text{Re}^0]_2$. Synthesis of the monomeric species $\text{Re}^1\{\text{NC}_5\text{H}_4\text{N}=\text{NC}_6\text{H}_4(\text{R})\}(\text{CO})_3\text{Cl}$, crystal structure, spec-
troscopic and electron-transfer properties, 311

Binuclear complexes

Synthesis and structures of paramagnetic binuclear (η^8 -1,4-
bis(trimethylsilyl)cyclooctatetraenide)titanium(III) chlo-
rides, 126

Bis(trimethylsilyl)cyclooctatetraene dianion

Synthesis and structures of paramagnetic binuclear (η^8 -1,4-
bis(trimethylsilyl)cyclooctatetraenide)titanium(III) chlo-
rides, 126

Bridged trinuclear Ag–Mo- and Ag–W-hydride complexes

NMR analysis of trinuclear silver(I) complexes with μ_2 -H bridged
group VI metallocene hydrides as ligands and X-ray struc-
ture analysis of $\{[(\eta^5\text{-MeC}_5\text{H}_4)_2\text{Mo}(\mu_2\text{-H})_2]\text{Ag}\}\text{PF}_6$, 298

Butadiynyl

Synthesis and characterization of new transition metal diyne
complexes, 63

Carbohydrates

Bimetallische Allylkomplexe polycyclischer Kohlenwasserstoffe:
Erste Beispiele aus der Übergangsmetallchemie, 139

The selective catalytic oxidation of terminal alcohols: a novel
four-component system with MTO as catalyst, 404

Carbon monoxide

$\text{Ru}_3(\text{CO})_{12}$ -catalyzed reaction of yne–imines with carbon monox-
ide leading to bicyclic α,β -unsaturated lactams, 177

Carbonyl

Organometallic derivatives of multidentate phosphines [*o*-
(methylthio)phenyl]diphenylphosphine and bis(*o*-(methyl-
thio)phenyl)(phenylphosphine: preparation and characteri-
zation of group 6 metal carbonyl derivatives, 45

Synthesis and characterization of the cluster compounds contain-
ing double C_2M_2 ($\text{M}=\text{Co}, \text{Mo}$) cores. The single-crystal
X-ray structures of $[\text{O}(\text{CH}_2\text{C}_2\text{H}-\mu)_2][\text{Co}_2(\text{CO})_6]_2$ and
 $[\text{O}(\text{CH}_2\text{C}_2\text{H}-\mu)_2][\text{Mo}_2(\text{C}_5\text{H}_5)_2(\text{CO})_4]_2$, 227

The reaction of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})(\text{CNMe})(\mu\text{-CO})(\mu\text{-CNMe}_2)]^+$
and related salts with trifluoromethanesulphonic acid,
 HOSO_2CF_3 : structure of *cis*- $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CN-}$
 $\text{Me})(\mu\text{-CNMe}_2)] [\text{BPh}_4]$, 252

Carbonylation

- A study on the catalytic pathways of the hydroalkoxycarbonylation reaction of styrene, 147
- On the behaviour of dimethyl acetylenedicarboxylate in carbonylation and Khand reactions, 90

Carbonyl complexes

- Synthesis and characterization of new transition metal diyne complexes, 63

Carbonyl substitution

- Complete carbonyl substitution in tricarbonylnitrosylcobalt, 1

Catalysis

- A study on the catalytic pathways of the hydroalkoxycarbonylation reaction of styrene, 147
- The selective catalytic oxidation of terminal alcohols: a novel four-component system with MTO as catalyst, 404

Catalyst

- Crystal structures and polymerization catalytic properties of 1,1,2,2-tetramethyldisilane-bis(3-*t*-butyl- η^5 -cyclopentadienyl)-titanium and zirconium dichlorides, 24

Cation

- Synthesis and single-crystal X-ray structure of [(DMPE)₂Ru-(CH₂H₄)CH₃]⁺[(3,5-(CF₃)₂C₆H₃)₄B]⁻, 122

Chelates

- A methylene bridged dialuminium compound as a chelating Lewis acid—complexation of azide and acetate anions by R₂Al-CH₂-AlR₂ [R = CH(SiMe₃)₂], 18

Chiral

- Reductive dehydroxy coupling of 2-(hydroxymethyl)indenes to prepare ethano-bridged bis(2-indenyl) *ansa*-titanocenes, 338

Chloride bridges

- Synthesis and structures of paramagnetic binuclear (η^8 -1,4-bis(trimethylsilyl)cyclooctatetraenide)titanium(III) chlorides, 126

Chromium

- Ditelluroether complexes of Group 6 metal carbonyls: synthesis, spectroscopic studies and a comparison with dithio- and diseleno-ether analogues, 235

Cleavage of rhenium–rhenium bond

- Silicagel support mediated nonphotolytic cleavage of the rhenium–rhenium bond of [{NC₅H₄N=NC₆H₄(R)}-(CO)₃-Re⁰]₂. Synthesis of the monomeric species Re¹{NC₅H₄N=NC₆H₄(R)}(CO)₃Cl, crystal structure, spectroscopic and electron-transfer properties, 311

Cluster

- Electron-deficient triruthenium and triosmium clusters from the reaction of the cluster anions [HM₃(CO)₁₁]⁻ (M = Ru, Os) with tricyclohexylphosphine in methanol, 285
- Reactions of [PPh₄][(η^5 -C₅Me₅)WS₃] with CuBr in CHCl₃: isolation and structures of an octanuclear cluster [(η^5 -C₅Me₅)WS₃Cu]₄ and a trinuclear cluster [(η^5 -C₅Me₅)WS₃-Cu₂Br(PPh₃)₂], 332
- Synthesis and characterization of the cluster compounds containing double C₂M₂ (M=Co, Mo) cores. The single-crystal X-ray structures of [O(CH₂C₂H- μ)₂][Co₂(CO)₆]₂ and [O(CH₂C₂H- μ)₂][Mo₂(C₅H₅)₂(CO)₄]₂, 227

C,N bridging oxazolone

- Metal complexes of biologically important ligands, CXIV ferrocenyl-oxazolones as N and C donors in Pd(II), Pt(II) and Ir(III) complexes and ferrocenyl-dipeptides, 269

Cobalt

- Bimetallische Allylkomplexe polycyclischer Kohlenwasserstoffe: Erste Beispiele aus der Übergangsmetallchemie, 139
- Synthesis and characterization of new transition metal diyne complexes, 63

Cobalt carbonyl

- On the behaviour of dimethyl acetylenedicarboxylate in carbonylation and Khand reactions, 90
- The preparation and reactions of alkynylphosphonate hexacarbonyldicobalt complexes, 83

Cobalt complex

- Complete carbonyl substitution in tricarbonylnitrosylcobalt, 1
- Preparation and characterization of Mo₂C₂, Co₂Mo₂C₂ clusters containing functionally substituted cyclopentadienyl ligands. The crystal structures of [Mo₂(μ -C₂HPh)(CO)₄(η^5 -C₅H₄C(O)Me)₂] and [Co₂Mo₂(μ -C₂HPh)(μ -CO)₄(CO)₄(η^5 -C₅H₄C(O)Me)₂], 304

Complex

- Organometallic derivatives of multidentate phosphines [*o*-(methylthio)phenyl]diphenylphosphine and bis(*o*-(methylthio)phenyl)phenylphosphine: preparation and characterization of group 6 metal carbonyl derivatives, 45

Conformation

- Geometry and electronic structure of silylated hydroxylamine and carbamic acid derivatives, 38

Coordination polymer

- The synthesis, identification, and X-ray structure of a novel cationic alkynyl silver cluster polymer [Ag₃(C₂Bu)₂]⁺_n, 59

Copper complex

- Reactions of [PPh₄][(η^5 -C₅Me₅)WS₃] with CuBr in CHCl₃: isolation and structures of an octanuclear cluster [(η^5 -C₅Me₅)WS₃Cu]₄ and a trinuclear cluster [(η^5 -C₅Me₅)WS₃-Cu₂Br(PPh₃)₂], 332

Coupling constants

- Tetrakis(trimethylstannyl) and bis(trimethylstannyl)dimethyl Group 14 element compounds, determination of coupling signs and measurements of isotope induced chemical shifts ¹Δ^{12/13}C(¹¹⁹Sn), 133

Crystal structure

- Cyclometallated compounds. XIII. Cyclopalladation of 2-phenoxypyridine and structurally-related compounds, 97
- Synthesis and structures of paramagnetic binuclear (η^8 -1,4-bis(trimethylsilyl)cyclooctatetraenide)titanium(III) chlorides, 126
- Complexes exhibiting non-conventional solubility: synthesis and characterization of *trans*-Pt[(CF₃(CF₂)₂(CH₂)₂)₂P]₂Cl₂, 217
- Preparation and characterization of Mo₂C₂, Co₂Mo₂C₂ clusters containing functionally substituted cyclopentadienyl ligands. The crystal structures of [Mo₂(μ -C₂HPh)(CO)₄(η^5 -C₅H₄C(O)Me)₂] and [Co₂Mo₂(μ -C₂HPh)(μ -CO)₄(CO)₄(η^5 -C₅H₄C(O)Me)₂], 304
- Synthesis and characterization of the cluster compounds containing double C₂M₂ (M=Co, Mo) cores. The single-crystal X-ray structures of [O(CH₂C₂H- μ)₂][Co₂(CO)₆]₂ and [O(CH₂C₂H- μ)₂][Mo₂(C₅H₅)₂(CO)₄]₂, 227
- Synthesis and electrochemistry of ferrocenemethylamine and its conjugated acid. Crystal structure of ferrocenemethylammonium chloride, 222

Cubane

- Hydrogenation of (1-phenylthiophene)Mn(CO)₃ (thiophene = 3-methylthiophene and 3,4-dimethylthiophene) complexes: formation of tetrakis(tricarbonyl-phenylthiomanganese), 385

Cyclic voltammetry

- Metal complexes of biologically important ligands, CXIV ferrocenyl-oxazolones as N and C donors in Pd(II), Pt(II) and Ir(III) complexes and ferrocenyl-dipeptides, 269
- Synthesis, redox chemistry, molecular and electronic structure of some cyclopentadienylcobalt pentafulvene complexes, 391
- Substituent effects in cyclic voltammetry of titanocene dichlorides, 348

- Cycloaddition
 Synthesis and some chemical properties of *s-cis*-diferrocenyl-trienes. The role of stereoelectronic factors in cationic dimerization reactions, 30
- Cyclocarbonylation
 $\text{Ru}_3(\text{CO})_{12}$ -catalyzed reaction of yne–imines with carbon monoxide leading to bicyclic α,β -unsaturated lactams, 177
- Cyclodimerization
 Synthesis and some chemical properties of *s-cis*-diferrocenyl-trienes. The role of stereoelectronic factors in cationic dimerization reactions, 30
- Cycloheptane
 Synthesis and some chemical properties of *s-cis*-diferrocenyl-trienes. The role of stereoelectronic factors in cationic dimerization reactions, 30
- Cyclohexane
 Synthesis and some chemical properties of *s-cis*-diferrocenyl-trienes. The role of stereoelectronic factors in cationic dimerization reactions, 30
- Cycloliner oligosilane-siloxanes
 New cycloliner permethyloligosilane-siloxanes, 328
- Cyclometalation
 Reaction of *N*-(3-methyl-2-thienylmethylidene)aniline with diiron nonacarbonyl: cyclometalation induced methyl migration, imido complex formation, and hydrogenation, 211
- Cyclometallation reactions
 Cyclometallated compounds. XIII. Cyclopalladation of 2-phenoxypyridine and structurally-related compounds, 97
- Cyclopentadienone
 The preparation and reactions of alkynylphosphonate hexacarbonyldicobalt complexes, 83
- Cyclopentadienyl
 Cyclopentadienyl dithiocarbamate and dithiophosphate molybdenum and tungsten complexes, 190
 Synthesis and characterization of new transition metal diynyl complexes, 63
 Synthesis and characterization of the cluster compounds containing double C_2M_2 ($\text{M}=\text{Co}, \text{Mo}$) cores. The single-crystal X-ray structures of $[\text{O}(\text{CH}_2\text{C}_2\text{H}-\mu)_2][\text{Co}_2(\text{CO})_6]_2$ and $[\text{O}(\text{CH}_2\text{C}_2\text{H}-\mu)_2][\text{Mo}_2(\text{C}_5\text{H}_5)_2(\text{CO})_4]_2$, 227
 The reaction of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})(\text{CNMe})(\mu\text{-CO})(\mu\text{-CNMe}_2)]^+$ and related salts with trifluoromethanesulphonic acid, HOSO_2CF_3 : structure of *cis*- $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CNMe})(\mu\text{-CNMe}_2)]$ $[\text{BPh}_4]$, 252
- Cyclopentadienylcobalt pentafulvene complexes
 Synthesis, redox chemistry, molecular and electronic structure of some cyclopentadienylcobalt pentafulvene complexes, 391
- Deprotonation
 Synthesis and some chemical properties of *s-cis*-diferrocenyl-trienes. The role of stereoelectronic factors in cationic dimerization reactions, 30
- Diarylformamidates
 Probing diruthenium σ -alkynyl bonding interactions via substituent effects. Linear free energy relationships in dinuclear compounds VI, 114
- α,ω -Dichlorooligosilanes
 New cycloliner permethyloligosilane-siloxanes, 328
- Diferrocenylphenylphosphine
 Synthesis of gold-(I) and -(III) complexes with diferrocenylphenylphosphine (PFc_2Ph). Crystal structure of $[\text{Au}(\text{PFc}_2\text{Ph})_2]\text{ClO}_4$, 206
- Dimethyl acetylenedicarboxylate
 On the behaviour of dimethyl acetylenedicarboxylate in carbonylation and Khand reactions, 90
- Diruthenium complexes
 Probing diruthenium σ -alkynyl bonding interactions via substituent effects. Linear free energy relationships in dinuclear compounds VI, 114
- Diselenoether
 Ditelluroether complexes of Group 6 metal carbonyls: synthesis, spectroscopic studies and a comparison with dithio- and diseleno-ether analogues, 235
- Disproportionation
 Trichlorosilylation of chlorogermanes and chlorostannanes with $\text{HSiCl}_3/\text{Net}_3$ followed by base-catalysed formation of $(\text{Me}_3\text{Ge})_2\text{Si}(\text{SiCl}_3)_2$ and related branched stannylsilanes, 156
- Ditelluroether
 Ditelluroether complexes of Group 6 metal carbonyls: synthesis, spectroscopic studies and a comparison with dithio- and diseleno-ether analogues, 235
- Dithiocarbamate
 Cyclopentadienyl dithiocarbamate and dithiophosphate molybdenum and tungsten complexes, 190
- Dithioether
 Ditelluroether complexes of Group 6 metal carbonyls: synthesis, spectroscopic studies and a comparison with dithio- and diseleno-ether analogues, 235
- Dithiophosphate
 Cyclopentadienyl dithiocarbamate and dithiophosphate molybdenum and tungsten complexes, 190
- DMPE
 Synthesis and single-crystal X-ray structure of $[(\text{DMPE})_2\text{Ru}(\text{CH}_2\text{H}_4)\text{CH}_3]^+[(3,5\text{-}(\text{CF}_3)_2\text{C}_6\text{H}_3)_4\text{B}]^-$, 122
- EHMO calculations
 Derivative chemistry of $[\text{UCl}_2\{\text{B}(\text{pz})_4\}_2]$: stability of complexes containing the fragments $[\text{U}\{\text{B}(\text{pz})_4\}_2]$ and $[\text{U}\{\text{HB}(\text{pz})_3\}_2]$, 5
- Electron transfer
 Silicagel support mediated nonphotolytic cleavage of the rhenium–rhenium bond of $[\{\text{NC}_5\text{H}_4\text{N}=\text{NC}_6\text{H}_4(\text{R})\}(\text{CO})_3\text{Re}^0]_2$. Synthesis of the monomeric species $\text{Re}^I\{\text{NC}_5\text{H}_4\text{N}=\text{NC}_6\text{H}_4(\text{R})\}(\text{CO})_3\text{Cl}$, crystal structure, spectroscopic and electron-transfer properties, 311
- Endo enamine complexes
 Stereochemical factors associated with the rearrangement of (2-ethyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes, 53
- Energy profile
 The ability of 2-phosphabicyclo[2.2.2]oct-5-ene 2-oxides to undergo fragmentation of the bridging P-moiety, 182
- EPR
 Synthesis, redox chemistry, molecular and electronic structure of some cyclopentadienylcobalt pentafulvene complexes, 391
- ESR spectra
 Synthesis and structures of paramagnetic binuclear ($\eta^8\text{-1,4-bis}(\text{trimethylsilyl})\text{cyclooctatetraenide})\text{titanium(III)}$ chlorides, 126
- Ethene polymerization
 Synthesis and characterization of 1- and 2-(ω -alken-1-yl)indenes, their lithium salts and dichlorozirconium(IV) complexes, 356
- Ethylene
 Synthesis and single-crystal X-ray structure of $[(\text{DMPE})_2\text{Ru}(\text{CH}_2\text{H}_4)\text{CH}_3]^+[(3,5\text{-}(\text{CF}_3)_2\text{C}_6\text{H}_3)_4\text{B}]^-$, 122
- Fenske–Hall MO calculations
 Synthesis, redox chemistry, molecular and electronic structure of some cyclopentadienylcobalt pentafulvene complexes, 391
- Ferrocene
 Synthesis and some chemical properties of *s-cis*-diferrocenyl-trienes. The role of stereoelectronic factors in cationic dimerization reactions, 30

- Synthesis of gold-(I) and -(III) complexes with diferrocenylphenylphosphine (PFC₂Ph). Crystal structure of [Au(PFC₂Ph)₂]ClO₄, 206
- Ferrocenemethylamine**
 Synthesis and electrochemistry of ferrocenemethylamine and its conjugated acid. Crystal structure of ferrocenemethylammonium chloride, 222
- Ferrocenoyl marked dipeptides**
 Metal complexes of biologically important ligands, CXIV ferrocenyl-oxazolones as N and C donors in Pd(II), Pt(II) and Ir(III) complexes and ferrocenoyl-dipeptides, 269
- 2-Ferrocenyl-5(4H)-oxazolones**
 Metal complexes of biologically important ligands, CXIV ferrocenyl-oxazolones as N and C donors in Pd(II), Pt(II) and Ir(III) complexes and ferrocenoyl-dipeptides, 269
- Fluxionality**
 Mixed-metal cluster chemistry XII: isocyanide derivatives of [Cp-WIr₃(CO)₁₁]; X-ray crystal structure of [Cp-WIr₃(CO)₉(CNC₆H₃Me₂-2,6)₂], 75
- Functionalized alkenes**
 Interaction of oxygen functionalized alkenes with a methylaluminum-oxane-zirconocene catalyst studied by NMR, 164
- Germanium**
 Tetrakis(trimethylstannyl) and bis(trimethylstannyl)dimethyl Group 14 element compounds, determination of coupling signs and measurements of isotope induced chemical shifts ¹Δ^{12/13}C(¹¹⁹Sn), 133
- Gold**
 Synthesis of gold-(I) and -(III) complexes with diferrocenylphenylphosphine (PFC₂Ph). Crystal structure of [Au(PFC₂Ph)₂]ClO₄, 206
- Group 11**
 The synthesis, identification, and X-ray structure of a novel cationic alkynyl silver cluster polymer [Ag₃(C₂Bu)₂⁺]_n, 59
- Hammett correlation**
 Probing diruthenium σ-alkynyl bonding interactions via substituent effects. Linear free energy relationships in dinuclear compounds VI, 114
- HBr**
 The selective catalytic oxidation of terminal alcohols: a novel four-component system with MTO as catalyst, 404
- Heterodonor ligand**
 Organometallic derivatives of multidentate phosphines [o-(methylthio)phenyl]diphenylphosphine and bis(o-(methylthio)phenyl)phenylphosphine: preparation and characterization of group 6 metal carbonyl derivatives, 45
- Heterofunctional condensation**
 New cycloliner permethyloligosilane-siloxanes, 328
- ¹H-NMR**
 NMR analysis of trinuclear silver(I) complexes with μ₂-H bridged group VI metallocene hydrides as ligands and X-ray structure analysis of {[(η³-MeC₅H₄)₂Mo(μ₂-H)₂Ag]PF₆}, 298
- Hyrido**
 Electron-deficient triruthenium and triosmium clusters from the reaction of the cluster anions [HM₃(CO)₁₁]⁻ (M = Ru, Os) with tricyclohexylphosphine in methanol, 285
- Hydrodesulfurization**
 Hydrogenation of (1-phenylthiophene)Mn(CO)₃ (thiophene = 3-methylthiophene and 3,4-dimethylthiophene) complexes: formation of tetrakis(tricarbonyl-phenylthiomanganese), 385
- Hydrogenation**
 Reaction of *N*-(3-methyl-2-thienylmethylidene)aniline with diiron nonacarbonyl: cyclometalation induced methyl migration, imido complex formation, and hydrogenation, 211
- Imidazole-3-methyl-2-thionate**
 Synthesis and characterization of new allyl palladium complexes with thionate ligands; X-ray molecular structures of [Pd₃(η³-C₄H₇)₃{pm(Me)₂S₂}(CF₃SO₃) and [Pd{pm(Me)₂S₂}]₂, η³-C₄H₇ = η³-2-Me-C₃H₄, pm(Me)₂S = Pyridine-4,6-dimethyl-2-thionate, 321
- Imido complex**
 Reaction of *N*-(3-methyl-2-thienylmethylidene)aniline with diiron nonacarbonyl: cyclometalation induced methyl migration, imido complex formation, and hydrogenation, 211
- Iminophosphorane**
 Orthomanganation of the iminophosphorane Ph₃P=NPh, and of triphenylarsine-oxide and -sulfide, 243
- Indenyl**
 Reductive dehydroxy coupling of 2-(hydroxymethyl)indenes to prepare ethano-bridged bis(2-indenyl) *ansa*-titanocenes, 338
- Iridium carbonyl**
 Mixed-metal cluster chemistry XII: isocyanide derivatives of [Cp-WIr₃(CO)₁₁]; X-ray crystal structure of [Cp-WIr₃(CO)₉(CNC₆H₃Me₂-2,6)₂], 75
- Iron**
 The reaction of [Fe₂(η-C₅H₅)₂(CO)(CNMe)(μ-CO)(μ-CNMe₂)]⁺ and related salts with trifluoromethanesulphonic acid, HOSO₂CF₃; structure of *cis*-[Fe₂(η-C₅H₅)₂(CO)₂(μ-CNMe)(μ-CNMe₂)] [BPh₄], 252
- Isocyanide**
 Mixed-metal cluster chemistry XII: isocyanide derivatives of [Cp-WIr₃(CO)₁₁]; X-ray crystal structure of [Cp-WIr₃(CO)₉(CNC₆H₃Me₂-2,6)₂], 75
 The reaction of [Fe₂(η-C₅H₅)₂(CO)(CNMe)(μ-CO)(μ-CNMe₂)]⁺ and related salts with trifluoromethanesulphonic acid, HOSO₂CF₃; structure of *cis*-[Fe₂(η-C₅H₅)₂(CO)₂(μ-CNMe)(μ-CNMe₂)] [BPh₄], 252
- Khand reaction**
 On the behaviour of dimethyl acetylenedicarboxylate in carbonylation and Khand reactions, 90
- Lactam**
 Ru₃(CO)₁₂-catalyzed reaction of yne-imines with carbon monoxide leading to bicyclic α,β-unsaturated lactams, 177
- Lewis acids**
 A methylene bridged dialuminium compound as a chelating Lewis acid—complexation of azide and acetate anions by R₂Al-CH₂-AlR₂ [R = CH(SiMe₃)₂], 18
- Lithium amide**
 Stereochemical factors associated with the rearrangement of (2-ethyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes, 53
- Manganese**
 Bulky peralkylated cyclopentadienes by extension of Jutz's pentamethylcyclopentadiene procedure, 376
 Hydrogenation of (1-phenylthiophene)Mn(CO)₃ (thiophene = 3-methylthiophene and 3,4-dimethylthiophene) complexes: formation of tetrakis(tricarbonyl-phenylthiomanganese), 385
 Orthomanganation of the iminophosphorane Ph₃P=NPh, and of triphenylarsine-oxide and -sulfide, 243
- Mechanism**
 A study on the catalytic pathways of the hydroalkoxycarbonylation reaction of styrene, 147
- Metallocene**
 Reductive dehydroxy coupling of 2-(hydroxymethyl)indenes to prepare ethano-bridged bis(2-indenyl) *ansa*-titanocenes, 338

Methyl migration

Reaction of *N*-(3-methyl-2-thienylmethylidene)aniline with diiron nonacarbonyl: cyclometalation induced methyl migration, imidoyl complex formation, and hydrogenation, 211

Methyltrioxorhenium

The selective catalytic oxidation of terminal alcohols: a novel four-component system with MTO as catalyst, 404

Molybdenum

Cyclopentadienyl dithiocarbamate and dithiophosphate molybdenum and tungsten complexes, 190

Ditelluroether complexes of Group 6 metal carbonyls: synthesis, spectroscopic studies and a comparison with dithio- and diseleno-ether analogues, 235

Synthesis and characterization of new transition metal diynyl complexes, 63

Molybdenum complex

Preparation and characterization of Mo₂C₂, Co₂Mo₂C₂ clusters containing functionally substituted cyclopentadienyl ligands. The crystal structures of [Mo₂(μ-C₂HPh)(CO)₄(η⁵-C₅H₄C(O)Me)₂] and [Co₂Mo₂(μ₄-C₂HPh)(μ-CO)₄(CO)₄(η⁵-C₅H₄C(O)Me)₂], 304

⁹⁵Mo-NMR

NMR analysis of trinuclear silver(I) complexes with μ₂-H bridged group VI metallocene hydrides as ligands and X-ray structure analysis of {[(η⁵-MeC₅H₄)₂Mo(μ₂-H)₂Ag]PF₆}, 298

Nickel

Bimetallische Allylkomplexe polycyclischer Kohlenwasserstoffe: Erste Beispiele aus der Übergangsmetallchemie, 139

N-(3-methyl-2-thienylmethylidene)aniline

Reaction of *N*-(3-methyl-2-thienylmethylidene)aniline with diiron nonacarbonyl: cyclometalation induced methyl migration, imidoyl complex formation, and hydrogenation, 211

NMR

Interaction of oxygen functionalized alkenes with a methylaluminumoxane-zirconocene catalyst studied by NMR, 164

Norbornene

On the behaviour of dimethyl acetylenedicarboxylate in carbonylation and Khand reactions, 90

Olefin complex

Synthesis and single crystal X-ray structure of [(DMPE)₂-Ru(CH₂H₄)CH₃]⁺[(3,5-(CF₃)₂C₆H₃)₄B]⁻, 122

Organogermanium chlorides

Trichlorosilylation of chlorogermanes and chlorostannanes with HSiCl₃/Net₃ followed by base-catalysed formation of (Me₃Ge)₂Si(SiCl₃)₂ and related branched stannylsilanes, 156

Organotin chlorides

Trichlorosilylation of chlorogermanes and chlorostannanes with HSiCl₃/Net₃ followed by base-catalysed formation of (Me₃Ge)₂Si(SiCl₃)₂ and related branched stannylsilanes, 156

Orthometallation

Orthomanganation of the iminophosphorane Ph₃P=NPh, and of triphenylarsine-oxide and -sulfide, 243

Oxidation

The selective catalytic oxidation of terminal alcohols: a novel four-component system with MTO as catalyst, 404

Oxidative dehydrogenation

Synthesis and some chemical properties of *s-cis*-diferrocenyltrienes. The role of stereoelectronic factors in cationic dimerization reactions, 30

Palladium

A study on the catalytic pathways of the hydroalkoxycarbonylation reaction of styrene, 147

Palladium complexes

Cyclometallated compounds. XIII. Cyclopalladation of 2-phenoxy-pyridine and structurally-related compounds, 97

Synthesis and characterization of new allyl palladium complexes with thionate ligands; X-ray molecular structures of [Pd₃(η³-C₄H₇)₃{pm(Me)₂S₂}(CF₃SO₃) and [Pd{pm(Me)₂S₂}, η³-C₄H₇ = η³-2-Me-C₃H₄, pm(Me)₂S = Pyridine-4,6-dimethyl-2-thionate, 321

Peralkylated cyclopentadienes

Bulky peralkylated cyclopentadienes by extension of Jutzi's pentamethylcyclopentadiene procedure, 376

Phenylethynyl

Probing diruthenium σ-alkynyl bonding interactions via substituent effects. Linear free energy relationships in dinuclear compounds VI, 114

2-Phosphabicyclo[2.2.2]octene 2-oxide

The ability of 2-phosphabicyclo[2.2.2]oct-5-ene 2-oxides to undergo fragmentation of the bridging P-moiety, 182

Phosphine

Complexes exhibiting non-conventional solubility: synthesis and characterization of *trans*-Pt[(CF₃(CF₂)₃(CH₂)₂)₃P]₂Cl₂, 217

Electron-deficient triruthenium and triosmium clusters from the reaction of the cluster anions [HM₃(CO)₁₁]⁻ (M = Ru, Os) with tricyclohexylphosphine in methanol, 285

Organometallic derivatives of multidentate phosphines [o-(methylthio)phenyl]diphenylphosphine and bis(o-(methylthio)phenyl)(phenylphosphine: preparation and characterization of group 6 metal carbonyl derivatives, 45

(α-Phosphinoxyvinyl)phosphine

Synthesis and reactivity of acylphosphine tetracarbonyl-iron complexes, 198

Phosphorylation

The ability of 2-phosphabicyclo[2.2.2]oct-5-ene 2-oxides to undergo fragmentation of the bridging P-moiety, 182

Platinum

Complexes exhibiting non-conventional solubility: synthesis and characterization of *trans*-Pt[(CF₃(CF₂)₃(CH₂)₂)₃P]₂Cl₂, 217

Polycyclene

Bimetallische Allylkomplexe polycyclischer Kohlenwasserstoffe: Erste Beispiele aus der Übergangsmetallchemie, 139

Polymerization

Crystal structures and polymerization catalytic properties of 1,1,2,2-tetramethyldisilane-bis(3-*t*-butyl-η⁵-cyclopentadienyl) titanium and zirconium dichlorides, 24

Polyolefins

Ethylene and propylene polymerization by cationic monocyclopentadienyl titanium catalysts containing the weakly coordinating anion [B(C₆F₅)₄]⁻, 106

Poly(pyrazolyl)borates

Derivative chemistry of [UCl₂{B(pz)₄}]₂: stability of complexes containing the fragments [U{B(pz)₄}]₂ and [U{HB(pz)₃}]₂, 5

Preparation

Preparation and characterization of Mo₂C₂, Co₂Mo₂C₂ clusters containing functionally substituted cyclopentadienyl ligands. The crystal structures of [Mo₂(μ-C₂HPh)(CO)₄(η⁵-C₅H₄C(O)Me)₂] and [Co₂Mo₂(μ₄-C₂HPh)(μ-CO)₄(CO)₄(η⁵-C₅H₄C(O)Me)₂], 304

Propene polymerization

Synthesis and characterization of 1- and 2-(ω-alken-1-yl)indenes, their lithium salts and dichlorozirconium(IV) complexes, 356

Pyridine-4,6-dimethyl-2-thionate

Synthesis and characterization of new allyl palladium complexes with thionate ligands; X-ray molecular structures of [Pd₃(η³-C₄H₇)₃{pm(Me)₂S₂}(CF₃SO₃) and [Pd{pm(Me)₂S

- S_2], $\eta^3-C_4H_7 = \eta^3-2-Me-C_3H_4$, $pm(Me)_2S =$ Pyridine-4,6-dimethyl-2-thionate, 321
- Pyridine-2-thionate**
 Synthesis and characterization of new allyl palladium complexes with thionate ligands; X-ray molecular structures of $[Pd_3(\eta^3-C_4H_7)_3\{pm(Me)_2S\}_2](CF_3SO_3)$ and $[Pd\{pm(Me)_2S\}_2]$, $\eta^3-C_4H_7 = \eta^3-2-Me-C_3H_4$, $pm(Me)_2S =$ Pyridine-4,6-dimethyl-2-thionate, 321
- Rearrangement**
 Stereochemical factors associated with the rearrangement of (2-ethyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes, 53
- Redox behavior**
 Synthesis and electrochemistry of ferrocenemethylamine and its conjugated acid. Crystal structure of ferrocenemethylammonium chloride, 222
- Reductive coupling**
 Reductive dehydroxy coupling of 2-(hydroxymethyl)indenes to prepare ethano-bridged bis(2-indenyl) *ansa*-titanocenes, 338
- Renewable resources**
 The selective catalytic oxidation of terminal alcohols: a novel four-component system with MTO as catalyst, 404
- Rhenium**
 Silicagel support mediated nonphotolytic cleavage of the rhenium–rhenium bond of $[\{NC_5H_4N=NC_6H_4(R)\}(CO)_3-Re^0]_2$. Synthesis of the monomeric species $Re^I-\{NC_5H_4N=NC_6H_4(R)\}(CO)_3Cl$, crystal structure, spectroscopic and electron-transfer properties, 311
- Ruthenium**
 Synthesis and single-crystal X-ray structure of $[(DMPE)_2-Ru(CH_2H_4)CH_3]^+ [(3,5-(CF_3)_2C_6H_3)_4B]^-$, 122
- Ruthenium carbonyl**
 $Ru_3(CO)_{12}$ -catalyzed reaction of yne–imines with carbon monoxide leading to bicyclic α,β -unsaturated lactams, 177
- Sign determination**
 Tetrakis(trimethylstannyl) and bis(trimethylstannyl)dimethyl Group 14 element compounds, determination of coupling signs and measurements of isotope induced chemical shifts $^1\Delta^{12/13}C(^{119}Sn)$, 133
- Silicon**
 Tetrakis(trimethylstannyl) and bis(trimethylstannyl)dimethyl Group 14 element compounds, determination of coupling signs and measurements of isotope induced chemical shifts $^1\Delta^{12/13}C(^{119}Sn)$, 133
- Silver cluster**
 The synthesis, identification, and X-ray structure of a novel cationic alkynyl silver cluster polymer $[Ag_3(C_2Bu^+)_2]_n$, 59
- Silylamines**
 Geometry and electronic structure of silylated hydroxylamine and carbamic acid derivatives, 38
- Silylcarbamates**
 Geometry and electronic structure of silylated hydroxylamine and carbamic acid derivatives, 38
- Silylgermanes**
 Trichlorosilylation of chlorogermanes and chlorostannanes with $HSiCl_3/Net_3$ followed by base-catalysed formation of $(Me_3Ge)_2Si(SiCl_3)_2$ and related branched stannylsilanes, 156
- Silylhydroxylamines**
 Geometry and electronic structure of silylated hydroxylamine and carbamic acid derivatives, 38
- Silylstananes**
 Trichlorosilylation of chlorogermanes and chlorostannanes with $HSiCl_3/Net_3$ followed by base-catalysed formation of $(Me_3Ge)_2Si(SiCl_3)_2$ and related branched stannylsilanes, 156
- Single-crystal X-ray structure analysis**
 NMR analysis of trinuclear silver(I) complexes with μ_2 -H bridged group VI metallocene hydrides as ligands and X-ray structure analysis of $\{[(\eta^5-MeC_5H_4)_2Mo(\mu_2-H)_2]_2Ag\}PF_6$, 298
- Solubility**
 Complexes exhibiting non-conventional solubility: synthesis and characterization of *trans*-Pt $[(CF_3(CF_2)_5(CH_2)_2)_3P]_2Cl_2$, 217
- Stability**
 Derivative chemistry of $[UCl_2\{B(pz)_4\}_2]$: stability of complexes containing the fragments $[U\{B(pz)_4\}_2]$ and $[U\{HB(pz)_3\}_2]$, 5
- Stannaindan**
 Diarylstannylene reactions with some aryl azides: formation of different ring systems, 280
- Stannylene**
 Diarylstannylene reactions with some aryl azides: formation of different ring systems, 280
- Starch**
 The selective catalytic oxidation of terminal alcohols: a novel four-component system with MTO as catalyst, 404
- Substituent effects**
 Substituent effects in cyclic voltammetry of titanocene dichlorides, 348
- Substituted titanocene dichlorides**
 Substituent effects in cyclic voltammetry of titanocene dichlorides, 348
- Sulfide**
 Reactions of $[PPh_4][(\eta^5-C_5Me_5)WS_3]$ with CuBr in $CHCl_3$: isolation and structures of an octanuclear cluster $[(\eta^5-C_5Me_5)WS_3Cu]_4$ and a trinuclear cluster $[(\eta^5-C_5Me_5)WS_3-Cu_2Br(PPh_3)_2]$, 332
- Sulfur**
 Organometallic derivatives of multidentate phosphines [*o*-(methylthio)phenyl]diphenylphosphine and bis(*o*-(methylthio)phenyl)(phenylphosphine: preparation and characterization of group 6 metal carbonyl derivatives, 45
- TEMPO**
 The selective catalytic oxidation of terminal alcohols: a novel four-component system with MTO as catalyst, 404
- Tetraazastannoline**
 Diarylstannylene reactions with some aryl azides: formation of different ring systems, 280
- Tetracarbonyl–iron complex**
 Synthesis and reactivity of acylphosphine tetracarbonyl–iron complexes, 198
- Tetrahedron**
 Tetrakis[tris(trimethylsilyl)silylaluminium(I)] $Al_4[Si(SiMe_3)_3]_4$ —eine siliziumreiche Verbindung mit zentralem tetraedrischem Al_4 -Kern, 373
- Thermostability**
 The ability of 2-phosphabicyclo[2.2.2]oct-5-ene 2-oxides to undergo fragmentation of the bridging P-moiety, 182
- Thionate**
 Synthesis and characterization of new allyl palladium complexes with thionate ligands; X-ray molecular structures of $[Pd_3(\eta^3-C_4H_7)_3\{pm(Me)_2S\}_2](CF_3SO_3)$ and $[Pd\{pm(Me)_2S\}_2]$, $\eta^3-C_4H_7 = \eta^3-2-Me-C_3H_4$, $pm(Me)_2S =$ Pyridine-4,6-dimethyl-2-thionate, 321
- Thiophene**
 Hydrogenation of (1-phenylthiophene) $Mn(CO)_3$ (thiophene = 3-methylthiophene and 3,4-dimethylthiophene) complexes: formation of tetrakis(tricarbonyl-phenylthiomanganese), 385
- Tin**
 Diarylstannylene reactions with some aryl azides: formation of different ring systems, 280

- Tetrakis(trimethylstannyl) and bis(trimethylstannyl)dimethyl Group 14 element compounds, determination of coupling signs and measurements of isotope induced chemical shifts $^1\Delta^{12/13}\text{C}(^{119}\text{Sn})$, 133
- Titanium**
 Crystal structures and polymerization catalytic properties of 1,1,2,2-tetramethyldisilane-bis(3-*t*-butyl- η^5 -cyclopentadienyl) titanium and zirconium dichlorides, 24
 Ethylene and propylene polymerization by cationic monocyclopentadienyl titanium catalysts containing the weakly coordinating anion $[\text{B}(\text{C}_6\text{F}_5)_4]^-$, 106
 Reductive dehydroxy coupling of 2-(hydroxymethyl)indenes to prepare ethano-bridged bis(2-indenyl) *ansa*-titanocenes, 338
 Synthesis and structures of paramagnetic binuclear (η^8 -1,4-bis(trimethylsilyl)cyclooctatetraenide)titanium(III) chlorides, 126
- Transition metal**
 Synthesis and characterization of the cluster compounds containing double C_2M_2 (M=Co, Mo) cores. The single-crystal X-ray structures of $[\text{O}(\text{CH}_2\text{C}_2\text{H}-\mu)_2][\text{Co}_2(\text{CO})_6]_2$ and $[\text{O}(\text{CH}_2\text{C}_2\text{H}-\mu)_2][\text{Mo}_2(\text{C}_5\text{H}_5)_2(\text{CO})_4]_2$, 227
- Trichlorosilane**
 Trichlorosilylation of chlorogermanes and chlorostannanes with $\text{HSiCl}_3/\text{Net}_3$ followed by base-catalysed formation of $(\text{Me}_3\text{Ge})_2\text{Si}(\text{SiCl}_3)_2$ and related branched stannylsilanes, 156
- Trienes**
 Synthesis and some chemical properties of *s-cis*-diferrocenyl-trienes. The role of stereoelectronic factors in cationic dimerization reactions, 30
- Trinuclear**
 Electron-deficient triruthenium and triosmium clusters from the reaction of the cluster anions $[\text{HM}_3(\text{CO})_{11}]^-$ (M = Ru, Os) with tricyclohexylphosphine in methanol, 285
- Triphenylarsine oxide**
 Orthomanganation of the iminophosphorane $\text{Ph}_3\text{P}=\text{NPh}$, and of triphenylarsine-oxide and -sulfide, 243
- Triphenylarsinesulfide**
 Orthomanganation of the iminophosphorane $\text{Ph}_3\text{P}=\text{NPh}$, and of triphenylarsine-oxide and -sulfide, 243
- Tungsten**
 Cyclopentadienyl dithiocarbamate and dithiophosphate molybdenum and tungsten complexes, 190
 Ditelluroether complexes of Group 6 metal carbonyls: synthesis, spectroscopic studies and a comparison with dithio- and diseleno-ether analogues, 235
 Mixed-metal cluster chemistry XII: isocyanide derivatives of $[\text{Cp}-\text{WIr}_3(\text{CO})_{11}]$; X-ray crystal structure of $[\text{Cp}-\text{WIr}_3(\text{CO})_9(\text{CNC}_6\text{H}_3\text{Me}_2-2,6)_2]$, 75
- Tungsten complex**
 Reactions of $[\text{PPh}_4][(\eta^5\text{-C}_5\text{Me}_5)\text{WS}_3]$ with CuBr in CHCl_3 : isolation and structures of an octanuclear cluster $[(\eta^5\text{-C}_5\text{Me}_5)\text{WS}_3\text{Cu}]_4$ and a trinuclear cluster $[(\eta^5\text{-C}_5\text{Me}_5)\text{WS}_3\text{Cu}_2\text{Br}(\text{PPh}_3)_2]$, 332
- Ultraviolet photoelectron spectroscopy**
 Geometry and electronic structure of silylated hydroxylamine and carbamic acid derivatives, 38
- Unsaturated**
 Electron-deficient triruthenium and triosmium clusters from the reaction of the cluster anions $[\text{HM}_3(\text{CO})_{11}]^-$ (M = Ru, Os) with tricyclohexylphosphine in methanol, 285
- Uranium**
 Derivative chemistry of $[\text{UCl}_2\{\text{B}(\text{pz})_4\}_2]$: stability of complexes containing the fragments $[\text{U}\{\text{B}(\text{pz})_4\}_2]$ and $[\text{U}\{\text{HB}(\text{pz})_3\}_2]$, 5
- UV-vis spectra**
 Tetrakis[tris(trimethylsilyl)silylaluminium(I)] $\text{Al}_4[\text{Si}(\text{SiMe}_3)_3]_4$ —eine siliziumreiche Verbindung mit zentralem tetraedrischem Al_4 -Kern, 373
- X-ray crystal structure**
 Bulky peralkylated cyclopentadienes by extension of Jutzi's pentamethylcyclopentadiene procedure, 376
 Synthesis, redox chemistry, molecular and electronic structure of some cyclopentadienylcobalt pentafulvene complexes, 391
- X-ray diffraction**
 Geometry and electronic structure of silylated hydroxylamine and carbamic acid derivatives, 38
 The synthesis, identification, and X-ray structure of a novel cationic alkynyl silver cluster polymer $[\text{Ag}_3(\text{C}_2\text{Bu}')_2^+]_n$, 59
- X-ray structure**
 Tetrakis[tris(trimethylsilyl)silylaluminium(I)] $\text{Al}_4[\text{Si}(\text{SiMe}_3)_3]_4$ —eine siliziumreiche Verbindung mit zentralem tetraedrischem Al_4 -Kern, 373
- X-ray structure analysis**
 Complete carbonyl substitution in tricarbonylnitrosylcobalt, 1
- Yne-imine**
 $\text{Ru}_3(\text{CO})_{12}$ -catalyzed reaction of yne-imines with carbon monoxide leading to bicyclic α,β -unsaturated lactams, 177
- Ziegler-Natta catalysis**
 Ethylene and propylene polymerization by cationic monocyclopentadienyl titanium catalysts containing the weakly coordinating anion $[\text{B}(\text{C}_6\text{F}_5)_4]^-$, 106
- Zirconium**
 Crystal structures and polymerization catalytic properties of 1,1,2,2-tetramethyldisilane-bis(3-*t*-butyl- η^5 -cyclopentadienyl) titanium and zirconium dichlorides, 24
- Zirconocene-methylaluminoxane catalyst**
 Interaction of oxygen functionalized alkenes with a methylaluminoxane-zirconocene catalyst studied by NMR, 164