

Subject Index of Volume 583

Ab initio calculations

Experimental evidence at atomic resolution of intra- and intermolecular CO $\cdots\pi$ (arene) bond interactions, 126

Acetoxymercuration

Metallation of alkynes: Part 10. Acetoxymercuration of arylferrocenylethyne, 80

Alkylation

Kinetic study of the alkylation of cyanide at [NBu₄][*trans*-Re(CN)₂(dpe)₂]. Crystal structures of [NBu₄][*trans*-Re(CN)₂(dpe)₂] and *trans*-[Re(CN)₂(dpe)₂], 56

Alkynyl

Evidence for platinum(II)-vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131

Arenechromium tricarbonyl complexes

Regioselective synthesis of π -complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6, η^6 -haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136

η^2 -Arsinocarbene complexes

Polarity reversal in η^2 -phosphinocarbene and η^2 -arsinocarbene complexes of tungsten, 120

η^2 -Arsinomethanide complexes

Polarity reversal in η^2 -phosphinocarbene and η^2 -arsinocarbene complexes of tungsten, 120

Binuclear compounds

Reactivity of a binuclear Ru(II) N₂-bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: [{RuCl₂(η^3 -NN'N)}₂(μ - η^2 -P₂)] (NN'N = 2,6-bis[(dimethylamino)methyl]pyridine; P₂ = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)propane), 69

Bis-ketenyl derivatives

Reactivity of ketenylidetriphenylphosphorane (Ph₃PC=C=O) with Pt(II) complexes. Evidences of formation of an up to now unknown bis- η^1 -ketenyl derivative, 146

Bridging bis-phosphines

Reactivity of a binuclear Ru(II) N₂-bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: [{RuCl₂(η^3 -NN'N)}₂(μ - η^2 -P₂)] (NN'N = 2,6-bis[(dimethylamino)methyl]pyridine; P₂ = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)propane), 69

Bridging ligands

The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhodium: synthesis, structure and dynamic behaviour, 47

Carbene complexes

Reactions of complex ligands: Part 84. Chiral diene-dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels-Alder reaction, 34

Carbonyl complexes

Synthesis of thiolate and phosphido bridged iron-manganese complexes; molecular structure of *cis*-[FeMn(μ -CO)(μ -SEt)(CO)₂(Cp)(C₅H₄Me)], 28

Chromium allyl

Synthesis, Nujol matrix and solution photochemistry of M(CO)₂[η^5, η^3 -C₅H₄-C(CH₃)₂-C₅H₆] (where M = Cr or Mo): molecular structures of Cr(CO)₂[η^5, η^3 -C₅H₄-C(CH₃)₂-C₅H₆], Mo(CO)₂[η^5, η^3 -C₅H₄-C(CH₃)₂-C₅H₆], and Mo(CO)[P(C₆H₅)₃][η^5, η^3 -C₅H₄-C(CH₃)₂-C₅H₆], 152

Chromium carbonyl

Double metallation of a molecular tweezers with chromium and visible light-induced metal transfer into the cavity, 106

Conformational analysis

Experimental evidence at atomic resolution of intra- and intermolecular CO $\cdots\pi$ (arene) bond interactions, 126

Coupling reaction

Synthesis and characterization of a dimeric acetone coupling product with a titanium-pentadienyl complex, 42

Crystal structure

Synthesis of thiolate and phosphido bridged iron-manganese complexes; molecular structure of *cis*-[FeMn(μ -CO)(μ -SEt)(CO)₂(Cp)(C₅H₄Me)], 28

Crystal structures

Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3

Cyanide

Kinetic study of the alkylation of cyanide at [NBu₄][*trans*-Re(CN)₂(dpe)₂]. Crystal structures of [NBu₄][*trans*-Re(CN)₂(dpe)₂] and *trans*-[Re(CN)₂(dpe)₂], 56

Cycloaddition reactions

Reactions of complex ligands: Part 84. Chiral diene-dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels-Alder reaction, 34

Cyclometallation intermediates

Reactivity of a binuclear Ru(II) N₂-bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing 'pincer' ligands: [{RuCl₂(η^3 -NN'N)}₂(μ -P₂)] (NN'N = 2,6-bis[(dimethylamino)methyl]pyridine; P₂ = 1,3-bis[(diphenylphosphino)methyl]benzene or 1,3-bis(diphenylphosphino)propane), 69

Cyclooctatetraene

The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhodium: synthesis, structure and dynamic behaviour, 47

Cyclopentadienyltricarbonylrhenium(I) carboxylic acid

Synthesis of cyclopentadienyltricarbonylrhenium(I) carboxylic acid from perrhenate, 63

Dicyclopentadienyl complexes

Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilylanediyl)-cyclopentadiene-(η^5 -cyclopentadienyl) ligand, 86

Diels–Alder reactions

Reactions of complex ligands: Part 84. Chiral diene–dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels–Alder reaction, 34

Dimetallic complexes

The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhodium: synthesis, structure and dynamic behaviour, 47

Dinuclear

Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of *cis*-[FeMn(μ -CO)(μ -SEt)(CO)₂(Cp)(C₅H₄Me)], 28

Electrophilic addition

Metallation of alkynes: Part 10. Acetoxymercuration of arylferrocenylethyne, 80

Fast synthesis

Synthesis of cyclopentadienyltricarbonylrhenium(I) carboxylic acid from perrhenate, 63

Ferrocenylethyne

Metallation of alkynes: Part 10. Acetoxymercuration of arylferrocenylethyne, 80

Fischer-type carbene complexes

Synthesis and non-linear properties of conjugated poly-unsaturated amino carbene complexes, 111

Hafnium

Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilylanediyl)-cyclopentadiene-(η^5 -cyclopentadienyl) ligand, 86

Haptotropic rearrangement

Synthesis, Nujol matrix and solution photochemistry of $M(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$ (where $M = \text{Cr}$ or Mo): molecular structures of $\text{Cr}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, $\text{Mo}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, and $\text{Mo}(\text{CO})[\text{P}(\text{C}_6\text{H}_5)_3][\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, 152

Haptotropic rearrangements

Regioselective synthesis of π -complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6, η^6 -haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136

Homogeneous catalysis

Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94

Hydrocarbons

Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131

Hydrogenation

Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94

Indenyl complexes

New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11

Intramolecular cycloaddition

Reactions of complex ligands: Part 84. Chiral diene–dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels–Alder reaction, 34

Ion-pairs

New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11

Iron–manganese

Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of *cis*-[FeMn(μ -CO)(μ -SEt)(CO)₂(Cp)(C₅H₄Me)], 28

Isocyanide

Kinetic study of the alkylation of cyanide at [NBu₄][*trans*-Re(CN)₂(dppe)₂]. Crystal structures of [NBu₄][*trans*-Re(CN)₂(dppe)₂] and *trans*-[Re(CN)₂(dppe)₂], 56

Ketene

Reactivity of keteylidenetriphenylphosphorane (Ph₃PC=O) with Pt(II) complexes. Evidences of formation of an up to now unknown bis- η^1 -ketenyl derivative, 146

Ketenyl derivatives

Reactivity of keteylidenetriphenylphosphorane (Ph₃PC=O) with Pt(II) complexes. Evidences of formation of an up to now unknown bis- η^1 -ketenyl derivative, 146

Ketenylidetriphenylphosphorane

Reactivity of keteylidenetriphenylphosphorane (Ph₃PC=O) with Pt(II) complexes. Evidences of formation of an up to now unknown bis- η^1 -ketenyl derivative, 146

Kinetic

Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94

Kinetics

Regioselective synthesis of π -complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6, η^6 -haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136

Kinetic studies

Kinetic study of the alkylation of cyanide at [NBu₄][*trans*-Re(CN)₂(dppe)₂]. Crystal structures of [NBu₄][*trans*-Re(CN)₂(dppe)₂] and *trans*-[Re(CN)₂(dppe)₂], 56

Lithium

New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11

Manganese

The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhodium: synthesis, structure and dynamic behaviour, 47

Matrix photochemistry

Synthesis, Nujol matrix and solution photochemistry of $M(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$ (where $M = \text{Cr}$ or Mo): molecular structures of $\text{Cr}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, $\text{Mo}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, and $\text{Mo}(\text{CO})[\text{P}(\text{C}_6\text{H}_5)_3][\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, 152

Mechanism

Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94

Molecular tweezers

Double metallation of a molecular tweezers with chromium and visible light-induced metal transfer into the cavity, 106

Molybdenum allyl

Synthesis, Nujol matrix and solution photochemistry of $M(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$ (where $M = \text{Cr}$ or Mo): molecular structures of $\text{Cr}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, $\text{Mo}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, and $\text{Mo}(\text{CO})[\text{P}(\text{C}_6\text{H}_5)_3][\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, 152

Molybdenum complexes

Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3

- Reactions of complex ligands: Part 84. Chiral diene–dienophile-functionalized aminocarbene complexes of molybdenum: synthesis and intramolecular Diels–Alder reaction, 34
- N-base adducts
Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3
- NLO properties
Synthesis and non-linear properties of conjugated poly-unsaturated amino carbene complexes, 111
- NMR spectroscopy
Regioselective synthesis of π -complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6, η^6 -haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136
- Olefine oxidation
Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3
- Olefins
Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131
- Organohalide
Kinetic study of the alkylation of cyanide at $[\text{NBu}_4][\text{trans-Re}(\text{CN})_2(\text{dppe})_2]$. Crystal structures of $[\text{NBu}_4][\text{trans-Re}(\text{CN})_2(\text{dppe})_2]$ and $\text{trans-}[\text{Re}(\text{CN})_2(\text{dppe})_2]$, 56
- Organometallic photochemistry
Synthesis, Nujol matrix and solution photochemistry of $\text{M}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$ (where $\text{M} = \text{Cr}$ or Mo): molecular structures of $\text{Cr}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, $\text{Mo}(\text{CO})_2[\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, and $\text{Mo}(\text{CO})[\text{P}(\text{C}_6\text{H}_5)_3][\eta^5, \eta^3\text{-C}_5\text{H}_4\text{-C}(\text{CH}_3)_2\text{-C}_5\text{H}_6]$, 152
- Oxide complexes
Bis-acetonitrile(dibromo)dioxomolybdenum(VI) and derivatives: synthesis, reactivity, structures and catalytic applications, 3
- Palladium
Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94
- Pentadienyl
Synthesis and characterization of a dimeric acetone coupling product with a titanium–pentadienyl complex, 42
- μ -Phosphido
Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of $\text{cis-}[\text{FeMn}(\mu\text{-CO})(\mu\text{-SEt})(\text{CO})_2(\text{Cp})(\text{C}_5\text{H}_4\text{Me})]$, 28
- η^2 -Phosphinocarbene complexes
Polarity reversal in η^2 -phosphinocarbene and η^2 -arsinocarbene complexes of tungsten, 120
- η^2 -Phosphinomethanide complexes
Polarity reversal in η^2 -phosphinocarbene and η^2 -arsinocarbene complexes of tungsten, 120
- Pi donation
Synthesis and characterization of a dimeric acetone coupling product with a titanium–pentadienyl complex, 42
- Pincer complexes
Reactivity of a binuclear Ru(II) N_2 -bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing ‘pincer’ ligands: $[\{\text{RuCl}_2(\eta^3\text{-NN'N})\}_2(\mu\text{-}\eta^2\text{-P}_2)]$ ($\text{NN'N} = 2,6\text{-bis}[(\text{dimethylamino})\text{methyl}]\text{pyridine}$; $\text{P}_2 = 1,3\text{-bis}[(\text{diphenylphosphino})\text{methyl}]\text{benzene}$ or $1,3\text{-bis}[(\text{diphenylphosphino})\text{propane}]$, 69
- Platinum
Reactivity of keteylidenetriphenylphosphorane ($\text{Ph}_3\text{PC}=\text{C}=\text{O}$) with Pt(II) complexes. Evidences of formation of an up to now unknown bis- η^1 -ketenyl derivative, 146
- Platinum carbonyls
Reactions of zerovalent olefin complexes of platinum with carbon monoxide, 162
- Platinum cluster
Reactions of zerovalent olefin complexes of platinum with carbon monoxide, 162
- Platinum(II) complexes
Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131
- Platinum olefin
Reactions of zerovalent olefin complexes of platinum with carbon monoxide, 162
- Polyethylene
Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilylanediyl)-cyclopentadiene-(η^2 -cyclopentadienyl) ligand, 86
- Polymerization
New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11
- Poly-unsaturated amides
Synthesis and non-linear properties of conjugated poly-unsaturated amino carbene complexes, 111
- Poly-unsaturated aminocarbene complexes
Synthesis and non-linear properties of conjugated poly-unsaturated amino carbene complexes, 111
- Potential radiopharmaceuticals
Synthesis of cyclopentadienyltricarbonylrhenium(I) carboxylic acid from perrhenate, 63
- Quantum chemical calculations
Regioselective synthesis of π -complexes of substituted polycyclic aromatic compounds. Experimental (NMR) and theoretical (DFT) studies of η^6, η^6 -haptotropic rearrangements in naphthalenechromiumtricarbonyl complexes, 136
- Reactivity of ferrocenes
Metallation of alkynes: Part 10. Acetoxymercuration of arylferrocenylethyne, 80
- Rhenium
Kinetic study of the alkylation of cyanide at $[\text{NBu}_4][\text{trans-Re}(\text{CN})_2(\text{dppe})_2]$. Crystal structures of $[\text{NBu}_4][\text{trans-Re}(\text{CN})_2(\text{dppe})_2]$ and $\text{trans-}[\text{Re}(\text{CN})_2(\text{dppe})_2]$, 56
The reactivity of complexed carbocycles XII: mono- and dimetallic cyclooctatetraene complexes of manganese and rhenium: synthesis, structure and dynamic behaviour, 47
- Ruthenium complexes
Reactivity of a binuclear Ru(II) N_2 -bridged complex towards phosphines: facile access to novel mono and binuclear phosphorous derivatives. X-ray structural characterization of two unusual binuclear complexes containing ‘pincer’ ligands: $[\{\text{RuCl}_2(\eta^3\text{-NN'N})\}_2(\mu\text{-}\eta^2\text{-P}_2)]$ ($\text{NN'N} = 2,6\text{-bis}[(\text{dimethylamino})\text{methyl}]\text{pyridine}$; $\text{P}_2 = 1,3\text{-bis}[(\text{diphenylphosphino})\text{methyl}]\text{benzene}$ or $1,3\text{-bis}[(\text{diphenylphosphino})\text{propane}]$, 69
- Stopped flow spectrophotometry
Kinetic study of the alkylation of cyanide at $[\text{NBu}_4][\text{trans-Re}(\text{CN})_2(\text{dppe})_2]$. Crystal structures of $[\text{NBu}_4][\text{trans-Re}(\text{CN})_2(\text{dppe})_2]$ and $\text{trans-}[\text{Re}(\text{CN})_2(\text{dppe})_2]$, 56
- Styrene
New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11

μ -Thiolate

Synthesis of thiolate and phosphido bridged iron–manganese complexes; molecular structure of *cis*-[FeMn(μ -CO)(μ -SEt)(CO)₂(Cp)(C₅H₄Me)], 28

Titanium

New indenyl titanium catalysts for syndiospecific styrene polymerizations, 11

Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilylanediyl)-cyclopentadiene-(η^5 -cyclopentadienyl) ligand, 86

Tricarbonylchromium complexes

Experimental evidence at atomic resolution of intra- and intermolecular CO $\cdots\pi$ (arene) bond interactions, 126

Tridentate ligands

Palladium(II) complexes containing a P, N chelating ligand: Part III. Influence of the basicity of tridentate hydrazonic ligands on the hydrogenating activity of unsaturated C–C bonds, 94

Unconventional bond interactions

Experimental evidence at atomic resolution of intra- and intermolecular CO $\cdots\pi$ (arene) bond interactions, 126

Vinylidene

Evidence for platinum(II)–vinylidene complexes and their reactions with water to give hydrocarbons and olefins, 131

Visible light

Double metallation of a molecular tweezers with chromium and visible light-induced metal transfer into the cavity, 106

X-ray analyses

Kinetic study of the alkylation of cyanide at [NBu₄][*trans*-Re(CN)₂(dppe)₂]. Crystal structures of [NBu₄][*trans*-Re(CN)₂(dppe)₂] and *trans*-[Re(CN)₂(dppe)₂], 56

X-ray diffraction

Double metallation of a molecular tweezers with chromium and visible light-induced metal transfer into the cavity, 106

X-ray features

Experimental evidence at atomic resolution of intra- and intermolecular CO $\cdots\pi$ (arene) bond interactions, 126

Ylides

Reactivity of keteylidenetriphenylphosphorane (Ph₃PC=C=O) with Pt(II) complexes. Evidences of formation of an up to now unknown bis- η^1 -ketenyl derivative, 146

Zirconium

Synthesis and reactivity of new mixed dicyclopentadienyl Group 4 metal complexes with the doubly bridged bis(dimethylsilylanediyl)-cyclopentadiene-(η^5 -cyclopentadienyl) ligand, 86