

Subject Index of Volumes 593–594

Acetonitrile

New metallocene complexes from $[M_2(\mu\text{-CNMe}_2)(\mu\text{-CO})(\text{CO})_2(\text{Cp})_2]\text{SO}_3\text{CF}_3$ ($M = \text{Fe, Ru}$) and acetonitrile anions; structure of $[(\text{Cp})(\text{CO})\text{FeC}(\text{NMe}_2)\text{N}(\text{H})\text{C}(\text{Me})\text{C}(\text{CN})]$, 335

Structural properties of the metalintercalator cationic complex (2,2':6',2''-terpyridine)methylplatinum(II) ion, 403

Aldehydes

The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, 211

Alkenes

Vinyl, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

Alkenyl

Reactivity of vinyl and alkynyl zirconium complexes with the di-ansa-[1,1',2,2'-bis(dimethylsilanediyl) dicyclopentadienyl] ligand, 147

Alkenyl ligand

Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[\text{Ir}_4(\text{CO})_{11}(\text{CPh}=\text{CHPh})]^-$ and $[\text{Ir}_6(\text{CO})_{14}(\text{COOMe})_2]^{2-}$, 63

Alkoxide

Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, 479

Alkyl complexes

A series of mono- and dihydrido- as well as mono- and dimethyl-osmium(II) complexes containing $[(\text{mes})\text{Os}(\text{CNR})]$ as a building block, 192

Alkylidene complex

1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $\text{TaCl}_2(\eta^5\text{-C}_5\text{Me}_5)(\eta^4\text{-1-aza-1,3-butadiene})$, 69

Alkylzirconocycles

Reactivity of vinyl and alkynyl zirconium complexes with the di-ansa-[1,1',2,2'-bis(dimethylsilanediyl) dicyclopentadienyl] ligand, 147

Alkyne coupling

Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes, 489

Alkyne diruthenium

Alkyne diruthenium chemistry, 77

Alkyne insertion

Reaction of phenylacetylene with (butadiene)tantalocene cation, 388

Alkynyl

Reactivity of vinyl and alkynyl zirconium complexes with the di-ansa-[1,1',2,2'-bis(dimethylsilanediyl) dicyclopentadienyl] ligand, 147

Alkynyl complexes

Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, 180

$\mu\text{-}\eta^1\text{:}\eta^2_{\alpha,\beta}$ -Allenyl

Reactions of binuclear ruthenium–platinum μ -allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $\text{L}(\text{PPh}_3)\text{Pt}(\mu\text{-}\eta^1\text{:}\eta^2_{\alpha,\beta}$

$\text{C}(\text{Ph})=\text{C}=\text{CH}_2)\text{Ru}(\text{CO})\text{Cp}$ ($\text{L} = \text{PPh}_3, \textit{t}\text{-BuNC}$) and *p*-toluenesulfonyl isocyanate, 465

Allyl compounds

Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D_2O , 485

Allyl ligands

Novel η^3 -allyl complexes of titanium, 1

Amine ligands

Solution and solid–gas reactivity of unsaturated $[\text{RuCp}(\text{tmeda})]^+$ ($\text{tmeda} = \text{Me}_2\text{NC}_2\text{H}_4\text{NMe}_2$), 342

Amino acids

Enantioselective hydride transfer hydrogenation of ketones catalyzed by $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})\text{Cl}]$ and $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})]_3(\text{BF}_4)_3$ complexes, 299

Anion

Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies, 119

Antimony

Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of $[\text{NEt}_3\text{CH}_2\text{Ph}]_2[\text{Ni}_{15}(\mu_{12}\text{-Sb})(\text{CO})_{24}]$ and $[\text{NEt}_4]_3[\text{Ni}_{10}\text{Sb}_2(\mu_{12}\text{-Ni})(\text{CO})_{18}]$, 325

Aqueous organometallic catalysis

Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, 416

Arene complexes

A series of mono- and dihydrido- as well as mono- and dimethyl-osmium(II) complexes containing $[(\text{mes})\text{Os}(\text{CNR})]$ as a building block, 192

Arylation

Aromatic arylation via palladacycles: interception of reaction intermediates, 240

Asymmetric catalysis

Enantioselective hydride transfer hydrogenation of ketones catalyzed by $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})\text{Cl}]$ and $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})]_3(\text{BF}_4)_3$ complexes, 299

1-Aza-1,3-butadiene

1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $\text{TaCl}_2(\eta^5\text{-C}_5\text{Me}_5)(\eta^4\text{-1-aza-1,3-butadiene})$, 69

Azobenzene

Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2–) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium $[\text{Ti}_2(\mu\text{-OH})_2(\text{CO})_8]^{2-}$, 354

Bent metallocene

Reaction of phenylacetylene with (butadiene)tantalocene cation, 388

Bidentate ligand

$\text{Pd}(\text{II})$ and $\text{Rh}(\text{I})$ chelate complexes of the bidentate phosphino–thiourea ligand $\text{PhNHC}(\text{S})\text{NHCH}_2\text{CH}_2\text{PPh}_2$: structural properties and activity in homogeneous and hybrid catalysis, 431

Bioinorganic chemistry

The $\text{Co}_3(\text{CO})_9\text{C}$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, 232

(s-*trans*- η^4 -Butadiene)tantalocene cation

Reaction of phenylacetylene with (butadiene)tantalocene cation, 388

Carbenes

Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes, 489

Carbon–carbon coupling

Reaction of phenylacetylene with (butadiene)tantalocene cation, 388

Carbonyl

Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, 19

Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2–) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium $[\text{Ti}_2(\mu\text{-OH})_2(\text{CO})_8]^{2-}$, 354

Carbonylation

Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydro-methoxylation, 409

Carbonylation reactions

Promotion of the [PPN][Rh(CO)₄]-catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, 109

Carbonyl clusters

Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[\text{Ir}_4(\text{CO})_{11}(\text{CPh}=\text{CHPh})]^-$ and $[\text{Ir}_6(\text{CO})_{14}(\text{COOMe})_2]^{2-}$, 63

Carbonyl nickel cluster

Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of $[\text{NEt}_3\text{CH}_2\text{Ph}]_2[\text{Ni}_{15}(\mu_{12}\text{-Sb})(\text{CO})_{24}]$ and $[\text{NEt}_4]_3[\text{Ni}_{10}\text{Sb}_2(\mu_{12}\text{-Ni})(\text{CO})_{18}]$, 325

Catalysis

Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, 292

Catalyst preparation

Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, 96

Cationic palladium complexes

The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, 211

C-glycoside

Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, 49

C–H activation

A series of mono- and dihydrido- as well as mono- and dimethylsodium(II) complexes containing $[\text{mesOs}(\text{CNR})]$ as a building block, 192

C–H activation

Aromatic arylation via palladacycles: interception of reaction intermediates, 240

Chlorinated organics

Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, 416

Cluster catalysis

Vinylic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

Clusters

An experimental and theoretical study of the electronic and molecular structure of $[\text{Zn}_4(\eta^4\text{-S})\{\mu\text{-S}_2\text{P}(\text{OC}_2\text{H}_5)_2\}_6]$: the first molecular model of ZnS, 307

¹³C-NMR

Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[\text{Ir}_4(\text{CO})_{11}(\text{CPh}=\text{CHPh})]^-$ and $[\text{Ir}_6(\text{CO})_{14}(\text{COOMe})_2]^{2-}$, 63

Cobalt carbonyls

The $\text{Co}_3(\text{CO})_9\text{C}$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, 232

CO-free compounds

Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), 27

 π -Complexes

Vinylic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

 σ -Complexes

Vinylic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

Conformation

Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, 49

Conformational constraints

Conformational constraints and σ – π -vinyl interchange in μ_3 - η^3 -5,6-dihydroquinoline trisium complexes, 226

Convergent synthesis

Synthesis and characterization of a first generation organorhenium dendrimer, 361

Coordinated NO_3^- and BF_4^- anions

Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph₂P ligand, 392

Copolymerization

The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, 211

Crystal engineering

Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds, 101

Crystal structure

1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $\text{TaCl}_2(\eta^3\text{-C}_3\text{Me}_3)(\eta^4\text{-1-aza-1,3-butadiene})$, 69

Crystal and molecular structures of 4,4'-bis(dimethylhydroxysilyl)-biphenyl and *m*-bis(dimethylhydroxysilyl)benzene, 161

Reaction of nickelocene with methyl lithium in the presence of 2-butyne, 245

Syntheses and structures of di- and trinuclear heterometallic complexes with nitrido bridges between rhenium and titanium, 175

Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of $[\text{NEt}_3\text{CH}_2\text{Ph}]_2[\text{Ni}_{15}(\mu_{12}\text{-Sb})(\text{CO})_{24}]$ and $[\text{NEt}_4]_3[\text{Ni}_{10}\text{Sb}_2(\mu_{12}\text{-Ni})(\text{CO})_{18}]$, 325

Crystal structures

Novel η^3 -allyl complexes of titanium, 1

Cyanide bridging

Cyanide bridged trinuclear complexes with $\text{Fe-CN-MCl}_2\text{-NC-Fe}$ backbones ($\text{M} = \text{Ni, Cu, Zn}$), 44

Cycloaddition

Reactions of binuclear ruthenium–platinum μ -allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $\text{L}(\text{PPh}_3)\text{Pt}(\mu\text{-}\eta^1\text{:}\eta^2_{\alpha,\beta}\text{-C}(\text{Ph})=\text{C}=\text{CH}_2)\text{Ru}(\text{CO})\text{Cp}$ ($\text{L} = \text{PPh}_3, t\text{-BuNC}$) and *p*-toluenesulfonyl isocyanate, 465

- Cyclopentadienyl
 Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, 19
 Reaction of nickelocene with methyl lithium in the presence of 2-butyne, 245
 The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities, 36
- Cyclopentadienyl ligand
 Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of $\text{Ti}(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)\text{Cl}_3$, 202
- Cyclopentadienyl transfer
 Cyclopentadienyl transfer reaction: thermal reaction between $\text{Re}_2(\text{CO})_{10}$ and a series of cyclopentadienyl transition metal complexes, 167
- Cyclopentadienyltricarboxylrhodium
 Cyclopentadienyl transfer reaction: thermal reaction between $\text{Re}_2(\text{CO})_{10}$ and a series of cyclopentadienyl transition metal complexes, 167
- Decamethylmetallocene
 Synthesis and X-ray crystal structure of decamethylrhodocenium hexafluorophosphate, 494
- Decamethylrhodocenium
 Synthesis and X-ray crystal structure of decamethylrhodocenium hexafluorophosphate, 494
- Dehydrocoupling
 Catalytic and stoichiometric reactions of tertiary silanes with $[\text{Ir}(\text{Me})_2\text{Cp}^*\text{L}]$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$; $\text{L} = \text{PMe}_3$, PMe_2Ph , PMePh_2 , PPh_3) in the presence of one-electron oxidants. A unique case of Si–H, Si–C, Ir–C and P–F bonds one-step activation: crystal structure of $[\text{Ir}(\text{Ph})(\text{SiPh}_2\text{F})\text{Cp}^*(\text{PMe}_3)]$, 154
- Dehydroxylation
 Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, 96
- Demetalation
 Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of C-glycosyl derivatives, 49
- Dendrimer
 Synthesis and characterization of a first generation organorhenium dendrimer, 361
- Diamagnetism
 Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), 27
- Dimerization
 Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, 292
- Dinuclear
 New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes $\text{Pd}(\text{PPh}_2\text{H})_4$ and $[\text{Pd}(\text{PPh}_2\text{H})_4](\text{BF}_4)_2$, 12
- Diphenylphosphinylcyclopentadienyl
 Synthesis, reactions and structure of bromo(η^5 -diphenylphosphinylcyclopentadienyl)nickel(II) dimer, 142
- Donor–acceptor bond
 Synthesis and structural characterization of the luminescent tetranuclear complex $[\text{NBu}_4]_2[(\text{C}_6\text{F}_5)_6(\mu\text{-OH})_3\text{Pt}_3\text{HgCl}]$ with Pt–Hg bonds unsupported by covalent bridging ligands, 421
- Electrochemistry
 Cyanide bridged trinuclear complexes with Fe–CN–MCl₂–NC–Fe backbones (M = Ni, Cu, Zn), 44
- Redox behavior of the molybdenum and tungsten metallafulerenes $\text{Mo}(\text{CO})_5(\text{dppe})(\eta^2\text{-C}_{60})$ (dppe = bis-(1,2-diphenylphosphino)ethane) and $\text{W}(\text{CO})_5(\text{dppb})(\eta^2\text{-C}_{60})$ (dppb = bis-(1,2-diphenylphosphino)benzene), 7
- Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of $[\text{NEt}_3\text{CH}_2\text{Ph}]_2[\text{Ni}_{1.5}(\mu_{12}\text{-Sb})(\text{CO})_{24}]$ and $[\text{NEt}_4]_3[\text{Ni}_{10}\text{Sb}_2(\mu_{12}\text{-Ni})(\text{CO})_{18}]$, 325
- The $\text{Co}_3(\text{CO})_9\text{C}$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, 232
- Electron transfer
 Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, 251
- Electron-transfer catalysis
 Catalytic and stoichiometric reactions of tertiary silanes with $[\text{Ir}(\text{Me})_2\text{Cp}^*\text{L}]$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$; $\text{L} = \text{PMe}_3$, PMe_2Ph , PMePh_2 , PPh_3) in the presence of one-electron oxidants. A unique case of Si–H, Si–C, Ir–C and P–F bonds one-step activation: crystal structure of $[\text{Ir}(\text{Ph})(\text{SiPh}_2\text{F})\text{Cp}^*(\text{PMe}_3)]$, 154
- Elimination
 Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, 479
- 2E-[(Methoxycarbonyl)methylene]tetrahydrofurans
 Palladium-catalyzed synthesis of 2E-[(methoxycarbonyl)methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydro-methoxylation, 409
- Enamine nature
 New metallapyrrole complexes from $[\text{M}_2(\mu\text{-CNMe}_2)(\mu\text{-CO})(\text{CO})_2(\text{Cp})_2]\text{SO}_3\text{CF}_3$ (M = Fe, Ru) and acetonitrile anions; structure of $[(\text{Cp})(\text{CO})\text{FeC}(\text{NMe}_2)\text{N}(\text{H})\text{C}(\text{Me})\text{C}(\text{CN})]$, 335
- Energy transfer
 Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, 251
- Enynes
 Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, 292
- EPR spectroscopy
 Redox behavior of the molybdenum and tungsten metallafulerenes $\text{Mo}(\text{CO})_5(\text{dppe})(\eta^2\text{-C}_{60})$ (dppe = bis-(1,2-diphenylphosphino)ethane) and $\text{W}(\text{CO})_5(\text{dppb})(\eta^2\text{-C}_{60})$ (dppb = bis-(1,2-diphenylphosphino)benzene), 7
- Equilibrium
 Pt(IV) derivatives formed by oxidative addition of organic halides to $[\text{Pt}(\text{CH}_3)_2(\text{N,N}\text{-chelate})]$ substrates: geometric isomers at equilibrium, 445
- Fluorescence
 Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, 251
- Geometrical isomerism
 Pt(IV) derivatives formed by oxidative addition of organic halides to $[\text{Pt}(\text{CH}_3)_2(\text{N,N}\text{-chelate})]$ substrates: geometric isomers at equilibrium, 445
- Glycosylmanganese
 Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of C-glycosyl derivatives, 49
- Group 6 pentacarbonyl complexes
 Adducts of cyclotriphosphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts $\{[(\text{triphos})\text{Co}]\{\text{P}_3\}\{\text{M}(\text{CO})_5\}_2\}$ [triphos = $\text{MeC}(\text{CH}_2\text{PPh}_2)_3$; M = Cr, Mo, W], 127

Hafnium

Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, 19

Half sandwich complex

1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $\text{TaCl}_2(\eta^5\text{-C}_5\text{Me}_5)(\eta^4\text{-1-aza-1,3-butadiene})$, 69

Halogen coordination

Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-H})_2\text{Os}_3(\text{CO})_{10}$, 135

Head-to-tail dimers

Structural properties of the metalintercalator cationic complex $(2,2':6',2''\text{-terpyridine})\text{methylplatinum(II) ion}$, 403

Heck reactions

Aromatic arylation via palladacycles: interception of reaction intermediates, 240

Homoallylamines

Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes, 380

Homobimetallic

Synthesis, reactions and structure of bromo(η^5 -diphenylphosphinylcyclopentadienyl)nickel(II) dimer, 142

Homogeneous catalysis

Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes, 489

Promotion of the $[\text{PPN}][\text{Rh}(\text{CO})_4]$ -catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, 109

Homoleptic

New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes $\text{Pd}(\text{PPh}_2\text{H})_4$ and $[\text{Pd}(\text{PPh}_2\text{H})_4](\text{BF}_4)_2$, 12

Hybrid *P,N*-ligands

Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim) Ph_2P ligand, 392

Hydrazone

Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, 180

Hydride

Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, 479

Hydride complexes

The synthesis, structure, and reactivity of the osmium(IV) trihydrido silyl complex, $\text{OsH}_3(\text{SiMe}_3)(\text{CO})(\text{PPh}_3)_2$, 458

Hydrido complexes

A series of mono- and dihydrido- as well as mono- and dimethyl-osmium(II) complexes containing $[(\text{mes})\text{Os}(\text{CNR})]$ as a building block, 192

Hydrogenation

Enantioselective hydride transfer hydrogenation of ketones catalyzed by $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})\text{Cl}]$ and $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})_3](\text{BF}_4)_3$ complexes, 299

Hydrogen bonding

Crystal and molecular structures of 4,4'-bis(dimethylhydroxysilyl)-biphenyl and *m*-bis(dimethylhydroxysilyl)benzene, 161

Hydrogen bonds

Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds, 101

Hydrogen peroxide

Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, 416

Hydroindacene ligands

Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacene ligands, 315

Hydrolysis

Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D_2O , 485

Hydroxo complexes

Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2-) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium $[\text{Ti}_2(\mu\text{-OH})_2(\text{CO})_8]^{2-}$, 354

2-Hydroxypyridine

Promotion of the $[\text{PPN}][\text{Rh}(\text{CO})_4]$ -catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, 109

Imines

Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes, 380

Iminoesters

Ruthenium clay catalyzed reduction of α -iminoesters and α -iminoketones, and the reductive amination of α -ketoesters, 454

Iminoketones

Ruthenium clay catalyzed reduction of α -iminoesters and α -iminoketones, and the reductive amination of α -ketoesters, 454

Immunoassay

The $\text{Co}_3(\text{CO})_9\text{C}$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, 232

Indenyl

Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, 292

Infrared intensity

The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities, 36

Insertion

Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies, 119

Ion pairs

Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies, 119

Iridium

Catalytic and stoichiometric reactions of tertiary silanes with $[\text{Ir}(\text{Me})_2\text{Cp}^*\text{L}]$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$; L = PMe_3 , PMe_2Ph , PMePh_2 , PPh_3) in the presence of one-electron oxidants. A unique case of Si-H, Si-C, Ir-C and P-F bonds one-step activation: crystal structure of $[\text{Ir}(\text{Ph})(\text{SiPh}_2\text{F})\text{Cp}^*(\text{PMe}_3)]$, 154

Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, 479

Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[\text{Ir}_4(\text{CO})_{11}(\text{CPh}=\text{CHPh})]^-$ and $[\text{Ir}_6(\text{CO})_{14}(\text{COOMe})_2]^{2-}$, 63

Iridium complexes

Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, 251

Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacene ligands, 315

Isocyanide complexes

A series of mono- and dihydrido- as well as mono- and dimethyl-osmium(II) complexes containing $[(\text{mes})\text{Os}(\text{CNR})]$ as a building block, 192

Ketoesters

Ruthenium clay catalyzed reduction of α -iminoesters and α -iminoketones, and the reductive amination of α -ketoesters, 454

Ketones

Enantioselective hydride transfer hydrogenation of ketones catalyzed by $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})\text{Cl}]$ and $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})]_3(\text{BF}_4)_3$ complexes, 299

The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, 211

Ligand effects

Vinylidic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

Ligand redistribution

Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of $\text{Ti}(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)\text{Cl}_3$, 202

Ligand transfer reaction

Cyclopentadienyl transfer reaction: thermal reaction between $\text{Re}_2(\text{CO})_{10}$ and a series of cyclopentadienyl transition metal complexes, 167

Lithium

Reaction of nickelocene with methyl lithium in the presence of 2-butyne, 245

Luminescence

Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^I tricarbonyls, 267

Synthesis and structural characterization of the luminescent tetranuclear complex $[\text{NBu}_4]_2[(\text{C}_6\text{F}_5)_6(\mu\text{-OH})_3\text{Pt}_3\text{HgCl}]$ with Pt–Hg bonds unsupported by covalent bridging ligands, 421

Macrocyclic

The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, 86

Manganese pentacarbonyl

Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, 49

Mechanism

Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, 479

Mercury

Synthesis of 1,3,5-tri- and 1,2,4,5-tetrasubstituted tin and mercury derivatives of benzene. Crystal structure of 1,3,5-tris(chloromercurio)benzene, 369

Metallacyclic compounds

Alkyne diruthenium chemistry, 77

Metallafullerenes

Redox behavior of the molybdenum and tungsten metallafullerenes $\text{Mo}(\text{CO})_3(\text{dppe})(\eta^2\text{-C}_{60})$ (dppe = bis-(1,2-diphenylphosphino)ethane) and $\text{W}(\text{CO})_3(\text{dppb})(\eta^2\text{-C}_{60})$ (dppb = bis-(1,2-diphenylphosphino)benzene), 7

Metallapyrrole

New metallapyrrole complexes from $[\text{M}_2(\mu\text{-CNMe}_2)(\mu\text{-CO})(\text{CO})_2(\text{Cp})_2]\text{SO}_3\text{CF}_3$ (M = Fe, Ru) and acetonitrile anions; structure of $[(\text{Cp})(\text{CO})\text{FeC}(\text{NMe}_2)\text{N}(\text{H})\text{C}(\text{Me})\text{C}(\text{CN})]$, 335

Metallocene

Synthesis and X-ray crystal structure of decamethylrhodocenium hexafluorophosphate, 494

The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities, 36

Metal–metal bonds

Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), 27

Metal–metal interactions

Cyanide bridged trinuclear complexes with Fe–CN–MCl₂–NC–Fe backbones (M = Ni, Cu, Zn), 44

Methoxycarbonyl ligand

Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[\text{Ir}_4(\text{CO})_{11}(\text{CPh}=\text{CHPh})]^-$ and $[\text{Ir}_6(\text{CO})_{14}(\text{COOMe})_2]^{2-}$, 63

2-Methoxy-2-methyltetrahydrofurans

Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation, 409

Mixed-metal complexes

Reactions of binuclear ruthenium–platinum μ -allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $\text{L}(\text{PPh}_3)\text{Pt}(\mu\text{-}\eta^1\text{-}\eta^2_{\alpha,\beta}\text{-C}(\text{Ph})=\text{C}=\text{CH}_2)\text{Ru}(\text{CO})\text{Cp}$ (L = PPh₃, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, 465

Mixed-spin

Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds, 101

⁵⁵Mn-NMR

Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives, 49

Molecular models

An experimental and theoretical study of the electronic and molecular structure of $[\text{Zn}_4(\eta^4\text{-S})\{\mu\text{-S}_2\text{P}(\text{OC}_2\text{H}_5)_2\}_6]$: the first molecular model of Zn₄S, 307

Monometallic complexes

Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacene ligands, 315

Nickel

Reaction of nickelocene with methyl lithium in the presence of 2-butyne, 245

Synthesis, reactions and structure of bromo(η^5 -diphenylphosphinylcyclopentadienyl)nickel(II) dimer, 142

Nickel clusters

Reaction of nickelocene with methyl lithium in the presence of 2-butyne, 245

Nickel complexes

Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, 180

Nitrido bridges between rhenium and titanium

Syntheses and structures of di- and trinuclear heterometallic complexes with nitrido bridges between rhenium and titanium, 175

Nitrobenzene

Promotion of the $[\text{PPN}][\text{Rh}(\text{CO})_4]$ -catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, 109

NMR

Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-H})_2\text{Os}_3(\text{CO})_{10}$, 135

NOESY NMR spectroscopy

Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies, 119

Octahedral complexes

Pt(IV) derivatives formed by oxidative addition of organic halides to $[\text{Pt}(\text{CH}_3)_2(\text{N,N}\text{-chelate})]$ substrates: geometric isomers at equilibrium, 445

O–H activation

Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required, 479

Organometallic complexes

Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds, 101

Osmium

A series of mono- and dihydrido- as well as mono- and dimethyl-osmium(II) complexes containing [(mes)Os(CNR)] as a building block, 192

The synthesis, structure, and reactivity of the osmium(IV) trihydrido silyl complex, OsH₃(SiMe₃)(CO)(PPh₃)₂, 458

Oxidation

Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, 416

Oxidative esterification

Vinylic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

Oxo synthesis

The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion, 211

Palladacycles

Aromatic arylation via palladacycles: interception of reaction intermediates, 240

Palladium

New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes Pd(PPh₂H)₄ and [Pd(PPh₂H)₄](BF₄)₂, 12

Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation, 409

Vinylic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

Palladium black

New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), 427

Palladium carbonyl

New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), 427

Palladium chloride

New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), 427

Palladium complexes

Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, 180

³¹P- and ¹⁹F{¹H}-HOESY NMR spectroscopy

Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph₂P ligand, 392

pH-indicator

Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^I tricarbonyls, 267

Phosphido-bridged

New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes Pd(PPh₂H)₄ and [Pd(PPh₂H)₄](BF₄)₂, 12

Phosphorus

Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of Ti(η^5 -C₅H₄PPh₂)Cl₃, 202

Platinum

Pt(IV) derivatives formed by oxidative addition of organic halides to [Pt(CH₃)₂(*N,N*-chelate)] substrates: geometric isomers at equilibrium, 445

Reactions of binuclear ruthenium–platinum μ -allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of L(PPh₃)Pt(μ - η^1 : $\eta^2_{\alpha,\beta}$ -C(Ph)=C=CH₂)Ru(CO)Cp (L = PPh₃, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, 465

Platinum black

New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), 427

Platinum carbonyl

New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), 427

Platinum chloride

New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II), 427

Platinum–mercury bond

Synthesis and structural characterization of the luminescent tetranuclear complex [NBu₄]₂[(C₆F₅)₆(μ -OH)₃Pt₃HgCl] with Pt–Hg bonds unsupported by covalent bridging ligands, 421

³¹P-NMR spectroscopy

Adducts of cyclotriphenylphosphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts [{(triphos)Co}(P₃) {M(CO)₅}₂] [triphos = MeC(CH₂PPh₂)₃; M = Cr, Mo, W], 127

Polymetallated benzene

Synthesis of 1,3,5-tri- and 1,2,4,5-tetrasubstituted tin and mercury derivatives of benzene. Crystal structure of 1,3,5-tris(chloromercurio)benzene, 369

Polynuclear zinc complexes

An experimental and theoretical study of the electronic and molecular structure of [Zn₄(μ_4 -S){ μ -S₂P(OC₂H₅)₂}₆]: the first molecular model of ZnS, 307

Pyrrole

The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, 86

Raman spectra

The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities, 36

Reaction mechanism

Vinylic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

Reaction mechanisms

Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D₂O, 485

Reductive amination

Ruthenium clay catalyzed reduction of α -iminoesters and α -imino ketones, and the reductive amination of α -ketoesters, 454

Regioselectivity

Vinylic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274

Relaxation

Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on (μ -H)₂Os₃(CO)₁₀, 135

Rhenium

Synthesis and characterization of a first generation organorhenium dendrimer, 361

Rhenium carbonyl

Cyclopentadienyl transfer reaction: thermal reaction between Re₂(CO)₁₀ and a series of cyclopentadienyl transition metal complexes, 167

- Rhenium carbonyls
Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^{I} tricarbonyls, 267
- Rhodium
Promotion of the [PPN][Rh(CO)₄]-catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation, 109
- Rhodium complexes
Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties, 251
Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacenide ligands, 315
- Rhodocentium
Synthesis and X-ray crystal structure of decamethylrhodocentium hexafluorophosphate, 494
- Ruthenium
Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes, 489
Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes, 292
Enantioselective hydride transfer hydrogenation of ketones catalyzed by $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})\text{Cl}]$ and $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{amino acidato})]_3(\text{BF}_4)_3$ complexes, 299
Reactions of binuclear ruthenium–platinum μ -allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $\text{L}(\text{PPh}_3)\text{Pt}(\mu\text{-}\eta^1\text{:}\eta^2_{\alpha,\beta}\text{-C(Ph)=C=CH}_2)\text{Ru}(\text{CO})\text{Cp}$ ($\text{L} = \text{PPh}_3$, *t*-BuNC) and *p*-toluenesulfonyl isocyanate, 465
Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D₂O, 485
Ruthenium clay catalyzed reduction of α -iminoesters and α -iminoketones, and the reductive amination of α -ketoesters, 454
Solution and solid–gas reactivity of unsaturated $[\text{RuCp}(\text{tmeda})]^+$ ($\text{tmeda} = \text{Me}_2\text{NC}_2\text{H}_4\text{NMe}_2$), 342
The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, 86
- Ruthenium phthalocyanine
Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide, 416
- s*- and *as*-Indacene
Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacenide ligands, 315
- Schiff bases
The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, 86
- Secondary phosphine
New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes $\text{Pd}(\text{PPh}_2\text{H})_4$ and $[\text{Pd}(\text{PPh}_2\text{H})_4](\text{BF}_4)_2$, 12
- Silanes
Catalytic and stoichiometric reactions of tertiary silanes with $[\text{Ir}(\text{Me})_2\text{Cp}^*\text{L}]$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$; $\text{L} = \text{PMe}_3$, PMe_2Ph , PMePh_2 , PPh_3) in the presence of one-electron oxidants. A unique case of Si–H, Si–C, Ir–C and P–F bonds one-step activation: crystal structure of $[\text{Ir}(\text{Ph})(\text{SiPh}_2\text{F})\text{Cp}^*(\text{PMe}_3)]$, 154
- Silanol
Crystal and molecular structures of 4,4'-bis(dimethylhydroxysilyl)-biphenyl and *m*-bis(dimethylhydroxysilyl)benzene, 161
- Silica
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, 96
- Silver complexes
Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph₂P ligand, 392
- Silyl complexes
The synthesis, structure, and reactivity of the osmium(IV) trihydrido silyl complex, $\text{OsH}_3(\text{SiMe}_3)(\text{CO})(\text{PPh}_3)_2$, 458
- Sol-gel materials
Pd(II) and Rh(I) chelate complexes of the bidentate phosphino–thiourea ligand $\text{PhNHC(S)NHCH}_2\text{CH}_2\text{PPh}_2$: structural properties and activity in homogeneous and hybrid catalysis, 431
- Solid–gas reactivity
Solution and solid–gas reactivity of unsaturated $[\text{RuCp}(\text{tmeda})]^+$ ($\text{tmeda} = \text{Me}_2\text{NC}_2\text{H}_4\text{NMe}_2$), 342
- Solid state structure
Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[\text{Ir}_4(\text{CO})_{11}(\text{CPh}=\text{CHPh})]^-$ and $[\text{Ir}_6(\text{CO})_{14}(\text{COOMe})_2]^{2-}$, 63
- Solvent effects
Vinyllic, allylic and homoallylic oxidations of alkenes via π - and σ -organopalladium complexes, 274
- Stability
Structural properties of the metallointercalator cationic complex (2,2':6',2''-terpyridine)methylplatinum(II) ion, 403
- Stability constants
Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^{I} tricarbonyls, 267
- Stereoselective allylation
Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes, 380
- Steroids
The $\text{Co}_3(\text{CO})_9\text{C}$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique, 232
- Structure
Cyanide bridged trinuclear complexes with Fe–CN–MCl₂–NC–Fe backbones ($\text{M} = \text{Ni}$, Cu , Zn), 44
Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph₂P ligand, 392
- Sulfides
An experimental and theoretical study of the electronic and molecular structure of $[\text{Zn}_4(\eta^4\text{-S})\{\mu\text{-S}_2\text{P}(\text{OC}_2\text{H}_5)_2\}_6]$: the first molecular model of ZnS, 307
- Surface organometallic chemistry
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, 96
- Surface species
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, 96
- Synthesis
Syntheses and structures of di- and trinuclear heterometallic complexes with nitrido bridges between rhenium and titanium, 175
- Tantalum
1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $\text{TaCl}_2(\eta^5\text{-C}_5\text{Me}_5)(\eta^4\text{-1-aza-1,3-butadiene})$, 69
Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species, 96
- Template reactions
The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry, 86

Terdentate ligands

Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands, 180

Terminal alkynes

Alkyne diruthenium chemistry, 77

Thermal reaction

Cyclopentadienyl transfer reaction: thermal reaction between $\text{Re}_2(\text{CO})_{10}$ and a series of cyclopentadienyl transition metal complexes, 167

Thiourea functions

Pd(II) and Rh(I) chelate complexes of the bidentate phosphino–thiourea ligand $\text{PhNHC}(\text{S})\text{NHCH}_2\text{CH}_2\text{PPh}_2$: structural properties and activity in homogeneous and hybrid catalysis, 431

Tin

Synthesis of 1,3,5-tri- and 1,2,4,5-tetrasubstituted tin and mercury derivatives of benzene. Crystal structure of 1,3,5-tris(chloromercurio)benzene, 369

Titanium

Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, 19

Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2–) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium $[\text{Ti}_2(\mu\text{-OH})_2(\text{CO})_8]^{2-}$, 354

Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of $\text{Ti}(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)\text{Cl}_3$, 202

Titanium complexes

Novel η^3 -allyl complexes of titanium, 1

Tricarbonylchromium arenes

Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes, 380

Trihydride

Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-H})_2\text{Os}_3(\text{CO})_{10}$, 135

Trinuclear complexes

Cyanide bridged trinuclear complexes with Fe–CN–MCl₂–NC–Fe backbones (M = Ni, Cu, Zn), 44

Triosmium

Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-H})_2\text{Os}_3(\text{CO})_{10}$, 135

Triosmium complexes

Conformational constraints and σ – π -vinyl interchange in μ_3 - η^3 -5,6-dihydroquinoline triosmium complexes, 226

Tungsten

Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), 27

Umbrella arrangement

Pd(II) and Rh(I) chelate complexes of the bidentate phosphino–thiourea ligand $\text{PhNHC}(\text{S})\text{NHCH}_2\text{CH}_2\text{PPh}_2$: structural properties and activity in homogeneous and hybrid catalysis, 431

Unsaturated

Solution and solid–gas reactivity of unsaturated $[\text{RuCp}(\text{tmeda})]^+$ (tmeda = $\text{Me}_2\text{NC}_2\text{H}_4\text{NMe}_2$), 342

Unsubstituted phosphorus compounds

Adducts of cyclotriposphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts $\{(\text{triphos})\text{Co}\}(\text{P}_3)\{\text{M}(\text{CO})_5\}_2$ [triphos = $\text{MeC}(\text{CH}_2\text{PPh}_2)_3$; M = Cr, Mo, W], 127

Vinylidene

Solution and solid–gas reactivity of unsaturated $[\text{RuCp}(\text{tmeda})]^+$ (tmeda = $\text{Me}_2\text{NC}_2\text{H}_4\text{NMe}_2$), 342

Vinylidenes

Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D₂O, 485

Vinyl interchange

Conformational constraints and σ – π -vinyl interchange in μ_3 - η^3 -5,6-dihydroquinoline triosmium complexes, 226

X-ray crystal structure

Adducts of cyclotriposphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts $\{(\text{triphos})\text{Co}\}(\text{P}_3)\{\text{M}(\text{CO})_5\}_2$ [triphos = $\text{MeC}(\text{CH}_2\text{PPh}_2)_3$; M = Cr, Mo, W], 127

X-ray diffraction

Synthesis, reactions and structure of bromo(η^5 -diphenylphosphinylcyclopentadienyl)nickel(II) dimer, 142

X-ray structures

An experimental and theoretical study of the electronic and molecular structure of $[\text{Zn}_4(\eta^4\text{-S})\{\mu\text{-S}_2\text{P}(\text{OC}_2\text{H}_5)_2\}_6]$: the first molecular model of ZnS, 307

Preparation of trichloro- and tribromocyclopentadienyltungsten(IV), 27

Reactions of binuclear ruthenium–platinum μ -allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $\text{L}(\text{PPh}_3)\text{Pt}(\mu\text{-}\eta^1\text{:}\eta^2_{\alpha,\beta}\text{-C}(\text{Ph})=\text{C}=\text{CH}_2)\text{Ru}(\text{CO})\text{Cp}$ (L = PPh_3 , *t*-BuNC) and *p*-toluenesulfonyl isocyanate, 465

4-Yn-1-ols

Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation, 409

Zinc

An experimental and theoretical study of the electronic and molecular structure of $[\text{Zn}_4(\mu_4\text{-S})\{\mu\text{-S}_2\text{P}(\text{OC}_2\text{H}_5)_2\}_6]$: the first molecular model of ZnS, 307

Zirconium

Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state, 19

Reactivity of vinyl and alkynyl zirconium complexes with the di-*ansa*-[1,1',2,2'-bis(dimethylsilanediyl) dicyclopentadienyl] ligand, 147