

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 605 (2000) 251-255



# Subject Index of Volume 605

#### Acetylene

Photochemical studies of Co<sub>2</sub>(CO)<sub>6</sub>(acetylene) complexes and their phosphine derivatives in frozen Nujol matrices, 7

#### Alkylation

Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239

# Alkylation to benzene

Effect of the substituents at the silicon of  $(\omega$ -chloroalkyl)silanes on the alkylation to benzene, 239

## Alkynyl

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4'-HC≡CC<sub>6</sub>H<sub>4</sub>N=NC<sub>6</sub>H<sub>4</sub>-NO<sub>2</sub>, 193

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, 184

#### Allvl

Amino-substituted cyclopentadienyl cobalt complexes, 157 Allyl complexes

Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η³-propenyl- and η³-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, 28

### Allyl rotation

Synthesis, crystal structure, and NMR investigation of methyl  $\alpha, \alpha$ -dimethyl acetate-substituted  $\pi$ -allylpalladium complexes, 109

# Allyltin

On the behaviour of organotin compounds with cyclodextrins:

Part 1. The complex between allyl-di-*n*-butyltin chloride and β-cyclodextrin, 127

# Aluminum chloride

Effect of the substituents at the silicon of  $(\omega$ -chloroalkyl)silanes on the alkylation to benzene, 239

#### Aminoalkylation of pyrazoles

Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

### Aryldiazonium salts

New approaches to the synthesis of unsymmetrical diaryl selenides, 96

# Aryl iodide

New approaches to the synthesis of unsymmetrical diaryl selenides, 96

# Aryl triflate

New approaches to the synthesis of unsymmetrical diaryl selenides, 96

### Bidentate chiral ligand

Synthesis of a novel chiral ruthenium complex and its crystal structure, 134

#### Bidentate phosphines

Synthesis of new ruthenium-iridium heterobimetallic complexes

via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of [(C<sub>5</sub>H<sub>5</sub>)Ru(μ-CO)<sub>2</sub>(μ-Ph<sub>2</sub>PN(H)PPh<sub>2</sub>)IrCl<sub>2</sub>], 1

#### Butadiene

Amino-substituted cyclopentadienyl cobalt complexes, 157

#### Carbon dioxide

New  $\eta^5$ - and  $\mu$ -(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of  $\eta^5$ -complexes towards carbon dioxide, 143

#### Carboxylation

New η<sup>5</sup>- and μ-(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of η<sup>5</sup>-complexes towards carbon dioxide, 143

#### C-H bond activation

Rhodium complexes with hydrotris(3-p-anisylpyrazol-1-yl)borate ligand Tp<sup>pAn</sup>. Intramolecular C–H bond activation and dehydro-chlorination processes, 117

#### Chemical vapour deposition

IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene. 202

# Chiral

Chiral organotin hydrides containing intramolecular coordinating substituents, 209

#### Chiral complexes

Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, 55

### Chiral derivatizing agent

On the high efficiency of *cis*-dichloro[(*S*)-\alpha-methylbenzy-lamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by <sup>195</sup>Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-\alpha-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68

# Chiral ruthenium complex

Synthesis of a novel chiral ruthenium complex and its crystal structure, 134

#### (ω-Chloroalkyl)silanes

Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239

# Cobalt

Amino-substituted cyclopentadienyl cobalt complexes, 157 Complex

N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide ( $L^1$ ): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of  $L^1$ , its oxidized product and of [RuCl<sub>2</sub>(p-cymene)· $L^1$ ], 39

# Crystal structure

N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (L<sup>1</sup>): synthesis, oxidation by ruthenium(III) chloride and ligation with

ruthenium(II). Crystal structures of L1, its oxidized product and of [RuCl<sub>2</sub>(p-cymene)·L<sup>1</sup>], 39

Synthesis of a novel chiral ruthenium complex and its crystal structure, 134

#### Crystal structure analysis

Synthesis, crystal structure, and NMR investigation of methyl  $\alpha, \alpha$ -dimethyl acetate-substituted  $\pi$ -allylpalladium complexes, 109

#### Crystal structures

Rearrangements and dimerizations of congested ferrocenyl allyl alcohols, 174

Rhodium complexes with hydrotris(3-p-anisylpyrazol-1-yl)borate ligand TppAn. Intramolecular C-H bond activation and dehydro-chlorination processes, 117

#### 4-Cyanopyridine

Synthesis and spectroscopic properties of cationic Ru(II) arene complexes  $[Ru(\eta^6-arene)(P)Cl(L)]^+$ .  $(P = PPh_3, PEt_3,$ MePPr<sub>2</sub> and L = 4-cyanopyridine or 1,4-dicyanobenzene),

# Cyclic voltammetry

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (E)-4,4'-HC=CC<sub>6</sub>H<sub>4</sub>N=NC<sub>6</sub>H<sub>4</sub>-NO<sub>2</sub>, 193

#### Cyclobutene

Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

#### β-Cyclodextrin

On the behaviour of organotin compounds with cyclodextrins: Part 1. The complex between allyl-di-n-butyltin chloride and β-cyclodextrin, 127

### Cyclopentadienyl

Amino-substituted cyclopentadienyl cobalt complexes, 157

#### Cyclopropene

Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

#### Diaryl selenide

New approaches to the synthesis of unsymmetrical diaryl selenides, 96

#### 1,4-Dicyanobenzene

Synthesis and spectroscopic properties of cationic Ru(II) arene complexes  $[Ru(\eta^6-arene)(P)Cl(L)]^+$ .  $(P = PPh_3, PEt_3,$ MePPr<sub>2</sub> and L = 4-cyanopyridine or 1,4-dicyanobenzene),

Amino-substituted cyclopentadienyl cobalt complexes, 157

# Dithiocomplexes

Organoheterobimetallic complexes derived from bis(1-ethoxycarbonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, 102

# Dithiolates

Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, 82

## Electrochemistry

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino-alkynyl-ruthenium complexes, 184

## Electroluminescence

Synthesis and characterization of dialkylgallium (dialkylindium) complexes of N-salicylidene 2-aminopyridine and N-salicylidene 2-methoxyaniline: crystal structure of dimethyl[Nsalicylidene 2-aminopyridine]gallium, 234

#### Enantiomeric purity

On the high efficiency of cis-dichloro[(S)- $\alpha$ -methylbenzy-

lamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by 195Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes cisdichloro $[(S)-\alpha$ -methylbenzylamine][(S)- and (R)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68

#### Ethylene

Amino-substituted cyclopentadienyl cobalt complexes, 157

#### Ferrocene

Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcycloprope-

Rearrangements and dimerizations of congested ferrocenyl allyl alcohols, 174

#### Friedel-Crafts alkylation

Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239

#### Gold

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (E)-4,4'-HC $\equiv$ CC<sub>6</sub>H<sub>4</sub>N $\equiv$ NC<sub>6</sub>H<sub>4</sub>-NO<sub>2</sub>, 193

#### Hafnocene

Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, 45

# Heterobimetallic complexes

Synthesis and structural studies of Ti-Ru polymetallic systems, 151

#### Hetero-binuclear complex

Synthesis and structural characterization of hetero-binuclear complexes containing a  $Fe^0 \rightarrow M^{n+}$  bond bridged by a nonrigid P,N-phosphine ligand, 15

# Heterometallic complexes

Synthesis of new ruthenium-iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of  $[(C_5H_5)Ru(\mu-CO)_2\{\mu-Ph_2PN(H)PPh_2\}IrCl_2], 1$ 

# <sup>1</sup>H-, <sup>29</sup>Si-NMR

Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22

# Hydride

Chiral organotin hydrides containing intramolecular coordinating substituents, 209

#### Imine hydrogenation catalyst

Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, 55

#### Iridium

Synthesis of new ruthenium-iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of  $[(C_5H_5)Ru(\mu-CO)_2\{\mu-Ph_2PN(H)PPh_2\}IrCl_2], 1$ 

# Iron(0)

Synthesis and structural characterization of hetero-binuclear complexes containing a  $Fe^0 \rightarrow M^{n+}$  bond bridged by a nonrigid P,N-phosphine ligand, 15

Kinetics and mechanisms of the ligand substitution of (η<sup>5</sup>- $C_9H_7)M(CO)_4$ , where M = Nb or Ta, and a reinvestigation of the kinetics of  $(\eta^5-C_5H_5)M(CO)_4$ . Molecular structure of  $(\eta^5 - C_5 H_5) Nb(Co)_3 [P(C_6 H_5)_3]$ , 168

#### Laser-induced thermolysis

IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, 202

# Lewis acid

Effect of the substituents at the silicon of (ω-chloroalkyl)silanes on the alkylation to benzene, 239

#### Linked amido-cyclopentadienyl ligand

Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, 55

#### Mass spectroscopy

Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22

#### Metallo-ligands

Synthesis and spectroscopic properties of cationic Ru(II) arene complexes  $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$ .  $(P=PPh_3, PEt_3, MePPr_2^i)$  and L=4-cyanopyridine or 1,4-dicyanobenzene), 74

#### Metal-metal bond

Synthesis and structural characterization of hetero-binuclear complexes containing a  ${\rm Fe}^0 \to {\rm M}^{n+}$  bond bridged by a non-rigid P,N-phosphine ligand, 15

# Molecular structure

Kinetics and mechanisms of the ligand substitution of  $(\eta^5-C_9H_7)M(CO)_4$ , where M=Nb or Ta, and a reinvestigation of the kinetics of  $(\eta^5-C_5H_5)M(CO)_4$ . Molecular structure of  $(\eta^5-C_5H_5)Nb(CO)_3[P(C_6H_5)_3]$ , 168

#### Nickel

A convenient route to vinylsiloxane-tertiary phosphine-nickel(0) complexes; the molecular structure of [(Ni{P(C $_6$ H $_4$ Me-4) $_3$ }) $_2$ { $\mu$ -(L"L") $_2$ }] {(L"L") $_2$  = [CH $_2$ =CH(Me)Si( $\mu$ -O)] $_4$ }, 221

## N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide

N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide ( $L^1$ ): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of  $L^1$ , its oxidized product and of [RuCl<sub>2</sub>(p-cymene)· $L^1$ ], 39

#### NMR

On the high efficiency of *cis*-dichloro[(*S*)-\alpha-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by <sup>195</sup>Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-\alpha-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68

#### NMR spectroscopy

Rhodium complexes with hydrotris(3-p-anisylpyrazol-1-yl)borate ligand Tp<sup>pAn</sup>. Intramolecular C–H bond activation and dehydro-chlorination processes, 117

Synthesis, crystal structure, and NMR investigation of methyl  $\alpha,\alpha$ -dimethyl acetate-substituted  $\pi$ -allylpalladium complexes, 109

#### Nonlinear optics

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4′-HC≡CC<sub>6</sub>H<sub>4</sub>N=NC<sub>6</sub>H<sub>4</sub>-NO<sub>2</sub>, 193

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino–alkynyl–ruthenium complexes, 184

#### N-Salicylidene 2-aminopyridine

Synthesis and characterization of dialkylgallium (dialkylindium)

complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, 234

#### N-Salicylidene 2-methoxyaniline

Synthesis and characterization of dialkylgallium (dialkylindium) complexes of N-salicylidene 2-aminopyridine and N-salicylidene 2-methoxyaniline: crystal structure of dimethyl[N-salicylidene 2-aminopyridine]gallium, 234

#### Organoheterobimetallic complexes

Organoheterobimetallic complexes derived from bis(1-ethoxycar-bonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, 102

#### Organotin

Chiral organotin hydrides containing intramolecular coordinating substituents, 209

#### Organotin comlpexes

On the behaviour of organotin compounds with cyclodextrins:

Part 1. The complex between allyl-di-*n*-butyltin chloride and β-cyclodextrin, 127

### Organotin mercaptides

Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, 82

#### Palladium

Synthesis, crystal structure, and NMR investigation of methyl  $\alpha, \alpha$ -dimethyl acetate-substituted  $\pi$ -allylpalladium complexes, 109

#### Phenoxides

New  $\eta^5$ - and  $\mu$ -(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of  $\eta^5$ -complexes towards carbon dioxide, 143

#### Phenoxo-complexes

New  $\eta^5$ - and  $\mu$ -(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of  $\eta^5$ -complexes towards carbon dioxide, 143

# Phosphine

Synthesis and structural characterization of hetero-binuclear complexes containing a  $Fe^0 \rightarrow M^{n+}$  bond bridged by a non-rigid P,N-phosphine ligand, 15

## Phosphine derivatives

Photochemical studies of  $\mathrm{Co_2(CO)_6}(\text{acetylene})$  complexes and their phosphine derivatives in frozen Nujol matrices, 7

## Photochemical studies

Photochemical studies of Co<sub>2</sub>(CO)<sub>6</sub>(acetylene) complexes and their phosphine derivatives in frozen Nujol matrices, 7

# Photochemistry

Rhodium complexes with hydrotris(3-p-anisylpyrazol-1-yl)borate ligand Tp<sup>pAn</sup>. Intramolecular C–H bond activation and dehydro-chlorination processes, 117

#### Photolysis

Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

# Platinum

Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of η³-propenyl- and η³-2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, 28

# Polydentate ligand

Synthesis and structural characterization of hetero-binuclear complexes containing a  $Fe^0 \rightarrow M^{n+}$  bond bridged by a non-rigid P,N-phosphine ligand, 15

# Pyrazolate complexes

Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

#### Pyrazoles

Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

# Quadratic hyperpolarizabilities

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4'-HC=CC<sub>6</sub>H<sub>4</sub>N=NC<sub>6</sub>H<sub>4</sub>-NO<sub>2</sub>, 193

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino-alkynyl-ruthenium complexes, 184

#### Radical

Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

# Rhodium complexes

New  $\eta^5$ - and  $\mu$ -(O)-Rh(I) phenoxide complexes: synthesis, characterisation and unconventional reactivity of  $\eta^5$ -complexes towards carbon dioxide, 143

Rhodium complexes with hydrotris(3-p-anisylpyrazol-1-yl)borate ligand Tp<sup>pAn</sup>. Intramolecular C–H bond activation and dehydro-chlorination processes, 117

Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

#### Rhodium-pyrazolate complexes

Synthesis and reactivity of 3,5-dimethyl-4-aminomethylpyrazole ligands. An entry to new water-soluble pyrazolate rhodium(I) complexes, 226

# Ruthenium

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4'-HC=CC<sub>6</sub>H<sub>4</sub>N=NC<sub>6</sub>H<sub>4</sub>-NO<sub>2</sub>, 193

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino-alkynyl-ruthenium complexes, 184

Synthesis and structural studies of Ti-Ru polymetallic systems, 151

Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of  $[(C_5H_5)Ru(\mu\text{-CO})_2\{\mu\text{-Ph}_2PN(H)PPh_2\}IrCl_2], 1$ 

#### Ruthenium arene complexes

Synthesis and spectroscopic properties of cationic Ru(II) arene complexes  $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$ .  $(P=PPh_3, PEt_3, MePPr_2^i)$  and L=4-cyanopyridine or 1,4-dicyanobenzene), 74

#### Ruthenium(II)

N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide ( $L^1$ ): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of  $L^1$ , its oxidized product and of [RuCl<sub>2</sub>(p-cymene)· $L^1$ ], 39

#### Ruthenium(III)

N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide (L¹): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of L¹, its oxidized product and of [RuCl<sub>2</sub>(p-cymene)·L¹], 39

## Semiconducting properties

Organoheterobimetallic complexes derived from bis(1-ethoxycar-bonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, 102

# Semi-empirical calculations

Structures, semi-empirical calculations and thermolyses of some

five- and six-membered chelate organotin mercaptide complexes, 82

#### Si/C/H polymers

IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, 202

#### Silacyclopent-3-ene

IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene 202

#### Silylene

IR laser-induced thermolysis of silacyclopent-3-ene: extrusion of silylene and chemical vapour deposition of polycarbosilane phases via reactions of silylene, buta-1,3-diene and methylene, 202

# Spectroscopic studies

Organoheterobimetallic complexes derived from bis(1-ethoxycar-bonyl)-1-cyanoethylene-2,2-dithiolatometalate(II) ion: synthesis and properties, 102

#### Stereochemistry

On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzy-lamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by <sup>195</sup>Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68

#### Substitution reactions

Kinetics and mechanisms of the ligand substitution of  $(\eta^5-C_9H_7)M(CO)_4$ , where M=Nb or Ta, and a reinvestigation of the kinetics of  $(\eta^5-C_5H_5)M(CO)_4$ . Molecular structure of  $(\eta^5-C_5H_5)Nb(CO)_3[P(C_6H_5)_3]$ , 168

# Synthesis

Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of  $\eta^3$ -propenyl- and  $\eta^3$ -2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, 28

#### Synthon

Synthesis and spectroscopic properties of cationic Ru(II) arene complexes  $[Ru(\eta^6\text{-arene})(P)Cl(L)]^+$ .  $(P=PPh_3, PEt_3, MePPr_2^i)$  and L=4-cyanopyridine or 1,4-dicyanobenzene), 74

Te-chloro, Te-anisyl-1a-aza-4-oxa-3-tellura-1H, 2H, 4aH-9-fluorenone N-[2-(4-methoxyphenyltelluro)ethyl]phthalimide ( $\mathbf{L}^1$ ): synthesis, oxidation by ruthenium(III) chloride and ligation with ruthenium(II). Crystal structures of  $\mathbf{L}^1$ , its oxidized product and of [RuCl<sub>2</sub>(p-cymene)· $\mathbf{L}^1$ ], 39

## Titanium complexes

Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis, 55

# Titanocene

Synthesis and structural studies of Ti-Ru polymetallic systems,

Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, 45

# Trialkylgallium

Synthesis and characterization of dialkylgallium (dialkylindium) complexes of *N*-salicylidene 2-aminopyridine and *N*-salicylidene 2-methoxyaniline: crystal structure of dimethyl[*N*-salicylidene 2-aminopyridine]gallium, 234

Trialkyltin arylselenide

New approaches to the synthesis of unsymmetrical diaryl selenides, 96

Tricyclohexanes

Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

Tridentate chiral ligand

Synthesis of a novel chiral ruthenium complex and its crystal structure, 134

Tridentate phosphine

Synthesis of new ruthenium–iridium heterobimetallic complexes via ring-opening reactions of bidentate phosphine ligands and tridentate phosphine ligand: crystal structure of  $[(C_5H_5)Ru(\mu\text{-CO})_2\{\mu\text{-Ph}_2PN(H)PPh_2\}IrCl_2]$ , 1

Trimethylindium

Synthesis and characterization of dialkylgallium (dialkylindium) complexes of N-salicylidene 2-aminopyridine and N-salicylidene 2-methoxyaniline: crystal structure of dimethyl[N-salicylidene 2-aminopyridine]gallium, 234

Trispyrazolylborates

Rhodium complexes with hydrotris(3-*p*-anisylpyrazol-1-yl)borate ligand Tp<sup>pAn</sup>. Intramolecular C–H bond activation and dehydro-chlorination processes, 117

Undecamethylcyclohexasilanyl potassium

Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22

Undecamethylcyclohexasilanylstannanes

Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22

Unsaturated ethers

On the high efficiency of *cis*-dichloro[(*S*)-α-methylbenzylamine](ethylene)platinum(II) as chiral derivatizing agent for the determination of the enantiomeric composition of chiral unsaturated ethers by <sup>195</sup>Pt-NMR spectroscopy: a spectroscopic conformational and configurational characterization in solution of diastereoisomeric complexes *cis*-dichloro[(*S*)-α-methylbenzylamine][(*S*)- and (*R*)-3-phenyl-3-methoxybut-1-ene]platinum(II), 68

Vinylcarbenes

Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

Vinylsiloxane complexes

A convenient route to vinylsiloxane-tertiary phosphine-nickel(0) complexes; the molecular structure of [(Ni{P(C $_6$ H $_4$ Me-4) $_3$ )) $_2$ { $\mu$ -(L"L") $_2$ }] {(L"L") $_2$  = [CH $_2$ =CH(Me)Si( $\mu$ -O)] $_4$ },

X-ray analysis

Synthesis of a novel chiral ruthenium complex and its crystal structure, 134

X-ray crystallography

Cyclohexasilanes with exocyclic organogermanium, -tin or -lead groups, 22

X-ray structural analysis

Photolysis of 3-methyl- and 3-isopropyl-3-ferrocenylcyclopropenes, 89

X-ray structure

Organometallic complexes for nonlinear optics: Part 20. Syntheses and molecular quadratic hyperpolarizabilities of alkynyl complexes derived from (*E*)-4,4'-HC=CC<sub>6</sub>H<sub>4</sub>N=NC<sub>6</sub>H<sub>4</sub>-NO<sub>2</sub>, 193

Organometallic complexes for nonlinear optics: Part 19. Syntheses and molecular quadratic hyperpolarizabilities of indoanilino-alkynyl-ruthenium complexes, 184

Structures, semi-empirical calculations and thermolyses of some five- and six-membered chelate organotin mercaptide complexes, 82

X-ray structures

Convenient synthesis of cationic allylplatinum(II) complexes with tertiary phosphines by oxidative allyl transfer from ammonium cations to platinum(0) substrates. Crystal and molecular structures of  $\eta^3$ -propenyl- and  $\eta^3$ -2-methylpropenyl-bis(triphenylphosphine)platinum(II)perchlorates, 28

## Zirconocene

Synthesis of racemic chiral-at-metal complexes of the Group 4 metals, 45