

Subject Index of Volume 607

Acyl-complex

Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164

Aldehydes

(η^6 -Cyclohepta-1,3,5-triene)(η^4 -cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57

Alkyl halides

Intramolecular N \cdots E interactions in N-functionalised alkyl complexes R'ECl₂ (E = P, As, Sb; R = 6-Me-2-Pyr(SiMe₃)₂C⁻), 213

Alkyne cyclotrimerisation

(η^6 -Cyclohepta-1,3,5-triene)(η^4 -cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57

η^3 -Allyl complexes

A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182

Amidinate complexes

Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of [PhC(NSiMe₃)₂]TaF₃ and [PhC(NSiMe₃)₂]TaFPh₂, 227

8-Aminoquinoline

Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, 105

Anionic dinuclear

Convenient synthesis of anionic dinuclear ruthenium(II) complexes [NR₂H₂][{RuCl(diphosphine)}₂(μ -Cl)₃] [diphosphine = 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl, 2,2'-bis(di(*p*-tolyl)phosphino)-1,1'-binaphthyl, and 1,2-bis(diphenylphosphino)benzene]: crystal structure of [NEt₂H₂][{RuCl(1,2 - bis(diphenylphosphino)benzene)}₂(μ -Cl)₃], 51

Arenes

(η^6 -Cyclohepta-1,3,5-triene)(η^4 -cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57

On the structure and stability of electron deficient species derived from [Cr(CO)₃(arene)], 203

Aryloxides

2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π -phenyl encapsulation of the partially naked cations, 112

Barium

2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π -phenyl encapsulation of the partially naked cations, 112

Binuclear

Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93

Bis(diphenylphosphino)amine complexes

Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of [(η^5 -C₅Me₅)MCl{ η^2 -(SePPh₂)₂N}] (M = Rh, Ir), 3

Bis(phosphino)methane complexes

A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182

Calcium

2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π -phenyl encapsulation of the partially naked cations, 112

Carbonyl

Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97

On the structure and stability of electron deficient species derived from [Cr(CO)₃(arene)], 203

Carbonyl phosphines

The structure and fluxionality of [Fe₃(CO)₁₀(dppe)]; a merry-go-round with no sense of direction, 175

Carboxylato complexes

A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182

Catalysts

Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97

Cationic

Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97

C–C coupling

Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12

C₄ chains

Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C₄ chains, 137

C–H bond activation

Successive O–H and sp³ C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18

Chelating diphosphines

Convenient synthesis of anionic dinuclear ruthenium(II) complexes [NR₂H₂][{RuCl(diphosphine)}₂(μ -Cl)₃] [diphosphine = 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl, 2,2'-bis(di(*p*-tolyl)phosphino)-1,1'-binaphthyl, and 1,2-bis(diphenylphosphino)benzene]: crystal structure of [NEt₂H₂][{RuCl(1,2 - bis(diphenylphosphino)benzene)}₂(μ -Cl)₃], 51

Chromium

Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of CpCr(CO)₂(S₂PPh₂) and CpCr(S₂PPh₂)₂. X-ray crystal structure of CpCr(S₂PPh₂)₂, 64

- On the structure and stability of electron deficient species derived from $[\text{Cr}(\text{CO})_3(\text{arene})]$, 203
- Cobalt**
- Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, 156
- CO/ethylene copolymerisation**
- Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, 78
- CO insertion**
- Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164
- Crystal structures**
- Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-C}_5\text{Me}_5)\text{MCl}\{\eta^2\text{-}(\text{SePPh}_2)_2\text{N}\}]$ (M = Rh, Ir), 3
- C–H activation at the 3-position of pentane chains to form $[\text{N}-\text{C}(\text{sp}^3)-\text{N}]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[\text{N}-\text{C}(\text{sp}^2)-\text{N}]^-$ complexes, 194
- Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $\text{CpCr}(\text{CO})_2(\text{S}_2\text{PPh}_2)$ and $\text{CpCr}(\text{S}_2\text{PPh}_2)_2$. X-ray crystal structure of $\text{CpCr}(\text{S}_2\text{PPh}_2)_2$, 64
- Peripherally-metallated porphyrins: synthesis and spectra of *meso*- η^1 -palladio- and platinumporphyrins and the crystal structures of *cis*- $\{\text{PtBr}[10,20\text{-diphenylporphyrinatonicel(II)-5-yl}](\text{PPh}_3)_2\}$ and *trans*- $\{\text{PtBr}[10,20\text{-diphenylporphyrin-5-yl}](\text{PPh}_3)_2\} \cdot 0.25\text{CH}_2\text{Cl}_2$, 41
- Cyclisation of alkyne acids**
- Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97
- Cyclometallated**
- Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93
- Cyclometallation**
- C–H activation at the 3-position of pentane chains to form $[\text{N}-\text{C}(\text{sp}^3)-\text{N}]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[\text{N}-\text{C}(\text{sp}^2)-\text{N}]^-$ complexes, 194
- Cycloolefin complexes**
- $(\eta^6\text{-Cyclohepta-1,3,5-triene})(\eta^4\text{-cycloocta-1,5-diene})\text{iron}(0)$ complex as attractive precursor in catalysis, 57
- Cyclopentadienylchromium**
- Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $\text{CpCr}(\text{CO})_2(\text{S}_2\text{PPh}_2)$ and $\text{CpCr}(\text{S}_2\text{PPh}_2)_2$. X-ray crystal structure of $\text{CpCr}(\text{S}_2\text{PPh}_2)_2$, 64
- Dative bonding**
- Intramolecular $\text{N}\cdots\text{E}$ interactions in *N*-functionalised alkyl complexes $\text{R}'\text{ECl}_2$ (E = P, As, Sb; R = 6-Me-2-Pyr(SiMe_3) C^-), 213
- Density functional**
- On the structure and stability of electron deficient species derived from $[\text{Cr}(\text{CO})_3(\text{arene})]$, 203
- Density functional theory**
- Trends in back-bonding in the series *trans*- $[\text{M}(\text{C}\equiv\text{CR})\text{Cl}(\text{PH}_3)_4]$ (M = Fe, Ru, Os; R = H, Ph, $\text{C}_6\text{H}_4\text{NO}_2\text{-4}$), 208
- DFT calculation**
- Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164
- Dichalcogenide complexes**
- Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-C}_5\text{Me}_5)\text{MCl}\{\eta^2\text{-}(\text{SePPh}_2)_2\text{N}\}]$ (M = Rh, Ir), 3
- Dimethylsilicone**
- Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, 105
- Dinuclear platinum complex**
- Dinuclear organoplatinum(II)-methylidiphenylphosphine complexes of nicotinic acid, 222
- Diphenyldithiophosphinate**
- Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $\text{CpCr}(\text{CO})_2(\text{S}_2\text{PPh}_2)$ and $\text{CpCr}(\text{S}_2\text{PPh}_2)_2$. X-ray crystal structure of $\text{CpCr}(\text{S}_2\text{PPh}_2)_2$, 64
- Fluxionality**
- The structure and fluxionality of $[\text{Fe}_3(\text{CO})_{10}(\text{dppe})]$; a merry-go-round with no sense of direction, 175
- Gold**
- Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93
- Gold(III)**
- Mesityl gold(III) complexes. X-ray structure of mononuclear $[\text{Au}(\text{mes})_2\text{Cl}(\text{PPh}_3)]$ and the dimer $[\text{Au}(\text{mes})_2\text{Cl}]_2$, 129
- Group 15**
- Intramolecular $\text{N}\cdots\text{E}$ interactions in *N*-functionalised alkyl complexes $\text{R}'\text{ECl}_2$ (E = P, As, Sb; R = 6-Me-2-Pyr(SiMe_3) C^-), 213
- Heck reaction**
- Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, 78
- Heterometallic**
- Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, 137
- Heterovalent**
- Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93
- Hydroformylation**
- $(\eta^6\text{-Cyclohepta-1,3,5-triene})(\eta^4\text{-cycloocta-1,5-diene})\text{iron}(0)$ complex as attractive precursor in catalysis, 57
- Hydrogen-bonding**
- Dinuclear organoplatinum(II)-methylidiphenylphosphine complexes of nicotinic acid, 222
- Hyperpolarizabilities**
- Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, 72
- Imidazole ligands**
- Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, 78
- Insertion**
- Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12

Intramolecular

Intramolecular N···E interactions in N-functionalised alkyl complexes R^+ECl_2 (E = P, As, Sb; R = 6-Me-2-Pyr(SiMe₃)₂C⁻), 213

Intramolecular coordination

C–H activation at the 3-position of pentane chains to form $[N-C(sp^3)-N]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[N-C(sp^2)-N]^-$ complexes, 194

Iridium

Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5-C_5Me_5)MCl\{\eta^2-(SePPh_2)_2N\}]$ (M = Rh, Ir), 3

Iron

$(\eta^6\text{-Cyclohepta-1,3,5-triene})(\eta^4\text{-cycloocta-1,5-diene})\text{iron(0)}$ complex as attractive precursor in catalysis, 57

Iron clusters

The structure and fluxionality of $[Fe_3(CO)_{10}(dppe)]$; a merry-go-round with no sense of direction, 175

Lanthanides

Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H₂O₂ and the X-ray crystal structure of Na₈[ThW₁₀O₃₆]·28H₂O, 146

Lithium

Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, 105

Manganese carbonyl complexes

Syntheses of tris(pyrazolyl)methane ligands and $\{[\text{tris(pyrazolyl)methane}]Mn(CO)_3\}SO_3CF_3$ complexes: comparison of ligand and donor properties, 120

Mass spectrometry

On the structure and stability of electron deficient species derived from $[Cr(CO)_3(\text{arene})]$, 203

Mercury

Mesityl gold(III) complexes. X-ray structure of mononuclear $[Au(\text{mes})_2Cl(PPh_3)]$ and the dimer $[Au(\text{mes})_2Cl]_2$, 129

Mesityl

Mesityl gold(III) complexes. X-ray structure of mononuclear $[Au(\text{mes})_2Cl(PPh_3)]$ and the dimer $[Au(\text{mes})_2Cl]_2$, 129

Metal–carbon backbonding

Trends in back-bonding in the series *trans*- $[M(C\equiv CR)Cl(PH_3)_4]$ (M = Fe, Ru, Os; R = H, Ph, C₆H₄NO₂-4), 208

Metal fluoride complexes

Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of $[PhC(NSiMe_3)_2]_2TaF_3$ and $[PhC(NSiMe_3)_2]_2TaFPh_2$, 227

Metallaalkylidyne

Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12

Metallacycle

Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164

Methyldiphenylphosphine

Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, 222

Molecular orbital

On the structure and stability of electron deficient species derived from $[Cr(CO)_3(\text{arene})]$, 203

Molybdenum

Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12

Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR₂ group, 156

Nickel

Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164

Nicotinic acid

Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, 222

Nonlinear optics

Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, 72

Organometallic complexes

Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), 27

Organopalladium

C–H activation at the 3-position of pentane chains to form $[N-C(sp^3)-N]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[N-C(sp^2)-N]^-$ complexes, 194

Osmium

Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), 27

Oxaruthenacycle

Successive O–H and sp³ C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18

Oxidation catalysis

Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H₂O₂ and the X-ray crystal structure of Na₈[ThW₁₀O₃₆]·28H₂O, 146

Oxidative addition

Peripherally-metallated porphyrins: synthesis and spectra of *meso*- η^1 -palladio- and platinoporphyryns and the crystal structures of *cis*- $\{PtBr[10,20\text{-diphenylporphyrinatonicel(II)-5-yl}\}(PPh_3)_2\}$ and *trans*- $\{PtBr[10,20\text{-diphenylporphyrin-5-yl}\}(PPh_3)_2\} \cdot 0.25CH_2Cl_2$, 41

Palladium

Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12

Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, 78

Peripherally-metallated porphyrins: synthesis and spectra of *meso*- η^1 -palladio- and platinoporphyryns and the crystal structures of *cis*- $\{PtBr[10,20\text{-diphenylporphyrinatonicel(II)-5-yl}\}(PPh_3)_2\}$ and *trans*- $\{PtBr[10,20\text{-diphenylporphyrin-5-yl}\}(PPh_3)_2\} \cdot 0.25CH_2Cl_2$, 41

Pentachlorophenolato complexes

A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182

Phenols

Successive O–H and sp³ C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18

π -Phenyl complexes

2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π -phenyl encapsulation of the partially naked cations, 112

Phosphido

Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR₂ group, 156

Phosphinodithioato

Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of CpCr(CO)₂(S₂PPh₂) and CpCr(S₂PPh₂)₂. X-ray crystal structure of CpCr(S₂PPh₂)₂, 64

Photoreduction

Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93

Platinum

Peripherally-metallated porphyrins: synthesis and spectra of *meso*- η^1 -palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonicel(II)-5-yl](PPh₃)₂} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl](PPh₃)₂}·0.25CH₂Cl₂, 41

Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164

Polynuclear compounds

Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR₂ group, 156

Polyoxotungstates

Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H₂O₂ and the X-ray crystal structure of Na₈[ThW₁₀O₃₆]·28H₂O, 146

Porphyrins

Peripherally-metallated porphyrins: synthesis and spectra of *meso*- η^1 -palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonicel(II)-5-yl](PPh₃)₂} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl](PPh₃)₂}·0.25CH₂Cl₂, 41

Relativistic effects

Trends in back-bonding in the series *trans*-[M(C \equiv CR)Cl(PH₃)₄] (M = Fe, Ru, Os; R = H, Ph, C₆H₄NO₂-4), 208

Rhodium

Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of [(η^5 -C₅Me₅)MCl(η^2 -(SePPh₂)₂N)] (M = Rh, Ir), 3

Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97

Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C₄ chains, 137

Ruthenium

A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182

Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of [(η^5 -C₅Me₅)MCl(η^2 -(SePPh₂)₂N)] (M = Rh, Ir), 3

Convenient synthesis of anionic dinuclear ruthenium(II) complexes [NR₂H₂][{RuCl(diphosphine)}₂(μ -Cl)₃] [diphosphine = 2,2'-bis(diphenylphosphino)-1,1'-binaphthyl, 2,2'-bis(di(*p*-tolyl)phosphino)-1,1'-binaphthyl, and 1,2-bis(diphenylphosphino)benzene]: crystal structure of [NEt₂H₂]

{[RuCl(1,2-bis(diphenylphosphino)benzene)}₂(μ -Cl)₃], 51

Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, 72

Successive O–H and sp³ C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18

Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), 27

Second generation ligands

Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)methane]Mn(CO)₃}SO₃CF₃ complexes: comparison of ligand donor properties, 120

Strontium

2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π -phenyl encapsulation of the partially naked cations, 112

Successive bond activation

Successive O–H and sp³ C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18

Tantalum

Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzaminate ligands. X-ray structures of [PhC(NSiMe₃)₂]₂TaF₃ and [PhC(NSiMe₃)₂]₂TaFPh₂, 227

Tecton

Dinuclear organoplatinum(II)-methylidiphenylphosphine complexes of nicotinic acid, 222

Thiolato

Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR₂ group, 156

Thorium

Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H₂O₂ and the X-ray crystal structure of Na₈[ThW₁₀O₃₆]·28H₂O, 146

Tris(pyrazolyl)methane ligands

Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)methane]Mn(CO)₃}SO₃CF₃ complexes: comparison of ligand donor properties, 120

Tungsten

Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C₄ chains, 137

Vinylidene

Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, 72

XPS

Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93

X-ray crystal structure

Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H₂O₂ and the X-ray crystal structure of Na₈[ThW₁₀O₃₆]·28H₂O, 146