

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 608 (2000) 175-178



Subject Index of Volume 608

Alkylation

Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, 153

Aluminium

- The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, 54
- Aminophosphites
 - Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89
- Antimony
 - Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-(tris(trimethylsilyl)stibine)chromium, 60

Antitumour activity

Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, 63

Arenehydrazine-iron complex

Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5-Cp)(\eta^6-C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5-Cp)(\eta^6-p-MeC_6H_4NHN=CMe_2)]^+PF_6^-$, 126

Arenehydrazone-iron complex

Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^{5}-Cp)(\eta^{6}-C_{6}H_{5}NHNH_{2})]^{+}PF_{6}^{-}$ and $[Fe(\eta^{5}-Cp)(\eta^{6}-p-MeC_{6}H_{4}NHN=CMe_{2})]^{+}PF_{6}^{-}$, 126

Aromatic nucleophilic substitution

Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of $[Fe(\eta^5-Cp)(\eta^6-C_6H_5NHNH_2)]^+PF_6^-$ and $[Fe(\eta^5-Cp)(\eta^6-p-MeC_6H_4NHN=CMe_2)]^+PF_6^-$, 126

Azo enophile

Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5dione and diethyl azodicarboxylate, 49

Bonding analyses

- Bonding studies of dinuclear transition metal $bis(\mu-\eta^2-silane)$ complexes $[L_n M(\mu-\eta^2-HSiR_2)]_2$ by density functional theory, 42
- Boron

O,*N*-Chelated boron aminophenolate complexes. Crystal structure of BPh₂(OC₆H₄(CH₂NMe₂)-2), 27

Carbenes

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122

Chirality

Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89

Chiral lithium amides

Internal coordination and solvent effects upon hetero- and homo-

complexation of chiral lithium amides: structure reactivity effects, 153

Chromium

- Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-(tris(trimethylsilyl)stibine)chromium, 60
- Cis-trans influence
 - Synthesis, characterization and *cis-trans* influence in cobaloximes with nioxime, 106
- Clusters
 - Polyterthiophene π -conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5 -C₅H₃)₂Mo₂-(O)₂(μ -O){ μ - η^2 : η^2 -C(Ph)=C[C₄HS(C₄H₃S-2)₂-2,5]}], 133

Cobaloximes

Synthesis, characterization and *cis-trans* influence in cobaloximes with nioxime, 106

Conducting polymers

Polyterthiophene π -conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5 -C₅H₅)₂Mo₂-(O)₂(μ -O){ μ - η^2 : η^2 -C(Ph)=C[C₄HS(C₄H₃S-2)₂-2,5]}], 133

Conformation analysis

Synthesis and structure of mono- and bis-(tricarbonylchromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6

Crystal structure

Synthesis and structure of mono- and bis-(tricarbonylchromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6

Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ¹H-, ¹³C- and ¹¹⁹Sn-NMR data and crystal structure, 86

Cyclic voltammetry

Polyterthiophene π -conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5 -C₅H₅)₂Mo₂-(O)₂(μ -O){ μ - η^2 : η^2 -C(Ph)=C[C₄HS(C₄H₃S-2)₂-2,5]}], 133

Cyclopentadiene

- Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ¹H-, ¹³C- and ¹¹⁹Sn-NMR data and crystal structure, 86 Cyclopentadienyl-iron complex
 - Organometallic iron (II) hydrazines and hydrazones syntheses, characterisations and the X-ray crystal structures of [Fe(η⁵-Cp)(η⁶-C₆H₅NHNH₂)]⁺PF₆⁻ and [Fe(η⁵-Cp)(η⁶*p*-MeC₆H₄NHN=CMe₂)]⁺PF₆⁻, 126

Deactivation

- The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76 Density functional calculations
- Bonding studies of dinuclear transition metal bis(μ - η^2 -silane) complexes $[L_nM(\mu-\eta^2-HSiR_2)]_2$ by density functional theory, 42

Deprotonation

Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, 153 DFT calculations

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122

1,2;5,6-Dibenzocycloocta-1,5-diene

- Synthesis and structure of mono- and bis(tricarbonylchromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6 Dibutyltin perfluoroalkanecarboxylates
- Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, 63

Dienes

The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76

Dinuclear metal-silane complexes

- Bonding studies of dinuclear transition metal bis(μ - η^2 -silane) complexes [L_nM(μ - η^2 -HSiR₂)]₂ by density functional theory, 42
- Diphosphanium
- Crystal structure of the phosphanylidene- σ^4 -phosphorane DmpP=PMe₃ (Dmp = 2,6-Mes₂C₆H₃) and reactions with electrophiles, 12
- Electrochemistry
 - Polyterthiophene π -conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5 -C₃H₃)₂Mo₂-(O)₂(μ -O){ μ - η^2 : η^2 -C(Ph)=C[C₄HS(C₄H₃S-2)₂-2,5]}], 133

Electrochromism

- Polyterthiophene π -conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5 -C₅H₅)₂Mo₂-(O)₂(μ -O){ μ - η^2 : η^2 -C(Ph)=C[C₄HS(C₄H₃S-2)₂-2,5]}], 133
- Electrophile addition
- Crystal structure of the phosphanylidene- σ^4 -phosphorane DmpP=PMe₃ (Dmp = 2,6-Mes₂C₆H₃) and reactions with electrophiles, 12

Ethylene-1-olefin copolymerization

Synthesis and application in high-pressure polymerization of a titanium complex with a linked cyclopentadienyl-phenoxide ligand, 71

O,*N*-Chelated boron aminophenolate complexes. Crystal structure of BPh₂(OC₆H₄(CH₂NMe₂)-2), 27

Half-sandwich metallocene

Synthesis and application in high-pressure polymerization of a titanium complex with a linked cyclopentadienyl-phenoxide ligand, 71

Heterocyclic organotellurium

Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2, 3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro- $2\lambda^4$ -benzotellurole-2,2-diyl diiodide, 96

1*H*-indole-1-methyl-2-(2'-pyridinyl)

Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2'pyridine). The crystal and molecular structure of σ -{Pt[1*H*-indole-1-methyl-2-(2'-pyridinyl-C³,N'](DMSO)Cl} and of σ -{Pt[1*H*-indole-1-methyl-2-(2'-pyridinyl-C³,N')][= C(OCH₂CH₃)(CH₂C₆H₅)]Cl}, 34

HOESY-NMR

Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, 153

HPIR

Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115

HPNMR

Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115

Hydroalumination

- The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, 54
- Hydroformylation
 - Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115
 - The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76

Hydrogen-deuterium exchange

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122

Imidazol-2-ylidenes

- Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122
- Insertion reaction
 - Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of $[Cp_2^{\circ}ZrCl(PHCy)]$ ($Cp^{\circ} = \eta^5$ - C_5EtMe_4 , Cy = cyclohexyl) and $[Cp'_2ZrCl(PHTipp)]$ ($Cp' = \eta^5$ - C_5H_4Me , Tipp = 2,4,6-Pr_i^3C_6H_2). Molecular structures of $[Cp_2^{\circ}ZrCl\{\eta^2$ -NCyC(PHCy)\}] and $[Cp'_2Zr(Cl)\{\eta^2$ -NCy-C(PHTipp)]], 21

Intermolecular secondary bonds

Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ⁴-benzotellurole-2,2-diyl diiodide, 96

Internal coordination

Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, 153

Ion-pair

Organometallic color chemistry: studies on [FcCH=CHC₅H₄-NCH₂C₆H₄('Bu)]X (X = BPh₄⁻, ClO₄⁻), 146

Isonitriles

Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of $[Cp_2^{\circ}ZrCl(PHCy)]$ ($Cp^{\circ} = \eta^5$ - C_5EtMe_4 , Cy = cyclohexyl) and $[Cp_2'ZrCl(PHTipp)]$ ($Cp' = \eta^5$ - C_5H_4Me , Tipp = 2,4,6- $Pr_3^iC_6H_2$). Molecular structures of $[Cp_2^{\circ}ZrCl{\eta^2-NCyC(PHCy)}]$ and $[Cp_2'Zr(Cl){\eta^2-NCy-C(PHTipp)}]$, 21

Kinetics

Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115

Ligand substitution

Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2'pyridine). The crystal and molecular structure of σ -{Pt-[1*H*-indole-1-methyl-2-(2'-pyridinyl-C³,N'](DMSO)Cl} and of σ -{Pt[1*H*-indole-1-methyl-2-(2'-pyridinyl-C³,N')] [=C(OCH₂CH₃)(CH₂C₆H₅)]Cl}, 34

Lithium perchlorate

Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5dione and diethyl azodicarboxylate, 49

Mechanism

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122

Fluxional processes

Metalloene reaction

Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 49

Mixed complexes

Internal coordination and solvent effects upon hetero- and homocomplexation of chiral lithium amides: structure reactivity effects, 153

Molecular structure

 $\begin{array}{ll} \mbox{Formation of novel P-functionalised ligands by insertion of CyNC} \\ \mbox{into the } Zr-P \mbox{ bonds of } [Cp_2^oZrCl(PHCy)] \mbox{ (} Cp^\circ = \eta^5-C_5EtMe_4, Cy = cyclohexyl) \mbox{ and } [Cp_2'ZrCl(PHTipp)] \mbox{ (} Cp' = \eta^5-C_5H_4Me, Tipp = 2,4,6-Pr_3^iC_6H_2). \mbox{ Molecular structures of } [Cp_2^oZrCl\{\eta^2-NCyC(PHCy)\}] \mbox{ and } [Cp_2'Zr(Cl)\{\eta^2-NCy-C(PHTipp)\}], 21 \end{array}$

Nioxime

Synthesis, characterization and *cis-trans* influence in cobaloximes with nioxime, 106

NMR

Dibutyltin perfluoroalkanecarboxylates: synthesis, NMR characterization and in vitro antitumour activity, 63

NMR spectroscopy

Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ¹H-, ¹³C- and ¹¹⁹Sn-NMR data and crystal structure, 86

Oligothiophenes

Polyterthiophene π -conjugated by organomolybdenum complex (II): electropolymerization of *erythro*-[(η^5 -C₅H₅)₂Mo₂₋ (O)₂(μ -O){ μ - η^2 : η^2 -C(Ph)=C[C₄HS(C₄H₃S-2)₂-2,5]}], 133

Optically active Schiff base

Synthesis, characterization and X-ray structure of N-2-pyridylmethylidene-1-phenylethylamine-PdCl₂ complexes, 1

Organometallic dyes

- Organometallic color chemistry: studies on [FcCH=CHC₅H₄N-CH₂C₆H₄('Bu)]X (X = BPh₄⁻, ClO₄⁻), 146
- Organosilane
- Structurally characterised silyls, 164

Oxygen tripod ligand

Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, 139

Palladium complexes

Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89

Palladium(II) complex

Synthesis, characterization and X-ray structure of N-2-pyridylmethylidene-1-phenylethylamine-PdCl₂ complexes, 1

Phenolate

- *O*,*N*-Chelated boron aminophenolate complexes. Crystal structure of BPh₂(OC₆H₄(CH₂NMe₂)-2), 27
- Phosphanylidene-σ⁴-phosphorane
 - Crystal structure of the phosphanylidene- σ^4 -phosphorane DmpP=PMe₃ (Dmp = 2,6-Mes₂C₆H₃) and reactions with electrophiles, 12

Phosphinidene

Crystal structure of the phosphanylidene- σ^4 -phosphorane DmpP=PMe₃ (Dmp = 2,6-Mes₂C₆H₃) and reactions with electrophiles, 12

Phosphoniodithiocarboxylate

Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, 139

Phosphorus

Crystal structure of the phosphanylidene- σ^4 -phosphorane DmpP=PMe₃ (Dmp = 2,6-Mes₂C₆H₃) and reactions with electrophiles, 12

Platinum carbene complexes

Carbene complexes of cycloplatinated 1*H*-indole-1-methyl-2-(2'pyridine). The crystal and molecular structure of σ -{Pt[1*H*indole-1-methyl-2-(2'-pyridinyl-C³,N'](DMSO)Cl} and of σ -{Pt[1*H*-indole-1-methyl-2-(2'-pyridinyl-C³,N')] [=C(OCH₂CH₃)(CH₂C₆H₅)]Cl}, 34

P,N-ligands

Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89

Polymorph

O,*N*-Chelated boron aminophenolate complexes. Crystal structure of BPh₂(OC₆H₄(CH₂NMe₂)-2), 27

Polymorphism

Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5, 6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ⁴-benzotellurole-2,2-diyl diiodide, 96

Proton affinities

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 122

Quincoridine derivatives

Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89

Rearrangement

The hydroalumination of diethynes with di(*tert*-butyl)aluminium hydride: a facile method for the synthesis of organometallic dialuminium compounds, 54

Rhodium complexes

- Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115
- Quincoridine-based aminophosphite ligands and their Rh(I) and Pd(II) complexes, 89
- The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76

Ruthenium

Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, 139

Sandwich complex

Silane

Structurally characterised silyls, 164

Silicon

Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl(tris(trimethylsilyl)stibine)chromium, 60

Structurally characterised silyls, 164

Silyl

Structurally characterised silyls, 164

Singlet oxygen

Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 49

Solid-state

Structurally characterised silyls, 164

Solvent effect

Solvent and salt effects on the reactions of allyltin (IV) compounds with singlet oxygen, 4-phenyl-1,2,4-triazoline-3,5-dione and diethyl azodicarboxylate, 49

Stereoisomers

Synthesis and structure of mono- and bis-(tricarbonylchromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6

Structure

- Synthesis, characterization and X-ray structure of N-2-pyridylmethylidene-1-phenylethylamine-PdCl₂ complexes, 1
- Styrene

Mechanistic study of the hydroformylation of styrene catalyzed by the rhodium/BDPP system, 115

Supramolecular assemblies

Secondary bonds induced supramolecular assemblies in the crystals of 1,1,2,3,4,5-hexahydro-1,1-diiodotellurophene; 1,1,2,3,4,5,6-heptahydro-1,1-diiodotellurane and 1,3-dihydro-2λ⁴-benzotellurole-2,2-diyl diiodide, 96

Tetrarhodium dodecacarbonyl

The competitive and non-competitive hydroformylation of conjugated dienes starting with tetrarhodium dodecacarbonyl. An in-situ high-pressure infrared spectroscopic study, 76

Thiocarbonyl

Ruthenium thiocarbonyl and phosphoniodithiocarboxylate complexes with an oxygen tripod ligand, 139

Tin

- Tetrakis(trimethylstannyl)cyclopentadiene. Improved synthesis, ¹H-, ¹³C- and ¹¹⁹Sn-NMR data and crystal structure, 86 *Trans-cis* isomerization
- Organometallic color chemistry: studies on [FcCH=CHC₅H₄N-CH₂C₆H₄('Bu)]X (X = BPh₄⁻, ClO₄⁻), 146

Tricarbonylchromium complexes

Synthesis and structure of mono- and bis-(tricarbonylchromium)complexes of 1,2;5,6-dibenzocycloocta-1,5-diene, 6

X-ray crystal structure

Structurally characterised silyls, 164

- X-ray diffraction Crystal structures of tris(trimethylsilyl)stibine and pentacarbonyl-
 - (tris(trimethylsilyl)stibine)chromium, 60

X-ray structure

Organometallic iron (II) hydrazines and hydrazones — syntheses, characterisations and the X-ray crystal structures of [Fe(η⁵-Cp)(η⁶-C₆H₅NHNH₂)]⁺PF₆⁻ and [Fe(η⁵-Cp)(η⁶*p*-MeC₆H₄NHN=CMe₂)]⁺PF₆⁻, 126

Zirconocene phosphanido complexes

Formation of novel P-functionalised ligands by insertion of CyNC into the Zr–P bonds of $[Cp_2^oZrCl(PHCy)]$ (Cp° = η^5 -C₅EtMe₄, Cy = cyclohexyl) and $[Cp'_2ZrCl(PHTipp)]$ (Cp' = η^5 -C₅H₄Me, Tipp = 2,4,6-Pr_i^3C_6H_2). Molecular structures of $[Cp_2^oZrCl\{\eta^2$ -NCyC(PHCy)\}] and $[Cp'_2Zr(Cl)\{\eta^2$ -NCy-C(PHTipp)]], 21