

Subject Index of Volume 610

Acetonitrile solvate of ruthenium

Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4 -1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1-)], 112

Alkyne

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 88
Synthesis and structure of 1,12-diethynyl-*para*-carborane, 20

Alkynyl

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, 71

Amines

Dehydrocoupling reactions of amines with silanes catalyzed by [(Et₂N)₃U][BPh₄], 49

Bithiophene

Bithienylsilanes: unexpected structure and reactivity, 8

Bond order

Synthesis and structure of 1,12-diethynyl-*para*-carborane, 20

Boron neutron capture therapy

Boron complexes of *S*-trityl-L-cysteine and *S*-tritylglutathione, 25

Cage distortion

Synthesis and structure of 1,12-diethynyl-*para*-carborane, 20

Cancer

Boron complexes of *S*-trityl-L-cysteine and *S*-tritylglutathione, 25

Carbonyl

The mutual influence of the imine substituents of terephthal-bis-imines concerning their reactivity towards Fe₂(CO)₉, 102

Carbonylative

Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, 38

Carborane

Synthesis and structure of 1,12-diethynyl-*para*-carborane, 20

Catalyst

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 88

Cationic

Dehydrocoupling reactions of amines with silanes catalyzed by [(Et₂N)₃U][BPh₄], 49

C–H activation

The mutual influence of the imine substituents of terephthal-bis-imines concerning their reactivity towards Fe₂(CO)₉, 102

Charge transfer

Synthesis, characterization and spectroscopic properties of 1,2-diminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, 16

Chiral diphosphine

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, 71

¹³CO

Reaction of [*fac*-(CO)₃(dppe)Mn(OH₂)]BF₄ with ¹³CO and conversion of the resulting tetracarbonyl to labeled isocyanato complexes, 118

π -Conjugation

Synthesis and structure of 1,12-diethynyl-*para*-carborane, 20

Coupling

Bithienylsilanes: unexpected structure and reactivity, 8

Cross-coupling

Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, 38

Crystal structures

Multiple ligand transfer reaction between [CpRu(L)(AN)₂][PF₆] (L = AN, CO, P(OMe)₃; AN = acetonitrile) and CpFe(CO)L'X (L' = CO, PMe₃, PMe₂Ph, PMePh₂, PPh₃, P(OPh)₃; X = Cl, Br, I), 31

Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, 1

Synthesis and structure of 1,12-diethynyl-*para*-carborane, 20

Cyclic voltammetry

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, 71

Cyclopentadienone complexes

A comparison between CpCo-stabilized cyclopentadienone complexes and their *O*-alkylated or protonated congeners, 80

Cyclopentadienyl complexes

A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, 42

Dehydrocoupling

Dehydrocoupling reactions of amines with silanes catalyzed by [(Et₂N)₃U][BPh₄], 49

DFT calculations

A comparison between CpCo-stabilized cyclopentadienone complexes and their *O*-alkylated or protonated congeners, 80

Diazocarbonyl

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 88

Diimines

Synthesis, characterization and spectroscopic properties of 1,2-diminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, 16

Disubstituted sydnones

Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, 1

Glutathione

Boron complexes of *S*-trityl-L-cysteine and *S*-tritylglutathione, 25

Half-sandwich ruthenium complexes

Multiple ligand transfer reaction between [CpRu(L)(AN)₂][PF₆]₂ (L = AN, CO, P(OMe)₃; AN = acetonitrile) and CpFe(CO)L'X (L' = CO, PMe₃, PMe₂Ph, PMPPh₂, PPh₃, P(OPh)₃; X = Cl, Br, I), 31

Hydrides

Structural and energetic aspects of hydrogen bonding and proton transfer to ReH₂(CO)(NO)(PR₃)₂ and ReHCl(CO)(NO)(PMe₃)₂ by IR and X-ray studies, 58

Hydrogen bond

Structural and energetic aspects of hydrogen bonding and proton transfer to ReH₂(CO)(NO)(PR₃)₂ and ReHCl(CO)(NO)(PMe₃)₂ by IR and X-ray studies, 58

Hydrogen migration

The mutual influence of the imine substituents of terephthal-bis-imines concerning their reactivity towards Fe₂(CO)₉, 102

Hydrosilylation

Bithienylsilanes: unexpected structure and reactivity, 8

Imido complexes

A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, 42

Improved reaction yields via direct monitoring

Improved synthesis and crystal structure of tetrakis(acetonitrile)(η⁴-1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1-)], 112

Interferences in commercial F and Ru analyses

Improved synthesis and crystal structure of tetrakis(acetonitrile)(η⁴-1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1-)], 112

Iron

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, 71

The mutual influence of the imine substituents of terephthal-bis-imines concerning their reactivity towards Fe₂(CO)₉, 102

IR spectroscopy

Structural and energetic aspects of hydrogen bonding and proton transfer to ReH₂(CO)(NO)(PR₃)₂ and ReHCl(CO)(NO)(PMe₃)₂ by IR and X-ray studies, 58

Labeled isocyanato complexes

Reaction of [*fac*-(CO)₃(dppe)Mn(OH₂)]BF₄ with ¹³CO and conversion of the resulting tetracarbonyl to labeled isocyanato complexes, 118

Ligand transfer reactions

Multiple ligand transfer reaction between [CpRu(L)(AN)₂][PF₆]₂ (L = AN, CO, P(OMe)₃; AN = acetonitrile) and CpFe(CO)L'X (L' = CO, PMe₃, PMe₂Ph, PMPPh₂, PPh₃, P(OPh)₃; X = Cl, Br, I), 31

Mesoionic compounds

Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, 1

Niobium

A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, 42

Nonlinear optics

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, 71

O-Ethylcobalticinium salts

A comparison between CpCo-stabilized cyclopentadienone complexes and their *O*-alkylated or protonated congeners, 80

Organoantimony compounds

Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, 38

Organostannanes

Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, 38

Osmium

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, 71

Palladium-catalyzed

Preparation of triarylantimony(V) diacetates and palladium-catalyzed cross-coupling and carbonylative cross-coupling of triarylantimony(V) diacetates and dichlorides with organostannanes, 38

Protonation

Structural and energetic aspects of hydrogen bonding and proton transfer to ReH₂(CO)(NO)(PR₃)₂ and ReHCl(CO)(NO)(PMe₃)₂ by IR and X-ray studies, 58

Quadratic hyperpolarizabilities

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, 71

Quinones

Synthesis, characterization and spectroscopic properties of 1,2-diminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, 16

Rhenium complexes

Synthesis, characterization and spectroscopic properties of 1,2-diminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, 16

Rhodium(II)

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 88

Ruthenium

Organometallic complexes for nonlinear optics: Part 21. Syntheses and quadratic hyperpolarizabilities of alkynyl complexes containing optically active 1,2-bis(methylphenylphosphino)benzene ligands, 71

Silanes

Bithienylsilanes: unexpected structure and reactivity, 8

Dehydrocoupling reactions of amines with silanes catalyzed by [(Et₂N)₃U][BPh₄], 49

Solvatochromism

Synthesis, characterization and spectroscopic properties of 1,2-diminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, 16

Substituent effects

Synthesis, characterization and spectroscopic properties of 1,2-diminetricarbonylrhenium(I)chloride complexes with *o*-benzoquinone diimines as ligands, 16

Surface area effects on heterogeneous reaction rates

Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4 -1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1-)], 112

Sydnonylphosphinepalladium chloride

Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, 1

Sydnonylphosphines

Preparation of complexes of palladium chloride with di-*tert*-butylsydnonylphosphine and diphenylsydnonylphosphine and structural analysis of the sydnone ring containing phosphine and palladium complex, 1

Tetracarbonyl complexes

Reaction of [*fac*-(CO)₃(dppe)Mn(OH₂)]BF₄ with ¹³CO and conversion of the resulting tetracarbonyl to labeled isocyanato complexes, 118

Titanium

A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, 42

trans Influence of olefin and nitrile ligands

Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4 -1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1-)], 112

Transition metal dendrimers

A study of *ortho*- and *para*-siloxyanilines for the synthesis of mono-, bi-, and tetra-nuclear early transition metal–imido complexes, 42

Uranium

Dehydrocoupling reactions of amines with silanes catalyzed by [(Et₂N)₃U][BPh₄], 49

Vinyl carbenoid

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 88

X-ray

Structural and energetic aspects of hydrogen bonding and proton transfer to ReH₂(CO)(NO)(PR₃)₂ and ReHCl(CO)(NO)(PMe₃)₂ by IR and X-ray studies, 58

X-ray crystal structure

Improved synthesis and crystal structure of tetrakis(acetonitrile)(η^4 -1,5-cyclooctadiene)ruthenium(II) bis[tetrafluoroborate(1-)], 112

X-ray determination

Bithienylsilanes: unexpected structure and reactivity, 8

X-ray structure

The mutual influence of the imine substituents of terephthal-bis-imines concerning their reactivity towards Fe₂(CO)₉, 102