

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 620 (2001) 317-322



# Subject Index of Volume 620

Acetylides

Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN =  $[C_6H_3(Me_2NCH_2)_2-2,6]^-$ ). The crystal structure of  $[C_6H_3(Me_2NCH_2)_2-1,3-(C\equiv C)-5]_2$ , 227

Acyl

Migratory insertion and CO substitution reactions of the  $\beta$ , $\gamma$ -unsaturated esters and amides  $[Fe_2(CO)_5(\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1$ : $\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>}] (Nu = OMe, OEt, OPr<sup>*i*</sup>, NHPh, NHBu<sup>*i*</sup>): synthesis and characterisation of acyl-bridged  $[Fe_2(CO)_4L_2(\mu$ -PPh<sub>2</sub>)( $\mu$ -C=O{C=CH<sub>2</sub>}CH<sub>2</sub>C(O)Nu)] (L<sub>2</sub> = dppm, dppe) and alkenyl-bridged  $[Fe_2(CO)_4$ {P(OMe)<sub>3</sub>}<sub>2</sub>( $\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1$ : $\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>)], 150

Adduct formation

Zwitterionic adducts from addition of imines to the α-carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, 165

Alcohol

An examination of the substitution chemistry of din-hexyldichlorosilane, 287

Alkenyl

Migratory insertion and CO substitution reactions of the  $\beta$ , $\gamma$ -unsaturated esters and amides  $[Fe_2(CO)_5(\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1$ : $\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>}] (Nu = OMe, OEt, OPr<sup>*i*</sup>, NHPh, NHBu<sup>*i*</sup>): synthesis and characterisation of acyl-bridged  $[Fe_2(CO)_4L_2(\mu$ -PPh<sub>2</sub>)( $\mu$ -C=O{C=CH<sub>2</sub>}CH<sub>2</sub>C(O)Nu)] (L<sub>2</sub> = dppm, dppe) and alkenyl-bridged  $[Fe_2(CO)_4$ {P(OMe)<sub>3</sub>}<sub>2</sub>( $\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1$ : $\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>)], 150

(Alkylthio)aminobenzenes

Metallation reactions XXVII. Metallation of (methylthio)anilines, 263

Alkynylsilane

Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, 282

Aminomethylation-desilylation

Synthèse de 3,5-divinylidènepipéridines N-substituées à partir du 1,7-bis(triméthylsilyl)hepta-2,5-diyne et applications, 94

Antimony

Synthesis, characterization and antitumor activity of some arylantimony triphenylgermanylpropionates and crystal structures of Ph<sub>3</sub>GeCH(Ph)CH<sub>2</sub>CO<sub>2</sub>SbPh<sub>4</sub> and [Ph<sub>3</sub>GeCH<sub>2</sub>CH-(CH<sub>3</sub>)CO<sub>2</sub>]<sub>2</sub>Sb(4-ClC<sub>6</sub>H<sub>4</sub>)<sub>3</sub>, 235

Antitumor activity

Synthesis, characterization and antitumor activity of some arylantimony triphenylgermanylpropionates and crystal structures of Ph<sub>3</sub>GeCH(Ph)CH<sub>2</sub>CO<sub>2</sub>SbPh<sub>4</sub> and [Ph<sub>3</sub>GeCH<sub>2</sub>CH-(CH<sub>3</sub>)CO<sub>2</sub>]<sub>2</sub>Sb(4-ClC<sub>6</sub>H<sub>4</sub>)<sub>3</sub>, 235

Arene complexes

The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and TiCl<sub>4</sub>, 113

Azobenzene

A novel cis-push-pull effect in cycloruthenated azobenzene thiocarbonyl-containing complexes: crystal and molecular structures of  $[RuX(CS)(\eta^2-C,N-C_6H_4N=NPh)(PPh_3)_2](X = Cl, I), 60$ 

Bimetallic compounds

Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN =  $[C_6H_3(Me_2NCH_2)_2-2,6]^-$ ). The crystal structure of  $[C_6H_3(Me_2NCH_2)_2-1,3-(C=C)-5]_2$ , 227

Binuclear complexes

- Synthesis and characterization of [Cp\*Fe-dicyclopenta(a,f)naphthalene-FeCp\*] and [Cp\*Fe-dicyclopenta(a,f)naphthalene-FeCp\*] BF<sub>4</sub><sup>-</sup>, 32
- Bis-ferrocenylbutadiyne ligand
  - Mixed metal cluster complexes containing the bis-ferrocenylbutadiyne ligand: their structures and electrochemical responses, 303

Bis(trimethylsilyl)ethyne complexes

Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, 39

1,7-Bis(trimethylsilyl)hepta-2,5-diyne

Synthèse de 3,5-divinylidènepipéridines N-substituées à partir du 1,7-bis(triméthylsilyl)hepta-2,5-diyne et applications, 94

Bonding analysis

Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, 119

Boraadamantane

1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, 51

3-Borahomoadamantanes

1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, 51

Boranes

1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, 51

Bulky ligands

Reactions of [LiC(SiMe<sub>2</sub>H)<sub>3</sub>]·2THF: Sterically hindered tris-(dimethylsilyl)methane derivatives and their hydrosilylation, 127

Carbene complexes

Zwitterionic adducts from addition of imines to the  $\alpha$ -carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, 165

Carbonyl

Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane:  $[Mo(\eta^5-C_5H_5)_2(H)CO] [Mn_3(CO)_9(\mu-SC_6H_5)_4]$ , 276

Catalyst

Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, 1 Catalytic addition

Synthesis and structures of heterobimetallic  $Ir_2M$  (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, 69

C-H activation

- Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, 39
- Chelates
  - Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, 243
- Chirality
  - Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, 243

#### Cluster

Synthesis and structures of heterobimetallic  $Ir_2M$  (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, 69

# Complexes

Electronic properties of the trimethylenemethaneiron tricarbonyl group, 308

Copper salt

- Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, 282
- Crystals structure
  - Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), 80

### Crystal structures

- A novel cis-push–pull effect in cycloruthenated azobenzene thiocarbonyl-containing complexes: crystal and molecular structures of  $[RuX(CS)(\eta^2-C,N-C_6H_4N=NPh)(PPh_3)_2](X = Cl, I), 60$
- Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN =  $[C_6H_3(Me_2-NCH_2)_2-2,6]^-$ ). The crystal structure of  $[C_6H_3(Me_2-NCH_2)_2-1,3-(C\equiv C)-5]_2$ , 227
- Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, 243
- Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, 39
- Synthesis and characterisation of four- and eight-membered ring auralactam complexes, 182
- Synthesis and structures of heterobimetallic  $Ir_2M$  (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, 69
- Synthesis, characterization and antitumor activity of some arylantimony triphenylgermanylpropionates and crystal structures of Ph<sub>3</sub>GeCH(Ph)CH<sub>2</sub>CO<sub>2</sub>SbPh<sub>4</sub> and [Ph<sub>3</sub>GeCH<sub>2</sub>CH-(CH<sub>3</sub>)CO<sub>2</sub>]<sub>2</sub>Sb(4-ClC<sub>6</sub>H<sub>4</sub>)<sub>3</sub>, 235

Cyclometallated

Novel structures of cyclometallated complexes of palladium(II) derived from terdentate ligands. Crystal and molecular structure of  $[Pd\{C_6H_4C(H)=NCH_2CH_2CH_2NMe_2\}(X)]$ (X = Cl, Br, I), 8

Cyclooctadiene platinum complexes

Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, 202

Cyclopentadienyl ligands

Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, 20

Cycloplatination

Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, 249 Cyclovoltammetry

Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, 243

# Decarbonylation

Migratory insertion and CO substitution reactions of the  $\beta,\gamma$ -unsaturated esters and amides  $[Fe_2(CO)_5(\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1:\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>}] (Nu = OMe, OEt, OPr<sup>*i*</sup>, NHPh, NHBu<sup>*i*</sup>): synthesis and characterisation of acyl-bridged  $[Fe_2(CO)_4L_2(\mu$ -PPh<sub>2</sub>)( $\mu$ -C=O{C=CH<sub>2</sub>}CH<sub>2</sub>C(O)Nu] (L<sub>2</sub> = dppm, dppe) and alkenyl-bridged  $[Fe_2(CO)_4{P(OMe)_3}_2(\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1:\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>], 150

Deuteration

Reduction of  $\alpha$ , $\beta$  unsaturated carbonyl compounds by Ni<sup>2+</sup> – BH<sub>4</sub><sup>-</sup>, 90

DFT

Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, 202

DFT and EHT calculations

Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, 119

Dihydrodicyclopentanaphthalene

- Synthesis and characterization of [Cp\*Fe-dicyclopenta(a,f)naphthalene-FeCp\*] and [Cp\*Fe-dicyclopenta(a,f)naphthalene-FeCp\*] BF<sub>4</sub><sup>-</sup>, 32
- 4,5-Dihydrothiazole complexes
  - Zwitterionic adducts from addition of imines to the  $\alpha$ -carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, 165

Diiron

Migratory insertion and CO substitution reactions of the  $\beta,\gamma$ -unsaturated esters and amides  $[Fe_2(CO)_5(\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1:\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>}] (Nu = OMe, OEt, OPr<sup>*i*</sup>, NHPh, NHBu'): synthesis and characterisation of acyl-bridged  $[Fe_2(CO)_4L_2(\mu$ -PPh<sub>2</sub>)( $\mu$ -C=O{C=CH<sub>2</sub>}CH<sub>2</sub>C(O)Nu] (L<sub>2</sub> = dppm, dppe) and alkenyl-bridged  $[Fe_2(CO)_4{P(OMe)_3}_2(\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1:\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>], 150

Dimerisation reaction

Synthesis and characterisation of four- and eight-membered ring auralactam complexes, 182

Dinuclear complexes

Dithioethers as ligands in pentamethylcyclopentadienylrhodium-(III) and iridium(III) complexes. Crystal structures of [ $\{(\eta^5-C_5Me_5)Rh\}_2(\mu-Cl)_2\{\mu-(MeS)_2CH_2\}$ ](BF<sub>4</sub>)<sub>2</sub>·H<sub>2</sub>O and [ $(\eta^5-C_5Me_5)IrCl_2\{\eta^1-(PhS)_2CH_2\}$ ], 256

Diphosphine

Migratory insertion and CO substitution reactions of the  $\beta$ , $\gamma$ -unsaturated esters and amides  $[Fe_2(CO)_5(\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1$ : $\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>}] (Nu = OMe, OEt, OPr<sup>*i*</sup>, NHPh, NHBu<sup>*i*</sup>): synthesis and characterisation of acyl-bridged  $[Fe_2(CO)_4L_2(\mu$ -PPh<sub>2</sub>)( $\mu$ -C=O{C=CH<sub>2</sub>}CH<sub>2</sub>C(O)Nu)] (L<sub>2</sub> = dppm, dppe) and alkenyl-bridged  $[Fe_2(CO)_4{P(OMe)_3}_2(\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta^1$ : $\eta^2$ -{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>], 150

Disilanes

Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, 20

Distannoxane

1,3 Dichloro- and 1,3 dibromotetra-n-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, 211

<sup>119</sup>Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-*n*-butyldistannoxane binary system, 296

Dithioethers

Dithioethers as ligands in pentamethylcyclopentadienylrhodium-(III) and iridium(III) complexes. Crystal structures of  $[\{(\eta^5-C_5Me_5)Rh\}_2(\mu-Cl)_2\{\mu-(MeS)_2CH_2\}](BF_4)_2\cdot H_2O$  and  $[(\eta^5-C_5Me_5)IrCl_2\{\eta^1-(PhS)_2CH_2\}]$ , 256

#### Diyne

Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, 282

Divne cycloaddition

Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, 39

Electrochemical parameters

Redox potential, ligand and structural effects in rhodium(I) complexes, 174

Electrochemistry

- Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN =  $[C_6H_3(Me_2NCH_2)_2-2,6]^-$ ). The crystal structure of  $[C_6H_3(Me_2NCH_2)_2-1,3-(C=C)-5]_2$ , 227
- Redox potential, ligand and structural effects in rhodium(I) complexes, 174

#### Electron counting

Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, 119

#### Ethylene

Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, 1

# Germanium

Synthesis, characterization and antitumor activity of some arylantimony triphenylgermanylpropionates and crystal structures of Ph<sub>3</sub>GeCH(Ph)CH<sub>2</sub>CO<sub>2</sub>SbPh<sub>4</sub> and [Ph<sub>3</sub>GeCH<sub>2</sub>CH-(CH<sub>3</sub>)CO<sub>2</sub>]<sub>2</sub>Sb(4-ClC<sub>6</sub>H<sub>4</sub>)<sub>3</sub>, 235

# Germatrane

- Structure of an oxo-bridged germatrane dimer, 133 Gold
- Synthesis and characterisation of four- and eight-membered ring auralactam complexes, 182

#### High-valent

The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and TiCl<sub>4</sub>, 113

#### Hydride

Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane:  $[Mo(\eta^5-C_5H_5)_2(H)CO] [Mn_3(CO)_9(\mu-SC_6H_5)_4]$ , 276

#### Hydrosilylation

Reactions of [LiC(SiMe<sub>2</sub>H)<sub>3</sub>]·2THF: Sterically hindered tris-(dimethylsilyl)methane derivatives and their hydrosilylation, 127

#### Imines

Zwitterionic adducts from addition of imines to the α-carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, 165

Intermolecular group transfer

Intermolecular propargyl/allenyl group transfer from Pd(II) to Pt(0) and Pt(II) to Pd(0). Key reaction in metal-catalyzed isomerization between propargyl and allenyl metal complexes, 190

#### Iridium

- Dithioethers as ligands in pentamethylcyclopentadienylrhodium-(III) and iridium(III) complexes. Crystal structures of  $[\{(\eta^5-C_5Me_5)Rh\}_2(\mu-Cl)_2\{\mu-(MeS)_2CH_2\}](BF_4)_2\cdot H_2O$  and  $[(\eta^5-C_5Me_5)IrCl_2\{\eta^1-(PhS)_2CH_2\}], 256$
- Synthesis and structures of heterobimetallic  $Ir_2M$  (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, 69

#### Iron

Electronic properties of the trimethylenemethaneiron tricarbonyl group, 308

#### Iron complexes

Synthesis and characterization of [Cp\*Fe-dicyclopenta(a,f)naphthalene-FeCp\*] and [Cp\*Fe-dicyclopenta(a,f)naphthalene-FeCp\*] BF<sub>4</sub><sup>-</sup>, 32

#### Ketoiminate

Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, 1

#### Lactam

Synthesis and characterisation of four- and eight-membered ring auralactam complexes, 182

## Ligand effects

Redox potential, ligand and structural effects in rhodium(I) complexes, 174

# Liquid crystals

Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, 249

Manganese incomplete cubane

Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane:  $[Mo(\eta^5-C_5H_5)_2(H)CO] [Mn_3(CO)_9(\mu-SC_6H_5)_4]$ , 276

#### Metal-catalyzed isomerization

Intermolecular propargyl/allenyl group transfer from Pd(II) to Pt(0) and Pt(II) to Pd(0). Key reaction in metal-catalyzed isomerization between propargyl and allenyl metal complexes, 190

# Metallacycle

Synthesis and characterisation of four- and eight-membered ring auralactam complexes, 182

#### Metallation

Metallation reactions XXVII. Metallation of (methylthio)anilines, 263

Metallomesogens

- Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, 249
- Migratory insertion
  - Migratory insertion and CO substitution reactions of the  $\beta$ , $\gamma$ -unsaturated esters and amides [Fe<sub>2</sub>(CO)<sub>5</sub>( $\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta$ <sup>1</sup>: $\eta$ <sup>2</sup>-{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>}] (Nu = OMe, OEt, OPr<sup>*i*</sup>, NHPh, NHBu'): synthesis and characterisation of acyl-bridged [Fe<sub>2</sub>(CO)<sub>4</sub>L<sub>2</sub>( $\mu$ -PPh<sub>2</sub>)( $\mu$ -C=O{C=CH<sub>2</sub>}CH<sub>2</sub>C(O)Nu)] (L<sub>2</sub> = dppm, dppe) and alkenyl-bridged [Fe<sub>2</sub>(CO)<sub>4</sub>{P(OMe)<sub>3</sub>}<sub>2</sub>( $\mu$ -PPh<sub>2</sub>)( $\mu$ - $\eta$ <sup>1</sup>: $\eta$ <sup>2</sup>-{NuC(O)CH<sub>2</sub>}C=CH<sub>2</sub>], 150

Mixed-metal clusters

Mixed metal cluster complexes containing the bis-ferrocenylbutadiyne ligand: their structures and electrochemical responses, 303

Mixed valence complexes

Synthesis and characterization of [Cp\*Fe-dicyclopenta(a,f)naphthalene-FeCp\*] and [Cp\*Fe-dicyclopenta(a,f)naphthalene-FeCp\*] BF<sub>4</sub><sup>-</sup>, 32

MOCVD

Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, 20

Molybdenum biscyclopentadienyl

Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane:  $[Mo(\eta^5-C_5H_5)_2(H)CO] [Mn_3(CO)_9(\mu-SC_6H_5)_4], 276$ 

Morpholines

Reactions of silamorpholinones and acylsilamorpholines with electrophilic reagents. X-ray structure of products including a pentacoordinated silicon compound, 139

#### Mössbauer

Synthesis and spectroscopic studies of diorganotin derivatives with tolfenamic acid. Crystal and molecular structure of the first complex of tolfenamic acid, 1,2:3,4-di-μ<sub>2</sub>-2-[(3chloro-2-methylphenyl)amino]-benzoato-*O*,*O*-1,3-bis-2-[(3chloro - 2 - methylphenyl)amino]benzoato - *O* - 1,2,4:2,3,4di-μ<sub>3</sub>-oxo-tetrakis[di-*n*-butyltin(IV)], 194

Neutral chromocene derivatives

Reactivity and electronic property of decaphenylmetallocenes of Mo and W atoms, 106

Nickel catalyst

Reduction of  $\alpha,\beta$  unsaturated carbonyl compounds by  $Ni^{2\,+}-BH_4^-,~90$ 

## NMR

- 1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, 51
- 1,3 Dichloro- and 1,3 dibromotetra-*n*-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, 211
- <sup>119</sup>Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-*n*-butyldistannoxane binary system, 296

N,N-Dimethylaminomethylferrocenyl

- Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, 243
- N-Pyrrolyl phosphines
  - Redox potential, ligand and structural effects in rhodium(I) complexes, 174
- N-substituted 3,5-divinylidenepiperidines
- Synthèse de 3,5-divinylidènepipéridines N-substituées à partir du 1,7-bis(triméthylsilyl)hepta-2,5-diyne et applications, 94 Nucleophile
  - An examination of the substitution chemistry of din-hexyldichlorosilane, 287
- Optical spectroscopy
  - Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, 202
- 1,1-Organoboration
  - 1-Boraadamantane: reactivity towards mono-1-alkynyltin, -germanium and -silicon compounds — synthesis of 4-methylene-3-borahomoadamantanes, 51

## Organolithium

- Metallation reactions XXVII. Metallation of (methylthio)anilines, 263
- Organoplatinum complexes
  - Preparation and electrochemical behaviour of dinuclear platinum complexes containing NCN ligands (NCN =  $[C_6H_3(Me_2NCH_2)_2-2,6]^-$ ). The crystal structure of  $[C_6H_3(Me_2NCH_2)_2-1,3-(C=C)-5]_2$ , 227

Organotin

Synthesis and spectroscopic studies of diorganotin derivatives with tolfenamic acid. Crystal and molecular structure of the first complex of tolfenamic acid, 1,2:3,4-di-µ<sub>2</sub>-2-[(3chloro-2-methylphenyl)amino]-benzoato-*O*,*O*-1,3-bis-2-[(3chloro - 2 - methylphenyl)amino]benzoato - *O* - 1,2,4:2,3,4di-µ<sub>3</sub>-oxo-tetrakis[di-*n*-butyltin(IV)], 194

- Oxidative coupling
- Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, 282

Oxo-bridged dimer

Structure of an oxo-bridged germatrane dimer, 133 μ-Oxo complexes

Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), 80

## Palladium

- Synthesis and structures of heterobimetallic  $Ir_2M$  (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, 69
- Palladium(II)
  - Novel structures of cyclometallated complexes of palladium(II) derived from terdentate ligands. Crystal and molecular structure of  $[Pd\{C_6H_4C(H)=NCH_2CH_2CH_2NMe_2\}(X)]$ (X = Cl, Br, I), 8

Pentacarbonyl(vinylidene) complexes

Zwitterionic adducts from addition of imines to the  $\alpha$ -carbon atom of pentacarbonyl(vinylidene)chromium and -tungsten complexes, 165

Pentacoordinate

Reactions of silamorpholinones and acylsilamorpholines with electrophilic reagents. X-ray structure of products including a pentacoordinated silicon compound, 139

Perphenylmetallocene complexes

Reactivity and electronic property of decaphenylmetallocenes of Mo and W atoms, 106

Photochemistry

Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, 202

Photophysics

Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, 202

Platinum

Synthesis and structures of heterobimetallic  $Ir_2M$  (M=Pd, Pt) sulfido clusters and their catalytic activity for regioselective addition of alcohols to internal 1-aryl-1-alkynes, 69

Platinum-triosmium clusters

Mixed metal cluster complexes containing the bis-ferrocenylbutadiyne ligand: their structures and electrochemical responses, 303

Polymerization

Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, 1

Primary amines

Synthèse de 3,5-divinylidènepipéridines N-substituées à partir du 1,7-bis(triméthylsilyl)hepta-2,5-diyne et applications, 94

Propargyl and allenyl metal complexes

Intermolecular propargyl/allenyl group transfer from Pd(II) to Pt(0) and Pt(II) to Pd(0). Key reaction in metal-catalyzed isomerization between propargyl and allenyl metal complexes, 190

Reactivity and magnetic property

Reactivity and electronic property of decaphenylmetallocenes of Mo and W atoms, 106

Rearrangement

- 1,3 Dichloro- and 1,3 dibromotetra-n-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, 211
- <sup>119</sup>Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-*n*-butyldistannoxane binary system, 296

Redistribution

- 1,3 Dichloro- and 1,3 dibromotetra-n-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, 211
- <sup>119</sup>Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-n-butyldistannoxane binary system, 296

Redox potential-structure relationships

Redox potential, ligand and structural effects in rhodium(I) complexes, 174 Reduction

Reduction of  $\alpha$ , $\beta$  unsaturated carbonyl compounds by Ni<sup>2+</sup> – BH<sub>4</sub><sup>-</sup>, 90

Rhodium

Dithioethers as ligands in pentamethylcyclopentadienylrhodium-(III) and iridium(III) complexes. Crystal structures of  $[\{(\eta^5-C_5Me_5)Rh\}_2(\mu-Cl)_2\{\mu-(MeS)_2CH_2\}](BF_4)_2\cdot H_2O$  and  $[(\eta^5-C_5Me_5)IrCl_2\{\eta^1-(PhS)_2CH_2\}], 256$ 

Rhodium complexes

Redox potential, ligand and structural effects in rhodium(I) complexes, 174

Ruthenium

A novel cis-push-pull effect in cycloruthenated azobenzene thiocarbonyl-containing complexes: crystal and molecular structures of [RuX(CS)(η<sup>2</sup>-*C*,*N*-C<sub>6</sub>H<sub>4</sub>N=NPh)(PPh<sub>3</sub>)<sub>2</sub>](X = Cl, I), 60

Ruthenium clusters

Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, 119

Silanes

Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, 20

Silicon

- An examination of the substitution chemistry of din-hexyldichlorosilane, 287
- Reactions of [LiC(SiMe<sub>2</sub>H)<sub>3</sub>]·2THF: Sterically hindered tris-(dimethylsilyl)methane derivatives and their hydrosilylation, 127
- Reactions of silamorpholinones and acylsilamorpholines with electrophilic reagents. X-ray structure of products including a pentacoordinated silicon compound, 139

Silsesquioxanes

Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), 80

Silyl ether

An examination of the substitution chemistry of dihexyldichlorosilane, 287

Sodiumborohydride

Reduction of  $\alpha$ , $\beta$  unsaturated carbonyl compounds by Ni<sup>2+</sup> – BH<sub>4</sub><sup>-</sup>, 90

Solubility

The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and TiCl<sub>4</sub>, 113

#### Spectroscopy

Electronic properties of the trimethylenemethaneiron tricarbonyl group, 308

Stability

The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and TiCl<sub>4</sub>, 113

An examination of the substitution chemistry of din-hexyldichlorosilane, 287

Sulfoximido ligands

Electron counting and bonding analysis in triruthenium clusters containing sulfoximido ligands: true or false electron-deficient systems?, 119

Superbases

Metallation reactions XXVII. Metallation of (methylthio)anilines, 263

Synthesis

Dithioethers as ligands in pentamethylcyclopentadienylrhodium-(III) and iridium(III) complexes. Crystal structures of 
$$\label{eq:constraint} \begin{split} & [\{(\eta^5\text{-}C_5Me_5)Rh\}_2(\mu\text{-}Cl)_2\{\mu\text{-}(MeS)_2CH_2\}](BF_4)_2\cdot H_2O \quad and \\ & [(\eta^5\text{-}C_5Me_5)IrCl_2\{\eta^1\text{-}(PhS)_2CH_2\}], \ 256 \end{split}$$

Terdentate ligands

Novel structures of cyclometallated complexes of palladium(II) derived from terdentate ligands. Crystal and molecular structure of  $[Pd\{C_6H_4C(H)=NCH_2CH_2CH_2NMe_2\}(X)]$ (X = Cl, Br, I), 8

Theoretical calculations

Spectroscopy and photochemical reactivity of cyclooctadiene platinum complexes, 202

Thermolysis

Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, 39

Thiocarbonyl

A novel cis-push-pull effect in cycloruthenated azobenzene thiocarbonyl-containing complexes: crystal and molecular structures of [RuX(CS)(η<sup>2</sup>-*C*,*N*-C<sub>6</sub>H<sub>4</sub>N=NPh)(PPh<sub>3</sub>)<sub>2</sub>](X = Cl, I), 60

Thiocyanato-bridged platinum organyls

Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, 249

Thioethers

Metallation reactions XXVII. Metallation of (methylthio)anilines, 263

Thiolate-bridged

Tin

- 1,3 Dichloro- and 1,3 dibromotetra-*n*-butyldistannoxane mixtures: ligand redistribution and fluxional dynamics in distannoxanes, 211
- <sup>119</sup>Sn-NMR spectroscopic study of the 1,3-dichloro- and 1,3-diacetoxytetra-n-butyldistannoxane binary system, 296
- Synthesis and spectroscopic studies of diorganotin derivatives with tolfenamic acid. Crystal and molecular structure of the first complex of tolfenamic acid, 1,2:3,4-di-μ<sub>2</sub>-2-[(3chloro-2-methylphenyl)amino]-benzoato-*O*,*O*-1,3-bis-2-[(3-chloro-2-methylphenyl)amino]benzoato-*O*-1,2,4:2,3,4di-μ<sub>3</sub>-oxo-tetrakis[di-*n*-butyltin(IV)], 194

Titanasilsesquioxanes

Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), 80

Titanium

- Silsesquioxane Chemistry, 4. Silsesquioxane Complexes of Titanium(III) and Titanium(IV), 80
- Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, 39
- The effect of solubility on the stability of titanium(IV) arene complexes derived from hexasubstituted arenes and TiCl<sub>4</sub>, 113

Titanocenes

Syntheses and structures of doubly tucked-in titanocene complexes with tetramethyl(aryl)cyclopentadienyl ligands, 39

Tolfenamic acid

Synthesis and spectroscopic studies of diorganotin derivatives with tolfenamic acid. Crystal and molecular structure of the first complex of tolfenamic acid, 1,2:3,4-di-μ<sub>2</sub>-2-[(3chloro-2-methylphenyl)amino]-benzoato-*O*,*O*-1,3-bis-2-[(3-chloro-2-methylphenyl)amino]benzoato-*O*-1,2,4:2,3,4di-μ<sub>3</sub>-oxo-tetrakis[di-*n*-butyltin(IV)], 194

Transmetalation

Reaction of alkynylsilanes with CuCl in polar solvents leading to alkynyl group transfer from Si to Cu, 282

Substitution

Trigonal twist

Migratory insertion and CO substitution reactions of the  $\beta$ , $\gamma$ -unsaturated esters and amides  $[Fe_2(CO)_5(\mu-PPh_2)(\mu-\eta^1:\eta^2-{NuC(O)CH_2}C=CH_2]]$  (Nu = OMe, OEt, OPr<sup>*i*</sup>, NHPh, NHBu'): synthesis and characterisation of acyl-bridged  $[Fe_2(CO)_4L_2(\mu-PPh_2)(\mu-C=O\{C=CH_2\}CH_2C(O)Nu)]$  (L<sub>2</sub> = dppm, dppe) and alkenyl-bridged  $[Fe_2(CO)_4\{P(OMe)_3\}_2(\mu-PPh_2)(\mu-\eta^1:\eta^2-{NuC(O)CH_2}C=CH_2)]$ , 150

Trimethylenemethane

Electronic properties of the trimethylenemethaneiron tricarbonyl group, 308

Trinuclear

Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane:  $[Mo(\eta^5-C_5H_5)_2(H)CO][Mn_{3}-(CO)_9(\mu-SC_6H_5)_4]$ , 276

Tris(dimethylsilyl)methyl

Reactions of [LiC(SiMe<sub>2</sub>H)<sub>3</sub>]·2THF: Sterically hindered tris-(dimethylsilyl)methane derivatives and their hydrosilylation, 127

Tris(2-hydroxyphenyl)amine

Structure of an oxo-bridged germatrane dimer, 133

 $\alpha,\beta$  Unsaturated carbonyl compounds

Reduction of  $\alpha,\beta$  unsaturated carbonyl compounds by  $Ni^{2\,+}-BH_4^-,~90$ 

X-ray analysis of cp-disilanes

- Novel cyclopentadienyl silanes and disilanes: synthesis, structure and gas-phase pyrolysis, 20
- X-ray structure analysis

Thiocyanato-bridged platinum heterocycles: structure and properties of disc-like metallomesogens, 249

X-ray structures

Structure of an oxo-bridged germatrane dimer, 133

#### Zinc

Study on structural properties and solution dynamics of zinc complexes with the (*N*,*N*-dimethylaminomethyl)ferrocenyl ligand, 243

# Zirconium

Synthesis, structure and ethylene polymerization behavior of zirconium complexes with chelating ketoiminate ligands, 1