

Contents of Volume 623

Preface	1
Regular Papers	
The general course of reactions and structural correlations in S–N chemistry discussed in terms of a carbon and sulfur(IV) equivalence A. Haas	3
Tuning selenium–iodine contacts: from secondary soft–soft interactions to covalent bonds W.-W. du Mont, A. Martens-von Salzen, F. Ruthe, E. Seppälä, G. Mugesch, F.A. Devillanova, V. Lippolis, N. Kuhn	14
Thiophosphorus and related ligands in coordination, organometallic and supramolecular chemistry. A personal account I. Haiduc	29
Carbon–carbon bond formation by means of organotellurium compounds R.E. Barrientos-Astigarraga, P. Castelani, J.V. Comasseto, H.B. Formiga, N.C. da Silva, C.Y. Sumida, M.L. Vieira	43
Synthesis and characterization of benzylselenolate complexes of palladium(II) and platinum(II) S. Dey, V.K. Jain, B. Varghese	48
Synthesis of double and multiple butterfly Fe/E (E = S, Se, Te) cluster complexes via reactions of complex anions $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ (E = S, Se, Te). Crystal structures of $(\mu\text{-}p\text{-MeC}_6\text{H}_4\text{Se})(\mu\text{-MeS})[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})$ and $\{(\mu\text{-}t\text{-BuS})[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})\}_2[(\mu\text{-}p\text{-SCH}_2)_2\text{C}_6\text{H}_4]$ L.-C. Song, G.-L. Lu, Q.-M. Hu, J. Yang, J. Sun	56
Formation of rhodium carbonyl thiolate dimers via elimination of dihydrogen; crystal and molecular structure of $[\text{Rh}_2(\text{CO})_4(\mu\text{-SC}_6\text{H}_4\text{CH}_3)_2]$ N.K. Kiriakidou-Kazemifar, M. Haukka, T.A. Pakkanen, S.P. Tunik, E. Nordlander	65
Synthesis, spectroscopic characterization and structural studies of dialkyl dithiophosphinate and <i>N,N</i> -dialkyl dithio- and monothio-carbamate derivatives of 1-iodo-1,1,2,3,4,5-hexahydrotellurophene V. García-Montalvo, A. Marcelo-Polo, R. Montoya, R.A. Toscano, S. Hernández-Ortega, R. Cea-Olivares	74
Preparation of CdTe coatings using the chemical deposition method M. Sotelo-Lerma, R.A. Zingaro, S.J. Castillo	81
Synthesis of some macrocycles/bicycles from bis(<i>o</i> -formylphenyl) selenide: X-ray crystal structure of bis(<i>o</i> -formylphenyl) selenide and the first 28-membered selenium containing macrocyclic ligand A. Panda, S.C. Menon, H.B. Singh, R.J. Butcher	87
Chemical applications of topology and group theory: Part 35. Non-octahedral six-coordinate tris(dithiolene) and related complexes of the early transition metals R.B. King	95
Electrochemical and NMR spectroscopic studies of selenium- and tellurium-substituted ferrocenes I: ferrocenyl alkyl chalcogenides $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_5\text{H}_4\text{ER})]$ M.R. Burgess, C.P. Morley	101
Reaction between the thiocarbonyl complex, $\text{Os}(\text{CS})(\text{CO})(\text{PPh}_3)_3$, and propyne: crystal structure of a new sulfur-substituted osmabenzene C.E.F. Rickard, W.R. Roper, S.D. Woodgate, L.J. Wright	109
Bridge cleavage of $\{[\text{PhP}(\text{Se})(\mu\text{-Se})]_2\}$ by 1,2- $\text{C}_6\text{H}_4(\text{EH})(\text{E}'\text{H})$ (E, E' = O or NH). X-ray crystal structure of $\text{PhP}(\text{Se})(\text{NHC}_6\text{H}_4\text{NH-1,2})$ P. Bhattacharyya, A.M.Z. Slawin, J.D. Woollins	116

A comparison of the coordination chemistry of Ph ₂ SNH and Ph ₂ SNCH ₂ CH ₂ CN; the preparation and X-ray crystal structures of [PPh ₄][PdBr ₃ (Ph ₂ SNCH ₂ CH ₂ CN)] and <i>trans</i> -[PdBr ₂ (Ph ₂ SNCH ₂ CH ₂ CN) ₂], the first fully characterised complexes of a N-substituted sulfimide P.F. Kelly, K.G. Parker, M.A. Rodiel, A.M.Z. Slawin.	120
Tellurium complexes with new, large-bite dithio ligands. The crystal structures of <i>cis</i> - and <i>trans</i> - [Te{Ph ₂ P(S)–N–P(S)(OPh) ₂ } ₂] and [(4-MeOC ₆ H ₄ TeCl ₃) ₂ {μ-Pr ₂ P(S)–Fc–P(S)Pr ₂ }] M. Necas, J. Novosad, S. Husebye	124
Synthesis of α-phenylseleno-α,β-unsaturated esters by Wittig-type reactions. Studies on the Diels–Alder reaction C.C. Silveira, M.R.S. Nunes, E. Wendling, A.L. Braga	131
Schiff bases derived from mercury(II)–aminothiolate complexes as metalloligands for transition metals X. Almagro, W. Clegg, L. Cucurull-Sánchez, P. González-Duarte, M. Traveria	137
The reaction of ethynylferrocene with Cp*Rh half-sandwich complexes containing a chelating 1,2-dicarba- <i>closo</i> -dodecaborane(12)-1,2-dichalcogenolato ligand, Cp*Rh[E ₂ C ₂ (B ₁₀ H ₁₀)], E = S, Se M. Herberhold, H. Yan, W. Milius, B. Wrackmeyer	149
Hypervalent tellurium compounds containing N→Te intramolecular interactions. Crystal and molecular structure of [2-(Me ₂ NCH ₂)C ₆ H ₄] ₂ Te ₂ , [2-(Me ₂ NCH ₂)C ₆ H ₄]TeS(PR ₂) (R = Me, Ph, OPr ^t) and [2-(Me ₂ NCH ₂)C ₆ H ₄]Te–S–PPh ₂ =N–PPh ₂ =S J.E. Drake, M.B. Hursthouse, M. Kulcsar, M.E. Light, A. Silvestru	153
Hypervalent organotin(IV) derivatives containing [2-(Me ₂ NCH ₂)C ₆ H ₄] ₂ Sn moieties. Competition between nitrogen and chalcogen atoms for coordination to the metal centre R.A. Varga, M. Schuermann, C. Silvestru	161
The oxidative addition of diphenyl diselenide and ditelluride to tetrakis(triphenylphosphine)palladium R. Oilunkaniemi, R.S. Laitinen, M. Ahlgrén	168
The key role of sulfur in thiosemicarbazone compounds. Crystal and molecular structure of [Pd{4-MeOC ₆ H ₄ C(Me)=NN=C(S)NHPh} ₂] J.M. Vila, T. Pereira, A. Amoedo, M. Graña, J. Martínez, M. López-Torres, A. Fernández.	176
Transition metal complexes of 2,4,6-trimercapto-1,3,5-triazine (TMT): potential precursors to nanoparticulate metal sulfides J.R. Bailey, M.J. Hatfield, K.R. Henke, M.K. Krepps, J.L. Morris, T. Otieno, K.D. Simonetti, E.A. Wall, D.A. Atwood	185
Synthesis and characterization of new thioether derivatives of [Os ₃ (CO) ₁₂] and [H ₂ Os ₃ (CO) ₁₀]; crystal and molecular structures of [Os ₃ (CO) ₁₁ (L)] [Et ₂ S, Pr ₂ S, S(CH ₂) ₅] and [Os ₃ (CO) ₉ (μ-H)(μ-X){SMe(Bu ^t)}] (X = H, OH) N.K. Kiriakidou-Kazemifar, E. Kretzschmar, H. Carlsson, M. Monari, S. Selva, E. Nordlander	191
Author index of Volume 623	202
Subject index of Volume 623	203
Contents of Volume 623	207