

Journal of Organometallic Chemistry 641 (2002) 237-241



www.elsevier.com/locate/jorganchem

Subject Index of Volume 641

Aldol reaction

Chiral arene ruthenium complexes: Part 3. [Ruthenium(η⁶-arene)(η⁴-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90

Alkene oxidation

Isolation of a stable Cr(V) intermediate in the oxidation of aryl-substituted alkenes by chromylchloride, 121

Alkoxides

Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9

Alkynes

η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173

(η⁵ - Cyclopentadienyl)[η² - bis(tert - butylsulfonyl)acetylene](carbonyl)cobalt: An electrophilic reagent to yield CpCo-stabilized cyclobutadiene derivatives, 102

Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126

Regioselective hydrostannations catalyzed by molybdenum isonitrile complexes, 26

Alkynyl and butadiynyl complexes

Syntheses and structures of monoplatinum model complexes for diplatinum polyynediyl adducts L_nPt(C≡C)_zPtL_n, 53

Alkynyls

Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126

π-Allyl complexes

Isomerism of $(\pi$ -1,3-dimethylallyl)(phosphinooxazoline)Pd complexes: a comparison between experiment and theory, 67

Allyl ligands

Formation of novel unsaturated fluorinated ligands by metal induced C-C coupling reaction of difluoroallene with fluoromethylidyne ligands of Fe₃(CO)₉(µ₃-CF)₂, 215

Anion recognition

Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126

Arene complexes

Chiral arene ruthenium complexes: Part 3. [Ruthenium(η⁶-arene)(η⁴-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90

Aryl chloride

Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30

Benzannulation

Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185

Benzoic acids

Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30

Benzonaphthofurans

Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and

haptotropic metal migration in tetracyclic fused arenes, 185

Bimetallic complexes

Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113

Bismuth

Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9

3-Borane-imidazoles

Metal complexes of anionic 3-borane-1-alkylimidazol-2-ylidene derivatives, 195

Bridging ligands

Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113

Carbene complexes

A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203

Metal complexes of anionic 3-borane-1-alkylimidazol-2-ylidene derivatives. 195

Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185

Carbenes

Metal complexes of anionic 3-borane-1-alkylimidazol-2-ylidene derivatives, 195

Carbon monoxide

Reactions of methyl(phenyl)silylene with CO and PH₃—the formation of acid-base complexes, 156

Carbonylation

Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30

Carbonyl complexes

Coordination chemistry of neutral quinolyl- and aminophenylcyclopentadiene derivatives, 81

Carbonyl ligands

Formation of novel unsaturated fluorinated ligands by metal induced C–C coupling reaction of difluoroallene with fluoromethylidyne ligands of Fe₃(CO)₉(μ_3 -CF)₂, 215

Carbyne complexes

Alkynylcarbyne complexes containing various tri- and bidentate ligands such as cyclopentadienide, tris(pyrazolyl)borate, bis(pyrazolyl)acetate and tmeda: synthesis and spectroscopic properties, 134

Catalyst activation

Synthesis and structural characterization of $[H(OEt_2)_2]^+$ $[(C_3H_3N_2)\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148

Catenanes

Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126

Cationic ruthenium carbenes

An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes

 $(PPh_3)_2Cl_2Ru$ =CH-CH= CR_2 and their hexacoordinate acetonitrile adducts, 220

Chelate ring size

Structural and mechanistic studies of the copper(II)-assisted *or-tho-*hydroxylation of benzoates by trimethylamine N-oxide, 71

Chirality

Chiral arene ruthenium complexes: Part 3. [Ruthenium(η⁶-arene)(η⁴-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90

Chromium

C₂-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62

Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185

Chromylchloride

Isolation of a stable Cr(V) intermediate in the oxidation of aryl-substituted alkenes by chromylchloride, 121

Cluster complexes

Facial coordination of cyclooctatetraene to a Co₂Ni triangle in a heterometallic trinuclear cluster complex, 142

Cobalt

Facial coordination of cyclooctatetraene to a Co₂Ni triangle in a heterometallic trinuclear cluster complex, 142

Cobalt complexes

(η⁵ - Cyclopentadienyl)[η² - bis(tert - butylsulfonyl)acetylene](carbonyl)cobalt: An electrophilic reagent to yield CpCo-stabilized cyclobutadiene derivatives, 102

Cobaltol

Interaction of cyclic thiadiynes with CpCo(COD) — selectivity and reactivity, 3

Copper

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41

Crystal structures

Syntheses and structures of monoplatinum model complexes for diplatinum polyynediyl adducts $L_n Pt(C \equiv C)_z PtL_n$, 53

Cyclic voltammetry

C₂-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62

Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227

Cyclization

 $(\eta^5$ - Cyclopentadienyl)[η^2 - bis(tert - butylsulfonyl)acetylene](carbonyl)cobalt: An electrophilic reagent to yield CpCo-stabilized cyclobutadiene derivatives, 102

Cyclobutadiene complexes

(η⁵ - Cyclopentadienyl)[η² - bis(tert - butylsulfonyl)acetylene](carbonyl)cobalt: An electrophilic reagent to yield CpCo-stabilized cyclobutadiene derivatives, 102

Cycloocta-1,5-diene

 $\eta^1\text{-Alkynylplatinum(II)}$ complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173

Cyclopolyenes

Facial coordination of cyclooctatetraene to a Co₂Ni triangle in a heterometallic trinuclear cluster complex, 142

DFT calculation

Reactions of methyl(phenyl)silylene with CO and PH₃—the formation of acid-base complexes, 156

DFT calculations

Isolation of a stable Cr(V) intermediate in the oxidation of aryl-substituted alkenes by chromylchloride, 121

Dihydrogen complexes

A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203

Dinuclear

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Electonic coupling

Electronic coupling in covalently-linked M-M quadruple bonds: $M_2\delta$ to ligand π conjugation, 15

Electrochemistry

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Electron donating ability

Alkynylcarbyne complexes containing various tri- and bidentate ligands such as cyclopentadienide, tris(pyrazolyl)borate, bis(pyrazolyl)acetate and tmeda: synthesis and spectroscopic properties, 134

Epoxidations

Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9

EPR

Isolation of a stable Cr(V) intermediate in the oxidation of aryl-substituted alkenes by chromylchloride, 121

Facial coordination

Facial coordination of cyclooctatetraene to a Co₂Ni triangle in a heterometallic trinuclear cluster complex, 142

Ferrocenyl phosphines

Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30

Fluoranthene

Metal π complexes of benzene derivatives: Part 56. (η^6 -Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208

Fluoromethylidyne ligands

Formation of novel unsaturated fluorinated ligands by metal induced C–C coupling reaction of difluoroallene with fluoromethylidyne ligands of Fe₃(CO)₉(μ_3 -CF)₂, 215

Gold

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Group 11

Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126

Grubbs catalyst

An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes $(PPh_3)_2Cl_2Ru=CH-CH=CR_2$ and their hexacoordinate acetonitrile adducts, 220

Hagihara coupling

Syntheses and structures of monoplatinum model complexes for diplatinum polyynediyl adducts L_uPt(C=C)₂PtL_u, 53

Half-sandwich

C₂-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62

¹H- and ¹³C-NMR

Metal π complexes of benzene derivatives: Part 56. (η^6 -Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208

Haptotropic metal migration

Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185

Haptotropic rearrangements

Metal π complexes of benzene derivatives: Part 56. (η^6 -Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208

Heterobimetallic

Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9

Heterocycles

Metal complexes of anionic 3-borane-1-alkylimidazol-2-ylidene derivatives, 195

Homogeneous catalysis

Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30

Hydride complexes

A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203

Hydroformylation

Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic-organic hybrid co-condensation agents on the catalytic activity, 165

Hydrostannation

Regioselective hydrostannations catalyzed by molybdenum isonitrile complexes, 26

Intra- and intermolecular cyclobutadiene formation

Interaction of cyclic thiadiynes with CpCo(COD) — selectivity and reactivity, 3

Iridium

Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227

Iron

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Iron cluster

Formation of novel unsaturated fluorinated ligands by metal induced C-C coupling reaction of difluoroallene with fluoromethylidyne ligands of Fe₃(CO)₉(µ₃-CF)₂, 215

IR spectroscopy

Reactions of methyl(phenyl)silylene with CO and PH₃—the formation of acid-base complexes, 156

Isonitriles

Regioselective hydrostannations catalyzed by molybdenum isonitrile complexes, 26

Ligands

Electronic coupling in covalently-linked M-M quadruple bonds: $M_2\delta$ to ligand π conjugation, 15

Lithiation

Chiral arene ruthenium complexes: Part 3. [Ruthenium(η⁶-arene)(η⁴-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90

Manganese

Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113

Matrix isolation

Reactions of methyl(phenyl)silylene with CO and PH₃—the formation of acid-base complexes, 156

Mercury

Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126

Metallocene cation formation

Synthesis and structural characterization of $[H(OEt_2)_2]^+$ $[(C_3H_3N_2)\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148

Molybdenum

Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9

Regioselective hydrostannations catalyzed by molybdenum isonitrile complexes, 26

N-functionalised cyclopentadienes

Coordination chemistry of neutral quinolyl- and aminophenylcyclopentadiene derivatives, 81

N-functionalized cyclopentadienyl ligands

Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113

Nickel

Facial coordination of cyclooctatetraene to a Co₂Ni triangle in a heterometallic trinuclear cluster complex, 142

NMR

η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173

Non-coordinating anion

Synthesis and structural characterization of $[H(OEt_2)_2]^+$ $[(C_3H_3N_2)\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148

Olefin complexes

Coordination chemistry of neutral quinolyl- and aminophenylcyclopentadiene derivatives, 81

Olefin metathesis catalysts

An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes (PPh₃)₂Cl₂Ru=CH-CH=CR₂ and their hexacoordinate acetonitrile adducts, 220

Oligonuclear

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Organometallic π -tweezer

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

${\it ortho}\hbox{-} Hy droxylation$

Structural and mechanistic studies of the copper(II)-assisted *or-tho-*hydroxylation of benzoates by trimethylamine N-oxide, 71

Palladium

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30

Isomerism of (π -1,3-dimethylallyl)(phosphinooxazoline)Pd complexes: a comparison between experiment and theory, 67

Phosphane

Reactions of methyl(phenyl)silylene with CO and PH₃—the formation of acid-base complexes, 156

Phosphanes

η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173

Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227

Platinum

η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Syntheses and structures of monoplatinum model complexes for diplatinum polyynediyl adducts L_nPt(C=C)_PtL_n, 53

Protonation

Synthesis and structural characterization of $[H(OEt_2)_2]^+$ $[(C_3H_3N_2)\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148

Quantum chemical calculations

Isomerism of $(\pi$ -1,3-dimethylallyl)(phosphinooxazoline)Pd complexes: a comparison between experiment and theory, 67

Reaction mechanism

Structural and mechanistic studies of the copper(II)-assisted *or-tho*-hydroxylation of benzoates by trimethylamine N-oxide, 71

Redox chemistry

Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227

Rhodium

Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227

Rhodium(I)

Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic-organic hybrid co-condensation agents on the catalytic activity, 165

Ruthenium

A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Chiral arene ruthenium complexes: Part 3. [Ruthenium(η⁶-arene)(η⁴-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90

Ruthenium carbenes

An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes (PPh₃) $_2$ Cl $_2$ Ru=CH–CH=CR $_2$ and their hexacoordinate acetonitrile adducts, 220

Ruthenium hydrides

An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes (PPh₃)₂Cl₂Ru=CH-CH=CR₂ and their hexacoordinate acetonitrile adducts, 220

Salicylic acid

Structural and mechanistic studies of the copper(II)-assisted *or-tho*-hydroxylation of benzoates by trimethylamine N-oxide, 71

Sandwich

C₂-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62

Selectivity

Structural and mechanistic studies of the copper(II)-assisted *or-tho-*hydroxylation of benzoates by trimethylamine N-oxide, 71

Silaketene

Reactions of methyl(phenyl)silylene with CO and PH₃—the formation of acid-base complexes, 156

Silver

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

Silylene

Reactions of methyl(phenyl)silylene with CO and PH₃—the formation of acid-base complexes, 156

Sol-gel proccess

Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic-organic hybrid co-condensation agents on the catalytic activity, 165

Solid state NMR spectroscopy

Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic-organic hybrid co-condensation agents on the catalytic activity, 165

Spectra

Electronic coupling in covalently-linked M-M quadruple bonds: $M_2\delta$ to ligand π conjugation, 15

Strain energy

Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227

Supported complexes

Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic-organic hybrid co-condensation agents on the catalytic activity, 165

Thiacyclodiyne

Interaction of cyclic thiadiynes with CpCo(COD) — selectivity and reactivity, 3

Thiophenophane

Interaction of cyclic thiadiynes with CpCo(COD) — selectivity and reactivity, 3

Tin

η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173

Titanium

Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π -systems, 41

 C_2 -Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62

Tricarbonyl chromium complexes

Metal π complexes of benzene derivatives: Part 56. (η^6 -Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208

Tripodal ligands

Alkynylcarbyne complexes containing various tri- and bidentate ligands such as cyclopentadienide, tris(pyrazolyl)borate, bis(pyrazolyl)acetate and tmeda: synthesis and spectroscopic properties, 134

Tungsten

Alkynylcarbyne complexes containing various tri- and bidentate ligands such as cyclopentadienide, tris(pyrazolyl)borate, bis(pyrazolyl)acetate and tmeda: synthesis and spectroscopic properties, 134

Vinylidene complexes

A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203

Wittig olefination

Chiral arene ruthenium complexes: Part 3. [Ruthenium(η^6 -arene)(η^4 -1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90

X-ray

η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173

X-ray structural analysis

Metal π complexes of benzene derivatives: Part 56. (η^6 -Fluo-

ranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208

Zinc

Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113

Zirconocene complexes

Synthesis and structural characterization of $[H(OEt_2)_2]^+$ $[(C_3H_3N_2)\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148