

Subject Index of Volume 643–644

- Ab initio calculations
Phosphorus stabilized carbenes: theoretical predictions, 278
Structure–property relationships in phosphole oligomers: a theoretical insight, 194
- Acid hydrolysis
Palladium(II) ion promoted hydroamination of di(phenylethynyl)-phenylphosphine and aniline: a facile synthesis of a six-membered P–N heterocycle, 4
- Acrylates
The reaction of potassium hydridopentacarbonylchromate with acrylates. X-ray structure of $[\text{PPN}]^+[\text{CH}_3\text{CH}(\text{COOEt})\text{Cr}(\text{CO})_5]^-$, 27
- 1,2-Adduct
The reaction of potassium hydridopentacarbonylchromate with acrylates. X-ray structure of $[\text{PPN}]^+[\text{CH}_3\text{CH}(\text{COOEt})\text{Cr}(\text{CO})_5]^-$, 27
- Alkaline earth metal bis(2-phosphaethynolates)
Synthesis of alkaline earth metal bis(2-phosphaethynolates), 189
- Alkoxy silane
A novel and convenient preparation of hypophosphite esters, 154
- Alkyl
Synthesis and reactivity studies on alkyl–aryloxo complexes of nickel containing chelating diphosphines: cyclometallation and carbonylation reactions, 331
- Alkyl–chromium bonds
The reaction of potassium hydridopentacarbonylchromate with acrylates. X-ray structure of $[\text{PPN}]^+[\text{CH}_3\text{CH}(\text{COOEt})\text{Cr}(\text{CO})_5]^-$, 27
- Alkyl hypophosphite
A novel and convenient preparation of hypophosphite esters, 154
Preparation of phosphinodipeptide analogs as building blocks for pseudopeptides synthesis, 381
- Alkyls
The stable silylene $\text{Si}[(\text{NCH}_2\text{Bu})_2\text{C}_6\text{H}_4-1,2]$: insertion into Li–C or Li–Si bonds of lithium alkyls LiR or $[\text{LiSi}(\text{SiMe}_3)_3(\text{THF})_3]$ [R = Me, 'Bu or $\text{CH}(\text{SiMe}_3)_2$], 272
- Allenylienes
Ti–Ru bimetallic complexes: catalysts for ring-closing metathesis, 231
- Allyl silanes
Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure, 324
- Aluminium complex
Aluminum, gallium and copper complexes of 2,2-dimethyl-1,3-propanediamine, 53
- Amination
Green organometallic chemistry: CpFe^+ -induced amination of chloroarenes in water, 125
- Aminoalkylphosphinic acids
Preparation of phosphinodipeptide analogs as building blocks for pseudopeptides synthesis, 381
- (Amino)(boryl)carbene
1,2-Azaboretidine formation in the reactions of (boryl)(silyl)-iminomethanes via possible generation of (amino)(boryl)-carbene species, 508
- Aminocarbene complexes
Substituent effects in polarized phosphalkenes: a theoretical study of aminocarbene–phosphinidene adducts, 105
- Amino-functionalised silyl anions
The stable silylene $\text{Si}[(\text{NCH}_2\text{Bu})_2\text{C}_6\text{H}_4-1,2]$: insertion into Li–C or Li–Si bonds of lithium alkyls LiR or $[\text{LiSi}(\text{SiMe}_3)_3(\text{THF})_3]$ [R = Me, 'Bu or $\text{CH}(\text{SiMe}_3)_2$], 272
- Aminophosphine
New P,N ligands with chiral nitrogen center: applications in homogeneous catalysis, 98
- Aminophosphite
New P,N ligands with chiral nitrogen center: applications in homogeneous catalysis, 98
- 4-Amino-2-pyrimidine-thiol
Hydrogen-bonded networks: (phosphine)gold(I) 4-amino-2-pyrimidine-thiolates, 313
- Anti-aromatic
Synthesis and structure of a highly fluorinated 7-bora-7H-benzo[de]anthracene, 164
- Antimony
Synthesis, structure and reactivity of highly functionalized aranyl- and stibanyl-diazomethanes, 81
- Apicophilicity
Stereoisomerism and apicophilicity of diastereomeric spirophosphoranes (10-P-5), 441
- Aromaticity
Substituent effects in polarized phosphalkenes: a theoretical study of aminocarbene–phosphinidene adducts, 105
- Arsanide
 σ -Metathesis reaction and E–H activation (E = P, As) of diphosphanyl- and diarsanylsilanes in the presence of the metal complex fragments $[(\text{dppe})\text{M}]$ (M = Ni, Pd, Pt; dppe = 1,2-(Ph_2P) $_2\text{C}_2\text{H}_4$), 468
- Arsenic
Synthesis, structure and reactivity of highly functionalized aranyl- and stibanyl-diazomethanes, 81
- Aryloxide
Synthesis and reactivity studies on alkyl–aryloxo complexes of nickel containing chelating diphosphines: cyclometallation and carbonylation reactions, 331
- Arylphospholes
Site-selective phosphorylation of arylphospholes through reaction with phosphorus tribromide, 32
- A(1,3) strain
Diastereoselective synthesis of C_2 -symmetric hexacoordinated phosphate anions (HYPHATs) with predetermined chirality from 1,2-diaryl-ethane-1,2-diols, 392
- Asymmetric catalysis
Effects of the electronic properties of chiral chelating diphosphines in stereoselective Diels–Alder cycloaddition reactions promoted by their transition metals complexes, 424
New P,N ligands with chiral nitrogen center: applications in homogeneous catalysis, 98

Asymmetric induction

Diastereoselective synthesis of C_2 -symmetric hexacoordinated phosphate anions (HYPHATs) with predetermined chirality from 1,2-diaryl-ethane-1,2-diols, 392

Asymmetric synthesis

Reactivity of the lithium anion of the (*S,S*)-bis-*p*-tolylsulfinyl methane. A versatile synthesis of enantiopure alkylidene 1,1-bis-*p*-tolylsulfoxides, 130

Aurophilicity

Hydrogen-bonded networks: (phosphine)gold(I) 4-amino-2-pyrimidine-thiolates, 313

Azaboretidine

1,2-Azaboretidine formation in the reactions of (boryl)(silyl)-iminomethanes via possible generation of (amino)(boryl)-carbene species, 508

Azaphospha heterocycle

Palladium(II) ion promoted hydroamination of di(phenylethynyl)phenylphosphine and aniline: a facile synthesis of a six-membered P–N heterocycle, 4

Azaphosphirane

Structural properties of azaphosphirane and its $W(CO)_5$ complex. A density functional study, 369

Azaphosphirene complexes

Catalytic and selective ring expansion reactions of *o*-phenyl-substituted 2*H*-azaphosphirene tungsten complexes, 253

Benzophospholides

A zwitterionic phosphanyl-substituted phosphonio-benzo[*c*]phospholide as bridging ligand towards dinuclear transition metal carbonyls, 181

Bicyclo[3.2.0]hept-1(7) ene

Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure, 324

Bidentate P–O ligands

Totally diastereoselective synthesis of new P-chirogenic *o*-trimethylsilyloxyaryl diazaphospholidines and *o*-hydroxyaryl diazaphospholidine–borane complexes, 237

Bioorganometallic

The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour, 350

Bond activation

σ -Metathesis reaction and E–H activation (E = P, As) of diphosphanyl- and diarsanylsilanes in the presence of the metal complex fragments [(dppe)M] (M = Ni, Pd, Pt; dppe = 1,2-(Ph₂P)₂C₂H₄), 468

Bond alternation

Aromaticity of annulated benzene, pyridine and phosphabenzene, 39

 η^1 - π -bonding

A weak η^1 π -bonding mode for Ru–arene complexes. Nitrile, isonitrile and phosphine derivatives of Ru–phosphino–arene chelating complexes, 214

Bonding analysis

Substituent effects in polarized phosphaaalkenes: a theoretical study of aminocarbene–phosphinidene adducts, 105

Bonding concepts

Coordinated olefins, H₂C=CHR, and phosphanes, PH₂R: a theoretical study of the R substituent effect, 285

Borane

Synthesis of dendrimers with phosphine end groups at each generation, 112

Borohydride

Synthesis and structure of monomeric and solvent-free LPrX₂ compounds supported by a new β -diketiminato ligand [L = Et₂NCH₂CH₂NC(Me)CHC(Me)NCH₂CH₂NEt₂, X = Cl, Br, BH₄], 47

The first mixed cyclooctatetraenyl-phosphoyl metal complexes. Crystal structure of [U(η -C₈H₈)(η -C₄Me₄P)(BH₄)(OC₄H₈)], 209

Boron

Synthesis and structure of a highly fluorinated 7-bora-7*H*-benzo[*de*]anthracene, 164

Bridging ligand

A bridging ligand featuring terminal 2-pyridylphosphole moieties: synthesis, optical properties and Ru(II)-complex, 494

Convenient access to an alkenyl(biscarbene)-bridged heterobinuclear (Ru–W) complex. X-ray structure of [(η^6 -C₆-Me₄H₂)Ru=C(OMe)(CH=CHC₆H₄CH=CH-CO₂Me)(Cl)-(PMe₃)] [PF₆], 498

Bridging nitrogen-containing ligands

Synthesis of dimetallic μ -alkylideneamido zirconocene dications by a thermodynamically favorable lithium chloride elimination pathway, 61

Brook rearrangement

Synthesis and structure of the first pentacoordinate thiasiliranides, 504

Bulky groups

Unusual structures of lithium terphenyl derivatives, 461

Bulky phosphines

Preparation and structures of 1-dimethylamino-2-bis(dimethylamino)- and 1-chloro-2-bis(diethylamino)-1-phospha-2-phosphonium acenaphthene: the first examples of the 1,2-dihydro-1,2-diphospha-acenaphthene ring system, 68

Calcium complexes

A series of soluble, discrete homo and heteroleptic Ca(II) complexes of hexanuclear sulfidochloride rhenium clusters, [Ca(X)_{*n*}(Y)_{*m*}][Re₆S₆Cl₈], (*n* = 6, *m* = 0, X = DMF, THF, DMSO; *n* = 4, *m* = 3, X = MeCN, Y = THF, dioxane) and the 1D co-ordination polymer [Ca(MeCN)₃(OH₂)₂(dioxane)₂][Re₆S₆Cl₈](dioxane)(MeCN), 301

Carbanions

Reactivity of the lithium anion of the (*S,S*)-bis-*p*-tolylsulfinyl methane. A versatile synthesis of enantiopure alkylidene 1,1-bis-*p*-tolylsulfoxides, 130

Carbene

The Cl₂(PCy₃)(IMes)Ru(=CHPh) catalyst: olefin metathesis versus olefin isomerization, 247

Carbene complex

Convenient access to an alkenyl(biscarbene)-bridged heterobinuclear (Ru–W) complex. X-ray structure of [(η^6 -C₆-Me₄H₂)Ru=C(OMe)(CH=CHC₆H₄CH=CH-CO₂Me)(Cl)-(PMe₃)] [PF₆], 498

The unusual reaction of Ga(C₅Me₅)₃ with a nucleophilic carbene, 487

Carbene complexes

Catalytic and selective ring expansion reactions of *o*-phenyl-substituted 2*H*-azaphosphirene tungsten complexes, 253

Carbonylation

Dihydromyrcenol carbonylation catalyzed by palladium–tin precursors: selectivity of the reaction drawn by the experimental conditions and the co-reactants, 12

Synthesis and reactivity studies on alkyl–aryloxo complexes of nickel containing chelating diphosphines: cyclometallation and carbonylation reactions, 331

CDA analyses

Coordinated olefins, H₂C=CHR, and phosphanes, PH₂R: a theoretical study of the R substituent effect, 285

C–H activation

Unusual structures of lithium terphenyl derivatives, 461

Chiral

Electronic effects on the acidity of phosphorus(III) triflates, 516

- Chiral diphosphines
Effects of the electronic properties of chiral chelating diphosphines in stereoselective Diels–Alder cycloaddition reactions promoted by their transition metals complexes, 424
- Chloroarene
Green organometallic chemistry: CpFe⁺-induced amination of chloroarenes in water, 125
- ¹³C NMR
A weak η¹ π-bonding mode for Ru–arene complexes. Nitrile, isonitrile and phosphine derivatives of Ru–phosphino–arene chelating complexes, 214
- Complexes
1-Diisopropylaminophospholes: synthesis and X-ray characterisations of new palladium and platinum complexes, 19
- Condensation
Reactivity of the lithium anion of the (*S,S*)-bis-*p*-tolylsulfanyl methane. A versatile synthesis of enantiopure alkylidene 1,1-bis-*p*-tolylsulfoxides, 130
- Conjugated dieneynes
A general convenient synthesis of conjugated dieneynes, 501
- π-Conjugated system
A bridging ligand featuring terminal 2-pyridylphosphole moieties: synthesis, optical properties and Ru(II)-complex, 494
- π-Conjugation
Structure–property relationships in phosphole oligomers: a theoretical insight, 194
- [4 + 2]-Coordinate silicon compound
Synthesis, structure, and reactivity of disilanes containing one neutral [4 + 2]-coordinate silicon center, 479
- Co-ordination polymer
A series of soluble, discrete homo and heteroleptic Ca(II) complexes of hexanuclear sulfidochloride rhenium clusters, [Ca(X)_{*n*}(Y)_{*m*}][Re₆S₆Cl₈], (*n* = 6, *m* = 0, X = DMF, THF, DMSO; *n* = 4, *m* = 3, X = MeCN, Y = THF, dioxane) and the 1D co-ordination polymer [Ca(MeCN)₃(OH)₂-(dioxane)₂][Re₆S₆Cl₈](dioxane)(MeCN), 301
- Copper complexes
Aluminum, gallium and copper complexes of 2,2-dimethyl-1,3-propanediamine, 53
- Cross-coupling
Palladium cross-coupling reactions on solid support using a new silylated linker, 512
- Cross-coupling reaction
New P,N ligands with chiral nitrogen center: applications in homogeneous catalysis, 98
- Crystal structures
A series of soluble, discrete homo and heteroleptic Ca(II) complexes of hexanuclear sulfidochloride rhenium clusters, [Ca(X)_{*n*}(Y)_{*m*}][Re₆S₆Cl₈], (*n* = 6, *m* = 0, X = DMF, THF, DMSO; *n* = 4, *m* = 3, X = MeCN, Y = THF, dioxane) and the 1D co-ordination polymer [Ca(MeCN)₃(OH)₂-(dioxane)₂][Re₆S₆Cl₈](dioxane)(MeCN), 301
Palladium(II) ion promoted hydroamination of di(phenylethynyl)phenylphosphine and aniline: a facile synthesis of a six-membered P–N heterocycle, 4
Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)-tetrathiafulvalenes, 292
- C₂ symmetry ligands
Effects of the electronic properties of chiral chelating diphosphines in stereoselective Diels–Alder cycloaddition reactions promoted by their transition metals complexes, 424
- [2 + 2] Cycloadditions
The first stable 3,1-germaphosphaallene Tip(*t*-Bu)Ge=C=PAr, 202
- Cycloadditions
Organophosphorus compounds Part 164. 2,4-Disubstituted 1,3-diphosphacyclobutadienes: generation and trapping reactions, 409
- Cyclo and spirozirconation
Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure, 324
- Cycloaromatization
Tandem eneyne-phosphaallene/Myers type cyclization via base-induced isomerisation of enediynephosphine, 342
- Cyclooctatetraenyl
The first mixed cyclooctatetraenyl-phospholyl metal complexes. Crystal structure of [U(η-C₈H₈)(η-C₄Me₄P)(BH₄)(OC₄H₈)], 209
- Cyclopentanones
A facile and diastereoselective access to substituted cyclopentanones from Fischer alkenyl carbene complexes and 1-amino-1-azadienes, 363
- dba
Mechanism of the oxidative addition of Pd⁰ complexes generated from Pd⁰(dba)₂ and a phosphole ligand DBP: a special case where dba does not play any inhibiting role, 416
- Delocalization
Synthesis of alkaline earth metal bis(2-phosphaethynolates), 189
- Dendrimers
Synthesis of dendrimers with phosphine end groups at each generation, 112
- Density functional calculations
Donor–acceptor interactions with electrophilic terminal phosphinidene complexes, 223
- Density functional studies
Density functional studies on N-fused porphyrin. Electronic, magnetic and metal binding properties, 265
- Density functional theory (DFT) calculation
Substituent effects in polarized phosphaaalkenes: a theoretical study of aminocarbene–phosphinidene adducts, 105
- DFT calculations
Coordinated olefins, H₂C=CHR, and phosphanes, PH₂R: a theoretical study of the R substituent effect, 285
- Diastereoselectivity
Reactivity of the lithium anion of the (*S,S*)-bis-*p*-tolylsulfanyl methane. A versatile synthesis of enantiopure alkylidene 1,1-bis-*p*-tolylsulfoxides, 130
- Diazaphospholes
Catalytic and selective ring expansion reactions of *o*-phenyl-substituted 2*H*-azaphosphirene tungsten complexes, 253
- Diazoalkanes
Synthesis, structure and reactivity of highly functionalized arsanyl- and stibanyl-diazomethanes, 81
- Diazo compounds
New highly fluorinated dirhodium(II) tetrakis(alkanecarboxylates) as catalysts for carbenoid C–H insertion reactions, 174
- [4 + 2]-Diels–Alder cycloaddition
Enantioselective synthesis of a conformationally rigid, sterically encumbered, 2-arsino-7-phosphanorbornene, 136
- 1-Diisopropylaminophosphole
1-Diisopropylaminophospholes: synthesis and X-ray characterisations of new palladium and platinum complexes, 19
- β-Diketiminato ligand
Synthesis and structure of monomeric and solvent-free LPrX₂ compounds supported by a new β-diketiminato ligand [L = Et₂NCH₂CH₂NC(Me)CHC(Me)NCH₂CH₂NEt₂, X = Cl, Br, BH₄], 47
- Dimerization
Synthesis of dimetallic μ-alkylideneamido zirconocene dications by a thermodynamically favorable lithium chloride elimination pathway, 61

- 8-Dimethylamino-1-naphthyl group
Synthesis, structure, and reactivity of disilanes containing one neutral [4 + 2]-coordinate silicon center, 479
- Diphosphabenzvalenes
Organophosphorus compounds Part 164. 2,4-Disubstituted 1,3-diphosphacyclobutadienes: generation and trapping reactions, 409
- 1,3-Diphosphacyclobutadienes
Organophosphorus compounds Part 164. 2,4-Disubstituted 1,3-diphosphacyclobutadienes: generation and trapping reactions, 409
- 1,3-Diphospha-Dewar-benzenes
Organophosphorus compounds Part 164. 2,4-Disubstituted 1,3-diphosphacyclobutadienes: generation and trapping reactions, 409
- Disilane
Synthesis, structure, and reactivity of disilanes containing one neutral [4 + 2]-coordinate silicon center, 479
- Donor–acceptor interactions
Donor–acceptor interactions with electrophilic terminal phosphinidene complexes, 223
- Doubly-bonded derivatives of germanium and phosphorus
The first stable 3,1-germaphosphaallene $\text{Tip}(t\text{-Bu})\text{Ge}=\text{C}=\text{PAr}$, 202
- Effect of complexation
Structural properties of azaphosphirane and its $\text{W}(\text{CO})_5$ complex. A density functional study, 369
- Electrochemistry
Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetrathiafulvalenes, 292
- Electronic effects
Electronic effects on the acidity of phosphorus(III) triflates, 516
- Electron localization function (ELF)
Substituent effects in polarized phosphalkenes: a theoretical study of aminocarbene–phosphinidene adducts, 105
- Enamides
A practical access to α -phosphoenamides, 404
- Ene-diyne
Tandem enyne-phosphaallene/Myers type cyclization via base-induced isomerisation of enediynephosphine, 342
- Energy gaps
Structure–property relationships in phosphole oligomers: a theoretical insight, 194
- Ene-yne-allenephosphine
Tandem enyne-phosphaallene/Myers type cyclization via base-induced isomerisation of enediynephosphine, 342
- Enyne silanes
Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure, 324
- EPR spectra
One-pot dodecanitration of Zn(II) and Ni(II) *meso*-tetrakis-(2,6-dichlorophenyl) porphyrin, and extreme redox properties of the obtained complexes, 522
- Estrogen
The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour, 350
- Fischer carbene complexes
A facile and diastereoselective access to substituted cyclopentanones from Fischer alkenyl carbene complexes and 1-amino-1-azadienes, 363
- Fluorescence
Fine tuning of the photophysical properties of cofacial diporphyrins via the use of different spacers, 89
- Fluorinated
Synthesis and structure of a highly fluorinated 7-bora-7*H*-benzo[*de*]anthracene, 164
- Fluorophosphites
The phosphorofluoroamidite approach to mixed phosphites, 490
- Fluorous synthesis
New highly fluorinated dirhodium(II) tetrakis(alkanecarboxylates) as catalysts for carbenoid C–H insertion reactions, 174
- Gallium
The unusual reaction of $\text{Ga}(\text{C}_5\text{Me}_5)_3$ with a nucleophilic carbene, 487
- Gallium complexes
Aluminum, gallium and copper complexes of 2,2-dimethyl-1,3-propanediamine, 53
- Germaoxetanes
The first stable 3,1-germaphosphaallene $\text{Tip}(t\text{-Bu})\text{Ge}=\text{C}=\text{PAr}$, 202
- Germaphosphaallene
The first stable 3,1-germaphosphaallene $\text{Tip}(t\text{-Bu})\text{Ge}=\text{C}=\text{PAr}$, 202
- Gold
A dimeric gold(I) triphospholyl complex, 357
- Gold(I) complexes
Hydrogen-bonded networks: (phosphine)gold(I) 4-amino-2-pyrimidine-thiolates, 313
- Green chemistry
Green organometallic chemistry: CpFe^+ -induced amination of chloroarenes in water, 125
- Hafnium imido complexes
Hafnium imido complexes containing silyl ligands, 431
- Halides
Synthesis and structure of monomeric and solvent-free LPrX_2 compounds supported by a new β -diketiminato ligand [$\text{L} = \text{Et}_2\text{NCH}_2\text{CH}_2\text{NC}(\text{Me})\text{CHC}(\text{Me})\text{NCH}_2\text{CH}_2\text{NET}_2$, $\text{X} = \text{Cl}, \text{Br}, \text{BH}_4$], 47
- Hemilabile ligands
Totally diastereoselective synthesis of new P-chirogenic *o*-trimethylsiloxyaryl diazaphospholidines and *o*-hydroxyaryl diazaphospholidine–borane complexes, 237
- Heteroaromatic ligands
Effects of the electronic properties of chiral chelating diphosphines in stereoselective Diels–Alder cycloaddition reactions promoted by their transition metals complexes, 424
- Heterobimetallic complexes
Ti–Ru bimetallic complexes: catalysts for ring-closing metathesis, 231
- Heterocycle
A bridging ligand featuring terminal 2-pyridylphosphole moieties: synthesis, optical properties and Ru(II)-complex, 494
- Hexacoordinated phosphorus
Diastereoselective synthesis of C_2 -symmetric hexacoordinated phosphate anions (HYPHATs) with predetermined chirality from 1,2-diaryl-ethane-1,2-diols, 392
- HR MAS NMR
Palladium cross-coupling reactions on solid support using a new silylated linker, 512
- Hybrid ligands
A zwitterionic phosphanyl-substituted phosphonio-benzo[*c*]phospholide as bridging ligand towards dinuclear transition metal carbonyls, 181
- Hybrid material
Organic–inorganic hybrid materials containing metal phosphine complexes: Evidence for preferential *cis* configuration of Pd(II) and Pt(II) complexes within the materials, 453
- Hydrazones
A facile and diastereoselective access to substituted cyclopentanones from Fischer alkenyl carbene complexes and 1-amino-1-azadienes, 363

- Hydride**
The unusual reaction of Ga(C₃Me₅)₃ with a nucleophilic carbene, 487
- Hydride complex**
Tris(*N*-pyrrolyl)phosphine complexes of osmium(II) and osmium(0), 168
- Hydridocarbonylchromates**
The reaction of potassium hydridopentacarbonylchromate with acrylates. X-ray structure of [PPN]⁺[CH₃CH(COOEt)-Cr(CO)₅]⁻, 27
- Hydroamination reaction**
Palladium(II) ion promoted hydroamination of di(phenylethynyl)-phenylphosphine and aniline: a facile synthesis of a six-membered P–N heterocycle, 4
- Hydroesterification**
Dihydromyrcenol carbonylation catalyzed by palladium–tin precursors: selectivity of the reaction drawn by the experimental conditions and the co-reactants, 12
- Hydroformylation**
New P,N ligands with chiral nitrogen center: applications in homogeneous catalysis, 98
Site-selective phosphorylation of arylphospholes through reaction with phosphorus tribromide, 32
- Hydrogen bonding**
Hydrogen-bonded networks: (phosphine)gold(I) 4-amino-2-pyrimidine-thiolates, 313
- Hydrolysis**
Organic–inorganic hybrid materials containing metal phosphine complexes: Evidence for preferential *cis* configuration of Pd(II) and Pt(II) complexes within the materials, 453
- Hydrosilylation**
New P,N ligands with chiral nitrogen center: applications in homogeneous catalysis, 98
- Hypervalent**
Stereomutation and apicophilicity of diastereomeric spirophosphoranes (10-P-5), 441
- Hypophosphite ester**
A novel and convenient preparation of hypophosphite esters, 154
- Imino-phosphine**
Palladium(II) ion promoted hydroamination of di(phenylethynyl)-phenylphosphine and aniline: a facile synthesis of a six-membered P–N heterocycle, 4
- Interannular rotation**
Structure–property relationships in phosphole oligomers: a theoretical insight, 194
- Intramolecular 1,3-carbanionic rearrangement**
Totally diastereoselective synthesis of new P-chirogenic *o*-trimethylsilyloxyaryl diazaphospholidines and *o*-hydroxyaryl diazaphospholidine–borane complexes, 237
- Iron**
Green organometallic chemistry: CpFe⁺-induced amination of chloroarenes in water, 125
- Iron complexes**
Synthesis, structure and reactivity of highly functionalized aranyl- and stibanyl-diazomethanes, 81
- Iron metal**
A practical access to α-phosphonoenamides, 404
- Isocyanide**
1,2-Azaboretidine formation in the reactions of (boryl)(silyl)-iminomethanes via possible generation of (amino)(boryl)-carbene species, 508
- Isomerization**
The Cl₂(PCy₃)(IMes)Ru(=CHPh) catalyst: olefin metathesis versus olefin isomerization, 247
- Kabachnik–Fields reaction**
Preparation of phosphinodi-peptide analogs as building blocks for pseudo-peptides synthesis, 381
- Kinetics**
Mechanism of the oxidative addition of Pd⁰ complexes generated from Pd⁰(dba)₂ and a phosphole ligand DBP: a special case where dba does not play any inhibiting role, 416
- Lactone**
Dihydromyrcenol carbonylation catalyzed by palladium–tin precursors: selectivity of the reaction drawn by the experimental conditions and the co-reactants, 12
- Lanthanide**
Synthesis and structure of monomeric and solvent-free LPrX₂ compounds supported by a new β-diketiminato ligand [L = Et₂NCH₂CH₂NC(Me)CHC(Me)NCH₂CH₂NEt₂, X = Cl, Br, BH₄], 47
- Lewis acid**
Synthesis and structure of a highly fluorinated 7-bora-7*H*-benzo[*de*]anthracene, 164
- Lewis acid–base complexes**
Aluminum, gallium and copper complexes of 2,2-dimethyl-1,3-propanediamine, 53
- Lewis bases**
Donor–acceptor interactions with electrophilic terminal phosphinidene complexes, 223
- Ligand**
A dimeric gold(I) triphospholyl complex, 357
- Lithium**
The stable silylene Si[(NCH₂Bu)₂C₆H₄-1,2]: insertion into Li–C or Li–Si bonds of lithium alkyls LiR or [LiSi(SiMe₃)₃(THF)₃] [R = Me, 'Bu or CH(SiMe₃)₂], 272
- Lithium alkyl**
Unusual structures of lithium terphenyl derivatives, 461
- Lithium aryl**
Unusual structures of lithium terphenyl derivatives, 461
- Luminescence**
Fine tuning of the photophysical properties of cofacial diporphyrins via the use of different spacers, 89
- Magnetic properties**
Aromaticity of annulated benzene, pyridine and phosphabenzene, 39
- MCF7**
The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour, 350
- Metal binding properties**
Density functional studies on N-fused porphyrin. Electronic, magnetic and metal binding properties, 265
- Metal carbonyl complexes**
Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetrathiafulvalenes, 292
- Metal carbonyls**
A zwitterionic phosphanyl-substituted phosphonio-benzo[*c*]phospholide as bridging ligand towards dinuclear transition metal carbonyls, 181
- Metal complex fragments**
σ-Metathesis reaction and E–H activation (E = P, As) of diphenyl- and diarsanylsilanes in the presence of the metal complex fragments [(dppe)M] (M = Ni, Pd, Pt; dppe = 1,2-(Ph₂P)₂C₂H₄), 468
- Metallacycle**
Synthesis and reactivity studies on alkyl–aryloxo complexes of nickel containing chelating diphosphines: cyclometallation and carbonylation reactions, 331

Metallamacrocycle

Design, synthesis and solid state structural characterisation of a metallacyclophane formed by a diazadioxamacrocycle bearing two pyridines and silver(I) cation, 376

Metalloenes

Synthesis of dimetallic μ -alkylideneamido zirconocene dications by a thermodynamically favorable lithium chloride elimination pathway, 61

Metallo-dodeca nitroporphyrins

One-pot dodecanitration of Zn(II) and Ni(II) *meso*-tetrakis-(2,6-dichlorophenyl) porphyrin, and extreme redox properties of the obtained complexes, 522

Metal–metal bonds

A zwitterionic phosphanyl-substituted phosphonio-benzo[*c*]phospholide as bridging ligand towards dinuclear transition metal carbonyls, 181

Metal migration

A facile and diastereoselective access to substituted cyclopentanones from Fischer alkenyl carbene complexes and 1-amino-1-azadienes, 363

Metathesis

The $\text{Cl}_2(\text{PCy}_3)(\text{IMes})\text{Ru}(\text{=CHPh})$ catalyst: olefin metathesis versus olefin isomerization, 247

Ti–Ru bimetallic complexes: catalysts for ring-closing metathesis, 231

 σ -Metathesis reaction

σ -Metathesis reaction and E–H activation (E = P, As) of diphosphanyl- and diarsanylsilanes in the presence of the metal complex fragments [(dppe)M] (M = Ni, Pd, Pt; dppe = 1,2-(Ph₂P)₂C₂H₄), 468

Metathesis reactions

Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure, 324

Michael addition

Preparation of phosphinodipeptide analogs as building blocks for pseudopeptides synthesis, 381

Mills–Nixon effect

Aromaticity of annulated benzene, pyridine and phosphabenzene, 39

Mixed-valent compounds

Preparation and structures of 1-dimethylamino-2-bis(dimethylamino)- and 1-chloro-2-bis(diethylamino)-1-phospha-2-phosphonium acenaphthene: the first examples of the 1,2-dihydro-1,2-diphospha-acenaphthene ring system, 68

Nanoparticles

Synthesis and characterization of monodisperse zinc and zinc oxide nanoparticles from the organometallic precursor $[\text{Zn}(\text{C}_6\text{H}_{11})_2]$, 307

Naphthalene derivatives

Preparation and structures of 1-dimethylamino-2-bis(dimethylamino)- and 1-chloro-2-bis(diethylamino)-1-phospha-2-phosphonium acenaphthene: the first examples of the 1,2-dihydro-1,2-diphospha-acenaphthene ring system, 68

Neighbouring-group effects

Preparation and structures of 1-dimethylamino-2-bis(dimethylamino)- and 1-chloro-2-bis(diethylamino)-1-phospha-2-phosphonium acenaphthene: the first examples of the 1,2-dihydro-1,2-diphospha-acenaphthene ring system, 68

N-fused porphyrin

Density functional studies on N-fused porphyrin. Electronic, magnetic and metal binding properties, 265

Nickel

Synthesis and reactivity studies on alkyl–aryloxo complexes of nickel containing chelating diphosphines: cyclometallation and carbonylation reactions, 331

Nitrile compounds

A weak η^1 π -bonding mode for Ru–arene complexes. Nitrile, isonitrile and phosphine derivatives of Ru–phosphino–arene chelating complexes, 214

Nitro substituents

One-pot dodecanitration of Zn(II) and Ni(II) *meso*-tetrakis-(2,6-dichlorophenyl) porphyrin, and extreme redox properties of the obtained complexes, 522

NMR

Stereomutation and apicophilicity of diastereomeric spirophosphoranes (10-P-5), 441

NMR spectra

A dimeric gold(I) triphospholyl complex, 357

Nucleotides

The phosphorofluoroamidite approach to mixed phosphites, 490

Olefin complexes

Coordinated olefins, $\text{H}_2\text{C}=\text{CHR}$, and phosphanes, PH_2R : a theoretical study of the R substituent effect, 285

Organic synthesis

A novel and convenient preparation of hypophosphite esters, 154

Organometallic precursor

Synthesis and characterization of monodisperse zinc and zinc oxide nanoparticles from the organometallic precursor $[\text{Zn}(\text{C}_6\text{H}_{11})_2]$, 307

Osmium

Tris(*N*-pyrrolyl)phosphine complexes of osmium(II) and osmium(0), 168

Oxidative addition

Mechanism of the oxidative addition of Pd^0 complexes generated from $\text{Pd}^0(\text{dba})_2$ and a phosphole ligand DBP: a special case where dba does not play any inhibiting role, 416

Oxygen quenching

Fine tuning of the photophysical properties of cofacial diporphyrins via the use of different spacers, 89

Pacman porphyrins

Fine tuning of the photophysical properties of cofacial diporphyrins via the use of different spacers, 89

Palladium

Dihydromyrcenol carbonylation catalyzed by palladium–tin precursors: selectivity of the reaction drawn by the experimental conditions and the co-reactants, 12

1-Diisopropylaminophospholes: synthesis and X-ray characterisations of new palladium and platinum complexes, 19

Enantioselective synthesis of a conformationally rigid, sterically encumbered, 2-arsino-7-phosphanorbornene, 136

Mechanism of the oxidative addition of Pd^0 complexes generated from $\text{Pd}^0(\text{dba})_2$ and a phosphole ligand DBP: a special case where dba does not play any inhibiting role, 416

Palladium cross-coupling reactions on solid support using a new silylated linker, 512

Pentacoordinate

Stereomutation and apicophilicity of diastereomeric spirophosphoranes (10-P-5), 441

Pentacoordinate silicon species

Synthesis and structure of the first pentacoordinate thiasiliranides, 504

Pentacoordinate thiasiliranide

Synthesis and structure of the first pentacoordinate thiasiliranides, 504

Pentamethylcyclopentadienyl

The unusual reaction of $\text{Ga}(\text{C}_5\text{Me}_5)_3$ with a nucleophilic carbene, 487

Phosphaalkynes

Organophosphorus compounds Part 164. 2,4-Disubstituted 1,3-diphospha-cyclobutadienes: generation and trapping reactions, 409

- Synthesis of alkaline earth metal bis(2-phosphaethynolates), 189
- Phosphaallene
Tandem enyne-phosphaallene/Myers type cyclization via base-induced isomerisation of enediynephosphine, 342
- Phosphane complexes
Coordinated olefins, $H_2C=CHR$, and phosphanes, PH_2R : a theoretical study of the R substituent effect, 285
- Phosphides
 σ -Metathesis reaction and E–H activation (E = P, As) of diphosphanyl- and diarsanylsilanes in the presence of the metal complex fragments [(dppe)M] (M = Ni, Pd, Pt; dppe = 1,2-(Ph_2P) $_2C_2H_4$), 468
- Phosphine–borane complexes
Totally diastereoselective synthesis of new P-chirogenic *o*-trimethylsilyloxyaryl diazaphospholidines and *o*-hydroxyaryl diazaphospholidine–borane complexes, 237
- Phosphine ligands
A weak $\eta^1 \pi$ -bonding mode for Ru–arene complexes. Nitrile, isonitrile and phosphine derivatives of Ru–phosphino–arene chelating complexes, 214
- Phosphines
Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetra-thiafulvalenes, 292
Synthesis of dendrimers with phosphine end groups at each generation, 112
- Phosphinic acid
A novel and convenient preparation of hypophosphite esters, 154
- Phosphinidene complexes
Donor–acceptor interactions with electrophilic terminal phosphinidene complexes, 223
- Phosphinoalkyne
Palladium(II) ion promoted hydroamination of di(phenylethynyl)-phenylphosphine and aniline: a facile synthesis of a six-membered P–N heterocycle, 4
- Phosphinopeptides
Preparation of phosphinodipeptide analogs as building blocks for pseudopeptides synthesis, 381
- Phosphites
The phosphorofluoroamidite approach to mixed phosphites, 490
- Phosphole
A bridging ligand featuring terminal 2-pyridylphosphole moieties: synthesis, optical properties and Ru(II)-complex, 494
1-Diisopropylaminophospholes: synthesis and X-ray characterisations of new palladium and platinum complexes, 19
Enantioselective synthesis of a conformationally rigid, sterically encumbered, 2-arsino-7-phosphanorbornene, 136
Mechanism of the oxidative addition of Pd^0 complexes generated from $Pd^0(dba)_2$ and a phosphole ligand DBP: a special case where dba does not play any inhibiting role, 416
- Phosphole oligomers
Structure–property relationships in phosphole oligomers: a theoretical insight, 194
- Phospholyl
The first mixed cyclooctatetraenyl-phospholyl metal complexes. Crystal structure of $[U(\eta-C_8H_8)(\eta-C_4Me_4P)(BH_4)(OC_4H_8)]$, 209
- Phosphonates
A practical access to α -phosphonoenamides, 404
- Phosphorus
Catalytic and selective ring expansion reactions of *o*-phenyl-substituted 2*H*-azaphosphirene tungsten complexes, 253
- Phosphorus heterocycles
A zwitterionic phosphanyl-substituted phosphonio-benzo[*c*]phospholide as bridging ligand towards dinuclear transition metal carbonyls, 181
- Preparation and structures of 1-dimethylamino-2-bis(dimethylamino)- and 1-chloro-2-bis(diethylamino)-1-phospha-2-phosphonium acenaphthene: the first examples of the 1,2-dihydro-1,2-diphospha-acenaphthene ring system, 68
- Phosphorus(III) triflates
Electronic effects on the acidity of phosphorus(III) triflates, 516
- Phosphorus ylides
Phosphorus stabilized carbenes: theoretical predictions, 278
- Phosphorylation
Site-selective phosphorylation of arylphospholes through reaction with phosphorus tribromide, 32
- Photocycloaddition
Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure, 324
- Platinum
Coordinated olefins, $H_2C=CHR$, and phosphanes, PH_2R : a theoretical study of the R substituent effect, 285
1-Diisopropylaminophospholes: synthesis and X-ray characterisations of new palladium and platinum complexes, 19
- Polarized phosphaalkene
Substituent effects in polarized phosphaalkenes: a theoretical study of aminocarbene–phosphinidene adducts, 105
- Predetermination of configuration
Diastereoselective synthesis of C_2 -symmetric hexacoordinated phosphate anions (HYPHATs) with predetermined chirality from 1,2-diaryl-ethane-1,2-diols, 392
- Proliferative effect
The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour, 350
- P-stereogenic *o*-phosphinophenols
Totally diastereoselective synthesis of new P-chirogenic *o*-trimethylsilyloxyaryl diazaphospholidines and *o*-hydroxyaryl diazaphospholidine–borane complexes, 237
- Pyridine
Design, synthesis and solid state structural characterisation of a metallacyclophane formed by a diazadioxamacrocyclic bearing two pyridines and silver(I) cation, 376
- Quinoxaline
1,2-Azaboretidine formation in the reactions of (boryl)(silyl)iminomethanes via possible generation of (amino)(boryl)carbene species, 508
- Radical anion
One-pot dodecanitration of Zn(II) and Ni(II) *meso*-tetrakis-(2,6-dichlorophenyl) porphyrin, and extreme redox properties of the obtained complexes, 522
- Rearrangement
Tandem enyne-phosphaallene/Myers type cyclization via base-induced isomerisation of enediynephosphine, 342
- Reduction
A practical access to α -phosphonoenamides, 404
- Rhenium clusters
A series of soluble, discrete homo and heteroleptic Ca(II) complexes of hexanuclear sulfidochloride rhenium clusters, $[Ca(X)_n(Y)_m][Re_6S_6Cl_8]$, ($n = 6$, $m = 0$, X = DMF, THF, DMSO; $n = 4$, $m = 3$, X = MeCN, Y = THF, dioxane) and the 1D co-ordination polymer $[Ca(MeCN)_3(OH)_2-(dioxane)_2][Re_6S_6Cl_8] \cdot (dioxane)(MeCN)$, 301
- Rhodium complexes
New highly fluorinated dirhodium(II) tetrakis(alkanecarboxylates) as catalysts for carbenoid C–H insertion reactions, 174
- Ring formation
Catalytic and selective ring expansion reactions of *o*-phenyl-substituted 2*H*-azaphosphirene tungsten complexes, 253

Ring opening

Structural properties of azaphosphirane and its $W(CO)_5$ complex. A density functional study, 369

Ru–arene complexes

A weak η^1 π -bonding mode for Ru–arene complexes. Nitrile, isonitrile and phosphine derivatives of Ru–phosphino–arene chelating complexes, 214

Ruthenium

A bridging ligand featuring terminal 2-pyridylphosphole moieties: synthesis, optical properties and Ru(II)-complex, 494

Convenient access to an alkenyl(biscarbene)-bridged heterobinuclear (Ru–W) complex. X-ray structure of $[(\eta^6-C_6Me_4H_2)Ru=C(OMe)(CH=CHC_6H_4CH=CH-CO_2Me)(Cl)(PMe_3)][PF_6]$, 498

The $Cl_2(PCy_3)(IMes)Ru(=CHPh)$ catalyst: olefin metathesis versus olefin isomerization, 247

Ti–Ru bimetallic complexes: catalysts for ring-closing metathesis, 231

Ruthenium, X-ray crystallography

Enantioselective synthesis of a conformationally rigid, sterically encumbered, 2-arsino-7-phosphanorbornene, 136

RX structures

Fine tuning of the photophysical properties of cofacial diporphyrins via the use of different spacers, 89

Selectivity

Site-selective phosphorylation of arylphospholes through reaction with phosphorus tribromide, 32

Self-assembly

Design, synthesis and solid state structural characterisation of a metallacyclophane formed by a diazadioxamacrocycle bearing two pyridines and silver(I) cation, 376

SERM

The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour, 350

Sila-3-bicyclo[3.2.0]heptanes

Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure, 324

Silver

Design, synthesis and solid state structural characterisation of a metallacyclophane formed by a diazadioxamacrocycle bearing two pyridines and silver(I) cation, 376

Silylated linker

Palladium cross-coupling reactions on solid support using a new silylated linker, 512

Silylborane

1,2-Azaboretidine formation in the reactions of (boryl)(silyl)-iminomethanes via possible generation of (amino)(boryl)-carbene species, 508

Silyl ligands

Hafnium imido complexes containing silyl ligands, 431

Silyl migration

1,2-Azaboretidine formation in the reactions of (boryl)(silyl)-iminomethanes via possible generation of (amino)(boryl)-carbene species, 508

Sisyls

The stable silylene $Si[(NCH_2Bu)_2C_6H_4-1,2]$: insertion into Li–C or Li–Si bonds of lithium alkyls LiR or $[LiSi(SiMe_3)_3(THF)_3]$ [R = Me, t Bu or $CH(SiMe_3)_2$], 272

Sodium acetylides

A general convenient synthesis of conjugated dieneynes, 501

Sol-gel

Organic–inorganic hybrid materials containing metal phosphine complexes: Evidence for preferential *cis* configuration of Pd(II) and Pt(II) complexes within the materials, 453

Spirophosphorane

Stereomutation and apicophilicity of diastereomeric spirophosphoranes (10-P-5), 441

Stable phosphinocarbenes

Phosphorus stabilized carbenes: theoretical predictions, 278

Staudinger reaction

Synthesis of dendrimers with phosphine end groups at each generation, 112

Stereoselective [4 + 2]-cycloadditions

Effects of the electronic properties of chiral chelating diphosphines in stereoselective Diels–Alder cycloaddition reactions promoted by their transition metals complexes, 424

Strained molecules

Preparation and structures of 1-dimethylamino-2-bis(dimethylamino)- and 1-chloro-2-bis(diethylamino)-1-phospha-2-phosphonium acenaphthene: the first examples of the 1,2-dihydro-1,2-diphospha-acenaphthene ring system, 68

Sulfoxides

Reactivity of the lithium anion of the (*S,S*)-bis-*p*-tolylsulfanyl methane. A versatile synthesis of enantiopure alkylidene 1,1-bis-*p*-tolylsulfoxides, 130

Tamoxifen

The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour, 350

Terpenes

Dihydromyrcenol carbonylation catalyzed by palladium–tin precursors: selectivity of the reaction drawn by the experimental conditions and the co-reactants, 12

Terphenyl

Unusual structures of lithium terphenyl derivatives, 461

Tertiary phosphine complexes

Hydrogen-bonded networks: (phosphine)gold(I) 4-amino-2-pyrimidine-thiolates, 313

Tetrathiafulvalene

Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetrathiafulvalenes, 292

Thermolysis

Hafnium imido complexes containing silyl ligands, 431
Synthesis, structure, and reactivity of disilanes containing one neutral [4 + 2]-coordinate silicon center, 479

Thiolate complexes

Hydrogen-bonded networks: (phosphine)gold(I) 4-amino-2-pyrimidine-thiolates, 313

Thiophosphates

A general convenient synthesis of conjugated dieneynes, 501

Three-membered ring

Synthesis and structure of the first pentacoordinate thiasiliranides, 504

Three-membered rings

Structural properties of azaphosphirane and its $W(CO)_5$ complex. A density functional study, 369

Titanocen

The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour, 350

Titanocene

Ti–Ru bimetallic complexes: catalysts for ring-closing metathesis, 231

Transition metal

Organic–inorganic hybrid materials containing metal phosphine complexes: Evidence for preferential *cis* configuration of Pd(II) and Pt(II) complexes within the materials, 453

- Transition metal catalyst
 Synthesis, structure, and reactivity of disilanes containing one neutral [4 + 2]-coordinate silicon center, 479
- Trimethylchlorosilane
 The phosphorofluoroamidite approach to mixed phosphites, 490
- Triphospholyl
 A dimeric gold(I) triphospholyl complex, 357
- Triple bonds
 Synthesis of alkaline earth metal bis(2-phosphaethynolates), 189
- Tris(*N*-pyrrolyl)phosphine complex
 Tris(*N*-pyrrolyl)phosphine complexes of osmium(II) and osmium(0), 168
- Tungsten
 Catalytic and selective ring expansion reactions of *o*-phenyl-substituted 2*H*-azaphosphirene tungsten complexes, 253
 Convenient access to an alkenyl(biscarbene)-bridged heterobinuclear (Ru–W) complex. X-ray structure of $[(\eta^6\text{-C}_6\text{-Me}_4\text{H}_2)\text{Ru}=\text{C}(\text{OMe})(\text{CH}=\text{CHC}_6\text{H}_4\text{CH}=\text{CH}-\text{CO}_2\text{Me})(\text{Cl})(\text{PMe}_3)][\text{PF}_6]$, 498
- Uranium
 The first mixed cyclooctatetraenyl-phospholyl metal complexes. Crystal structure of $[\text{U}(\eta\text{-C}_8\text{H}_8)(\eta\text{-C}_4\text{Me}_4\text{P})(\text{BH}_4)(\text{OC}_4\text{H}_8)]$, 209
- Vertical ionization energies
 Structure–property relationships in phosphole oligomers: a theoretical insight, 194
- Vinylarsine
 Enantioselective synthesis of a conformationally rigid, sterically encumbered, 2-arsino-7-phosphanorbornene, 136
- Water
 Green organometallic chemistry: CpFe⁺-induced amination of chloroarenes in water, 125
- X-ray analysis
 Stereomutation and apicophilicity of diastereomeric spirophosphoranes (10-P-5), 441
- X-ray crystallographic analysis
 Synthesis and structure of the first pentacoordinate thiasiliranides, 504
- X-ray crystallography
 Aluminum, gallium and copper complexes of 2,2-dimethyl-1,3-propanediamine, 53
- X-ray crystal structure
 Tris(*N*-pyrrolyl)phosphine complexes of osmium(II) and osmium(0), 168
- X-ray structure
 The reaction of potassium hydridopentacarbonylchromate with acrylates. X-ray structure of $[\text{PPN}]^+[\text{CH}_3\text{CH}(\text{COEt})\text{-Cr}(\text{CO})_5]^-$, 27
- Ynephosphine
 Tandem enyne-phosphaallene/Myers type cyclization via base-induced isomerisation of enediynephosphine, 342
- Zinc
 Synthesis and characterization of monodisperse zinc and zinc oxide nanoparticles from the organometallic precursor $[\text{Zn}(\text{C}_6\text{H}_{11})_2]$, 307
- Zinc oxide
 Synthesis and characterization of monodisperse zinc and zinc oxide nanoparticles from the organometallic precursor $[\text{Zn}(\text{C}_6\text{H}_{11})_2]$, 307
- Zirconocene cation complexes
 Synthesis of dimetallic μ -alkylideneamido zirconocene dications by a thermodynamically favorable lithium chloride elimination pathway, 61