

## Contents of Volume 643–644

### Special Issue: Dedicated to Professor François Mathey on the occasion of his 60th birthday

Preface . . . . .	1
<b>Regular Papers</b>	
Palladium(II) ion promoted hydroamination of di(phenylethynyl)phenylphosphine and aniline: a facile synthesis of a six-membered P–N heterocycle X. Liu, T.K.W. Ong, S. Selvaratnam, J.J. Vittal, A.J.P. White, D.J. Williams, P.-H. Leung . . . . .	4
Dihydromyrcenol carbonylation catalyzed by palladium–tin precursors: selectivity of the reaction drawn by the experimental conditions and the co-reactants G. Lenoble, M. Urrutigoity, P. Kalck . . . . .	12
1-Diisopropylaminophospholes: synthesis and X-ray characterisations of new palladium and platinum complexes J. Hydrio, M. Gouygou, F. Dallemer, G.G.A. Balavoine, J.-C. Daran . . . . .	19
The reaction of potassium hydridopentacarbonylchromate with acrylates. X-ray structure of $[\text{PPN}]^+[\text{CH}_3\text{CH}(\text{COOEt})\text{Cr}(\text{CO})_5]^-$ B. Andrieu, J.-J. Brunet, O. Diallo, B. Donnadieu, J. Lienafa, E. Roblou . . . . .	27
Site-selective phosphorylation of arylphospholes through reaction with phosphorus tribromide G. Keglevich, T. Chuluunbaatar, B. Dajka, K. Ludányi, G. Parlagh, T. Kégl, L. Kollár, L. Töke . . . . .	32
Aromaticity of annulated benzene, pyridine and phosphabenzene S.M. Bachrach . . . . .	39
Synthesis and structure of monomeric and solvent-free $\text{LPrX}_2$ compounds supported by a new $\beta$ -diketiminato ligand $[\text{L} = \text{Et}_2\text{NCH}_2\text{CH}_2\text{NC}(\text{Me})\text{CHC}(\text{Me})\text{NCH}_2\text{CH}_2\text{NEt}_2, \text{X} = \text{Cl, Br, BH}_4]$ D. Neculai, H.W. Roesky, A.M. Neculai, J. Magull, H.-G. Schmidt, M. Noltemeyer . . . . .	47
Aluminum, gallium and copper complexes of 2,2-dimethyl-1,3-propanediamine S.J. Obrey, S.G. Bott, A.R. Barron . . . . .	53
Synthesis of dimetallic $\mu$ -alkylideneamido zirconocene dications by a thermodynamically favorable lithium chloride elimination pathway S. Döring, G. Erker, R. Fröhlich . . . . .	61
Preparation and structures of 1-dimethylamino-2-bis(dimethylamino)- and 1-chloro-2-bis(diethylamino)-1-phospha-2-phosphonium acenaphthene: the first examples of the 1,2-dihydro-1,2-diphospha-acenaphthene ring system A. Karaçar, M. Freytag, H. Thönnessen, P.G. Jones, R. Bartsch, R. Schmutzler . . . . .	68
Synthesis, structure and reactivity of highly functionalized arsanyl- and stibanyl-diazomethanes L. Weber, L. Pumpenmeier, H.G. Stammer, B. Neumann, P. Lönnecke . . . . .	81
Fine tuning of the photophysical properties of cofacial diporphyrins via the use of different spacers F. Bolze, C.P. Gros, M. Drouin, E. Espinosa, P.D. Harvey, R. Guillard . . . . .	89
New P,N ligands with chiral nitrogen center: applications in homogeneous catalysis C. Saluzzo, J. Breuzard, S. Pellet-Rostaing, M. Vallet, F. Le Guyader, M. Lemaire . . . . .	98
Substituent effects in polarized phosphalkenes: a theoretical study of aminocarbene–phosphinidene adducts G. Frison, A. Sevin . . . . .	105
Synthesis of dendrimers with phosphine end groups at each generation A. Balueva, S. Merino, A.-M. Caminade, J.-P. Majoral . . . . .	112

Green organometallic chemistry: CpFe <sup>+</sup> -induced amination of chloroarenes in water F. Moulines, M. Kalam-Alami, V. Martinez, D. Astruc . . . . .	125
Reactivity of the lithium anion of the ( <i>S,S</i> )-bis- <i>p</i> -tolylsulfinyl methane. A versatile synthesis of enantiopure alkylidene 1,1-bis- <i>p</i> -tolylsulfoxides B. Delouvrié, F. Nájera, L. Fensterbank, M. Malacria . . . . .	130
Enantioselective synthesis of a conformationally rigid, sterically encumbered, 2-arsino-7-phosphanorbornene P.A. Guggler, A.C. Willis, S.B. Wild, G.A. Heath, R.D. Webster, J.H. Nelson . . . . .	136
A novel and convenient preparation of hypophosphite esters S. Depréle, J.-L. Montchamp . . . . .	154
Synthesis and structure of a highly fluorinated 7-bora-7 <i>H</i> -benzo[ <i>de</i> ]anthracene M. Schulte, F.P. Gabbaï . . . . .	164
Tris( <i>N</i> -pyrrolyl)phosphine complexes of osmium(II) and osmium(0) C.E.F. Rickard, W.R. Roper, S.D. Woodgate, L.J. Wright . . . . .	168
New highly fluorinated dirhodium(II) tetrakis(alkanecarboxylates) as catalysts for carbenoid C–H insertion reactions A. Endres, G. Maas . . . . .	174
A zwitterionic phosphanyl-substituted phosphonio-benzo[ <i>c</i> ]phospholide as bridging ligand towards dinuclear transition metal carbonyls D. Gudat, S. Háp, M. Nieger . . . . .	181
Synthesis of alkaline earth metal bis(2-phosphaethynolates) M. Westerhausen, S. Schneiderbauer, H. Piotrowski, M. Suter, H. Nöth . . . . .	189
Structure–property relationships in phosphole oligomers: a theoretical insight D. Delaere, M.T. Nguyen, L.G. Vanquickenborne . . . . .	194
The first stable 3,1-germaphosphaallene Tip( <i>t</i> -Bu)Ge=C=PAr Y.E. Harouch, H. Gornitzka, H. Ranaivonjatovo, J. Escudié . . . . .	202
The first mixed cyclooctatetraenyl-phospholyl metal complexes. Crystal structure of [U(η-C <sub>8</sub> H <sub>8</sub> )(η-C <sub>4</sub> Me <sub>4</sub> P)(BH <sub>4</sub> )(OC <sub>4</sub> H <sub>8</sub> )] S.M. Cendrowski-Guillaume, M. Nierlich, M. Ephritikhine . . . . .	209
A weak η <sup>1</sup> π-bonding mode for Ru–arene complexes. Nitrile, isonitrile and phosphine derivatives of Ru–phosphino–arene chelating complexes T.J. Geldbach, D. Drago, P.S. Pregosin . . . . .	214
Donor–acceptor interactions with electrophilic terminal phosphinidene complexes S. Grigoleit, A. Aljiah, A.B. Rozhenko, R. Streubel, W.W. Schoeller . . . . .	223
Ti–Ru bimetallic complexes: catalysts for ring-closing metathesis P. Le Gendre, M. Picquet, P. Richard, C. Moïse . . . . .	231
Totally diastereoselective synthesis of new P-chirogenic <i>o</i> -trimethylsiloxyaryl diazaphospholidines and <i>o</i> -hydroxyaryl diazaphospholidine–borane complexes C.J. Ngono, T. Constantieux, G. Buono . . . . .	237
The Cl <sub>2</sub> (PCy <sub>3</sub> )(IMes)Ru(=CHPh) catalyst: olefin metathesis versus olefin isomerization D. Bourgeois, A. Pancrazi, S.P. Nolan, J. Prunet . . . . .	247
Catalytic and selective ring expansion reactions of <i>o</i> -phenyl-substituted 2 <i>H</i> -azaphosphirene tungsten complexes C. Neumann, E. Ionescu, U. Schiemann, M. Schlenker, M. Bode, F. Ruthe, P.G. Jones, R. Streubel . . . . .	253
Density functional studies on N-fused porphyrin. Electronic, magnetic and metal binding properties B. Kiran, M.T. Nguyen . . . . .	265
The stable silylene Si[(NCH <sub>2</sub> Bu) <sub>2</sub> C <sub>6</sub> H <sub>4</sub> -1,2]: insertion into Li–C or Li–Si bonds of lithium alkyls LiR or [LiSi(SiMe <sub>3</sub> ) <sub>3</sub> (THF) <sub>3</sub> ] [R = Me, <sup>t</sup> Bu or CH(SiMe <sub>3</sub> ) <sub>2</sub> ] X. Cai, B. Gehrus, P.B. Hitchcock, M.F. Lappert, J.C. Sloodweg . . . . .	272

Phosphorus stabilized carbenes: theoretical predictions Á. Fekete, L. Nyulászi . . . . .	278
Coordinated olefins, H <sub>2</sub> C=CHR, and phosphanes, PH <sub>2</sub> R: a theoretical study of the R substituent effect G. Frison, H. Grützmacher . . . . .	285
Structural and electrochemical study of metal carbonyl complexes with chelating bis- and tetrakis(diphenylphosphino)tetrathiafulvalenes N. Avarvari, D. Martin, M. Fourmigué . . . . .	292
A series of soluble, discrete homo and heteroleptic Ca(II) complexes of hexanuclear sulfidochloride rhenium clusters, [Ca(X) <sub>n</sub> (Y) <sub>m</sub> ][Re <sub>6</sub> S <sub>6</sub> Cl <sub>8</sub> ], (n = 6, m = 0, X = DMF, THF, DMSO; n = 4, m = 3, X = MeCN, Y = THF, dioxane) and the 1D co-ordination polymer [Ca(MeCN) <sub>3</sub> (OH <sub>2</sub> ) <sub>2</sub> (dioxane) <sub>2</sub> ][Re <sub>6</sub> S <sub>6</sub> Cl <sub>8</sub> ](dioxane)(MeCN) S. Perruchas, F. Simon, S. Uriel, N. Avarvari, K. Boubekeur, P. Batail . . . . .	301
Synthesis and characterization of monodisperse zinc and zinc oxide nanoparticles from the organometallic precursor [Zn(C <sub>6</sub> H <sub>11</sub> ) <sub>2</sub> ] F. Rataboul, C. Nayral, M.-J. Casanove, A. Maisonnat, B. Chaudret. . . . .	307
Hydrogen-bonded networks: (phosphine)gold(I) 4-amino-2-pyrimidine-thiolates J.D.E.T. Wilton-Ely, A. Schier, N.W. Mitzel, S. Nogai, H. Schmidbaur . . . . .	313
Stereoselective polycyclisations of allyl and enyne silanes: evidence for a bicyclo[3.2.0]hept-1(7)ene structure G. Oba, G. Moreira, G. Manuel, M. Koenig . . . . .	324
Synthesis and reactivity studies on alkyl–aryloxo complexes of nickel containing chelating diphosphines: cyclometallation and carbonylation reactions J. Cámpora, J.A. López, C. Maya, P. Palma, E. Carmona, P. Valerga . . . . .	331
Tandem eneyne-phosphaallene/Myers type cyclization via base-induced isomerisation of enediynephosphine G. Baba, C.G. Tea, S.A. Touré, M. Lesvier, J.-M. Denis . . . . .	342
The first titanocenyl dichloride moiety vectorised by a selective estrogen receptor modulator (SERM). Synthesis and preliminary biochemical behaviour S. Top, E.B. Kaloun, A. Vessières, I. Laños, G. Leclercq, G. Jaouen . . . . .	350
A dimeric gold(I) triphospholyl complex M. Hofmann, F.W. Heinemann, U. Zenneck . . . . .	357
A facile and diastereoselective access to substituted cyclopentanones from Fischer alkenyl carbene complexes and 1-amino-1-azadienes J. Barluenga, A. Ballesteros, J. Santamaría, M. Tomás . . . . .	363
Structural properties of azaphosphirane and its W(CO) <sub>5</sub> complex. A density functional study T.P.M. Goumans, A.W. Ehlers, M.J.M. Vlaar, S.J. Strand, K. Lammertsma. . . . .	369
Design, synthesis and solid state structural characterisation of a metallacyclophane formed by a diazadioxamacrocycle bearing two pyridines and silver(I) cation V. Jullien, M.W. Hosseini, J.-M. Planeix, A. De Cian . . . . .	376
Preparation of phosphinodipeptide analogs as building blocks for pseudopeptides synthesis H.-J. Cristau, A. Coulombeau, A. Genevois-Borella, F. Sanchez, J.-L. Pirat . . . . .	381
Diastereoselective synthesis of C <sub>2</sub> -symmetric hexacoordinated phosphate anions (HYPHATs) with predetermined chirality from 1,2-diaryl-ethane-1,2-diols J. Lacour, A. Londez . . . . .	392
A practical access to α-phosphonoenamides B. Quiclet-Sire, S.Z. Zard, H. Zhang . . . . .	404
Organophosphorus compounds Part 164. 2,4-Disubstituted 1,3-diphosphacyclobutadienes: generation and trapping reactions A. Mack, S. Danner, U. Bergsträßer, H. Heydt, M. Regitz . . . . .	409
Mechanism of the oxidative addition of Pd <sup>0</sup> complexes generated from Pd <sup>0</sup> (dba) <sub>2</sub> and a phosphole ligand DBP: a special case where dba does not play any inhibiting role C. Amatore, A. Jutand, A. Thuilliez . . . . .	416

Effects of the electronic properties of chiral chelating diphosphines in stereoselective Diels–Alder cycloaddition reactions promoted by their transition metals complexes G. Celentano, T. Benincori, S. Radaelli, M. Sada, F. Sannicolò . . . . .	424
Hafnium imido complexes containing silyl ligands I. Castillo, T. Don Tilley . . . . .	431
Stereomutation and apicophilicity of diastereomeric spirophosphoranes (10-P-5) M. Nakamoto, S. Kojima, S. Matsukawa, Y. Yamamoto, K.-y. Akiba . . . . .	441
Organic–inorganic hybrid materials containing metal phosphine complexes: Evidence for preferential <i>cis</i> configuration of Pd(II) and Pt(II) complexes within the materials J.-P. Bezombes, C. Chuit, R.R.J. Corriu, C. Reyé . . . . .	453
Unusual structures of lithium terphenyl derivatives N.J. Hardman, B. Twamley, M. Stender, R. Baldwin, S. Hino, B. Schiemenz, S.M. Kauzlarich, P.P. Power . . . . .	461
$\sigma$ -Metathesis reaction and E–H activation (E = P, As) of diphosphanyl- and diarsanylsilanes in the presence of the metal complex fragments [(dppf)M] (M = Ni, Pd, Pt; dppf = 1,2-(Ph <sub>2</sub> P) <sub>2</sub> C <sub>2</sub> H <sub>4</sub> ) M. Driess, F. Franke, H. Pritzkow . . . . .	468
Synthesis, structure, and reactivity of disilanes containing one neutral [4 + 2]-coordinate silicon center K. Tamao, M. Asahara, A. Kawachi, A. Toshimitsu . . . . .	479
<b>Notes</b>	
The unusual reaction of Ga(C <sub>2</sub> Me <sub>5</sub> ) <sub>3</sub> with a nucleophilic carbene J.D. Gorden, C.L.B. Macdonald, A.H. Cowley . . . . .	487
The phosphorofluoroamidite approach to mixed phosphites I. Tworowska, W. Dąbkowski, Ł. Kaźmierczak, J. Michalski . . . . .	490
A bridging ligand featuring terminal 2-pyridylphosphole moieties: synthesis, optical properties and Ru(II)-complex C. Hay, M. Sauthier, V. Deborde, M. Hissler, L. Toupet, R. Réau . . . . .	494
Convenient access to an alkenyl(biscarbene)-bridged heterobinuclear (Ru–W) complex. X-ray structure of [( $\eta^6$ -C <sub>6</sub> Me <sub>4</sub> H <sub>2</sub> )Ru=C(OMe)-(CH=CHC <sub>6</sub> H <sub>4</sub> CH=CH-CO <sub>2</sub> Me)(Cl)(PMe <sub>3</sub> )](PF <sub>6</sub> ) K. Ulrich, V. Guerchais, L. Toupet, H. Le Bozec . . . . .	498
A general convenient synthesis of conjugated dieneynes I. Maciągiewicz, P. Dybowski, A. Skowrońska . . . . .	501
Synthesis and structure of the first pentacoordinate thiasiliranides K. Naganuma, T. Kawashima . . . . .	504
1,2-Azaboretidine formation in the reactions of (boryl)(silyl)iminomethanes via possible generation of (amino)(boryl)carbene species M. Suginome, T. Fukuda, Y. Ito . . . . .	508
Palladium cross-coupling reactions on solid support using a new silylated linker R. Duboc, M. Savignac, J.-P. Genêt . . . . .	512
Electronic effects on the acidity of phosphorus(III) triflates S.L. Renard, T.P. Kee . . . . .	516
One-pot dodecanitration of Zn(II) and Ni(II) <i>meso</i> -tetrakis-(2,6-dichlorophenyl) porphyrin, and extreme redox properties of the obtained complexes M. Palacio, A. Juillard, P. Leduc, P. Battioni, D. Mansuy . . . . .	522
Author Index of Volume 643–644 . . . . .	525
Subject Index of Volume 643–644 . . . . .	527
Contents of Volume 643–644 . . . . .	537