



ELSEVIER

Journal of Organometallic Chemistry 655 (2002) 247–250

Journal  
of Organo  
metallic  
Chemistry

www.elsevier.com/locate/jorgchem

## Subject Index of Volume 655

- $\eta^3$ -(2-Alkoxyallyl)  
Reactions of  $[(PPh_3)_2Pt(\eta^3-CH_2CCPh)]^+$  with oxygen nucleophiles and chemistry of resultant  $[(PPh_3)_2Pt(\eta^3-CH_2C(OR)CHPh)]^+$  complexes, 192
- $\eta^3$ -Allenyl-propargyl  
Reactions of  $[(PPh_3)_2Pt(\eta^3-CH_2CCPh)]^+$  with oxygen nucleophiles and chemistry of resultant  $[(PPh_3)_2Pt(\eta^3-CH_2C(OR)CHPh)]^+$  complexes, 192
- Aminomethylferrocene  
Synthesis and biological activity of novel cyanoacrylates containing ferrocenyl moiety, 182
- Asymmetric ansa-complexes  
Synthesis and electrochemistry of niobium complexes incorporating asymmetrically substituted *ansa*-ligands, 63
- Benzimidazole ligands  
Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
- Binuclear ruthenocene derivatives  
The synthesis and redox behaviors of binuclear ruthenocene derivatives bridged by an aromatic moiety, 23
- Bipyridine  
Ruthenium complexes with 2,2', 2,4'- and 4,4'-bipyridine ligands: The role of bipyridine coordination modes and halide ligands, 31
- Bis-alkynyl compounds  
Synthesis and characterization of *trans*-phenylethynylalkynyl adducts on a tetraanilinopyridinato-diruthenium(III) core, 239
- Butadiene  
Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16
- Carbonyl complexes  
Chemistry and ligating properties of the 1,2,4-thiadiphosphole  $P_2SC_2Bu'_2$ , 7
- Carbonyl substitution  
Phosphine substituted  $Ru_3(\mu-dppm)(CO)_{10}$ : structural trends within  $[Ru_3(\mu-dppm)(PR_3)(CO)_9]$  (R = Et, Ph, Cy and  $Pr^i$ ), 227
- Chiral ligand  
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
- Cluster  
Phosphine substituted  $Ru_3(\mu-dppm)(CO)_{10}$ : structural trends within  $[Ru_3(\mu-dppm)(PR_3)(CO)_9]$  (R = Et, Ph, Cy and  $Pr^i$ ), 227
- Clusters  
Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4'-dipyridyl unit, 39
- Co–B compound  
Synthesis, structure and possible formation pathway of a novel cobalt carbonyl compound with new type B–O bond,  $Co(CO)_3(PPh_3)_2BEt_3$ , and mixed metal Co–Fe–S cluster with possible nonlinear optical property,  $[Et_4N][CoFe_2(CO)_8S(PPh_3)]$ , 233
- Co–Fe–S compound  
Synthesis, structure and possible formation pathway of a novel cobalt carbonyl compound with new type B–O bond,  $Co(CO)_3(PPh_3)_2BEt_3$ , and mixed metal Co–Fe–S cluster with possible nonlinear optical property,  $[Et_4N][CoFe_2(CO)_8S(PPh_3)]$ , 233
- CO insertion  
Preparations of sulfido-tricobalt clusters containing pyridyl type ligands: insertion of carbon monoxide into cobalt–carbon bond, 172
- Copper  
From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with  $C_2$ -multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134
- Copper(II) complexes  
Synthesis and mesomorphic properties of new imines and copper(II) complexes, 105
- Crystal structures  
Addition reactions of bis(trimethylsilyl)methyl- and 1-azallyl-lithium with cyanoamines into triazines or  $\beta$ -diketimino-lithium compounds, 89
- Chiral organometallic chromophores for nonlinear optics derived from  $[Fe_2(\eta^5-C_5H_5)_2(CO)_2(\mu-CO)(\mu-C-CH_3)]^+ [BF_4]^-$ , 70
- Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
- Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4'-dipyridyl unit, 39
- Synthesis, structure and reactivity of *tert*-butyldimethylsilylcyclopentadienyl lanthanide chlorides, including crystal structures of  $[(C_5H_4SiMe_2Bu')_2Gd(\mu-Cl)]_2$  and  $(C_5H_4SiMe_2Bu')_2Er(SBT)(THF)$ , 120
- Cyanoacrylates  
Synthesis and biological activity of novel cyanoacrylates containing ferrocenyl moiety, 182
- Cyclometallation  
Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of  $[(PPh_3)(Cl)PdN(Cy)=C(H)C_6H_2C(H)=N(Cy)Pd(Cl)(PPh_3)]$  and  $\{[PdN(Cy)=C(H)C_6H_2C(H)=N(Cy)-Pd]\{Ph_2PC(H)=C(H)PPh_2-P,P\}_2\}[ClO_4]_2$ , 127
- Cyclooctadienyl complex  
Synthesis, spectroscopy, and structural characterization of carbonyl and cage phosphite adducts of edge-bridged open metallocenes, 158
- Cyclopropanation  
From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with  $C_2$ -multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134
- DFT  
Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16

## Diazabutadiene

Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16

## Diketiminato complexes

Addition reactions of bis(trimethylsilyl)methyl- and 1-allyllithium with cyanoamines into triazines or  $\beta$ -diketiminato-lithium compounds, 89

## Dimetallic compound

The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentadienyl-molybdenum tricarbonyl dimer, 49

## Dioxaborolane

The synthesis and redox behaviors of binuclear ruthenocene derivatives bridged by an aromatic moiety, 23

## Diphenyl-2-pyridylphosphine

Preparations of sulfido-tricobalt clusters containing pyridyl type ligands: insertion of carbon monoxide into cobalt-carbon bond, 172

## Electrochemistry

Synthesis and electrochemistry of niobium complexes incorporating asymmetrically substituted *ansa*-ligands, 63

## Electrophilic

Proton catalysis of nucleophilic substitution at pentacoordinate silicon, 1

## Enantioselective hydrogenation

From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with  $C_2$ -multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134

## Ene-diamido

Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl tantalum(V) complexes, 16

## Ethylene polymerization

Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167

## Ferrocene

Synthesis and biological activity of novel cyanoacrylates containing ferrocenyl moiety, 182

## Functionalized methyl carbanions

Tin-magnesium transmetallation reactions, 111

## Half-metallocene

Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186

## Halide ligand

Ruthenium complexes with 2,2'-, 2,4'- and 4,4'-bipyridine ligands: The role of bipyridine coordination modes and halide ligands, 31

## Herbicide activities

Synthesis and biological activity of novel cyanoacrylates containing ferrocenyl moiety, 182

## High molecular weight

Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186

## Hydrosilylation

Hydrosilylation reactions of tetramethyldisilazanes and their derivatives, 115

## Hyper-Raleigh scattering

Chiral organometallic chromophores for nonlinear optics derived from  $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})(\mu\text{-C-CH}_3)]^+ [\text{BF}_4]^-$ , 70

## Imido complexes, organometallic

Dimers of highly  $\pi$ -loaded organoimido  $d^1$  metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96

## Insertion

Synthesis, structure and reactivity of *tert*-butyldimethylsilylcyclopentadienyl lanthanide chlorides, including crystal structures of  $[(\text{C}_5\text{H}_4\text{SiMe}_2\text{Bu}^t)_2\text{Gd}(\mu\text{-Cl})_2]$  and  $(\text{C}_5\text{H}_4\text{SiMe}_2\text{Bu}^t)_2\text{Er}(\text{SBT})(\text{THF})$ , 120

## Iron

Chiral organometallic chromophores for nonlinear optics derived from  $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})(\mu\text{-C-CH}_3)]^+ [\text{BF}_4]^-$ , 70

Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146

## Isomeric forms

The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentadienyl-molybdenum tricarbonyl dimer, 49

## Kurtz powder

Chiral organometallic chromophores for nonlinear optics derived from  $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})(\mu\text{-C-CH}_3)]^+ [\text{BF}_4]^-$ , 70

## Liquid crystals

Synthesis and mesomorphic properties of new imines and copper(II) complexes, 105

## Mercaptopyridine

Preparations of sulfido-tricobalt clusters containing pyridyl type ligands: insertion of carbon monoxide into cobalt-carbon bond, 172

## Mercaptopyrimidine

The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentadienyl-molybdenum tricarbonyl dimer, 49

## Metal carbonyl

Synthesis, spectroscopy, and structural characterization of carbonyl and cage phosphite adducts of edge-bridged open metallocenes, 158

## Metallocene catalysts

Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167

## Metallomesogens

Synthesis and mesomorphic properties of new imines and copper(II) complexes, 105

## Metal-metal bonds

Dimers of highly  $\pi$ -loaded organoimido  $d^1$  metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96

## Metal-promoted reaction

The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentadienyl-molybdenum tricarbonyl dimer, 49

## Molecular orbital calculations

Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4'-dipyridyl unit, 39

## Molybdenum

Dimers of highly  $\pi$ -loaded organoimido  $d^1$  metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96

## Niobium

Dimers of highly  $\pi$ -loaded organoimido  $d^1$  metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96

Synthesis and electrochemistry of niobium complexes incorporating

- asymmetrically substituted *ansa*-ligands, 63
- Niobocene  
Synthesis and electrochemistry of niobium complexes incorporating asymmetrically substituted *ansa*-ligands, 63
- N ligands  
Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146
- NMR spectroscopy  
A comparison of the ligating properties of the mixed P/O- and P/S-donor ligands  $\text{Ph}_2\text{P}(\text{CH}_2)_2\text{O}(\text{CH}_2)_2\text{O}(\text{CH}_2)_2\text{PPh}_2$  and  $\text{Ph}_2\text{P}(\text{CH}_2)_2\text{S}(\text{CH}_2)_2\text{S}(\text{CH}_2)_2\text{PPh}_2$  with Group 6 and 7 carbonyls, 55  
Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
- N,N,N*-Tris(*R*)-2-phenylethanol)amine  
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
- Nonlinear optics  
Chiral organometallic chromophores for nonlinear optics derived from  $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_2(\mu\text{-CO})(\mu\text{-C-CH}_3)]^+ [\text{BF}_4]^-$ , 70
- Nucleophilic addition  
Reactions of  $[(\text{PPh}_3)_2\text{Pt}(\eta^3\text{-CH}_2\text{CCPh})]^+$  with oxygen nucleophiles and chemistry of resultant  $[(\text{PPh}_3)_2\text{Pt}(\eta^3\text{-CH}_2\text{C}(\text{OR})\text{CHPh})]^+$  complexes, 192
- Open metallocene  
Synthesis, spectroscopy, and structural characterization of carbonyl and cage phosphite adducts of edge-bridged open metallocenes, 158
- Organolanthanide  
Synthesis, structure and reactivity of *tert*-butyldimethylsilylcyclopentadienyl lanthanide chlorides, including crystal structures of  $[(\text{C}_5\text{H}_4\text{SiMe}_2\text{Bu}')_2\text{Gd}(\mu\text{-Cl})_2]$  and  $(\text{C}_5\text{H}_4\text{SiMe}_2\text{Bu}')_2\text{Er}(\text{SBT})$ -(THF), 120
- Organomagnesium compounds  
Tin–magnesium transmetallation reactions, 111
- Organotin compounds  
Tin–magnesium transmetallation reactions, 111
- $\eta^3$ -Oxatrimethylenemethane  
Reactions of  $[(\text{PPh}_3)_2\text{Pt}(\eta^3\text{-CH}_2\text{CCPh})]^+$  with oxygen nucleophiles and chemistry of resultant  $[(\text{PPh}_3)_2\text{Pt}(\eta^3\text{-CH}_2\text{C}(\text{OR})\text{CHPh})]^+$  complexes, 192
- Palladium complexes  
New amino-, imino- and oxazolinophosphites based on 1,1'-bi-2-naphтол: coordination and catalytic properties, 204
- Palladium(II)  
Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of  $[(\text{PPh}_3)(\text{Cl})\text{PdN}(\text{Cy})=\text{C}(\text{H})\text{C}_6\text{H}_2\text{C}(\text{H})=\text{N}(\text{Cy})\text{Pd}(\text{Cl})(\text{PPh}_3)]$  and  $[\{\text{PdN}(\text{Cy})=\text{C}(\text{H})\text{C}_6\text{H}_2\text{C}(\text{H})=\text{N}(\text{Cy})\text{Pd}\}\{\text{Ph}_2\text{PC}(\text{H})=\text{C}(\text{H})\text{PPh}_2\text{-}P,P\}_2][\text{ClO}_4]_2$ , 127
- Pd-catalyzed allylation  
New amino-, imino- and oxazolinophosphites based on 1,1'-bi-2-naphтол: coordination and catalytic properties, 204
- Pentacoordinate  
Proton catalysis of nucleophilic substitution at pentacoordinate silicon, 1
- Pentamethylcyclopentadienyl  
Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
- Phosphaalkyne  
Chemistry and ligating properties of the 1,2,4-thiadiphosphole  $\text{P}_2\text{SC}_2\text{Bu}'_2$ , 7
- Phosphine  
Phosphine substituted  $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_{10}$ : structural trends with-
- in  $[\text{Ru}_3(\mu\text{-dppm})(\text{PR}_3)(\text{CO})_9]$  ( $\text{R} = \text{Et, Ph, Cy and Pr}'$ ), 227
- Phosphines  
Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of  $[(\text{PPh}_3)(\text{Cl})\text{PdN}(\text{Cy})=\text{C}(\text{H})\text{C}_6\text{H}_2\text{C}(\text{H})=\text{N}(\text{Cy})\text{Pd}(\text{Cl})(\text{PPh}_3)]$  and  $[\{\text{PdN}(\text{Cy})=\text{C}(\text{H})\text{C}_6\text{H}_2\text{C}(\text{H})=\text{N}(\text{Cy})\text{Pd}\}\{\text{Ph}_2\text{PC}(\text{H})=\text{C}(\text{H})\text{PPh}_2\text{-}P,P\}_2][\text{ClO}_4]_2$ , 127
- Phosphites  
New amino-, imino- and oxazolinophosphites based on 1,1'-bi-2-naphтол: coordination and catalytic properties, 204
- Platinum complexes  
Reactions of  $[(\text{PPh}_3)_2\text{Pt}(\eta^3\text{-CH}_2\text{CCPh})]^+$  with oxygen nucleophiles and chemistry of resultant  $[(\text{PPh}_3)_2\text{Pt}(\eta^3\text{-CH}_2\text{C}(\text{OR})\text{CHPh})]^+$  complexes, 192
- Platinum compounds  
Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
- P,N*-ligands  
New amino-, imino- and oxazolinophosphites based on 1,1'-bi-2-naphтол: coordination and catalytic properties, 204
- P/O- and P/S-donor ligands  
A comparison of the ligating properties of the mixed P/O- and P/S-donor ligands  $\text{Ph}_2\text{P}(\text{CH}_2)_2\text{O}(\text{CH}_2)_2\text{O}(\text{CH}_2)_2\text{PPh}_2$  and  $\text{Ph}_2\text{P}(\text{CH}_2)_2\text{S}(\text{CH}_2)_2\text{S}(\text{CH}_2)_2\text{PPh}_2$  with Group 6 and 7 carbonyls, 55
- Polymer immobilized metallocene  
Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167
- Polymerization  
Hydrosilylation reactions of tetramethyldisilazanes and their derivatives, 115
- Pyrazolylmethane  
Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146
- Rearrangement  
Reactions of  $[(\text{PPh}_3)_2\text{Pt}(\eta^3\text{-CH}_2\text{CCPh})]^+$  with oxygen nucleophiles and chemistry of resultant  $[(\text{PPh}_3)_2\text{Pt}(\eta^3\text{-CH}_2\text{C}(\text{OR})\text{CHPh})]^+$  complexes, 192
- Redox behavior  
The synthesis and redox behaviors of binuclear ruthenocene derivatives bridged by an aromatic moiety, 23
- Rh-catalyzed hydrosilylation  
New amino-, imino- and oxazolinophosphites based on 1,1'-bi-2-naphтол: coordination and catalytic properties, 204
- Rhenium  
Dimers of highly  $\pi$ -loaded organoimido d<sup>1</sup> metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96  
Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4'-dipyridyl unit, 39
- Rhodium  
From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with  $\text{C}_2$ -multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134
- Rhodium complexes  
New amino-, imino- and oxazolinophosphites based on 1,1'-bi-2-naphтол: coordination and catalytic properties, 204
- Ruthenium  
Phosphine substituted  $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_{10}$ : structural trends with-
- in  $[\text{Ru}_3(\mu\text{-dppm})(\text{PR}_3)(\text{CO})_9]$  ( $\text{R} = \text{Et, Ph, Cy and Pr}'$ ), 227

- Ruthenium complexes  
 Ruthenium complexes with 2,2'-, 2,4'- and 4,4'-bipyridine ligands:  
 The role of bipyridine coordination modes and halide ligands, 31
- $\mu_4$ -S centered spirocyclic form  
 The reactions of 4,6-dimethyl-2-mercaptopyrimidine with dimetallic compounds: diiron nonacarbonyl and cyclopentadienylmolybdenum tricarbonyl dimer, 49
- Schiff-base  
 Polynuclear cyclometallated palladium(II) complexes. Crystal and molecular structures of  $[(PPh_3)(Cl)PdN(Cy)=C(H)C_6H_2C(H)=N(Cy)Pd(Cl)(PPh_3)]$  and  $[\{PdN(Cy)=C(H)C_6H_2C(H)=N(Cy)Pd\}\{Ph_2PC(H)=C(H)PPh_2-P,P\}_2][ClO_4]_2$ , 127
- Schiff bases  
 Synthesis and mesomorphic properties of new imines and copper(II) complexes, 105
- Second harmonic generation  
 Chiral organometallic chromophores for nonlinear optics derived from  $[Fe_2(\eta^5-C_5H_5)_2(CO)_2(\mu-CO)(\mu-C-CH_3)]^+ [BF_4]^-$ , 70
- Silane bridged metallocene  
 Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167
- Silazane  
 Hydrosilylation reactions of tetramethyldisilazanes and their derivatives, 115
- Silicon  
 Proton catalysis of nucleophilic substitution at pentacoordinate silicon, 1
- Silicotropic rearrangements  
 Addition reactions of bis(trimethylsilyl)methyl- and 1-azallyl-lithium with cyanoamines into triazines or  $\beta$ -diketimino-lithium compounds, 89
- Substituted cyclopentadienyl  
 Synthesis, structure and reactivity of *tert*-butyldimethylsilylcyclopentadienyl lanthanide chlorides, including crystal structures of  $[(C_5H_4SiMe_2Bu')_2Gd(\mu-Cl)]_2$  and  $(C_5H_4SiMe_2Bu')_2Er(SBT)(THF)$ , 120
- Substitution  
 Proton catalysis of nucleophilic substitution at pentacoordinate silicon, 1
- Sulfido-tricobalt clusters  
 Preparations of sulfido-tricobalt clusters containing pyridyl type ligands: insertion of carbon monoxide into cobalt-carbon bond, 172
- Suzuki-Miyaura coupling reaction  
 The synthesis and redox behaviors of binuclear ruthenocene derivatives bridged by an aromatic moiety, 23
- Syndiotactic polystyrene  
 Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
- Synthesis and structure  
 Synthesis, structure and possible formation pathway of a novel cobalt carbonyl compound with new type B–O bond,  $Co(CO)_3(PPh_3)_2BEt_3$ , and mixed metal Co–Fe–S cluster with possible nonlinear optical property,  $[Et_4N][CoFe_2(CO)_8S(PPh_3)]$ , 233
- Tantalum  
 Dimers of highly  $\pi$ -loaded organoimido  $d^1$  metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96  
 Theoretical study of the bonding capabilities of 1,4-diaza-1,3-butadiene and *cis*-1,3-butadiene ligands in cyclopentadienyl  
 tantalum(V) complexes, 16
- Temperature dependent paramagnetism  
 Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146
- Tetraanilinopyridinato-diruthenium(III) core  
 Synthesis and characterization of *trans*-phenylethynylalkynyl adducts on a tetraanilinopyridinato-diruthenium(III) core, 239
- Theoretical chemical calculation  
 Synthesis, structure and possible formation pathway of a novel cobalt carbonyl compound with new type B–O bond,  $Co(CO)_3(PPh_3)_2BEt_3$ , and mixed metal Co–Fe–S cluster with possible nonlinear optical property,  $[Et_4N][CoFe_2(CO)_8S(PPh_3)]$ , 233
- Thiadiphosphole  
 Chemistry and ligating properties of the 1,2,4-thiadiphosphole  $P_2SC_2Bu'_2$ , 7
- Thioether ligands  
 Dimethylplatinum(II) and tetramethylplatinum(IV) complexes of 1-methyl-(2-alkylthiomethyl)-1*H*-benzimidazoles: experimental and DFT-calculated structures and NMR spectra, 218
- Titanium  
 Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
- Transition metal carbonyl complexes  
 A comparison of the ligating properties of the mixed P/O- and P/S-donor ligands  $Ph_2P(CH_2)_2O(CH_2)_2O(CH_2)_2PPh_2$  and  $Ph_2P(CH_2)_2S(CH_2)_2S(CH_2)_2PPh_2$  with Group 6 and 7 carbonyls, 55
- Transition metals  
 Iron(II) complexes containing poly(1-pyrazolyl)methane ligands, 146
- Transmetalation reactions  
 Tin–magnesium transmetalation reactions, 111
- trans*-phenylethynylalkynyl adducts  
 Synthesis and characterization of *trans*-phenylethynylalkynyl adducts on a tetraanilinopyridinato-diruthenium(III) core, 239
- Triazines  
 Addition reactions of bis(trimethylsilyl)methyl- and 1-azallyl-lithium with cyanoamines into triazines or  $\beta$ -diketimino-lithium compounds, 89
- Triethanolamine  
 Syndiotactic polystyrene with very high molecular weight produced by sterically and electronically modified catalyst, 186
- Tungsten  
 Dimers of highly  $\pi$ -loaded organoimido  $d^1$  metal radicals of niobium, tantalum, molybdenum, tungsten, and rhenium: the context of the cyclopentadienyl imido ligand analogy, 96  
 Synthesis, characterization and theoretical studies of new heterometallic carbonyl clusters bridged by 4,4'-dipyridyl unit, 39
- X-ray crystallography  
 A comparison of the ligating properties of the mixed P/O- and P/S-donor ligands  $Ph_2P(CH_2)_2O(CH_2)_2O(CH_2)_2PPh_2$  and  $Ph_2P(CH_2)_2S(CH_2)_2S(CH_2)_2PPh_2$  with Group 6 and 7 carbonyls, 55
- X-ray structure analysis  
 Polymer immobilized silane bridged metallocene catalysts for ethylene polymerization, 167
- Zeolites  
 From homogeneous to heterogeneous catalysis: zeolite supported metal complexes with  $C_2$ -multidentate nitrogen ligands. Application as catalysts for olefin hydrogenation and cyclopropanation reactions, 134