



ELSEVIER

Journal of Organometallic Chemistry 659 (2002) 219–222

Journal
of Organo
metallic
Chemistry

www.elsevier.com/locate/jorgchem

Subject Index of Volume 659

ab initio

A theoretical study of linear germacyanogen isomers, 121

Alkane complexes

Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_5(\eta^1-B_2H_4 \cdot 2PMe_3)]$ ($M = Cr, W$): A model case for alkane–metal complexes, 102

Alkyne

Rational synthesis of tricobalt-molybdenum and -tungsten butterfly clusters with alkyne ligands, 142

Aminoindenyl

Bis(2-*N,N'*-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N,N'*-methylpiperazinoindenyl)ZrCl₂, 64

AM1 semiempirical calculations

Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H···π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95

Arene

Cationic ruthenium(II) complexes containing a chelating $\eta^1:\eta^6$ -phosphinoarene ligand; $[RuCl(L)(PPh_2(CH_2)_3-\eta^6-C_6H_5)]PF_6$ ($L = P(OPh)_3, P(OMe)_3, PPh_3, PMe_3, NCMe, NC_5H_5$), 1

Aryl halides

Cross-coupling reaction of organobismuth dialkoxides with aryl bromides and iodides catalyzed by Pd(PPh₃)₄, 117

Bent titanocenes

Synthesis and crystal structures of thermally stable titanocenes, 186

Benzyltribromogermane

Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165

Biferrocenium

Effects of counterions on intramolecular electron transfer in 1',1''-dinaphthylmethylbiferrocenium cation: structural, Mössbauer and EPR characteristics, 125

Bis(indenyl)

Bis(2-*N,N'*-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N,N'*-methylpiperazinoindenyl)ZrCl₂, 64

Borane complexes

Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_5(\eta^1-B_2H_4 \cdot 2PMe_3)]$ ($M = Cr, W$): A model case for alkane–metal complexes, 102

Bridging

Dithiocarbamate derivatives of μ -thiocarbyne complexes: synthesis and X-ray molecular structure of $[Fe_2(\mu-CS)(\mu-C_2SMe)(\mu-S_2CNMe_2)Cp_2]$, 15

Bromobenzyltribromogermane

Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165

Carbene ligands

Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159

Carbon dioxide

Structure of dialkyltin diaryloxides and their reactivity toward carbon dioxide and isocyanate, 133

Carbonyl ligands

Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands, 22

Catalysis

Oxidation of ketone by palladium(II). α -Hydroxyketone synthesis catalyzed by a bimetallic palladium(II) complex, 50

Chalcogen

Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[(\eta^5-C_5H_5)_2Fe_2RuM_2(CO)_6(\mu_3-E)_2\{\mu_4-CC(Ph)C(Ph)C\}]$ ($M = Mo, W; E = S, Se$) and $[(\eta^5-C_5H_5)_2Fe_2Ru_2M_2(CO)_9(\mu_3-E)_2\{\mu-CCPh\}_2]$ ($M = W, E = S, Se$), 207

Chelating ligand

Cationic ruthenium(II) complexes containing a chelating $\eta^1:\eta^6$ -phosphinoarene ligand; $[RuCl(L)(PPh_2(CH_2)_3-\eta^6-C_6H_5)]PF_6$ ($L = P(OPh)_3, P(OMe)_3, PPh_3, PMe_3, NCMe, NC_5H_5$), 1

Chiral bis(oxazolines)

Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 197

Chromium

Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_5(\eta^1-B_2H_4 \cdot 2PMe_3)]$ ($M = Cr, W$): A model case for alkane–metal complexes, 102

Cluster

Rational synthesis of tricobalt-molybdenum and -tungsten butterfly clusters with alkyne ligands, 142

Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[(\eta^5-C_5H_5)_2Fe_2RuM_2(CO)_6(\mu_3-E)_2\{\mu_4-CC(Ph)C(Ph)C\}]$ ($M = Mo, W; E = S, Se$) and $[(\eta^5-C_5H_5)_2Fe_2Ru_2M_2(CO)_9(\mu_3-E)_2\{\mu-CCPh\}_2]$ ($M = W, E = S, Se$), 207

Cluster chemistry

Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands, 22

Competitive reactions

Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172

Conformational analysis

Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H···π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95

Copper

Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107

Cross-coupling reaction

Cross-coupling reaction of organobismuth dialkoxides with aryl bromides and iodides catalyzed by Pd(PPh₃)₄, 117

(crotyl)Fp

The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7- η)-2-methyltropone]iron with *E/Z*- η^1 -(crotyl)Fp, 43

Crystal structure

Reactivity of osmium–rhodium mixed-metal cluster [Os₃Rh(μ -H)₃(CO)₁₂] towards vinyl containing ligands, 151

Crystal structures

Bis(2-*N,N'*-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N,N'*-methylpiperazinoindenyl)ZrCl₂, 64

Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of [(η^5 -C₅H₅)₂Fe₂RuM₂(CO)₆(μ_3 -E)₂{ μ_4 -CC(Ph)C(Ph)C}] (M = Mo, W; E = S, Se) and [(η^5 -C₅H₅)₂Fe₂Ru₂M₂(CO)₉(μ_3 -E)₂{ μ -CCPh₂}] (M = W, E = S, Se), 207

Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107

Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165

Crystal structures of

Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H \cdots π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95

Cyanamide

Dehydrocoupling of tris(hydridosilylethyl)boranes and cyanamide: a novel access to boron-containing polysilylcarbodiimides, 29

Cycloaddition

The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7- η)-2-methyltropone]iron with *E/Z*- η^1 -(crotyl)Fp, 43

Cyclometallation

Cyclometallated compounds of Pd(II): C=N to C=O conversion through acid hydrolysis. Crystal and molecular structures of [Pd{4-(CHO)C₆H₃C(H)=NCy}(Cl)(PPh₃)₂] and [Pd{2,4-(CHO)₂C₆H₃}(Cl)(PPh₃)₂], 67

Cyclopentaaulation

The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7- η)-2-methyltropone]iron with *E/Z*- η^1 -(crotyl)Fp, 43

Dehydrohalogenation

3,3-Diferrocenylcyclopropene, 56

Density functional theory

A theoretical study of linear germacyanogen isomers, 121

Dialkyltin diaryloxides

Structure of dialkyltin diaryloxides and their reactivity toward carbon dioxide and isocyanate, 133

Difluorenylsilanes

Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H \cdots π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95

Dimerisation

Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159

Dinuclear

Dithiocarbamate derivatives of μ -thiocarbyne complexes: synthesis and X-ray molecular structure of [Fe₂(μ -CS)(μ -CSMe)(μ -S₂CNMe₂)Cp₂], 15

1-(Diorganylphosphoryl)-3-[trialkylsilyl(or germyl)]-2-propyn-1-ols

Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172

Diphospholes

Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, seleno- and telluro-diphospholes, P₂EC₂-Bu₂(H)Me, (E = S, Se, Te) and their [M(CO)₅] complexes (M = Cr, Mo, W), 84

Dithiocarbamate

Dithiocarbamate derivatives of μ -thiocarbyne complexes: synthesis and X-ray molecular structure of [Fe₂(μ -CS)(μ -CSMe)(μ -S₂CNMe₂)Cp₂], 15

Dithiocarbene

Dithiocarbamate derivatives of μ -thiocarbyne complexes: synthesis and X-ray molecular structure of [Fe₂(μ -CS)(μ -CSMe)(μ -S₂CNMe₂)Cp₂], 15

Electron transfer

Effects of counterions on intramolecular electron transfer in 1',1''-dinaphthylmethylbiferrocenium cation: structural, Mössbauer and EPR characteristics, 125

Ferrocene

3,3-Diferrocenylcyclopropene, 56

Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107

Ferrocenylallylic cation

3,3-Diferrocenylcyclopropene, 56

Ferrocenylcarbenoid

3,3-Diferrocenylcyclopropene, 56

Ferrocenylcyclopropane

3,3-Diferrocenylcyclopropene, 56

Ferrocenylcyclopropene

3,3-Diferrocenylcyclopropene, 56

Fluxional behavior

Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), [M(CO)₅(η^1 -B₂H₄·2PMe₃)] (M = Cr, W): A model case for alkane–metal complexes, 102

Germacyanogen isomers

A theoretical study of linear germacyanogen isomers, 121

Germatrane

Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165

Homogeneous catalysis

Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159

Homogenous catalysis

Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 197

Hydroxyketone

Oxidation of ketone by palladium(II). α -Hydroxyketone synthesis catalyzed by a bimetallic palladium(II) complex, 50

Hyperconjugation

Carbon–silicon hyperconjugation: X-ray structural study of *N*-methyl-4-trimethylsilylmethylpyridinium triflate, 10

Inter- and intramolecular C–H \cdots π interactions

Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H \cdots π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95

Iron

Dithiocarbamate derivatives of μ -thiocarbyne complexes: synthesis

- and X-ray molecular structure of $[\text{Fe}_2(\mu\text{-CS})(\mu\text{-CSMe})(\mu\text{-S}_2\text{CNMe}_2)\text{Cp}_2]$, 15
- Isocyanate**
Structure of dialkyltin diaryloxides and their reactivity toward carbon dioxide and isocyanate, 133
- Isomerization**
Reactivity of osmium–rhodium mixed-metal cluster $[\text{Os}_3\text{Rh}(\mu\text{-H})_3(\text{CO})_{12}]$ towards vinyl containing ligands, 151
- Ketohydroazulene**
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7- η)-2-methyltropone]iron with *E/Z*- η^1 -(crotyl)Fp, 43
- Linear**
A theoretical study of linear germacyanogen isomers, 121
- 3-Membered ring opening**
3,3-Diferrocenylcyclopropene, 56
- Metallocene**
Bis(2-*N,N'*-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N,N'*-methylpiperazinoindenyl)ZrCl₂, 64
Effects of counterions on intramolecular electron transfer in 1',1''-dinaphthylmethylbiferrocenium cation: structural, Mössbauer and EPR characteristics, 125
- Methylation**
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, seleno- and telluro-diphospholes, $\text{P}_2\text{EC}_2\text{-Bu}_2^{\text{E}}(\text{H})\text{Me}$, (E = S, Se, Te) and their $[\text{M}(\text{CO})_5]$ complexes (M = Cr, Mo, W), 84
- 2-Methyltroponeiron tricarbonyl**
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7- η)-2-methyltropone]iron with *E/Z*- η^1 -(crotyl)Fp, 43
- Mixed-metal**
Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_2\text{RuM}_2(\text{CO})_6(\mu_3\text{-E})_2\{\mu_4\text{-CC}(\text{Ph})\text{C}(\text{Ph})\text{C}\}]$ (M = Mo, W; E = S, Se) and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_2\text{Ru}_2\text{M}_2(\text{CO})_9(\mu_3\text{-E})_2\{\mu\text{-CCPh}\}_2]$ (M = W, E = S, Se), 207
- Mixed-valence 1',1''-dinaphthylmethylbiferrocenium**
Effects of counterions on intramolecular electron transfer in 1',1''-dinaphthylmethylbiferrocenium cation: structural, Mössbauer and EPR characteristics, 125
- Molecular structures of**
Difluorenylsilane derivatives, a class of compounds exhibiting strong intra- and intermolecular C–H... π interactions. Crystal and molecular structures of bis(9-methylfluoren-9-yl)dimethylsilane and (9-methylfluoren-9-yl)(fluoren-9-yl) dimethylsilane, 95
- Molybdenum**
Rational synthesis of tricobalt-molybdenum and -tungsten butterfly clusters with alkyne ligands, 142
- Monoacetylide**
Reactivity studies of monoacetylide species towards chalcogen-bridged mixed-metal clusters: Synthesis and characterisation of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_2\text{RuM}_2(\text{CO})_6(\mu_3\text{-E})_2\{\mu_4\text{-CC}(\text{Ph})\text{C}(\text{Ph})\text{C}\}]$ (M = Mo, W; E = S, Se) and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_2\text{Ru}_2\text{M}_2(\text{CO})_9(\mu_3\text{-E})_2\{\mu\text{-CCPh}\}_2]$ (M = W, E = S, Se), 207
- Neurotropic activity**
Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165
- NMR spectroscopy**
Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 197
- Nucleophilic addition**
Addition of organolithium compounds to tricarbonyl(tropone)iron complexes: experimental and structural studies, 176
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
- Organobismuth compounds**
Cross-coupling reaction of organobismuth dialkoxides with aryl bromides and iodides catalyzed by Pd(PPh₃)₄, 117
- Osmium**
Reactivity of osmium–rhodium mixed-metal cluster $[\text{Os}_3\text{Rh}(\mu\text{-H})_3(\text{CO})_{12}]$ towards vinyl containing ligands, 151
- Palladium**
Cross-coupling reaction of organobismuth dialkoxides with aryl bromides and iodides catalyzed by Pd(PPh₃)₄, 117
- Palladium(II)**
Cyclometallated compounds of Pd(II): C=N to C=O conversion through acid hydrolysis. Crystal and molecular structures of $[\text{Pd}\{4\text{-}(\text{CHO})\text{C}_6\text{H}_3\text{C}(\text{H})=\text{NCy}\}(\text{Cl})(\text{PPh}_3)_2]$ and $[\text{Pd}\{2,4\text{-}(\text{CHO})_2\text{C}_6\text{H}_3\}(\text{Cl})(\text{PPh}_3)_2]$, 67
Oxidation of ketone by palladium(II). α -Hydroxyketone synthesis catalyzed by a bimetallic palladium(II) complex, 50
- Pentacarbonyl complexes**
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, seleno- and telluro-diphospholes, $\text{P}_2\text{EC}_2\text{-Bu}_2^{\text{E}}(\text{H})\text{Me}$, (E = S, Se, Te) and their $[\text{M}(\text{CO})_5]$ complexes (M = Cr, Mo, W), 84
- Phosphine**
Cationic ruthenium(II) complexes containing a chelating $\eta^1:\eta^6$ -phosphinoarene ligand; $[\text{RuCl}(\text{L})(\text{PPh}_2(\text{CH}_2)_3\text{-}\eta^6\text{-C}_6\text{H}_5)][\text{PF}_6]$ (L = P(OPh)₃, P(OMe)₃, PPh₃, PMe₃, NCMe, NC₅H₅), 1
- Platinum**
Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107
- PM3(tm) calculations**
Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 197
- Polysilylcarbodiimides**
Dehydrocoupling of tris(hydridosilylethyl)boranes and cyanamide: a novel access to boron-containing polysilylcarbodiimides, 29
- Preceramics**
Dehydrocoupling of tris(hydridosilylethyl)boranes and cyanamide: a novel access to boron-containing polysilylcarbodiimides, 29
- Regioselectivity**
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7- η)-2-methyltropone]iron with *E/Z*- η^1 -(crotyl)Fp, 43
- Reiswigin**
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7- η)-2-methyltropone]iron with *E/Z*- η^1 -(crotyl)Fp, 43
- Rhodium**
Reactivity of osmium–rhodium mixed-metal cluster $[\text{Os}_3\text{Rh}(\mu\text{-H})_3(\text{CO})_{12}]$ towards vinyl containing ligands, 151
- Ruthenium**
Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159
Cationic ruthenium(II) complexes containing a chelating $\eta^1:\eta^6$ -phosphinoarene ligand; $[\text{RuCl}(\text{L})(\text{PPh}_2(\text{CH}_2)_3\text{-}\eta^6\text{-C}_6\text{H}_5)][\text{PF}_6]$ (L = P(OPh)₃, P(OMe)₃, PPh₃, PMe₃, NCMe, NC₅H₅), 1

- Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands, 22
- Secondary phosphine oxides
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
- Selena
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, seleno- and telluro-diphospholes, $P_2EC_2-Bu'_2(H)Me$, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
- Silver
Synthesis, characterization and structural studies of new heterometallic alkynyl complexes of platinum and Group 11 metals with chelating bis(diphenylphosphino)ferrocene ligand, 107
- Silyl substituents
Synthesis and crystal structures of thermally stable titanocenes, 186
- ^{119}Sn -NMR spectroscopy
A novel route for the preparation of dimeric tetraorganodistannoxanes, 73
- Stereoselectivity
The synthesis of a hydroazulen-2-one skeleton-determination of the diastereoselectivity of [3+2] cycloaddition of tricarbonyl[(4,5,6,7- η)-2-methyltropone]iron with *E/Z*- η^1 -(crotyl)Fp, 43
- Structures
A theoretical study of linear germacyanogen isomers, 121
- π -Systems
Carbon–silicon hyperconjugation: X-ray structural study of *N*-methyl-4-trimethylsilylmethylpyridinium triflate, 10
- Tellura
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, seleno- and telluro-diphospholes, $P_2EC_2-Bu'_2(H)Me$, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
- Tellurium
Synthesis, reactivity and structures of ruthenium carbonyl clusters with telluride and hydride ligands, 22
- Tertiary phosphines
Cyclometallated compounds of Pd(II): C=N to C=O conversion through acid hydrolysis. Crystal and molecular structures of $[Pd\{4-(CHO)C_6H_3C(H)=NCy\}(Cl)(PPh_3)_2]$ and $[Pd\{2,4-(CHO)_2C_6H_3\}(Cl)(PPh_3)_2]$, 67
- Tetraorganodistannoxane
A novel route for the preparation of dimeric tetraorganodistannoxanes, 73
- Thia
Synthetic, structural and theoretical studies on the new 2,3-dihydro-1,2,4-thia-, seleno- and telluro-diphospholes, $P_2EC_2-Bu'_2(H)Me$, (E = S, Se, Te) and their $[M(CO)_5]$ complexes (M = Cr, Mo, W), 84
- Thiocarbonyne
Dithiocarbamate derivatives of μ -thiocarbonyne complexes: synthesis and X-ray molecular structure of $[Fe_2(\mu-CS)(\mu-C_SMe)(\mu-S_2CNMe_2)Cp_2]$, 15
- Tin
A novel route for the preparation of dimeric tetraorganodistannoxanes, 73
- Titanium
Synthesis and crystal structures of thermally stable titanocenes, 186
- Titanocenes
Synthesis and crystal structures of thermally stable titanocenes, 186
- Toxicity
Synthesis, molecular structure and biological activity of bromobenzylgermatranes, 165
- Transition metals
Catalytic reduction of acetophenone with transition metal systems containing chiral bis(oxazolines), 197
- Tricarbonyl(tropone)iron complexes
Addition of organolithium compounds to tricarbonyl(tropone)iron complexes: experimental and structural studies, 176
- 3-(Triethylgermyl)-2-propynal
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
- 3-(Trimethylsilyl)-2-propynal
Regioselective addition of secondary phosphine oxides to 3-(trialkylsilyl)- and 3-(trialkylgermyl)-2-propynals, 172
- Tris(hydridosilylethyl)boranes
Dehydrocoupling of tris(hydridosilylethyl)boranes and cyanamide: a novel access to boron-containing polysilylcarbodiimides, 29
- Tungsten
Fluxional behavior of chromium and tungsten complexes of monodentate bis(trimethylphosphine)diborane(4), $[M(CO)_5(\eta^1-B_2H_4 \cdot 2PMe_3)]$ (M = Cr, W): A model case for alkane–metal complexes, 102
Rational synthesis of tricobalt-molybdenum and -tungsten butterfly clusters with alkyne ligands, 142
- Vinyl
Reactivity of osmium–rhodium mixed-metal cluster $[Os_3Rh(\mu-H)_3(CO)_{12}]$ towards vinyl containing ligands, 151
- Vinylidene ligands
Acid controlled alkyne dimerisation initiated by a Ru–carbene precursor, 159
- X-ray
Carbon–silicon hyperconjugation: X-ray structural study of *N*-methyl-4-trimethylsilylmethylpyridinium triflate, 10
- X-ray crystallography
A novel route for the preparation of dimeric tetraorganodistannoxanes, 73
Synthesis and crystal structures of thermally stable titanocenes, 186
- Zirconium
Bis(2-*N,N'*-methylpiperazinoindenyl)zirconium dichloride. Crystal structure of bis(2-*N,N'*-methylpiperazinoindenyl)ZrCl₂, 64