



ELSEVIER

Journal of Organometallic Chemistry 660 (2002) 181–183

Journal
of Organo
metallic
Chemistry

www.elsevier.com/locate/jorgchem

Subject Index of Volume 660

Acetylide

Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1

Alkalimetal oligosilanylchalcogenolates

Bis(oligosilanyl)chalcogenides $[(\text{Me}_3\text{Si})_x\text{Me}_{3-x}\text{Si}]_2\text{E}$, alkalimetal oligosilanylchalcogenolates $(\text{Me}_3\text{Si})_x\text{Me}_{3-x}\text{Si}-\text{EM}^{\text{I}}$ and oligosilanylchalcogenols $(\text{Me}_3\text{Si})_x\text{Me}_{3-x}\text{Si}-\text{EH}$ (E = S, Se, Te): Syntheses and NMR study, 37

Alkali metals

Reactions of *cyclo*-(*t*-Bu₄Sb₄) with alkali metals; syntheses and crystal structures of $[\text{M}(\text{L})_n(\text{t-Bu}_4\text{Sb}_3)]$ (M = Na, K; $n = 1, 2$) and $[\text{K}(\text{L})(\text{t-Bu}_3\text{Sb}_2)]$ (L = $(\text{Me}_2\text{NCH}_2\text{CH}_2)_2\text{NMe}$), 167

Alkylation

Reaction of ruthenium complexes containing heterocyclic thiazine–thione ligand, 127

Allyl

Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[\text{MoCl}(\text{CO})_2\{\text{N}(\text{C}_6\text{H}_4-2\text{-OMe})=\text{C}(\text{Me})\text{C}_5\text{-H}_4\text{N}\}(\eta^3\text{-C}_3\text{H}_5)]$ and $[\text{MoCl}(\text{CO})_2\{\text{N}(\text{Me})=\text{C}(\text{Ph})\text{C}_5\text{H}_4\text{N}\}(\eta^3\text{-C}_3\text{H}_5)]$ are described, 92

Aminostannanes

8-Sila-4-stanna-*s*-tetrahydroindacenes as synthons for Me₂Si-bridged zirconocenes: formation from biscyclopentadienyl silanes by reaction with aminostannanes, 86

2-Anilinopyridinate

Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1

Arenehydrazone–iron complex

Organodiiron(II)-complexes containing a long conjugated hydrazone spacer. Synthesis, characterization, electrochemical and structural studies, 72

Asymmetric synthesis

4-Ferrocenyl-1,3-oxazoline derivatives as ligands for catalytic asymmetric allylation reactions, 63

Axially symmetric

8-Sila-4-stanna-*s*-tetrahydroindacenes as synthons for Me₂Si-bridged zirconocenes: formation from biscyclopentadienyl silanes by reaction with aminostannanes, 86

Band assignment

A new method for assigning the C–O stretching bands in *cis*-disubstituted octahedral metal carbonyl complexes, 117

Benzyl glycidyl ether

Selective cleavage of the linear ether bond in benzyl glycidyl ether and triphenylmethyl glycidyl ether by potassium alkoxide as two-electron-transfer reagent, 6

Benzynes

Pyrolysis of $[\text{Ru}_3(\text{CO})_{10}(\text{dppe})]$: activation of C–H and P–Ph bonds. The crystal structure and dynamical behavior of $[\text{Ru}_4(\text{CO})_9(\mu\text{-CO})\{\mu_4-\eta^2\text{-PCH}_2\text{CH}_2\text{P}(\text{C}_6\text{H}_5)_2\}(\mu_4-\eta^4\text{-C}_6\text{H}_4)]$, 153

Bimetallic complex

Organodiiron(II)-complexes containing a long conjugated hydrazone spacer. Synthesis, characterization, electrochemical and structural studies, 72

Bis(2,2'-bipyridines)

Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1'-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79

Bis(oligosilanyl)chalcogenides

Bis(oligosilanyl)chalcogenides $[(\text{Me}_3\text{Si})_x\text{Me}_{3-x}\text{Si}]_2\text{E}$, alkalimetal oligosilanylchalcogenolates $(\text{Me}_3\text{Si})_x\text{Me}_{3-x}\text{Si}-\text{EM}^{\text{I}}$ and oligosilanylchalcogenols $(\text{Me}_3\text{Si})_x\text{Me}_{3-x}\text{Si}-\text{EH}$ (E = S, Se, Te): Syntheses and NMR study, 37

Bis(1,10-phenanthrolines)

Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1'-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79

Bis(pyridines)

Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1'-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79

Carbene

A hexacarbene complex derived from 1,1'-methylenebis(4-butyl-1*H*-1,2,4-triazolium) diiodide. Synthesis, characterization and catalytic activity, 51

Carbonyl

Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[\text{MoCl}(\text{CO})_2\{\text{N}(\text{C}_6\text{H}_4-2\text{-OMe})=\text{C}(\text{Me})\text{C}_5\text{-H}_4\text{N}\}(\eta^3\text{-C}_3\text{H}_5)]$ and $[\text{MoCl}(\text{CO})_2\{\text{N}(\text{Me})=\text{C}(\text{Ph})\text{C}_5\text{H}_4\text{N}\}(\eta^3\text{-C}_3\text{H}_5)]$ are described, 92

Catalysis

A hexacarbene complex derived from 1,1'-methylenebis(4-butyl-1*H*-1,2,4-triazolium) diiodide. Synthesis, characterization and catalytic activity, 51

C–C coupling reactions

Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1'-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79

CO-factored force field

A new method for assigning the C–O stretching bands in *cis*-disubstituted octahedral metal carbonyl complexes, 117

Crystal structures

Reactions of *cyclo*-(*t*-Bu₄Sb₄) with alkali metals; syntheses and crystal structures of $[\text{M}(\text{L})_n(\text{t-Bu}_4\text{Sb}_3)]$ (M = Na, K; $n = 1, 2$) and $[\text{K}(\text{L})(\text{t-Bu}_3\text{Sb}_2)]$ (L = $(\text{Me}_2\text{NCH}_2\text{CH}_2)_2\text{NMe}$), 167

8-Sila-4-stanna-*s*-tetrahydroindacenes as synthons for Me₂Si-bridged zirconocenes: formation from biscyclopentadienyl silanes by reaction with aminostannanes, 86

Cyanostannylation

Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173

Cyclic siloxane

Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145

Cyclopentadienyl–iron complex

Organodiiron(II)-complexes containing a long conjugated hydrazone spacer. Synthesis, characterization, electrochemical and structural studies, 72

cyclo-(*t*-Bu₄Sb₄)

Reactions of *cyclo*-(*t*-Bu₄Sb₄) with alkali metals; syntheses and crystal structures of [M(L)_n(*t*-Bu₄Sb₃)] (M = Na, K; *n* = 1, 2) and [K(L)(*t*-Bu₃Sb₂)] (L = (Me₂NCH₂CH₂)₂NMe), 167

DFT calculations

Molecular structures of trimeric diphenyltin chalcogenides, (Ph₂SnE)₃, E = S, Se, Te, 44

Dinitrogen complexes

Preparation of dinitrogen complexes Mo(N₂)₂P₄ stabilised by phosphonite PPh(OEt)₂ and phosphinite PPh₂(OEt) ligands, 56

Diruthenium

Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1

Dynamic process

Pyrolysis of [Ru₃(CO)₁₀(dppe)]: activation of C–H and P–Ph bonds. The crystal structure and dynamical behavior of [Ru₄(CO)₉(μ-CO){μ₄-η²-PCH₂CH₂P(C₆H₅)₂}(μ₄-η⁴-C₆H₄)], 153

Electrochemistry

Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1

1,1'-Ferrocene

Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1'-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79

Ferrocenes

4-Ferrocenyl-1,3-oxazoline derivatives as ligands for catalytic asymmetric allylation reactions, 63

Glycidyl ethers

Cleavage of different ether bonds in butyl glycidyl ether and allyl glycidyl ether by K⁻, K⁺(15-crown-5)₂, 133

Heterocyclic ring containing cyclomercurated ferrocenylimine

Studies on the synthesis and structural characterization of cyclomercurated ferrocenylimines containing heterocyclic ring, 139

High density polyethylene (HDPE)

Synthesis and evaluation of substituted pyrazoles palladium(II) complexes as ethylene polymerization catalysts, 109

Hydrosilanes

Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145

Indenyl

Preparation, characterization, and reactivities of thienyl nickel complexes bearing indenyl ligands, 99

Induced circular dichroism

4-Ferrocenyl-1,3-oxazoline derivatives as ligands for catalytic asymmetric allylation reactions, 63

Internal alkyne

Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173

Linear ether bond cleavage

Selective cleavage of the linear ether bond in benzyl glycidyl ether and triphenylmethyl glycidyl ether by potassium alkali as two-electron-transfer reagent, 6

Metallocene

Synthesis, molecular structure, and polymerization reactivity of ethylenebis(1,3-dimethylcyclopentadienyl)zirconium dichloride, 161

Methylaluminumoxane

Synthesis, molecular structure, and polymerization reactivity of ethylenebis(1,3-dimethylcyclopentadienyl)zirconium dichloride, 161

Molecular structures

Molecular structures of trimeric diphenyltin chalcogenides, (Ph₂SnE)₃, E = S, Se, Te, 44

Molybdenum

Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of [MoCl(CO)₂{N(C₆H₄-2-OMe)=C(Me)C₅H₄N}(η³-C₃H₅)] and [MoCl(CO)₂{N(Me)=C(Ph)C₅H₄N}(η³-C₃H₅)] are described, 92

Preparation of dinitrogen complexes Mo(N₂)₂P₄ stabilised by phosphonite PPh(OEt)₂ and phosphinite PPh₂(OEt) ligands, 56

Nanomolecule

Organodiiron(II)-complexes containing a long conjugated hydrazone spacer. Synthesis, characterization, electrochemical and structural studies, 72

NHC

Synthesis and structural characterization of novel bridged platinum(II) biscarbene complexes, 121

NMR study

Bis(oligosilanyl)chalcogenides [(Me₃Si)_xMe_{3-x}Si]₂E, alkalimetal oligosilanylchalcogenolates (Me₃Si)_xMe_{3-x}Si-EM^I and oligosilanylchalcogenols (Me₃Si)_xMe_{3-x}Si-EH (E = S, Se, Te): Syntheses and NMR study, 37

Oxazolines

4-Ferrocenyl-1,3-oxazoline derivatives as ligands for catalytic asymmetric allylation reactions, 63

Palladium

A hexacarbene complex derived from 1,1'-methylenebis(4-butyl-1*H*-1,2,4-triazolium) diiodide. Synthesis, characterization and catalytic activity, 51

Palladium(II)

Synthesis and evaluation of substituted pyrazoles palladium(II) complexes as ethylene polymerization catalysts, 109

Paramagnetism

Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1

Phosphite

Preparation of dinitrogen complexes Mo(N₂)₂P₄ stabilised by phosphonite PPh(OEt)₂ and phosphinite PPh₂(OEt) ligands, 56

Platinum(II) biscarbene complexes

Synthesis and structural characterization of novel bridged platinum(II) biscarbene complexes, 121

Polyalkynes

Preparation, characterization, and reactivities of thienyl nickel complexes bearing indenyl ligands, 99

Polymerization

Synthesis, molecular structure, and polymerization reactivity of ethylenebis(1,3-dimethylcyclopentadienyl)zirconium dichloride, 161

Polysiloxanes

Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase, 14

- Poly(tetramethylsilylethylsiloxane)
Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145
- Potassium alkali
Cleavage of different ether bonds in butyl glycidyl ether and allyl glycidyl ether by K^- , K^+ (15-crown-5)₂, 133
Selective cleavage of the linear ether bond in benzyl glycidyl ether and triphenylmethyl glycidyl ether by potassium alkali as two-electron-transfer reagent, 6
- Potassium anions
Cleavage of different ether bonds in butyl glycidyl ether and allyl glycidyl ether by K^- , K^+ (15-crown-5)₂, 133
- Pyrazole
Synthesis and evaluation of substituted pyrazoles palladium(II) complexes as ethylene polymerization catalysts, 109
- Pyridyl amine
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4-2-OMe)=C(Me)C_5H_4N\}(\eta^3-C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3-C_3H_5)]$ are described, 92
- Reactivity
Preparation of dinitrogen complexes $Mo(N_2)_2P_4$ stabilised by phosphonite $PPh(OEt)_2$ and phosphinite $PPh_2(OEt)$ ligands, 56
- Reduction
Preparation of dinitrogen complexes $Mo(N_2)_2P_4$ stabilised by phosphonite $PPh(OEt)_2$ and phosphinite $PPh_2(OEt)$ ligands, 56
- Ring-opening polymerization
Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145
- Ruthenium
Reaction of ruthenium complexes containing heterocyclic thiazine–thione ligand, 127
- Ruthenium clusters
Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145
- Sandwich complex
Organodiiron(II)-complexes containing a long conjugated hydrazonato spacer. Synthesis, characterization, electrochemical and structural studies, 72
- Schiff base
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4-2-OMe)=C(Me)C_5H_4N\}(\eta^3-C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3-C_3H_5)]$ are described, 92
- Silanol polycondensation
Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase, 14
- Silanols
Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase, 14
- Siloxanol disproportionation
Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase, 14
- Synthesis
Studies on the synthesis and structural characterization of cyclomercurated ferrocenylimines containing heterocyclic ring, 139
- Terminal alkyne
Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173
- Tetracarbonyls
A new method for assigning the C–O stretching bands in *cis*-disubstituted octahedral metal carbonyl complexes, 117
- Tetraruthenium cluster
Pyrolysis of $[Ru_3(CO)_{10}(dppe)]$: activation of C–H and P–Ph bonds. The crystal structure and dynamical behavior of $[Ru_4(CO)_9(\mu-CO)\{\mu_4-\eta^2-PCH_2CH_2P(C_6H_5)_2\}(\mu_4-\eta^4-C_6H_4)]$, 153
- Thiazine–thione
Reaction of ruthenium complexes containing heterocyclic thiazine–thione ligand, 127
- Thienyl
Preparation, characterization, and reactivities of thienyl nickel complexes bearing indenyl ligands, 99
- Transition-metal-complex catalyst
Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173
- 1,2,4-Triazole-5-ylidene
A hexacarbene complex derived from 1,1'-methylenebis(4-butyl-1*H*-1,2,4-triazolium) diiodide. Synthesis, characterization and catalytic activity, 51
- Tributyltin cyanide
Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173
- Triflate
Preparation, characterization, and reactivities of thienyl nickel complexes bearing indenyl ligands, 99
- Trimeric diphenyltin chalcogenides
Molecular structures of trimeric diphenyltin chalcogenides, $(Ph_2SnE)_3$, E = S, Se, Te, 44
- Twisted boat conformations
Molecular structures of trimeric diphenyltin chalcogenides, $(Ph_2SnE)_3$, E = S, Se, Te, 44
- Vibrational spectra
A new method for assigning the C–O stretching bands in *cis*-disubstituted octahedral metal carbonyl complexes, 117
- X-ray crystal structure
Studies on the synthesis and structural characterization of cyclomercurated ferrocenylimines containing heterocyclic ring, 139
- X-ray structure
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4-2-OMe)=C(Me)C_5H_4N\}(\eta^3-C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3-C_3H_5)]$ are described, 92
Organodiiron(II)-complexes containing a long conjugated hydrazonato spacer. Synthesis, characterization, electrochemical and structural studies, 72
Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1'-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79
- X-ray structures
Synthesis and structural characterization of novel bridged platinum(II) biscarbene complexes, 121
- Zirconium
Synthesis, molecular structure, and polymerization reactivity of ethylenebis(1,3-dimethylcyclopentadienyl)zirconium dichloride, 161