



ELSEVIER

Subject Index of Volume 672

Activation of C–H

Activation of $\sigma(\text{C}-\text{H})$ bonds of $[\text{Fe}\{\eta^5\text{-C}_5\text{H}_4\text{-C}(\text{Me})=\text{N}-\text{N}=\text{C}(\text{H})(\text{C}_6\text{H}_3-2,6\text{-R})\}_2]$ (with $\text{R}=\text{Cl}$ or H) promoted by palladium(II), 34

Acylpolysilane

Thermal isomerization of 1,2-diadamantoyltetrakis(trimethylsilyl)disilane via a 2,3-disilabutadiene intermediate, 72

Alkyne dimerization

Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11

Arene

Synthesis of $(\eta^6\text{-arene})\text{tricarboxylmetal}$ and $(\sigma\text{-nitrogen})\text{pentacarboxylmetal}$ complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58

Atom transfer radical addition

Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11

Biginelli coupling

Indium(III) halides-catalyzed preparation of ferrocene-dihydropyrimidinones, 52

Carbodiimide

Insertion of carbodiimide into the $\text{Ln}-\text{N}$ σ -bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidates $(\text{C}_5\text{H}_5)_2\text{Ln}[\text{PrN}=\text{C}(\text{N}^i\text{Pr}_2)=\text{N}^i\text{Pr}]$ ($\text{Ln}=\text{Yb}, \text{Dy}, \text{Gd}$), 94

Carbonyl

Crystal and molecular structures of dppm-bridged diiron dithiolate complexes $[\text{Fe}_2(\text{CO})_4(\mu\text{-SAr})_2(\mu\text{-dppm})]$ ($\text{Ar}=\text{Ph}, p\text{-tol}$; $\text{Ar}_2=\text{C}=\text{N}-p\text{-tol}$), 29

Catalysis

Synthesis and characterisation of new polynuclear copper(I) pyrazolate complexes and their catalytic activity in the cyclopropanation of olefins, 123

Chalcogenide

[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospho-alkyne PC^iBu . Syntheses, crystal and molecular structures of the four complexes $[\text{Zr}(\eta^5\text{-C}_5\text{Me}_5)_2(\text{SC}^i\text{Bu}=\text{P})]$, $[\text{Zr}(\eta^5\text{-C}_5\text{Me}_5)_2(\text{SeC}^i\text{Bu}=\text{P})]$, $[\text{Zr}(\eta^5\text{-C}_5\text{Me}_5)_2(\text{SC}^i\text{Bu}=\text{PSe})]$ and $[\text{Zr}(\eta^5\text{-C}_5\text{Me}_5)_2(\text{SC}^i\text{Bu}=\text{PC}(\text{Ph})=\text{N})]$, 1

Chromium

Synthesis of $(\eta^6\text{-arene})\text{tricarboxylmetal}$ and $(\sigma\text{-nitrogen})\text{pentacarboxylmetal}$ complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58

Cluster

Structural characterization of $[\text{Ru}_3\text{Mo}(\mu_3\text{-}\eta^1\text{-CC})(\mu\text{-CO})_3(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_5]$: a revisit, 17

Cyclo-addition

[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospho-alkyne PC^iBu . Syntheses, crystal and molecular structures of the four complexes $[\text{Zr}(\eta^5\text{-C}_5\text{Me}_5)_2(\text{SC}^i\text{Bu}=\text{P})]$, $[\text{Zr}(\eta^5\text{-C}_5\text{Me}_5)_2(\text{SeC}^i\text{Bu}=\text{P})]$, $[\text{Zr}(\eta^5\text{-C}_5\text{Me}_5)_2(\text{SC}^i\text{Bu}=\text{PSe})]$ and $[\text{Zr}(\eta^5\text{-C}_5\text{Me}_5)_2(\text{SC}^i\text{Bu}=\text{PC}(\text{Ph})=\text{N})]$, 1

Cyclopentadienyl

Insertion of carbodiimide into the $\text{Ln}-\text{N}$ σ -bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidates $(\text{C}_5\text{H}_5)_2\text{Ln}[\text{PrN}=\text{C}(\text{N}^i\text{Pr}_2)=\text{N}^i\text{Pr}]$ ($\text{Ln}=\text{Yb}, \text{Dy}, \text{Gd}$), 94

Cyclopropanation

Synthesis and characterisation of new polynuclear copper(I) pyrazolate complexes and their catalytic activity in the cyclopropanation of olefins, 123

Diastereomers

Synthetic, spectroscopic, and structural studies of bis(2-methyl-4-phenylpentadienyl)ruthenium, $\text{Ru}(\text{2-CH}_3\text{-4-C}_6\text{H}_5\text{C}_5\text{H}_5)_2$: characterization of isomeric open ruthenocenes, 109

 β -Diketone

Synthesis and mesomorphic properties of γ -substituted β -diketones and their dicarbonylrhodium(I) complexes, 86

Diphosphine

Crystal and molecular structures of dppm-bridged diiron dithiolate complexes $[\text{Fe}_2(\text{CO})_4(\mu\text{-SAr})_2(\mu\text{-dppm})]$ ($\text{Ar}=\text{Ph}, p\text{-tol}$; $\text{Ar}_2=\text{C}=\text{N}-p\text{-tol}$), 29

Disiladiene

Thermal isomerization of 1,2-diadamantoyltetrakis(trimethylsilyl)disilane via a 2,3-disilabutadiene intermediate, 72

Dithiolate

Crystal and molecular structures of dppm-bridged diiron dithiolate complexes $[\text{Fe}_2(\text{CO})_4(\mu\text{-SAr})_2(\mu\text{-dppm})]$ ($\text{Ar}=\text{Ph}, p\text{-tol}$; $\text{Ar}_2=\text{C}=\text{N}-p\text{-tol}$), 29

Enol ester synthesis

Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11

Ferrocene-dihydropyrimidinones

Indium(III) halides-catalyzed preparation of ferrocene-dihydropyrimidinones, 52

Germabenzene

Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66

Germanium

Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes $\text{L}^2(\text{X})\text{MM}'\text{L}'_n$ [$\text{L}^2=\text{PhNC}(\text{Me})\text{CHC}(\text{Me})$]

- NPh; X = Cl, I; M = Ge, Sn; $M'L'_n = W(CO)_5, Fe(CO)_4$, 77
- Germlyzinc halides**
Preparation and structural characterization of trimethylsilyl-substituted germlyzinc halides, $(Me_3Si)_3GeZnX$ (X = Cl, Br, and I) and silylzinc chloride, $R(Me_3Si)_2SiZnCl$ (R = $SiMe_3$ and Ph), 100
- Homogeneous catalysis**
Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11
- Indium(III) halides**
Indium(III) halides-catalyzed preparation of ferrocene-dihydropyrimidinones, 52
- Insertion**
Insertion of carbodiimide into the L_n-N σ -bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidinates $(C_5H_5)_2Ln[PrN=C(N'Pr_2)=N'Pr]$ (Ln = Yb, Dy, Gd), 94
- Iron**
Activation of $\sigma(C-H)$ bonds of $[Fe\{\{\eta^5-C_5H_4\}-C(Me)=N-N=C(H)(C_6H_3-2,6-R)\}_2]$ (with R = Cl or H) promoted by palladium(II), 34
Crystal and molecular structures of dppm-bridged diiron dithiolate complexes $[Fe_2(CO)_4(\mu-SAr)_2(\mu-dppm)]$ (Ar = Ph, *p*-tol; $Ar_2 = C=N-p$ -tol), 29
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes $L^2(X)MM'L'_n$ [$L^2 = PhNC(Me)-CHC(Me)NPh$; X = Cl, I; M = Ge, Sn; $M'L'_n = W(CO)_5, Fe(CO)_4$], 77
Thiocarbonyl ligands via elimination of pentafluorobenzene at a diiron centre: crystal structures of $[Fe_2(CO)_4\{\mu-SC(Ph)=CH\}(\mu-dppm)]$ and $[Fe_2(CO)_4\{\mu-SCH=C(Ph)C(O)\}(\mu-dppm)]$, 22
- Liquid crystal**
Synthesis and mesomorphic properties of γ -substituted β -diketones and their dicarbonylrhodium(I) complexes, 86
- Molybdenum**
Structural characterization of $[Ru_3Mo(\mu_3-\eta^1-CC)(\mu-CO)_3(CO)_2(\eta-C_5H_5)_3]$: a revisit, 17
Synthesis of $(\eta^6$ -arene)tricarbonylmetal and $(\sigma$ -nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58
- Mössbauer spectroscopy**
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115
- N-heterocyclic carbene ligand**
Synthesis and evaluation of a new class of ruthenium-based catalytic systems for atom transfer radical addition and enol ester synthesis, 11
- Organolanthanide**
Insertion of carbodiimide into the L_n-N σ -bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidinates $(C_5H_5)_2Ln[PrN=C(N'Pr_2)=N'Pr]$ (Ln = Yb, Dy, Gd), 94
- Organometallic complexes**
Synthesis and mesomorphic properties of γ -substituted β -diketones and their dicarbonylrhodium(I) complexes, 86
- Palladium**
Activation of $\sigma(C-H)$ bonds of $[Fe\{\{\eta^5-C_5H_4\}-C(Me)=N-N=C(H)(C_6H_3-2,6-R)\}_2]$ (with R = Cl or H) promoted by palladium(II), 34
- Pentacoordinated**
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115
- Pentadienyl complexes**
Synthetic, spectroscopic, and structural studies of bis(2-methyl-4-phenylpentadienyl)ruthenium, $Ru(2-CH_3-4-C_6H_5C_5H_5)_2$: characterization of isomeric open ruthenocenes, 109
- Pentafluorophenylthiol**
Thiocarbonyl ligands via elimination of pentafluorobenzene at a diiron centre: crystal structures of $[Fe_2(CO)_4\{\mu-SC(Ph)=CH\}(\mu-dppm)]$ and $[Fe_2(CO)_4\{\mu-SCH=C(Ph)C(O)\}(\mu-dppm)]$, 22
- Pentathiagermepane**
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66
- (2-Phenylethyl)oxirane**
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with $K^-, K^+(15-crown-5)_2$, 43
- (Phenylmethyl)oxirane**
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with $K^-, K^+(15-crown-5)_2$, 43
- Phenyloxirane**
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with $K^-, K^+(15-crown-5)_2$, 43
- Phospha-alkyne**
[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospha-alkyne PC^tBu . Syntheses, crystal and molecular structures of the four complexes $[Zr(\eta^5-(C_5Me_5)_2(SC^tBu=P))]$, $[Zr(\eta^5-(C_5Me_5)_2(SeC^tBu=P))]$, $[Zr(\eta^5-(C_5Me_5)_2(SC^tBu=PSe))]$ and $[Zr(\eta^5-(C_5Me_5)_2(SC^tBu=PC(Ph)=N))]$, 1
- Potassium alkali solution**
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with $K^-, K^+(15-crown-5)_2$, 43
- Potassium anion**
Regioselectivity of the ring opening in the reaction of phenyloxirane, (phenylmethyl)oxirane and (2-phenylethyl)oxirane with $K^-, K^+(15-crown-5)_2$, 43
- Pyrazolate**
Synthesis and characterisation of new polynuclear copper(I) pyrazolate complexes and their catalytic activity in the cyclopropanation of olefins, 123
- Pyridine**
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115
- Reactivity**
Preparation and structural characterization of trimethylsilyl-substituted germlyzinc halides, $(Me_3Si)_3GeZnX$ (X = Cl, Br, and I) and silylzinc chloride, $R(Me_3Si)_2SiZnCl$ (R = $SiMe_3$ and Ph), 100
- Ring expansion**
[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospha-alkyne PC^tBu . Syntheses, crystal and molecular structures of the four complexes $[Zr(\eta^5-(C_5Me_5)_2(SC^tBu=P))]$, $[Zr(\eta^5-(C_5Me_5)_2(SeC^tBu=P))]$, $[Zr(\eta^5-(C_5Me_5)_2(SC^tBu=PSe))]$ and $[Zr(\eta^5-(C_5Me_5)_2(SC^tBu=PC(Ph)=N))]$, 1

- [Zr(η^5 -C₅Me₅)₂(SC(^tBu)=PSe))] and [Zr(η^5 -C₅Me₅)₂(SC(^tBu)=PC(Ph)=N)], 1
- Ruthenium**
Structural characterization of [Ru₃Mo(μ_3 - η^1 -CC)(μ -CO)₃(CO)₂(η -C₅H₅)₃]: a revisit, 17
- Ruthenium complexes**
Synthetic, spectroscopic, and structural studies of bis(2-methyl-4-phenylpentadienyl)ruthenium, Ru(2-CH₃-4-C₆H₅C₅H₅)₂: characterization of isomeric open ruthenocenes, 109
- Schiff base**
Activation of σ (C–H) bonds of [Fe{(η^5 -C₅H₄)-C(Me)=N–N=C(H)(C₆H₃-2,6-R)}₂] (with R = Cl or H) promoted by palladium(II), 34
- Silene**
Thermal isomerization of 1,2-diadamantoyltetrakis(trimethylsilyl)disilane via a 2,3-disilabutadiene intermediate, 72
- Silylzinc chlorides**
Preparation and structural characterization of trimethylsilyl-substituted germylzinc halides, (Me₃Si)₃GeZnX (X = Cl, Br, and I) and silylzinc chloride, R(Me₃Si)₂SiZnCl (R = SiMe₃ and Ph), 100
- ¹¹⁹Sn-NMR
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115
- Structural studies**
Synthetic, spectroscopic, and structural studies of bis(2-methyl-4-phenylpentadienyl)ruthenium, Ru(2-CH₃-4-C₆H₅C₅H₅)₂: characterization of isomeric open ruthenocenes, 109
- Structure**
Preparation and structural characterization of trimethylsilyl-substituted germylzinc halides, (Me₃Si)₃GeZnX (X = Cl, Br, and I) and silylzinc chloride, R(Me₃Si)₂SiZnCl (R = SiMe₃ and Ph), 100
- Structures**
Insertion of carbodiimide into the Ln–N σ -bond of organolanthanide complexes. Synthesis and characterization of organolanthanide guanidinates (C₅H₅)₂Ln[^tPrN=C(N^tPr)₂]=N^tPr] (Ln = Yb, Dy, Gd), 94
- Tetrahydroisoquinoline**
Synthesis of (η^6 -arene)tricarbonylmetal and (σ -nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58
- Tetrahydroquinoline**
Synthesis of (η^6 -arene)tricarbonylmetal and (σ -nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58
- Tetrameric complexes**
Synthesis and characterisation of new polynuclear copper(I) pyrazolate complexes and their catalytic activity in the cyclopropanation of olefins, 123
- Thioalkyne**
Thiocarbonyl ligands via elimination of pentafluorobenzene at a diiron centre: crystal structures of [Fe₂(CO)₄{ μ -SC(Ph)=CH}(μ -dppm)] and [Fe₂(CO)₄{ μ -SCH=C(Ph)C(O)}(μ -dppm)], 22
- Thiocarbonyl**
Thiocarbonyl ligands via elimination of pentafluorobenzene at a diiron centre: crystal structures of [Fe₂(CO)₄{ μ -SC(Ph)=CH}(μ -dppm)] and [Fe₂(CO)₄{ μ -SCH=C(Ph)C(O)}(μ -dppm)], 22
- Tin**
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes L²(X)MM'L_n' [L² = PhNC(Me)CHC(Me)NPh; X = Cl, I; M = Ge, Sn; M'L_n' = W(CO)₅, Fe(CO)₄], 77
- Tin(IV)**
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115
- Transition-metal complexes of M₁₄ divalent species**
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes L²(X)MM'L_n' [L² = PhNC(Me)CHC(Me)NPh; X = Cl, I; M = Ge, Sn; M'L_n' = W(CO)₅, Fe(CO)₄], 77
- Triselenagermolane**
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66
- Trithiagermolane**
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66
- Tungsten**
Heteronuclear bonding between heavier Group 14 elements and transition-metals: novel halogermylene- and stannylene transition-metal complexes L²(X)MM'L_n' [L² = PhNC(Me)CHC(Me)NPh; X = Cl, I; M = Ge, Sn; M'L_n' = W(CO)₅, Fe(CO)₄], 77
- Synthesis of (η^6 -arene)tricarbonylmetal and (σ -nitrogen)pentacarbonylmetal complexes of 1,2,3,4-tetrahydroquinoline and 1,2,3,4-tetrahydroisoquinoline with chromium, molybdenum and tungsten, 58
- X-ray crystallographic analysis**
Reaction of a stable germabenzene with chalcogens: synthesis and structure of a novel germanium analog of pentathiepane, 1,2,3,4,5,6-pentathiagermepane, 66
- X-ray diffraction**
Dimethyltin(IV) 2,6-disubstituted pyridine complexes, 115
- Preparation and structural characterization of trimethylsilyl-substituted germylzinc halides, (Me₃Si)₃GeZnX (X = Cl, Br, and I) and silylzinc chloride, R(Me₃Si)₂SiZnCl (R = SiMe₃ and Ph), 100
- Zirconium**
[2+2] Cyclo-addition reactions of bis-pentamethylcyclopentadienyl zirconium metal complexes containing terminal chalcogenide ligands with the phospho-alkyne PC^tBu. Syntheses, crystal and molecular structures of the four complexes [Zr(η^5 -C₅Me₅)₂(SC(^tBu)=P)], [Zr(η^5 -C₅Me₅)₂(SeC(^tBu)=P)], [Zr(η^5 -C₅Me₅)₂(SC(^tBu)=PSe))] and [Zr(η^5 -C₅Me₅)₂(SC(^tBu)=PC(Ph)=N)], 1