



ELSEVIER

Subject Index of Volume 677

Acetylacetonate

On the chemistry of fluoroorgano derivatives of Group 13 elements: Part 3. Syntheses of pentafluorophenylindium dibromide, $\text{In}(\text{C}_6\text{F}_5)\text{Br}_2 \cdot 2\text{D}$ ($\text{D} = \text{THF}, \text{C}_5\text{H}_5\text{N}$), and related compounds—single crystal structure analyses of $\text{In}(\text{C}_6\text{F}_5)\text{Br}_2 \cdot 2\text{THF}$ and $\text{In}(\text{acac})\text{Br}_2 \cdot 2\text{THF}$, 28

AIM

Iron carbonyl complexes of heterocyclic α -diimines: systematic synthesis, crystal structures of $[\text{Fe}(\text{CO})_3(\text{L})]$ and $[\text{Fe}_2(\text{CO})_7(\text{L})]$ ($\text{L} = 2,2'$ -bipyridine and 1,10-phenanthroline), and their AIM analysis, 101

Alkalide

The behaviour of organopotassium intermediates derived from oxiranes under the influence of alkalide K^- , $\text{K}^+(15\text{-crown-5})_2$, 118

Alkyl complexes

Synthesis and structural characterization of molybdenum complexes with linked cycloheptatrienyl–phosphane ligands, 1

Antimony

Syntheses and coordination chemistry of di-, tri-, and tetrastibanes, $\text{R}_2\text{Sb}(\text{SbR}')_n, \text{SbR}_2$ ($n = 0, 1, 2$), 15

Bimetallic complexes

First heterobimetallic complexes of phosphocavitands, 21

Binuclear complexes

A unusual bridging mode of vinylidene ligands in nonacarbonyl(vinylidene)dichromium complexes, 46

Carbonyl

Iron carbonyl complexes of heterocyclic α -diimines: systematic synthesis, crystal structures of $[\text{Fe}(\text{CO})_3(\text{L})]$ and $[\text{Fe}_2(\text{CO})_7(\text{L})]$ ($\text{L} = 2,2'$ -bipyridine and 1,10-phenanthroline), and their AIM analysis, 101

Carbonylation

Reactions of sulfido-tricobalt cluster $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-C}, \text{N-C}_5\text{H}_4\text{N})$ with diphosphine ligands and $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-S}, \text{P-SPMe}_2)$ towards diphenyl-2-pyridylphosphine, 80

Cationic intermediates

$^1\text{H-NMR}$ spectroscopic study of cationic intermediates in solvent and oil constituents of the catalytic systems $\text{Cp}_2\text{ZrMe}_2/[\text{CPh}_3][\text{B}(\text{C}_6\text{F}_5)_4]$ and $\text{Cp}_2\text{ZrMe}_2/\text{AlMe}_3/[\text{CPh}_3][\text{B}(\text{C}_6\text{F}_5)_4]$ in benzene, 10

Cationic methallyl complexes

Cationic methallylnickel(II) complexes with α -diimine ligands: synthesis and X-ray structure, 53

Chemical reduction

Cationic methallylnickel(II) complexes with α -diimine ligands: synthesis and X-ray structure, 53

Chromium

A unusual bridging mode of vinylidene ligands in nonacarbonyl(vinylidene)dichromium complexes, 46

Chromium complexes

Syntheses and coordination chemistry of di-, tri-, and tetrastibanes, $\text{R}_2\text{Sb}(\text{SbR}')_n, \text{SbR}_2$ ($n = 0, 1, 2$), 15

Cobaloxime

Dicobalt hexacarbonyl-3-butyn-1-yl cobaloxime: synthesis X-ray crystal structure and reactions of the first combined cobaloxime–dicobalt hexacarbonyl alkyne complex, 125

Cobalt carbonyl

Dicobalt hexacarbonyl-3-butyn-1-yl cobaloxime: synthesis X-ray crystal structure and reactions of the first combined cobaloxime–dicobalt hexacarbonyl alkyne complex, 125

Complexation

First heterobimetallic complexes of phosphocavitands, 21

Complexes

Iron carbonyl complexes of heterocyclic α -diimines: systematic synthesis, crystal structures of $[\text{Fe}(\text{CO})_3(\text{L})]$ and $[\text{Fe}_2(\text{CO})_7(\text{L})]$ ($\text{L} = 2,2'$ -bipyridine and 1,10-phenanthroline), and their AIM analysis, 101

Coordination

Cycloauration of substituted 2-phenoxy pyridine derivatives and X-ray crystal structure of gold, dichloro[2-[[5-[(cyclopentylamino)carbonyl]-2-pyridinyl- κN]oxy]phenyl- κC]-, (*SP-4-3*)-, 57

Crystal structure

On the chemistry of fluoroorgano derivatives of Group 13 elements: Part 3. Syntheses of pentafluorophenylindium dibromide, $\text{In}(\text{C}_6\text{F}_5)\text{Br}_2 \cdot 2\text{D}$ ($\text{D} = \text{THF}, \text{C}_5\text{H}_5\text{N}$), and related compounds—single crystal structure analyses of $\text{In}(\text{C}_6\text{F}_5)\text{Br}_2 \cdot 2\text{THF}$ and $\text{In}(\text{acac})\text{Br}_2 \cdot 2\text{THF}$, 28

Crystal structures

Cycloauration of substituted 2-phenoxy pyridine derivatives and X-ray crystal structure of gold, dichloro[2-[[5-[(cyclopentylamino)carbonyl]-2-pyridinyl- κN]oxy]phenyl- κC]-, (*SP-4-3*)-, 57

Cycloauration

Cycloauration of substituted 2-phenoxy pyridine derivatives and X-ray crystal structure of gold, dichloro[2-[[5-[(cyclopentylamino)carbonyl]-2-pyridinyl- κN]oxy]phenyl- κC]-, (*SP-4-3*)-, 57

Cycloheptatrienyl complexes

Synthesis and structural characterization of molybdenum complexes with linked cycloheptatrienyl–phosphane ligands, 1

Cyclopentadienyl

Fulvene having substituents only on 1-, 4-, and 6-positions: a key intermediate for novel *ansa*-metallocene complexes, 133

Structural studies of lanthanide and yttrium metallocene oxides, 89

 α -Diimine

Cationic methallylnickel(II) complexes with α -diimine ligands: synthesis and X-ray structure, 53

 α -Diimines

Iron carbonyl complexes of heterocyclic α -diimines: systematic synthesis, crystal structures of $[\text{Fe}(\text{CO})_3(\text{L})]$ and $[\text{Fe}_2(\text{CO})_7(\text{L})]$ ($\text{L} = 2,2'$ -bipyridine and 1,10-phenanthroline), and their AIM analysis, 101

Diphenyl-2-pyridylphosphine

Reactions of sulfido-tricobalt cluster $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-C}, \text{N-C}_5\text{H}_4\text{N})$ with diphosphine ligands and $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-S}, \text{P-SPMe}_2)$ towards diphenyl-2-pyridylphosphine, 80

DPPE

Reactions of sulfido-tricobalt cluster $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-C},\text{N-C}_5\text{H}_4\text{N})$ with diphosphine ligands and $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-S},\text{P-SPMe}_2)$ towards diphenyl-2-pyridylphosphine, 80

DPPM

Reactions of sulfido-tricobalt cluster $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-C},\text{N-C}_5\text{H}_4\text{N})$ with diphosphine ligands and $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-S},\text{P-SPMe}_2)$ towards diphenyl-2-pyridylphosphine, 80

Ether bond scission

The behaviour of organopotassium intermediates derived from oxiranes under the influence of alkalide K^- , $\text{K}^+(15\text{-crown-5})_2$, 118

Fulvene

Fulvene having substituents only on 1-, 4-, and 6-positions: a key intermediate for novel *ansa*-metallocene complexes, 133

Imidation

Synthesis and relative stability of five- and six-membered *S*-functional derivatives of 1,3-thiasilacycloalkanes, 73

Indium

On the chemistry of fluoroorgano derivatives of Group 13 elements: Part 3. Syntheses of pentafluorophenylindium dibromide, $\text{In}(\text{C}_6\text{F}_5)\text{Br}_2 \cdot 2\text{D}$ ($\text{D} = \text{THF}$, $\text{C}_5\text{H}_5\text{N}$), and related compounds—single crystal structure analyses of $\text{In}(\text{C}_6\text{F}_5)\text{Br}_2 \cdot 2\text{THF}$ and $\text{In}(\text{acac})\text{Br}_2 \cdot 2\text{THF}$, 28

IR-frequencies

Theoretical determination of δ in $18 + \delta$ organometallic complexes, 96

Iron

Iron carbonyl complexes of heterocyclic α -diimines: systematic synthesis, crystal structures of $[\text{Fe}(\text{CO})_3(\text{L})]$ and $[\text{Fe}_2(\text{CO})_7(\text{L})]$ ($\text{L} = 2,2'$ -bipyridine and 1,10-phenanthroline), and their AIM analysis, 101

Lanthanides

Structural studies of lanthanide and yttrium metallocene oxides, 89

Ligand functionalization

Synthesis and structural characterization of molybdenum complexes with linked cycloheptatrienyl–phosphane ligands, 1

Mechanism

$^1\text{H-NMR}$ spectroscopic study of cationic intermediates in solvent and oil constituents of the catalytic systems $\text{Cp}_2\text{ZrMe}_2/[\text{CPh}_3][\text{B}(\text{C}_6\text{F}_5)_4]$ and $\text{Cp}_2\text{ZrMe}_2/\text{AlMe}_3/[\text{CPh}_3][\text{B}(\text{C}_6\text{F}_5)_4]$ in benzene, 10

Metallocene

Structural studies of lanthanide and yttrium metallocene oxides, 89

Metallocene polymerization

$^1\text{H-NMR}$ spectroscopic study of cationic intermediates in solvent and oil constituents of the catalytic systems $\text{Cp}_2\text{ZrMe}_2/[\text{CPh}_3][\text{B}(\text{C}_6\text{F}_5)_4]$ and $\text{Cp}_2\text{ZrMe}_2/\text{AlMe}_3/[\text{CPh}_3][\text{B}(\text{C}_6\text{F}_5)_4]$ in benzene, 10

Metallocenes

Fulvene having substituents only on 1-, 4-, and 6-positions: a key intermediate for novel *ansa*-metallocene complexes, 133

Methallyloxyphosphonium salt

Cationic methallylnickel(II) complexes with α -diimine ligands: synthesis and X-ray structure, 53

Methanolysis

Synthesis and relative stability of five- and six-membered *S*-functional derivatives of 1,3-thiasilacycloalkanes, 73

Molybdenum

Synthesis and structural characterization of molybdenum complexes with linked cycloheptatrienyl–phosphane ligands, 1

Multinuclear complex

Dicobalt hexacarbonyl-3-butyn-1-yl cobaloxime: synthesis X-ray crystal structure and reactions of the first combined cobaloxime–dicobalt hexacarbonyl alkyne complex, 125

Natural charges

Theoretical determination of δ in $18 + \delta$ organometallic complexes, 96

Nickel

Cationic methallylnickel(II) complexes with α -diimine ligands: synthesis and X-ray structure, 53

Organometallic complexes

Theoretical determination of δ in $18 + \delta$ organometallic complexes, 96

Organopotassium intermediate

The behaviour of organopotassium intermediates derived from oxiranes under the influence of alkalide K^- , $\text{K}^+(15\text{-crown-5})_2$, 118

Oxidation

Synthesis and relative stability of five- and six-membered *S*-functional derivatives of 1,3-thiasilacycloalkanes, 73

Oxide

Structural studies of lanthanide and yttrium metallocene oxides, 89

Oxiranes

The behaviour of organopotassium intermediates derived from oxiranes under the influence of alkalide K^- , $\text{K}^+(15\text{-crown-5})_2$, 118

Pauson-Khand

Dicobalt hexacarbonyl-3-butyn-1-yl cobaloxime: synthesis X-ray crystal structure and reactions of the first combined cobaloxime–dicobalt hexacarbonyl alkyne complex, 125

Pentafluorophenyl

On the chemistry of fluoroorgano derivatives of Group 13 elements: Part 3. Syntheses of pentafluorophenylindium dibromide, $\text{In}(\text{C}_6\text{F}_5)\text{Br}_2 \cdot 2\text{D}$ ($\text{D} = \text{THF}$, $\text{C}_5\text{H}_5\text{N}$), and related compounds—single crystal structure analyses of $\text{In}(\text{C}_6\text{F}_5)\text{Br}_2 \cdot 2\text{THF}$ and $\text{In}(\text{acac})\text{Br}_2 \cdot 2\text{THF}$, 28

Phenoxypyridine

Cycloauration of substituted 2-phenoxypyridine derivatives and X-ray crystal structure of gold, dichloro[2-[[[(cyclopentylamino)carbonyl]-2-pyridinyl- κN]oxy]phenyl- κC]-, (*SP*-4-3)-, 57

Phosphocavitands

First heterobimetallic complexes of phosphocavitands, 21

Polymerization

Fulvene having substituents only on 1-, 4-, and 6-positions: a key intermediate for novel *ansa*-metallocene complexes, 133

S-Functionalization

Synthesis and relative stability of five- and six-membered *S*-functional derivatives of 1,3-thiasilacycloalkanes, 73

Silver bromide

First heterobimetallic complexes of phosphocavitands, 21

Sulfido-tricobalt cluster

Reactions of sulfido-tricobalt cluster $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-C},\text{N-C}_5\text{H}_4\text{N})$ with diphosphine ligands and $(\mu_3\text{-S})\text{Co}_3(\text{CO})_7(\mu\text{-S},\text{P-SPMe}_2)$ towards diphenyl-2-pyridylphosphine, 80

Thermolysis

A unusual bridging mode of vinylidene ligands in nonacarbonyl(vinylidene)dichromium complexes, 46

Thiasilacycloalkanes

Synthesis and relative stability of five- and six-membered *S*-functional derivatives of 1,3-thiasilacycloalkanes, 73

Trimetallic complex

Dicobalt hexacarbonyl-3-butyn-1-yl cobaloxime: synthesis X-ray crystal structure and reactions of the first combined

- cobaloxime–dicobalt hexacarbonyl alkyne complex, 125
- Vinylidene complexes
- A unusual bridging mode of vinylidene ligands in nonacarbonyl(vinylidene)dichromium complexes, 46
- X-ray structure analyses
- Syntheses and coordination chemistry of di-, tri-, and tetrastibanes, $R_2Sb(SbR')_nSbR_2$ ($n = 0, 1, 2$), 15
- Zirconium
- Fulvene having substituents only on 1-, 4-, and 6-positions: a key intermediate for novel *ansa*-metallocene complexes, 133