



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Journal of Organometallic Chemistry 678 (2003) 185–188

Journal
of Organo
metallic
Chemistrywww.elsevier.com/locate/jorgchem

Subject index of volume 678

Ab-initio molecular orbital

Structures and electronic states of gallium–acetone complexes: ab-initio DFT study, 56

Acetylide

Linear ditopic acetylide gold or mercury complexes: synthesis and photophysical studies: X-ray crystal structure of $\text{PPh}_4[\text{Au}(\text{C}\equiv\text{CC}_5\text{H}_4\text{N})_2]$, 82

Acetylides

Insertion of CS_2 into a metal acetylide bond and conversion of the bonding mode of $\text{S}_2\text{CC}\equiv\text{CPh}$ from η^2 to η^3 , 142

Acyclic dienone complexes

Synthesis of tricarbonyliron cyclohexa-2,4-dienone complexes from tosylhydrazones of acyclic dienone complexes. A novel ansa dicarbonyliron complex by intramolecular trapping of reaction intermediates of the cyclocarbonylation reaction, 68

Alkene complex

Study of the reaction of $\text{Rh}(\text{acac})(\text{CO})_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128

 α -Alkenes

A novel and efficient method for double bond isomerization, 1

Alkyne

Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[\text{PPh}_4][\text{Fe}_2(\text{CO})_6(\mu\text{-CO})(\mu\text{-PhC}=\text{CHPh})]$, 117

Alkynes

Rhodium(III)-mediated cycloaddition of alkynes: reactivity of $[\text{Cp}^*\text{Rh}(\eta^2\text{-NO}_3)(\text{OTf})]$ bearing two labile ligands, 102

Alkynyl esters

Rhodium(III)-mediated cycloaddition of alkynes: reactivity of $[\text{Cp}^*\text{Rh}(\eta^2\text{-NO}_3)(\text{OTf})]$ bearing two labile ligands, 102

Bimetallic complexes

Titanium complexes of π -coordinated thiophene derivatives, 5

1,1'-Bis(diphenylphosphino)ferrocene

Carboxylation of (DPPF)- MCl_2 [DPPF = 1,1'-bis(diphenylphosphino)ferrocene; M = Pt or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[\text{Pt}(\text{C}_2\text{O}_4)(\text{DPPF})]$ and of $[\text{PtCl}(\text{NO}_3)(\text{DPPF})]$, 48

Bismuth

Synthesis and characterization of methylbismuth(III) complexes containing dithio ligands: crystal and molecular structure of $[\text{MeBi}\{\text{S}_2\text{COMe}\}_2]$ and transformation of $[\text{MeBi}\{\text{S}_2\text{CO}^i\text{Pr}\}_2]$ to Bi_2S_3 , 122

Carbonyl

Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[\text{PPh}_4][\text{Fe}_2(\text{CO})_6(\mu\text{-CO})(\mu\text{-PhC}=\text{CHPh})]$, 117

Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_8(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2]$; X-ray crystal structures of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_7(\text{L})(\eta\text{-C}_5\text{H}_5)]$ (L = CNBu^i , $\text{CNC}_6\text{H}_3\text{Me}_2\text{-2,6}$) and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_2(\text{CNBu}^i)_2(\text{CO})_6(\eta\text{-C}_5\text{H}_5)_2]$, 72

Carboxylato complexes

Carboxylation of (DPPF)- MCl_2 [DPPF = 1,1'-bis(diphenylphosphino)ferrocene; M = Pt or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[\text{Pt}(\text{C}_2\text{O}_4)(\text{DPPF})]$ and of $[\text{PtCl}(\text{NO}_3)(\text{DPPF})]$, 48

Catalytic hydrogenation

Study of the reaction of $\text{Rh}(\text{acac})(\text{CO})_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128

Chalcogen

Insertion of CS_2 into a metal acetylide bond and conversion of the bonding mode of $\text{S}_2\text{CC}\equiv\text{CPh}$ from η^2 to η^3 , 142

Chemical vapor deposition

Facile synthesis of a novel class of organometalloid-containing ligands, the sila- β -diketones: preparation and physical and structural characterization of the copper(II) complexes, $\text{Cu}[\text{R}^i\text{C}(\text{O})\text{CHC}(\text{O})\text{SiR}_3]_2$, 15

Chromium

Titanium complexes of π -coordinated thiophene derivatives, 5

Cluster

Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_8(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2]$; X-ray crystal structures of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_7(\text{L})(\eta\text{-C}_5\text{H}_5)]$ (L = CNBu^i , $\text{CNC}_6\text{H}_3\text{Me}_2\text{-2,6}$) and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_2(\text{CNBu}^i)_2(\text{CO})_6(\eta\text{-C}_5\text{H}_5)_2]$, 72

Copper complexes

Facile synthesis of a novel class of organometalloid-containing ligands, the sila- β -diketones: preparation and physical and structural characterization of the copper(II) complexes, $\text{Cu}[\text{R}^i\text{C}(\text{O})\text{CHC}(\text{O})\text{SiR}_3]_2$, 15

Crystal and molecular structures

Synthesis and characterization of methylbismuth(III) complexes containing dithio ligands: crystal and molecular structure of $[\text{MeBi}\{\text{S}_2\text{COMe}\}_2]$ and transformation of $[\text{MeBi}\{\text{S}_2\text{CO}^i\text{Pr}\}_2]$ to Bi_2S_3 , 122

Crystal structure

Facile synthesis of a novel class of organometalloid-containing ligands, the sila- β -diketones: preparation and physical and structural characterization of the copper(II) complexes, $\text{Cu}[\text{R}^i\text{C}(\text{O})\text{CHC}(\text{O})\text{SiR}_3]_2$, 15

Insertion of CS_2 into a metal acetylide bond and conversion of the bonding mode of $\text{S}_2\text{CC}\equiv\text{CPh}$ from η^2 to η^3 , 142

Synthesis and characterization of 1-ferrocenecarboxylatranes and crystal structures of $\text{FcC}(\text{CH}_3)=\text{CHCOOSi}(\text{OCH}_2\text{CH}_2)_3\text{N}$ and $p\text{-FcC}_6\text{H}_4\text{COOSi}(\text{OCH}_2\text{CH}_2)_3\text{N}$, 90

Synthesis and structure of a novel trinuclear 18-membered macrocycle of diphenyltin complexes with 2-mercaptocotinic acid, 148

Crystal structures

Synthesis and characterization of β -diketiminato lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108

Cyclic voltammetry

Chiral diaminocarbene palladium(II) complexes: synthesis, reduc-

- tion to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166
- Cyclodimerization
Rhodium(III)-mediated cycloaddition of alkynes: reactivity of $[\text{Cp}^*\text{Rh}(\eta^2\text{-NO}_3)(\text{OTf})]$ bearing two labile ligands, 102
- Cyclopentadienyl
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_8(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2]$; X-ray crystal structures of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_7(\text{L})(\eta\text{-C}_5\text{H}_5)]$ (L = CNBu', CNC₆H₃Me₂-2,6) and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_2(\text{CNBu}')_2(\text{CO})_6(\eta\text{-C}_5\text{H}_5)_2]$, 72
- Cyclophanes
Synthesis of 5,5,6,6,21,21,22,22-octamethyl-5,6,21,22-tetragerma[10.10]paracyclophane, 61
- Cyclotrimerization
Rhodium(III)-mediated cycloaddition of alkynes: reactivity of $[\text{Cp}^*\text{Rh}(\eta^2\text{-NO}_3)(\text{OTf})]$ bearing two labile ligands, 102
- Density functional theory
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 (Cp = $\pi\text{-C}_5\text{H}_5$, M = Ti, Zr, Hf) by density functional theory, 156
- DFT
Structures and electronic states of gallium–acetone complexes: ab-initio DFT study, 56
- β -Diketimate ligand
Synthesis and characterization of β -diketimate lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108
- Dinuclear
Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[\text{PPh}_4][\text{Fe}_2(\text{CO})_6(\mu\text{-CO})(\mu\text{-PhC}=\text{CHPh})]$, 117
- ditopic host
Synthesis of 5,5,6,6,21,21,22,22-octamethyl-5,6,21,22-tetragerma[10.10]paracyclophane, 61
- EL
Hole-transporting properties of organosilanylene–diethynylpyrene and diethynylanthracene alternating polymers. Applications to patterning of light-emitting images, 33
- Electronic spectrum
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 (Cp = $\pi\text{-C}_5\text{H}_5$, M = Ti, Zr, Hf) by density functional theory, 156
- Electronic states
Structures and electronic states of gallium–acetone complexes: ab-initio DFT study, 56
- Excited state
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 (Cp = $\pi\text{-C}_5\text{H}_5$, M = Ti, Zr, Hf) by density functional theory, 156
- Ferrocene
Synthesis and characterization of 1-ferrocenecarboxysilatrane and crystal structures of $\text{FcC}(\text{CH}_3)=\text{CHCOOSi}(\text{OCH}_2\text{CH}_2)_3\text{N}$ and $p\text{-FcC}_6\text{H}_4\text{COOSi}(\text{OCH}_2\text{CH}_2)_3\text{N}$, 90
- Ferrocenyl carboxylate
Synthesis and characterization of 1-ferrocenecarboxysilatrane and crystal structures of $\text{FcC}(\text{CH}_3)=\text{CHCOOSi}(\text{OCH}_2\text{CH}_2)_3\text{N}$ and $p\text{-FcC}_6\text{H}_4\text{COOSi}(\text{OCH}_2\text{CH}_2)_3\text{N}$, 90
- Gallium–acetone complexes
Structures and electronic states of gallium–acetone complexes: ab-initio DFT study, 56
- Germanium
Stereochemical rearrangements of dibromides of hexacoordinated germanium containing amidomethyl and lactamomethyl chelate ligands, 39
- Gold
Linear ditopic acetylide gold or mercury complexes: synthesis and photophysical studies: X-ray crystal structure of $\text{PPh}_4[\text{Au}(\text{C}\equiv\text{CC}_5\text{H}_4\text{N})_2]$, 82
- Heck reaction
Chiral diaminocarbene palladium(II) complexes: synthesis, reduction to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166
- Hexacoordination
Stereochemical rearrangements of dibromides of hexacoordinated germanium containing amidomethyl and lactamomethyl chelate ligands, 39
- Hole-transport
Hole-transporting properties of organosilanylene–diethynylpyrene and diethynylanthracene alternating polymers. Applications to patterning of light-emitting images, 33
- In situ FTIR
Study of the reaction of $\text{Rh}(\text{acac})(\text{CO})_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128
- Iridium
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_8(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2]$; X-ray crystal structures of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_7(\text{L})(\eta\text{-C}_5\text{H}_5)]$ (L = CNBu', CNC₆H₃Me₂-2,6) and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_2(\text{CNBu}')_2(\text{CO})_6(\eta\text{-C}_5\text{H}_5)_2]$, 72
- Iron
Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[\text{PPh}_4][\text{Fe}_2(\text{CO})_6(\mu\text{-CO})(\mu\text{-PhC}=\text{CHPh})]$, 117
- Isocyanide
Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_8(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2]$; X-ray crystal structures of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_7(\text{L})(\eta\text{-C}_5\text{H}_5)]$ (L = CNBu', CNC₆H₃Me₂-2,6) and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_2(\text{CNBu}')_2(\text{CO})_6(\eta\text{-C}_5\text{H}_5)_2]$, 72
- Isomerization
A novel and efficient method for double bond isomerization, 1
- Ligands
Synthesis of tricarbonyliron cyclohexa-2,4-dienone complexes from tosylhydrazones of acyclic dienone complexes. A novel ansa dicarbonyliron complex by intramolecular trapping of reaction intermediates of the cyclocarbonylation reaction, 68
- Ligand-to-metal charge transfer
A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 (Cp = $\pi\text{-C}_5\text{H}_5$, M = Ti, Zr, Hf) by density functional theory, 156
- Macrocycle
Synthesis and structure of a novel trinuclear 18-membered macrocycle of diphenyltin complexes with 2-mercaptocotinic acid, 148
- Mechanism
Study of the reaction of $\text{Rh}(\text{acac})(\text{CO})_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128
- 2-Mercaptocotinic acid
Synthesis and structure of a novel trinuclear 18-membered macrocycle of diphenyltin complexes with 2-mercaptocotinic acid, 148

Mercury

Linear ditopic acetylide gold or mercury complexes: synthesis and photophysical studies: X-ray crystal structure of $\text{PPh}_4[\text{Au}(\text{C}\equiv\text{CC}_5\text{H}_4\text{N})_2]$, 82

Mixed-metal

Insertion of CS_2 into a metal acetylide bond and conversion of the bonding mode of $\text{S}_2\text{CC}\equiv\text{CPh}$ from η^2 to η^3 , 142

Molybdenum

Mixed-metal cluster chemistry. 24. Isocyanide derivatives of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_8(\eta\text{-C}_5\text{H}_5)]$ and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2]$; X-ray crystal structures of $[\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_7(\text{L})(\eta\text{-C}_5\text{H}_5)]$ ($\text{L} = \text{CNBu}'$, $\text{CNC}_6\text{H}_3\text{Me}_2$ -2,6) and $[\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_2(\text{CNBu}')_2(\text{CO})_6(\eta\text{-C}_5\text{H}_5)_2]$, 72

N-heterocyclic carbenes

Chiral diaminocarbene palladium(II) complexes: synthesis, reduction to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166

NMR and X-ray studies

Carboxylation of (DPPF)- MCl_2 [DPPF = 1,1'-bis(diphenylphosphino)ferrocene; $\text{M} = \text{Pt}$ or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[\text{Pt}(\text{C}_2\text{O}_4)(\text{DPPF})]$ and of $[\text{PtCl}(\text{NO}_3)(\text{DPPF})]$, 48

NMR spectroscopy

$\text{C}_4\text{H}_3\text{SSeCH}_2\text{CH}_2\text{OC}_6\text{H}_5$: synthesis, characterization and reaction with palladium(II) and nickel(II), 95

Non-empirical quantum-chemical calculations

Stereochemical rearrangements of dibromides of hexacoordinated germanium containing amidomethyl and lactamomethyl chelate ligands, 39

Olefin polymerization

Synthesis, structural determination, and ethylene polymerization chemistry of mono(salicylaldiminato) complexes of titanium(IV), 134

Organogermanium compound

Synthesis of 5,5,6,6,21,21,22,22-octamethyl-5,6,21,22-tetra-germa[10.10]paracyclophane, 61

Organolanthanides

Synthesis and characterization of β -diketimate lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108

Organometallic complexes

A study on the excitations of ligand-to-metal charge transfer in complexes Cp_2MCl_2 ($\text{Cp} = \pi\text{-C}_5\text{H}_5$, $\text{M} = \text{Ti}$, Zr , Hf) by density functional theory, 156

Organotin

Synthesis and structure of a novel trinuclear 18-membered macrocycle of diphenyltin complexes with 2-mercaptocotinic acid, 148

Palladium

Carboxylation of (DPPF)- MCl_2 [DPPF = 1,1'-bis(diphenylphosphino)ferrocene; $\text{M} = \text{Pt}$ or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[\text{Pt}(\text{C}_2\text{O}_4)(\text{DPPF})]$ and of $[\text{PtCl}(\text{NO}_3)(\text{DPPF})]$, 48

Chiral diaminocarbene palladium(II) complexes: synthesis, reduction to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166

Palladium complex

$\text{C}_4\text{H}_3\text{SSeCH}_2\text{CH}_2\text{OC}_6\text{H}_5$: synthesis, characterization and reaction with palladium(II) and nickel(II), 95

Palladium (II) chloride

A novel and efficient method for double bond isomerization, 1

Patterning

Hole-transporting properties of organosilanylene–diethynylpyrene and diethynylanthracene alternating polymers. Applications to patterning of light-emitting images, 33

2-Phenoxyethylthienylselenide

$\text{C}_4\text{H}_3\text{SSeCH}_2\text{CH}_2\text{OC}_6\text{H}_5$: synthesis, characterization and reaction with palladium(II) and nickel(II), 95

Photoluminescence

Linear ditopic acetylide gold or mercury complexes: synthesis and photophysical studies: X-ray crystal structure of $\text{PPh}_4[\text{Au}(\text{C}\equiv\text{CC}_5\text{H}_4\text{N})_2]$, 82

Platinum

Carboxylation of (DPPF)- MCl_2 [DPPF = 1,1'-bis(diphenylphosphino)ferrocene; $\text{M} = \text{Pt}$ or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[\text{Pt}(\text{C}_2\text{O}_4)(\text{DPPF})]$ and of $[\text{PtCl}(\text{NO}_3)(\text{DPPF})]$, 48

Polymer matrix

Study of the reaction of $\text{Rh}(\text{acac})(\text{CO})_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128

Reactivity

Synthesis and characterization of β -diketimate lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108

Recyclable catalysts

Chiral diaminocarbene palladium(II) complexes: synthesis, reduction to Pd(0) and activity in the Mizoroki–Heck reaction as recyclable catalysts, 166

Rhodium

Study of the reaction of $\text{Rh}(\text{acac})(\text{CO})_2$ with alkenes in polyethylene films under high-pressure hydrogen and the Rh-catalysed hydrogenation of alkenes, 128

Salicylaldiminato ligands

Synthesis, structural determination, and ethylene polymerization chemistry of mono(salicylaldiminato) complexes of titanium(IV), 134

Schiff base ligands

Synthesis, structural determination, and ethylene polymerization chemistry of mono(salicylaldiminato) complexes of titanium(IV), 134

Sila- β -diketone

Facile synthesis of a novel class of organometalloid-containing ligands, the sila- β -diketones: preparation and physical and structural characterization of the copper(II) complexes, $\text{Cu}[\text{R}'\text{C}(\text{O})\text{CHC}(\text{O})\text{SiR}_3]_2$, 15

Silatranes

Synthesis and characterization of 1-ferrocenecarboxysilatranes and crystal structures of $\text{FcC}(\text{CH}_3)=\text{CHCOOSi}(\text{OCH}_2\text{CH}_2)_3\text{N}$ and $p\text{-FcC}_6\text{H}_4\text{COOSi}(\text{OCH}_2\text{CH}_2)_3\text{N}$, 90

Silicon polymer

Hole-transporting properties of organosilanylene–diethynylpyrene and diethynylanthracene alternating polymers. Applications to patterning of light-emitting images, 33

Sodium/potassium salts

Synthesis and characterization of methylbismuth(III) complexes containing dithio ligands: crystal and molecular structure of $[\text{MeBi}\{\text{S}_2\text{COMe}\}_2]$ and transformation of $[\text{MeBi}\{\text{S}_2\text{CO}'\text{Pr}\}_2]$ to Bi_2S_3 , 122

Stereochemical non-rigidity

Stereochemical rearrangements of dibromides of hexacoordinated germanium containing amidomethyl and lactamomethyl chelate ligands, 39

Structures

Carboxylation of (DPPF)- MCl_2 [DPPF = 1,1'-bis(diphenylphosphino)ferrocene; $\text{M} = \text{Pt}$ or Pd] in aqueous and non-aqueous solution: Crystal and molecular structures of $[\text{Pt}(\text{C}_2\text{O}_4)(\text{DPPF})]$ and of $[\text{PtCl}(\text{NO}_3)(\text{DPPF})]$, 48

Supramolecular

Linear ditopic acetylide gold or mercury complexes: synthesis and photophysical studies: X-ray crystal structure of $\text{PPh}_4[\text{Au}(\text{C}\equiv\text{CC}_5\text{H}_4\text{N})_2]$, 82

Synthesis

Synthesis and characterization of β -diketiminato lanthanide complexes: the effect of the bulkiness of ancillary ligand on the reaction, 108

Thermal analyses

Facile synthesis of a novel class of organometalloid-containing ligands, the sila- β -diketones: preparation and physical and structural characterization of the copper(II) complexes, $\text{Cu}[\text{R}'\text{C}(\text{O})\text{CHC}(\text{O})\text{SiR}_3]_2$, 15

Thiophene

Titanium complexes of π -coordinated thiophene derivatives, 5

Titanium

Titanium complexes of π -coordinated thiophene derivatives, 5

Titanium(IV) complexes

Synthesis, structural determination, and ethylene polymerization chemistry of mono(salicylaldiminato) complexes of titanium(IV), 134

Tosylhydrazones

Synthesis of tricarbonyliron cyclohexa-2,4-dienone complexes from

tosylhydrazones of acyclic dienone complexes. A novel ansa dicarbonyliron complex by intramolecular trapping of reaction intermediates of the cyclocarbonylation reaction, 68

Triethylsilane

A novel and efficient method for double bond isomerization, 1

Trinuclear

Improved synthesis of di- and trinuclear iron carbonyl complexes containing bridging diphenylethenyl ligand. X-ray structure of $[\text{PPh}_4][\text{Fe}_2(\text{CO})_6(\mu\text{-CO})(\mu\text{-PhC}=\text{CHPh})]$, 117

Volatile complexes

Facile synthesis of a novel class of organometalloid-containing ligands, the sila- β -diketones: preparation and physical and structural characterization of the copper(II) complexes, $\text{Cu}[\text{R}'\text{C}(\text{O})\text{CHC}(\text{O})\text{SiR}_3]_2$, 15

Wurtz coupling

Synthesis of 5,5,6,6,21,21,22,22-octamethyl-5,6,21,22-tetragerma[10.10]paracyclophane, 61

X-ray crystallography

$\text{C}_4\text{H}_3\text{SSeCH}_2\text{CH}_2\text{OC}_6\text{H}_5$: synthesis, characterization and reaction with palladium(II) and nickel(II), 95