

## Subject Index of Volume 524

### Ab initio calculations

Molecular and electronic structure of 1,2-disilacyclobutabenzenes. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107

### Acyl

Carbonylation–decarbonylation reactions of the carbomethoxymethylcobalt complexes  $\text{CH}_3\text{O}_2\text{CCHRCo}(\text{CO})_3\text{L}$  ( $\text{R} = \text{H}, \text{CH}_2\text{CO}_2\text{CH}_3$ ;  $\text{L} = \text{CO}, \text{PPh}_3$ ) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

### Alkyl

Carbonylation–decarbonylation reactions of the carbomethoxymethylcobalt complexes  $\text{CH}_3\text{O}_2\text{CCHRCo}(\text{CO})_3\text{L}$  ( $\text{R} = \text{H}, \text{CH}_2\text{CO}_2\text{CH}_3$ ;  $\text{L} = \text{CO}, \text{PPh}_3$ ) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

The molecular structure of tetrakis(trimethylstannyl)methane by gas electron diffraction (A. Haaland, V.I. Sokolov, H.V. Volden, S. Kühner and J. Weidlein), 285

### Alkyl complexes

Half-sandwich rhenium(III) acyl complexes: synthesis, structure and conversion to rhenium(I) and rhenium(III) isonitrile complexes (A.C. Filippou, B. Lungwitz, G. Kociok-Köhn and I. Hinz), 133

### Alkyne-diols

Alkinol- und Alkindiol-funktionalisierte Zirconocen-Verbindungen: Synthese, Struktur und Reaktionsverhalten (H. Lang, S. Weinmann, M. Herres, M. Weinmann, O. Walter, B. Nuber und L. Zsolnai), 49

### Alkynes

Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*-[Fe(CH≡CHCOOMe)(Ph<sub>2</sub>PCH<sub>2</sub>-CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>][BF<sub>4</sub>] (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

### Alkynols

Alkinol- und Alkindiol-funktionalisierte Zirconocen-Verbindungen: Synthese, Struktur und Reaktionsverhalten (H. Lang, S. Weinmann, M. Herres, M. Weinmann, O. Walter, B. Nuber und L. Zsolnai), 49

### Allenes

Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169

### Arene

Hexanuclear and pentanuclear benzene carbido clusters: synthesis, characterisation and molecular structures of [Os<sub>6</sub>C(CO)<sub>14</sub>(η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>)], [RuOs<sub>5</sub>C(CO)<sub>14</sub>(η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>)] and [RuOs<sub>4</sub>C(CO)<sub>12</sub>(η<sup>6</sup>-C<sub>6</sub>H<sub>6</sub>)] (J.W.-S. Hui and W.-T. Wong), 211

### Arene complexes

Regioselectivity in the nucleophilic functionalization of dibenzofuran, dibenzothiophene and xanthene complexes of Mn(CO)<sub>5</sub> (I. Verona, J.P. Gutheil, R.D. Pike and G.B. Carpenter), 71

### Arsenic

Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcyclopentadienyl arsenic dihalides (Cp\*AsX<sub>2</sub>, X = F, Cl, Br, I) (E.V. Avtononov, K. Megges, S. Wocadlo and J. Lorberth), 253

### Arsenic halides

Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcyclopentadienyl arsenic dihalides (Cp\*AsX<sub>2</sub>, X = F, Cl, Br, I) (E.V. Avtononov, K. Megges, S. Wocadlo and J. Lorberth), 253

### Asymmetric cyclopalladation

Enantiomeric haloruthenocenium salts: synthesis of the first representatives with the use of asymmetric reduction and asymmetric cyclopalladation (I.A. Mamedyarova, M.N. Nefedova and V.I. Sokolov), 181

### Asymmetric reduction

Enantiomeric haloruthenocenium salts: synthesis of the first representatives with the use of asymmetric reduction and asymmetric cyclopalladation (I.A. Mamedyarova, M.N. Nefedova and V.I. Sokolov), 181

### Bicyclic ring systems

Fluorosilyl(pyrrolyl)silylamines as precursors for intra- and intermolecularly stabilized iminosilanes (A. Frenzel, R. Herbst-Irmer, U. Klingebiel and S. Rudolph), 203

### Bicyclic silanes

Novel bicyclic Si-ring systems (P. Gspallt, S. Graschy, H. Siegl, E. Hengge and K. Gruber), 187

### Bimetallic compounds

Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

### 2,2'-Bipyridyl complexes

Synthesis and ESR-characterization of radical anion complexes of lanthanum. X-ray crystal structure of the mixed bipy, bipy<sup>-1</sup> complex of lanthanum(III) [LaL<sub>2</sub>(bipy)(bipy)(DME)]: evidence for an inter-ligand charge transfer (M.N. Bochkarev, I.L. Fedushkin, V.I. Nevodchikov, V.K. Cherkasov, H. Schumann, H. Hemling and R. Weimann), 125

### Bond activation

Synthesis and crystal structure of the first metallabicycle cluster 2a-ruthenacyclopent[*c,d*]indenyl-triruthenium undecacarbonyl Ru<sub>4</sub>(CO)<sub>11</sub>C<sub>15</sub>H<sub>14</sub> (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

### Boron

Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169

Reactions of (CF<sub>3</sub>)<sub>2</sub>BNMe<sub>2</sub> with Grignard and related reagents. Crystal and molecular structure of (CF<sub>3</sub>X)Me<sub>2</sub>FB–FC=NMe<sub>2</sub> and

$\text{Ph}_3\text{P}-\text{CH}_2-(\text{CF}_3)_2\text{B}-\text{NMe}_2$  (D.J. Brauer, H. Bürger, T. Dittmar, G. Pawelke and J. Rothe), 225

### Carbido

Hexanuclear and pentanuclear benzene carbido clusters: synthesis, characterization and molecular structures of  $[\text{Os}_6\text{C}(\text{CO})_{14}(\eta^6\text{-C}_6\text{H}_6)]$ ,  $[\text{RuOs}_5\text{C}(\text{CO})_{14}(\eta^6\text{-C}_6\text{H}_6)]$  and  $[\text{RuOs}_4\text{C}(\text{CO})_{12}(\eta^6\text{-C}_6\text{H}_6)]$  (J.W.-S. Hui and W.-T. Wong), 211

### Carbon disulfide

Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe-H bond: crystal structure of *cis*- $[\text{Fe}(\text{CH}=\text{CHCOOMe})(\text{Ph}_2\text{PCH}_2\text{-CH}_2\text{PPh}_2)_2][\text{BF}_4]$  (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gornley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

### Carbon monoxide

Synthesis, characterization, and molecular structure of  $[(\text{CH}_3)_2(\text{C}_5\text{H}_4)_2]\text{Fe}_2(\mu\text{-CO})_2(\text{CO})_2$  (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281

### Carbonyl

Carbonylation-decarbonylation reactions of the carbomethoxymethylcobalt complexes  $\text{CH}_3\text{O}_2\text{CCHRCo}(\text{CO})_3\text{L}$  (R = H,  $\text{CH}_2\text{CO}_2\text{CH}_3$ ; L = CO, PPh<sub>3</sub>) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

### Carbonylation

Carbonylation-decarbonylation reactions of the carbomethoxymethylcobalt complexes  $\text{CH}_3\text{O}_2\text{CCHRCo}(\text{CO})_3\text{L}$  (R = H,  $\text{CH}_2\text{CO}_2\text{CH}_3$ ; L = CO, PPh<sub>3</sub>) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

### Chromium

Variable temperature proton NMR study and reductively-induced isomerisation and degradation of  $[\text{CpCr}(\text{CO})_2(\text{SPh})]_2$ . Crystal structure of  $\text{Cp}_2\text{Co}[\text{CpCr}(\text{SPh})_3]$  (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

### Cluster

Hexanuclear and pentanuclear benzene carbido clusters: synthesis, characterization and molecular structures of  $[\text{Os}_6\text{C}(\text{CO})_{14}(\eta^6\text{-C}_6\text{H}_6)]$ ,  $[\text{RuOs}_5\text{C}(\text{CO})_{14}(\eta^6\text{-C}_6\text{H}_6)]$  and  $[\text{RuOs}_4\text{C}(\text{CO})_{12}(\eta^6\text{-C}_6\text{H}_6)]$  (J.W.-S. Hui and W.-T. Wong), 211

Synthesis and crystal structure of the first metallabicyclic cluster 2a-ruthenacyclopent[*c,d*]indenyl-triruthenium undecacarbonyl  $\text{Ru}_4(\text{CO})_{11}\text{C}_{15}\text{H}_{14}$  (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

### Cobalt

Carbonylation-decarbonylation reactions of the carbomethoxymethylcobalt complexes  $\text{CH}_3\text{O}_2\text{CCHRCo}(\text{CO})_3\text{L}$  (R = H,  $\text{CH}_2\text{CO}_2\text{CH}_3$ ; L = CO, PPh<sub>3</sub>) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

Electron transfer and chloride ligand dissociation in complexes  $[(\text{C}_5\text{Me}_5)\text{C}(\text{IM}(\text{bpy}))^n]/[(\text{C}_5\text{Me}_5)\text{M}(\text{bpy})]^n$  (M = Co, Rh, Ir; n = 2 +, +, 0, -): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195

Variable temperature proton NMR study and reductively-induced isomerisation and degradation of  $[\text{CpCr}(\text{CO})_2(\text{SPh})]_2$ . Crystal structure of  $\text{Cp}_2\text{Co}[\text{CpCr}(\text{SPh})_3]$  (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

### Crystal structure

Organometallic-substituted allenes - determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfner, G. Kehr, H.E. Maisel and W. Milius), 169

Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of

3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößner and U. Abram), 67

Variable temperature proton NMR study and reductively-induced isomerisation and degradation of  $[\text{CpCr}(\text{CO})_2(\text{SPh})]_2$ . Crystal structure of  $\text{Cp}_2\text{Co}[\text{CpCr}(\text{SPh})_3]$  (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

### Crystal structures

Ein- und Mehrkernkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, H. Pritzkow und W. Siebert), 41

Erzeugung, Nachweis und Stabilisierung isomerer Silaethene  $\text{R}_2\text{Si}=\text{C}(\text{SiR}_3)_2$  mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147

Synthese und Kristallstrukturen von Cyclosilazanen mit ungewöhnlichen Konformationen (H.-J. Rakebrandt, U. Klingebiel, M. Noltemeyer, U. Wenzel und D. Mootz), 237

### Cyclometallation

Synthesis and crystal structure of the first metallabicyclic cluster 2a-ruthenacyclopent[*c,d*]indenyl-triruthenium undecacarbonyl  $\text{Ru}_4(\text{CO})_{11}\text{C}_{15}\text{H}_{14}$  (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

### Cyclopalladation

Mono- and bis(cyclopalladation) of the bis(ferrocenylimine)  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}(\eta^5\text{-C}_5\text{H}_4)\text{-CH}=\text{N}(\text{C}_6\text{H}_3\text{-2-CH}_3\text{-})]_2$  (C. López and R. Bosque), 247

### Cyclopentadienyl

Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

Synthesis, characterization, and molecular structure of  $[(\text{CH}_3)_2(\text{C}_5\text{H}_4)_2]\text{Fe}_2(\mu\text{-CO})_2(\text{CO})_2$  (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281

Using metal-metal bond forming reactions as a synthetic strategy towards building polymers containing Fe-Fe and Fe-Sn-Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289

### Cyclopentadienyl arsenic compounds

Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcyclopentadienyl arsenic dihalides  $(\text{Cp}^*\text{AsX}_2)$ , X = F, Cl, Br, I (E.V. Avtonomov, K. Megges, S. Wocadlo and J. Lorberth), 253

### Cyclosilazanes

Synthese und Kristallstrukturen von Cyclosilazanen mit ungewöhnlichen Konformationen (H.-J. Rakebrandt, U. Klingebiel, M. Noltemeyer, U. Wenzel und D. Mootz), 237

### Decarbonylation

Carbonylation-decarbonylation reactions of the carbomethoxymethylcobalt complexes  $\text{CH}_3\text{O}_2\text{CCHRCo}(\text{CO})_3\text{L}$  (R = H,  $\text{CH}_2\text{CO}_2\text{CH}_3$ ; L = CO, PPh<sub>3</sub>) and their acyl derivatives (I. Kovács, G. Szalontai and F. Ungváry), 115

### Deuteration

Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87

### DFT calculations

Molecular and electronic structure of 1,2-disilacyclobutabenzene. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošek, A. Lesar and Z.B. Maksić), 107

### 9,10-Diboraanthracene

Ein- und Mehrkernkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, H. Pritzkow und W. Siebert), 41

## Diels-Alder reactions

Erzeugung, Nachweis und Stabilisierung isomerer Silaethene  $R_2Si=C(SiR_3)_2$  mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147

## Digallium compounds

Hybrid inorganic-organometallic compounds with gallium-gallium bonds (A.H. Cowley, A. Decken and C.A. Olazábal), 271

## Dimethylaminobis(trifluoromethyl)borane

Reactions of  $(CF_3)_2BNMe_2$  with Grignard and related reagents. Crystal and molecular structure of  $(CF_3)(Mes)FB-FC=NMe_2$  and  $Ph_3P-CH_2-(CF_3)_2B-NMe_2$  (D.J. Brauer, H. Bürger, T. Dittmar, G. Pawelke and J. Rothe), 225

## 1,2-disilacyclobutabenzene

Molecular and electronic structure of 1,2-disilacyclobutabenzene. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107

## Disilacyclobutanes

Erzeugung, Nachweis und Stabilisierung isomerer Silaethene  $R_2Si=C(SiR_3)_2$  mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147

## Dithioformate

Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe-H bond: crystal structure of  $cis-[Fe(CH=CHCOOMe)(Ph_2PCH_2-CH_2PPh_2)_2][BF_4]$  (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

## Electrochemistry

Electron transfer and chloride ligand dissociation in complexes  $[(C_5Me_5)C1M(bpy)]^+ / [(C_5Me_5)M(bpy)]^n$  ( $M = Co, Rh, Ir; n = 2, +, 0, -$ ): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195

Mono- and bis(cyclopalladation) of the bis(ferrocenylimine)  $[(\eta^5-C_5H_5)Fe(\eta^5-C_5H_4)-CH=N-(C_6H_3-2-CH_3-)]_2$  (C. López and R. Bosque), 247

Variable temperature proton NMR study and reductively-induced isomerisation and degradation of  $[CpCr(CO)_2(SPh)]_2$ . Crystal structure of  $Cp_2Co[CpCr(SPh)_3]$  (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

## Electronic structure

Molecular and electronic structure of 1,2-disilacyclobutabenzene. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107

## Electron spin resonance

Electron transfer and chloride ligand dissociation in complexes  $[(C_5Me_5)C1M(bpy)]^+ / [(C_5Me_5)M(bpy)]^n$  ( $M = Co, Rh, Ir; n = 2, +, 0, -$ ): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195

## Electron transfer

Electron transfer and chloride ligand dissociation in complexes  $[(C_5Me_5)C1M(bpy)]^+ / [(C_5Me_5)M(bpy)]^n$  ( $M = Co, Rh, Ir; n = 2, +, 0, -$ ): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195

## Ene reactions

Erzeugung, Nachweis und Stabilisierung isomerer Silaethene  $R_2Si=C(SiR_3)_2$  mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147

## ESR spectra

Synthesis and ESR-characterization of radical anion complexes of lanthanum. X-ray crystal structure of the mixed bipy, bipy<sup>-1</sup> complex of lanthanum(III)  $[La_2(bipy)(bipy)(DME)]$ : evidence for an inter-ligand charge transfer (M.N. Bochkarev, I.L. Fedushkin, V.I. Nevodchikov, V.K. Cherkasov, H. Schumann, H. Hemling and R. Weimann), 125

## Ferrocene

First synthesis and X-ray crystal structure of 1,2-(1,1'-ferrocenediyl)ethene (V.K. Aggarwal, D. Jones, M.L. Turner and H. Adams), 263

Molecular structure of  $\alpha,\alpha$ -carbonium [1.1]ferrocenylruthenocenophane +  $BF_4^-$  salt (M. Watanabe, I. Motoyama and T. Takayama), 9

Mono- and bis(cyclopalladation) of the bis(ferrocenylimine)  $[(\eta^5-C_5H_5)Fe(\eta^5-C_5H_4)-CH=N-(C_6H_3-2-CH_3-)]_2$  (C. López and R. Bosque), 247

## Ferrocene complex

Synthesis and coordination chemistry of the tethered bis(cyclopentadienyl)-phosphine ligand precursor  $PPh(CH_2CH_2C_5H_5)_2$ : X-ray structure of *trans*- $PdCl_2[PPh(CH_2CH_2-\eta^5-C_5H_4)_2Fe]_2$  (O.J. Curnow, G. Hutner, S.J. Smail and M.M. Turnbull), 267

## Ferrocenophane

First synthesis and X-ray crystal structure of 1,2-(1,1'-ferrocenediyl)ethene (V.K. Aggarwal, D. Jones, M.L. Turner and H. Adams), 263

## Gallium

Hybrid inorganic-organometallic compounds with gallium-gallium bonds (A.H. Cowley, A. Decken and C.A. Olazábal), 271

## Gas electron diffraction

The molecular structure of tetrakis(trimethylstannyl)methane by gas electron diffraction (A. Haaland, V.I. Sokolov, H.V. Volden, S. Kühner and J. Weidlein), 285

## Geometrical dependence

RPA AM1 calculations of NMR spin-spin coupling constants: geminal  $^{119}Sn-^{119}Sn$  couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1

## Geometric structure

Molecular and electronic structure of 1,2-disilacyclobutabenzene. Ab initio molecular orbital and density functional study (M. Eckert-Maksić, Z. Glasovac, M. Hodošček, A. Lesar and Z.B. Maksić), 107

## Grignard reagents

Reactions of  $(CF_3)_2BNMe_2$  with Grignard and related reagents. Crystal and molecular structure of  $(CF_3)(Mes)FB-FC=NMe_2$  and  $Ph_3P-CH_2-(CF_3)_2B-NMe_2$  (D.J. Brauer, H. Bürger, T. Dittmar, G. Pawelke and J. Rothe), 225

## Group 6

Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fieiro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

## Group 7

Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Möbner and U. Abram), 67

## Group 9

Electron transfer and chloride ligand dissociation in complexes  $[(C_5Me_5)C1M(bpy)]^+ / [(C_5Me_5)M(bpy)]^n$  ( $M = Co, Rh, Ir; n = 2, +, 0, -$ ): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195

## Group 15

Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcyclopentadienyl arsenic dihalides ( $\text{Cp}^+\text{AsX}_2$ , X = F, Cl, Br, I) (E.V. Avtomonov, K. Megges, S. Wocadlo and J. Lorberth), 253

## Halogen

Halogen exchange in substituted allyltin halides studied by 2D NMR EXSY as a tool to assess reactivity (E. Fouquet, T. Roulet, R. Willem and I. Pianet), 103

## Haloruthenocenium salts

Enantiomeric haloruthenocenium salts: synthesis of the first representatives with the use of asymmetric reduction and asymmetric cyclopalladation (I.A. Mamedyarova, M.N. Nefedova and V.I. Sokolov), 181

## Heterocycles

Regioselectivity in the nucleophilic functionalization of dibenzofuran, dibenzothiophene and xanthene complexes of  $\text{Mn}(\text{CO})_5^+$  (I. Verona, J.P. Gutheil, R.D. Pike and G.B. Carpenter), 71

## Hexaruthenium cluster

$[\text{Ru}_6(\mu_3\text{-H})(\eta^2\text{-}\mu_4\text{-CO})_2(\mu\text{-CO})(\text{CO})_{12}(\eta^5\text{-C}_5\text{R}_5)]$  (R = H or Me): syntheses, X-ray structures and spectroscopic characterization (E. Kolehmainen, K. Rissanen, K. Laihia, Z.A. Kerzina, M.I. Rybinskaya and M. Nieger), 219

## Hydrogenation

Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

## Hydrosilylation

Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

## Hyperconjugation

Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Millus), 169

## III/V

Novel chiral compounds of Group 13 metals: the X-ray crystal structures of  $[(\text{S})\text{-2-methylbutyl}]_2\text{MP}^+\text{Bu}_2^-$  (M = Ga or In) (M.A. Malik, S.W. Haggata, M. Motevalli and P. O'Brien), 95

## Iminosilanes

Fluorosilyl(pyrrolyl)silylamines as precursors for intra- and intermolecularly stabilized iminosilanes (A. Frenzel, R. Herbst-Irmer, U. Klingebiel and S. Rudolph), 203

## Indenyl

Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

## Indolylsilanes

Fluorosilyl(pyrrolyl)silylamines as precursors for intra- and intermolecularly stabilized iminosilanes (A. Frenzel, R. Herbst-Irmer, U. Klingebiel and S. Rudolph), 203

## Iridium

Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87

## Iron

Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*- $[\text{Fe}(\text{CH}=\text{CHCOOMe})(\text{Ph})_2\text{PCH}_2\text{CH}_2\text{PPh}_2]_2[\text{BF}_4]$  (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

Molecular structure of  $\alpha,\alpha$ -carbonium [1.1]ferrocenylruthenocenophane +  $\text{BF}_4^-$  salt (M. Watanabe, I. Motoyama and T. Takayama), 9

Synthesis, characterization, and molecular structure of  $[(\text{CH}_3)_2\text{-}(\text{C}_5\text{H}_4)_2]\text{Fe}_2(\mu\text{-CO})_2(\text{CO})_2$  (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281

Using metal–metal bond forming reactions as a synthetic strategy towards building polymers containing Fe–Fe and Fe–Sn–Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289

## Iron carbonyl derivatives

Chemistry of vinylidene complexes. XII. Transmetalation of the  $\mu$ -vinylidene ligand in the reaction of  $\text{Cp}(\text{CO})_2\text{MnPt}(\mu\text{-C}=\text{CHPh})(\text{dppp})$  with  $\text{Fe}_2(\text{CO})_9$ . Formation of new  $\text{PtFe}_2$  and  $\text{PtFe}_3$  complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

## Isomerisation

Variable temperature proton NMR study and reductively-induced isomerisation and degradation of  $[\text{CpCr}(\text{CO})_2(\text{SPh})]_2$ . Crystal structure of  $\text{Cp}_2\text{Co}[\text{CpCr}(\text{SPh})_3]$  (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

## Isonitrile complexes

Half-sandwich rhenium(III) acyl complexes: synthesis, structure and conversion to rhenium(I) and rhenium(III) isonitrile complexes (A.C. Filippou, B. Lungwitz, G. Kociok-Köhn and I. Hinz), 133

## Isotope exchange

Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87

## Kinetics

Halogen exchange in substituted allyltin halides studied by 2D NMR EXSY as a tool to assess reactivity (E. Fouquet, T. Roulet, R. Willem and I. Pianet), 103

## Lanthanides

Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

## Lanthanum

Synthesis and ESR-characterization of radical anion complexes of lanthanum. X-ray crystal structure of the mixed bipy, bipy<sup>1</sup> complex of lanthanum(III)  $[\text{La}(\text{bipy})(\text{bipy})(\text{DME})]$ : evidence for an inter-ligand charge transfer (M.N. Bochkarev, I.L. Fedushkin, V.I. Nevodchikov, V.K. Cherkasov, H. Schumann, H. Hemling and R. Weimann), 125

## Manganese

Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Möbmer and U. Abram), 67

Regioselectivity in the nucleophilic functionalization of dibenzofuran, dibenzothiophene and xanthene complexes of  $\text{Mn}(\text{CO})_5^+$  (I. Verona, J.P. Gutheil, R.D. Pike and G.B. Carpenter), 71

## Manganese carbonyl derivatives

Chemistry of vinylidene complexes. XII. Transmetalation of the  $\mu$ -vinylidene ligand in the reaction of  $\text{Cp}(\text{CO})_2\text{MnPt}(\mu\text{-C}=\text{CHPh})(\text{dppp})$  with  $\text{Fe}_2(\text{CO})_9$ . Formation of new  $\text{PtFe}$ ,  $\text{PtFe}_2$  and  $\text{PtFe}_3$  complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

## Mechanism

Electron transfer and chloride ligand dissociation in complexes  $[(\text{C}_5\text{Me}_5)\text{C}(\text{IM})(\text{bpy})]^+ / [(\text{C}_5\text{Me}_5)\text{M}(\text{bpy})]^n$  (M = Co, Rh, Ir; n = 2

- +, +, 0, -): A combined electrochemical and spectroscopic investigation (W. Kaim, R. Reinhardt, E. Waldhör and J. Fiedler), 195
- Metallacycle**
- Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe–H bond: crystal structure of *cis*-[Fe(CH=CHCOOMe)(Ph<sub>2</sub>PCH<sub>2</sub>-CH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub>][BF<sub>4</sub>] (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63
- Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87
- Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67
- Synthesis and crystal structure of the first metallabicyclic cluster 2a-ruthenacyclopent[*c,d*]indenyl-triruthenium undecacarbonyl Ru<sub>4</sub>(CO)<sub>11</sub>C<sub>15</sub>H<sub>14</sub> (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163
- Metallocenes**
- Molecular structure of  $\alpha,\alpha$ -carbonium [1.1]ferrocenylruthenocenophane + BF<sub>4</sub><sup>-</sup> salt (M. Watanabe, I. Motoyama and T. Takayama), 9
- MOCVD**
- Novel chiral compounds of Group 13 metals: the X-ray crystal structures of [(*S*)-2-methylbutyl]<sub>2</sub>MP<sup>1</sup>Bu<sub>2</sub>] (M = Ga or In) (M.A. Malik, S.W. Haggata, M. Motevalli and P. O'Brien), 95
- Molecular orbital calculations**
- RPA AM1 calculations of NMR spin–spin coupling constants: geminal <sup>119</sup>Sn–<sup>119</sup>Sn couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1
- Nickel**
- Phospholyl compounds of nickel and uranium (T. Arliguie, M. Ephritikhine, M. Lance and M. Nierlich), 293
- NiCp<sub>2</sub>, Cp and Cp<sup>+</sup> ligands**
- [Ru<sub>6</sub>( $\mu_3$ -H)( $\eta^2$ - $\mu_4$ -CO)<sub>2</sub>( $\mu$ -CO)(CO)<sub>12</sub>( $\eta^5$ -C<sub>5</sub>R<sub>5</sub>)] (R = H or Me): syntheses, X-ray structures and spectroscopic characterization (E. Kolehmainen, K. Rissanen, K. Laihia, Z.A. Kerzina, M.I. Rybinskaya and M. Nieger), 219
- NMR**
- Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169
- RPA AM1 calculations of NMR spin–spin coupling constants: geminal <sup>119</sup>Sn–<sup>119</sup>Sn couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1
- [Ru<sub>6</sub>( $\mu_3$ -H)( $\eta^2$ - $\mu_4$ -CO)<sub>2</sub>( $\mu$ -CO)(CO)<sub>12</sub>( $\eta^5$ -C<sub>5</sub>R<sub>5</sub>)] (R = H or Me): syntheses, X-ray structures and spectroscopic characterization (E. Kolehmainen, K. Rissanen, K. Laihia, Z.A. Kerzina, M.I. Rybinskaya and M. Nieger), 219
- Nuclear magnetic resonance**
- Halogen exchange in substituted allyltin halides studied by 2D NMR EXSY as a tool to assess reactivity (E. Fouquet, T. Roulet, R. Willem and I. Pianet), 103
- Synthesis, characterization, and molecular structure of [(CH<sub>3</sub>)<sub>2</sub>(C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>]<sub>2</sub>Fe<sub>2</sub>( $\mu$ -CO)<sub>2</sub>(CO)<sub>2</sub> (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281
- Nucleophilic addition**
- Regioselectivity in the nucleophilic functionalization of dibenzofuran, dibenzothiophene and xanthene complexes of Mn(CO)<sub>5</sub><sup>+</sup> (I. Verona, J.P. Guthel, R.D. Pike and G.B. Carpenter), 71
- 1,1-Organoboration**
- Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169
- Organotin compounds**
- Organometallic-substituted allenes – determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169
- Orthometallation**
- Synthesis and crystal structure of the first metallabicyclic cluster 2a-ruthenacyclopent[*c,d*]indenyl-triruthenium undecacarbonyl Ru<sub>4</sub>(CO)<sub>11</sub>C<sub>15</sub>H<sub>14</sub> (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163
- Osmium**
- Hexanuclear and pentanuclear benzene carbido clusters: synthesis, characterisation and molecular structures of [Os<sub>6</sub>C(CO)<sub>14</sub>( $\eta^6$ -C<sub>6</sub>H<sub>6</sub>)], [RuOs<sub>5</sub>C(CO)<sub>14</sub>( $\eta^6$ -C<sub>6</sub>H<sub>6</sub>)] and [RuOs<sub>4</sub>C(CO)<sub>12</sub>( $\eta^6$ -C<sub>6</sub>H<sub>6</sub>)] (J.W.-S. Hui and W.-T. Wong), 211
- Palladium**
- Synthesis and coordination chemistry of the tethered bis(cyclopentadienyl)-phosphine ligand precursor PPh(CH<sub>2</sub>CH<sub>2</sub>C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>: X-ray structure of *trans*-PdCl<sub>2</sub>[PPh(CH<sub>2</sub>CH<sub>2</sub>- $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>Fe]<sub>2</sub> (O.J. Curnow, G. Huttner, S.J. Smail and M.M. Turnbull), 267
- Phosphaalkyne**
- Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67
- Phosphine**
- Preparation, properties, and reactions of metal-containing heterocycles. XCIV. Manganese-induced synthesis and crystal structure of 3,5-di(adamant-1-yl)-1-thia-2,4-diphosphole (E. Lindner, E. Bosch, C. Maichle-Mößmer and U. Abram), 67
- Synthesis and coordination chemistry of the tethered bis(cyclopentadienyl)-phosphine ligand precursor PPh(CH<sub>2</sub>CH<sub>2</sub>C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>: X-ray structure of *trans*-PdCl<sub>2</sub>[PPh(CH<sub>2</sub>CH<sub>2</sub>- $\eta^5$ -C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>Fe]<sub>2</sub> (O.J. Curnow, G. Huttner, S.J. Smail and M.M. Turnbull), 267
- Phospholyl**
- Phospholyl compounds of nickel and uranium (T. Arliguie, M. Ephritikhine, M. Lance and M. Nierlich), 293
- Platinum complexes**
- Chemistry of vinylidene complexes. XII. Transmetalation of the  $\mu$ -vinylidene ligand in the reaction of Cp(CO)<sub>2</sub>MnPt( $\mu$ -C $\equiv$ CHPh)(dppp) with Fe<sub>3</sub>(CO)<sub>9</sub>. Formation of new PtFe, PtFe<sub>2</sub> and PtFe<sub>3</sub> complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81
- Polymers**
- Using metal–metal bond forming reactions as a synthetic strategy towards building polymers containing Fe–Fe and Fe–Sn–Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289
- Prictide**
- Novel chiral compounds of Group 13 metals: the X-ray crystal structures of [(*S*)-2-methylbutyl]<sub>2</sub>MP<sup>1</sup>Bu<sub>2</sub>] (M = Ga or In) (M.A. Malik, S.W. Haggata, M. Motevalli and P. O'Brien), 95
- Pyrolysilanes**
- Fluorosilyl(pyrolyl)silylamines as precursors for intra- and intermolecularly stabilized iminosilanes (A. Frenzel, R. Herbst-Irmer, U. Klingebiel and S. Rudolph), 203
- Rhenium**
- Half-sandwich rhenium(III) acyl complexes: synthesis, structure and conversion to rhenium(I) and rhenium(III) isonitrile complexes (A.C. Filippou, B. Lungwitz, G. Kociok-Köhn and I. Hinz), 133

## Ring-coupled

Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

## RPA AMI calculations

RPA AMI calculations of NMR spin-spin coupling constants: geminal  $^{119}\text{Sn}$ - $^{119}\text{Sn}$  couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1

## Ruthenium

Molecular structure of  $\alpha,\alpha$ -carbonium [1.1]ferrocenylruthenocenophane +  $\text{BF}_4^-$  salt (M. Watanabe, I. Motoyama and T. Takayama), 9

Synthesis and crystal structure of the first metallabicycle cluster 2a-ruthenacyclopent[*c,d*]indenyl-triruthenium undecacarbonyl  $\text{Ru}_4(\text{CO})_{11}\text{C}_{15}\text{H}_{14}$  (P. Escarpa Gaede, S. Parsons and B.F.G. Johnson), 163

## Ruthenocene

Enantiomeric haloruthenocenium salts: synthesis of the first representatives with the use of asymmetric reduction and asymmetric cyclopalladation (I.A. Mamedyarova, M.N. Nefedova and V.I. Sokolov), 181

## Samarium

Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

## Sandwich complexes

Ein- und Mehrkernkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, H. Pritzkow und W. Siebert), 41

 $^{29}\text{Si}$  CP/MAS NMR

Novel bicyclic Si-ring systems (P. Gspaltl, S. Graschy, H. Siegl, E. Hengge and K. Gruber), 187

## Silaethenes

Erzeugung, Nachweis und Stabilisierung isomerer Silaethene  $\text{R}_2\text{Si}=\text{C}(\text{SiR}_3)_2$  mit jeweils sechs Me- und zwei  $\text{P}(\text{t-Bu})_2$ -Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147

## Silicon

Novel bicyclic Si-ring systems (P. Gspaltl, S. Graschy, H. Siegl, E. Hengge and K. Gruber), 187

Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

Synthese und Kristallstrukturen von Cyclosilazanen mit ungewöhnlichen Konformationen (H.-J. Rakebrandt, U. Klingebiel, M. Noltemeyer, U. Wenzel und D. Mootz), 237

## Silylmethanes

Erzeugung, Nachweis und Stabilisierung isomerer Silaethene  $\text{R}_2\text{Si}=\text{C}(\text{SiR}_3)_2$  mit jeweils sechs Me- und zwei Ph-Substituenten R (N. Wiberg, K.-S. Joo und K. Polborn), 147

## Spectroscopy

Using metal-metal bond forming reactions as a synthetic strategy towards building polymers containing Fe-Fe and Fe-Sn-Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289

## Spin-spin couplings

RPA AMI calculations of NMR spin-spin coupling constants: geminal  $^{119}\text{Sn}$ - $^{119}\text{Sn}$  couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1

## Strained alkene

First synthesis and X-ray crystal structure of 1,2-(1,1'-ferrocenediyl)ethene (V.K. Aggarwal, D. Jones, M.L. Turner and H. Adams), 263

## Synthesis

Chemistry of vinylidene complexes. XII. Transmetalation of the  $\mu$ -vinylidene ligand in the reaction of  $\text{Cp}(\text{CO})_2\text{MnPt}(\mu$ -

$\text{C}=\text{CHPh})(\text{dppp})$  with  $\text{Fe}_2(\text{CO})_9$ . Formation of new  $\text{PtFe}$ ,  $\text{PtFe}_2$  and  $\text{PtFe}_3$  complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

## Tetranuclear clusters

Chemistry of vinylidene complexes. XII. Transmetalation of the  $\mu$ -vinylidene ligand in the reaction of  $\text{Cp}(\text{CO})_2\text{MnPt}(\mu\text{-C}=\text{CHPh})(\text{dppp})$  with  $\text{Fe}_2(\text{CO})_9$ . Formation of new  $\text{PtFe}$ ,  $\text{PtFe}_2$  and  $\text{PtFe}_3$  complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

## Tin

Halogen exchange in substituted allyltin halides studied by 2D NMR EXSY as a tool to assess reactivity (E. Fouquet, T. Roulet, R. Willem and I. Pianet), 103

Organometallic-substituted allenes - determination of coupling signs and molecular structures of two stannylated allenes (B. Wrackmeyer, U. Dörfler, G. Kehr, H.E. Maisel and W. Milius), 169

RPA AMI calculations of NMR spin-spin coupling constants: geminal  $^{119}\text{Sn}$ - $^{119}\text{Sn}$  couplings (G.A. Aucar, E. Botek, S. Gómez, E. Sproviero and R.H. Contreras), 1

The molecular structure of tetrakis(trimethylstannyl)methane by gas electron diffraction (A. Haaland, V.I. Sokolov, H.V. Volden, S. Kühner and J. Weidlein), 285

Using metal-metal bond forming reactions as a synthetic strategy towards building polymers containing Fe-Fe and Fe-Sn-Fe bonds (P. McArdle, L. O'Neill, D. Cunningham and A.R. Manning), 289

## Triple-decker complexes

Ein- und Mehrkernkomplexe des 9,10-Dihydro-9,10-dimethyl-9,10-diboraanthracens (P. Müller, H. Pritzkow und W. Siebert), 41

## Tritiation

Organoiridium catalyzed hydrogen isotope exchange: ligand effects on catalyst activity and regioselectivity (A.Y.L. Shu, W. Chen and J.R. Heys), 87

## Tungsten

Synthesis and characterization of ring-coupled cyclopentadienyl and indenyl bimetallic derivatives of Cr, Mo and W (R. Fierro, T.E. Bitterwolf, A.L. Rheingold, G.P.A. Yap and L.M. Liable-Sands), 19

## Uranium

Phospholyl compounds of nickel and uranium (T. Arliguie, M. Ephritikhine, M. Lance and M. Nierlich), 293

## Variable temperature NMR

Variable temperature proton NMR study and reductively-induced isomerisation and degradation of  $[\text{CpCr}(\text{CO})_2(\text{SPh})]_2$ . Crystal structure of  $\text{Cp}_2\text{Co}[\text{CpCr}(\text{SPh})_3]$  (L.Y. Goh, M.S. Tay, E. Sinn and R.G. Raptis), 31

## Vinyl

Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an Fe-H bond: crystal structure of *cis*- $[\text{Fe}(\text{CH}=\text{CHCOOMe})(\text{Ph}_2\text{PCH}_2\text{-CH}_2\text{PPh}_2)_2][\text{BF}_4]$  (S.S.P. Almeida, M.T. Duarte, L.M.D. Ribeiro, F. Gormley, A.M. Galvão, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), 63

## Vinylidene complexes

Chemistry of vinylidene complexes. XII. Transmetalation of the  $\mu$ -vinylidene ligand in the reaction of  $\text{Cp}(\text{CO})_2\text{MnPt}(\mu\text{-C}=\text{CHPh})(\text{dppp})$  with  $\text{Fe}_2(\text{CO})_9$ . Formation of new  $\text{PtFe}$ ,  $\text{PtFe}_2$  and  $\text{PtFe}_3$  complexes (A.B. Antonova, A.A. Johansson, N.A. Deykhina, E.D. Korniyets, N.I. Pavlenko, G.V. Burmakina, A.I. Rubaylo, A.G. Ginzburg and P.V. Petrovskii), 81

## X-ray crystal structures

Hybrid inorganic-organometallic compounds with gallium-gallium bonds (A.H. Cowley, A. Decken and C.A. Olazábal), 271

## X-ray diffraction

$[\text{Ru}_6(\mu_3\text{-H})(\eta^2\text{-}\mu_4\text{-CO})_2(\mu\text{-CO})(\text{CO})_{12}(\eta^1\text{-C}_5\text{R}_5)]$  (R = H or Me): syntheses, X-ray structures and spectroscopic characterization (E. Kolehmainen, K. Rissanen, K. Laihia, Z.A. Kerzina, M.I. Rybinskaya and M. Nieger), 219

Syntheses and structures of cyclopentadienyl arsenic compounds. Part I: pentamethylcyclopentadienyl arsenic dihalides ( $\text{Cp}^*\text{AsX}_2$ , X = F, Cl, Br, I) (E.V. Avtomonov, K. Megges, S. Wocadlo and J. Lorberth), 253

Synthesis, characterization, and molecular structure of  $[(\text{CH}_3)_2\text{-}(\text{C}_5\text{H}_4)_2]\text{Fe}_2(\mu\text{-CO})_2(\text{CO})_2$  (W. Van den Berg, J.A.M.T.C. Cromsigt, W.P. Bosman, J.M.M. Smits, R. De Gelder, A.W. Gal and J. Heck), 281

## X-ray structure

Synthesis and coordination chemistry of the tethered bis(cyclopentadienyl)-phosphine ligand precursor  $\text{PPh}(\text{CH}_2\text{CH}_2\text{C}_5\text{H}_5)_2$ : X-ray structure of *trans*- $\text{PdCl}_2[\text{PPh}(\text{CH}_2\text{CH}_2\text{-}\eta^5\text{-C}_5\text{H}_4)_2\text{Fe}]_2$  (O.J. Curnow, G. Huttner, S.J. Smail and M.M. Turnbull), 267

Synthesis and ESR-characterization of radical anion complexes of lanthanum. X-ray crystal structure of the mixed bipy,  $\text{bipy}^{-1}$  complex of lanthanum(III)  $[\text{La}(\text{bipy})(\text{bipy})(\text{DME})]$ : evidence for

an inter-ligand charge transfer (M.N. Bochkarev, I.L. Fedushkin, V.I. Nevodchikov, V.K. Cherkasov, H. Schumann, H. Hemling and R. Weimann), 125

## X-ray structure analyses

Alkinol- und Alkindiol-funktionalisierte Zirconocen-Verbindungen: Synthese, Struktur und Reaktionsverhalten (H. Lang, S. Weimann, M. Herres, M. Weinmann, O. Walter, B. Nuber und L. Zsolnai), 49

## Ytterbium

Organolanthanide catalyzed hydrogenation and hydrosilylation of substituted methylenecycloalkanes (G.A. Molander and J. Winterfeld), 275

## Zirconocene

Alkinol- und Alkindiol-funktionalisierte Zirconocen-Verbindungen: Synthese, Struktur und Reaktionsverhalten (H. Lang, S. Weimann, M. Herres, M. Weinmann, O. Walter, B. Nuber und L. Zsolnai), 49

## Book Review

*Gmelin Handbook of Inorganic and Organometallic Chemistry* (G.J. Leigh), 299