

Subject Index of Volume 512

Aldehydes

The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219

Alkoxides

Intramolecularly stabilized organoaluminium and organogallium compounds: synthesis and X-ray crystal structures of some dimethylaluminium and -gallium alkoxides $\text{Me}_2\text{M}-\text{O}-\text{R}-\text{OR}'$ and amides $\text{Me}_2\text{M}-\text{NH}-\text{R}-\text{OR}'$ (H. Schumann, M. Frick, B. Heymer and F. Girgsdies), 117

Alkyls

Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183

Allene

Structure of $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}_2\text{Fe}_2(\text{CO})_8(\mu_2\text{-CO})(\mu_4\text{-}\eta^6\text{-C}_6\text{H}_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189

Allyl complexes

Structure of $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}_2\text{Fe}_2(\text{CO})_8(\mu_2\text{-CO})(\mu_4\text{-}\eta^6\text{-C}_6\text{H}_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189

Aluminium

Intramolecularly stabilized organoaluminium and organogallium compounds: synthesis and X-ray crystal structures of some dimethylaluminium and -gallium alkoxides $\text{Me}_2\text{M}-\text{O}-\text{R}-\text{OR}'$ and amides $\text{Me}_2\text{M}-\text{NH}-\text{R}-\text{OR}'$ (H. Schumann, M. Frick, B. Heymer and F. Girgsdies), 117

Aluminum

ansa-Metallocene derivatives XXXII. Zirconocene complexes with a spiroilane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosenec, R. Kirsten and H.-H. Brintzinger), 225

Amides

Intramolecularly stabilized organoaluminium and organogallium compounds: synthesis and X-ray crystal structures of some dimethylaluminium and -gallium alkoxides $\text{Me}_2\text{M}-\text{O}-\text{R}-\text{OR}'$ and amides $\text{Me}_2\text{M}-\text{NH}-\text{R}-\text{OR}'$ (H. Schumann, M. Frick, B. Heymer and F. Girgsdies), 117

Antimony

Redeterminations of the solid-state structures of trimethylarsenic dibromide, Me_3AsBr_2 , and trimethylantimony dibromide, $\text{Me}_3\text{-SbBr}_2$, by X-ray crystallography and solid state ^{13}C MAS NMR evidence for a highly symmetrical D_{3h} , non-ionic structure for Me_3SbBr_2 (H.C. Wang, E.J. Gaffney, C.R. Dybowski and A.L. Rheingold), 21

Arbuzov reaction

New examples of Arbuzov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253

Arene complexes

Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene-iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79
Sodium oximates as starting materials for the synthesis of half-sandwich-type arene(oximate) and arene(azavinylidene) osmium complexes (H. Werner, T. Daniel, M. Müller and N. Mahr), 197

Arsenic

Redeterminations of the solid-state structures of trimethylarsenic dibromide, Me_3AsBr_2 , and trimethylantimony dibromide, $\text{Me}_3\text{-SbBr}_2$, by X-ray crystallography and solid state ^{13}C MAS NMR evidence for a highly symmetrical D_{3h} , non-ionic structure for Me_3SbBr_2 (H.C. Wang, E.J. Gaffney, C.R. Dybowski and A.L. Rheingold), 21

Azobenzene

Reversible insertion of SO_2 into the N–N bond of $[\text{Fe}_2(\text{CO})_6(\mu\text{-Ph}_2\text{N}_2)]$ (S.E. Kabir, M. Ruf and H. Vahrenkamp), 261

Bidentate ligands

Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolyl- and bis(1,2,3,4-tetrahydroquinolyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243

Bimetallic

Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[\text{Ru}(\text{CO})_2][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5: \eta^1\text{-C}_5\text{H}_4(\text{CH}_2)_2\text{CC}_5\text{H}_3]$, $\text{Ru}_2(\text{CO})_4[\eta^5, \eta^5\text{-C}_5\text{H}_4(\text{CH}_3)_2\text{SiC}_5\text{H}_4]$ and $[\text{Ru}(\text{CO})_2\text{Br}][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5\text{-C}_5\text{H}_4\text{C}_2\text{H}_4\text{C}_5\text{H}_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11

Bis(pyrazolyl)borate

Synthesis and characterization of dihydrobis(3,5-dimethylpyrazolyl)borate complexes of gallium(III) and indium(III) (D.L. Reger, M.J. Pender, D.L. Caulder, L.B. Reger, A.L. Rheingold and L.M. Liable-Sands), 91

Bridged complexes

Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolyl- and bis(1,2,3,4-tetrahydroquinolyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243

Carbene complexes

Nickel(0)-induced geminal bond cleavages leading to carbon-carbon double bonds: intermediacy of nickel(0)-carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207

Carbon disulfide

Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $\text{RuCl}(\text{P} \sim$

- O) $(\eta^2\text{-S}_2\text{CH})$ and $\text{Ru}(\text{CO})\text{Cl}(\text{P} \sim \text{O})_2(\eta^2\text{-S}_2\text{CH})$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
- Carbonylruthenium complexes**
Zur Chemie dreikerniger Carbonylruthenium-Komplexe mit $\mu_3\text{-}\eta^2$ -Sulfonsäurehydrazido-Liganden: Synthese und Molekülstruktur von $\text{HRu}_3(\text{CO})_8[\text{H}_2\text{NNS}(\text{O})_2\text{Mes}](\text{PPh}_3)$, $\text{HRu}_3(\text{CO})_8\text{-}[\text{H}_2\text{NNS}(\text{O})_2\text{Mes}][\text{PPH}_2\text{CC}(\text{Ph})\text{CO}_2(\text{CO})_6]$, $\text{HRu}_3(\text{CO})_8\text{-}[\text{H}_2\text{NNS}(\text{O})_2\text{Tol}][\text{PPH}_2(\text{C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_4)\text{PPh}_2]$ (G. Rheinwald, H. Stoeckli-Evans und G. Süss-Fink), 27
- Carbonyls**
Dialkylaminophosphorus metal carbonyls. 14. Stereochemistry of some HX additions to the $(^1\text{Pr}_2\text{NP})_2\text{Fe}_2(\text{CO})_6$ unit from $(^1\text{Pr}_2\text{NP})_2\text{COFe}_2(\text{CO})_6$ (V. Kumar, D.W. Lee, M.G. Newton and R.B. King), 1
- Catalysis**
 C_2 -symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51
- Catechol**
 η^6 -Hydroquinone and catechol complexes of manganese tricarbonyl. Molecular structure of $[(\eta^6\text{-hydroquinone})\text{Mn}(\text{CO})_3]_2\text{SiF}_6$ (S. Sun, G.B. Carpenter and D.A. Sweigart), 257
- Chiral**
1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl- 3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85
- Chirality**
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolyl- and bis(1,2,3,4-tetrahydroquinolyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243
- Chromium**
New examples of Arbusov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253
- Cleavage**
Nickel(0)-induced geminal bond cleavages leading to carbon-carbon double bonds: intermediacy of nickel(0)-carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207
- Cobalt**
An analysis of cobaloxime chemistry with the electrostatic-covalent model (R.S. Drago), 61
- Coupling reaction**
Structure of $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}_2\text{Fe}_2(\text{CO})_8(\mu_2\text{-CO})(\mu_4\text{-}\eta^6\text{-C}_6\text{H}_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand and derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189
- Crystal structure**
Crystal structures of metallo-organophosphates from X-ray powder diffraction data (D.M. Poojary and A. Clearfield), 237
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $\text{RuCl}(\text{P} \sim \text{O})_3(\eta^2\text{-S}_2\text{CH})$ and $\text{Ru}(\text{CO})\text{Cl}(\text{P} \sim \text{O})_2(\eta^2\text{-S}_2\text{CH})$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
Redeterminations of the solid-state structures of trimethylarsenic dibromide, Me_3AsBr_2 , and trimethylantimony dibromide, Me_3SbBr_2 , by X-ray crystallography and solid state ^{13}C MAS NMR evidence for a highly symmetrical D_{3h} , non-ionic structure for Me_3SbBr_2 (H.C. Wang, E.J. Gaffney, C.R. Dybowski and A.L. Rheingold), 21
Structure of $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}_2\text{Fe}_2(\text{CO})_8(\mu_2\text{-CO})(\mu_4\text{-}\eta^6\text{-C}_6\text{H}_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand and derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolyl- and bis(1,2,3,4-tetrahydroquinolyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243
Titanium(IV) compounds with cyano ligands: crystal structures of $\text{Cp}_2\text{Ti}(\text{CN})(\text{OCH}_3)$ and $[\text{Cp}_2\text{Ti}(\text{CN})_2]\text{O}$ (U. Thewalt and W. Nuding), 127
- Cyanide**
Titanium(IV) compounds with cyano ligands: crystal structures of $\text{Cp}_2\text{Ti}(\text{CN})(\text{OCH}_3)$ and $[\text{Cp}_2\text{Ti}(\text{CN})_2]\text{O}$ (U. Thewalt and W. Nuding), 127
- Cyclopentadiene**
Effects of steric strain on the bonding in zinc metallocenes: the structure of $[(\text{C}_3\text{H}_7)_4\text{C}_5\text{H}]_2\text{Zn}$ (D.J. Burkey and T.P. Hanusa), 165
Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})]$ to give $[\text{W}(\eta^5\text{-C}_5\text{H}_5)(\eta^4\text{-C}_5\text{H}_5\text{-exo-CCl}_3)(\text{CO})\text{Cl}]$ (P. Jernakoff, J.R. Fox and N.J. Cooper), 175
- Cyclopentadienyl**
1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl- 3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85
Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})]$ to give $[\text{W}(\eta^5\text{-C}_5\text{H}_5)(\eta^4\text{-C}_5\text{H}_5\text{-exo-CCl}_3)(\text{CO})\text{Cl}]$ (P. Jernakoff, J.R. Fox and N.J. Cooper), 175
Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Héniqne), 183
The crystal and molecular structure of $[\eta^5\text{-C}_5\text{H}_3(\text{SiMe}_3)_2]_2\text{Yb}(\text{THF})$ (R.D. Rogers), 97
Titanium(IV) compounds with cyano ligands: crystal structures of $\text{Cp}_2\text{Ti}(\text{CN})(\text{OCH}_3)$ and $[\text{Cp}_2\text{Ti}(\text{CN})_2]\text{O}$ (U. Thewalt and W. Nuding), 127
- Cyclopentadienyls**
Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene-iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79
Syntheses and reactions of dinuclear μ -methylthiolate organometallic complexes (P.M. Treichel and E.K. Rublein), 157
- Dialkylaminophosphorus derivatives**
Dialkylaminophosphorus metal carbonyls. 14. Stereochemistry of some HX additions to the $(^1\text{Pr}_2\text{NP})_2\text{Fe}_2(\text{CO})_6$ unit from $(^1\text{Pr}_2\text{NP})_2\text{COFe}_2(\text{CO})_6$ (V. Kumar, D.W. Lee, M.G. Newton and R.B. King), 1
- Dinuclear complex**
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $\text{Pt}_2(\text{P}_2\text{O}_5\text{H}_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69
- 17-Electron compounds**
New examples of Arbusov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253
- Electrophilic addition**
Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})]$ to give $[\text{W}(\eta^5\text{-$

- $C_5H_5(\eta^4-C_5H_5-exo-CCl_3)(CO)Cl$ (P. Jernakoff, J.R. Fox and N.J. Cooper), 175
- Electrostatic-covalent model
An analysis of cobaloxime chemistry with the electrostatic-covalent model (R.S. Drago), 61
- ESR
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183
- Ether-phosphine
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $RuCl(P \sim O)_3(\eta^2-S_2CH)$ and $Ru(CO)Cl(P \sim O)_2(\eta^2-S_2CH)$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
- Ferrocene
Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39
- Ferrocenophanes
Rhenium complexes containing 1,1'-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111
- Fluxional behavior
Effects of steric strain on the bonding in zinc metallocenes: the structure of $[(C_3H_7)_4C_5H]_2Zn$ (D.J. Burkey and T.P. Hanusa), 165
- Fluxionality
Di- and triphospha-ferrocenes: crystal and molecular structures of $[Fe(\eta^5-C_5Me_5)(\eta^5-C_3^tBu_3P_2)]$ and of the adducts $[Fe(\eta^5-C_5Me_5)(\eta^5-C_2^tBu_2P_3)Mo(CO)_5]$ and $[Fe(\eta^5-C_5Me_5)(\eta^5-C_2^tBu_2P_3)W(CO)_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
- Free radicals
New examples of Arbusov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253
- Fulvenes
1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl-3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85
- Gallium
Intramolecularly stabilized organoaluminium and organogallium compounds: synthesis and X-ray crystal structures of some dimethylaluminium and -gallium alkoxides $Me_2M-O-R-OR'$ and amides $Me_2M-NH-R-OR'$ (H. Schumann, M. Frick, B. Heymer and F. Girgsdies), 117
Synthesis and characterization of dihydrobis(3,5-dimethylpyrazolyl)borate complexes of gallium(III) and indium(III) (D.L. Reger, M.J. Pender, D.L. Caulder, L.B. Reger, A.L. Rheingold and L.M. Liable-Sands), 91
- Group 8
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $RuCl(P \sim O)_3(\eta^2-S_2CH)$ and $Ru(CO)Cl(P \sim O)_2(\eta^2-S_2CH)$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
- Heterodimetallic complexes
Rhenium complexes containing 1,1'-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111
- Homogeneous catalysis
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $Pt_2(P_2O_5H_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69
- Hydride
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $RuCl(P \sim O)_3(\eta^2-S_2CH)$ and $Ru(CO)Cl(P \sim O)_2(\eta^2-S_2CH)$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
- Hydrogenation
Aqueous organometallic chemistry: the mechanism of catalytic hydrogenations with chlorotris(1,3,5-triaza-7-phosphaadamantane)-rhodium(I) (F. Joó, L. Nádasdi, A.Cs. Bényei and D.J. Darensbourg), 45
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $Pt_2(P_2O_5H_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69
- Hydrogen bonding
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $RuCl(P \sim O)_3(\eta^2-S_2CH)$ and $Ru(CO)Cl(P \sim O)_2(\eta^2-S_2CH)$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
- Hydroquinone
 η^6 -Hydroquinone and catechol complexes of manganese tricarbonyl. Molecular structure of $[(\eta^6-hydroquinone)Mn(CO)_3]_2SiF_6$ (S. Sun, G.B. Carpenter and D.A. Sweigart), 257
- Indenyl
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183
- Indium
Synthesis and characterization of dihydrobis(3,5-dimethylpyrazolyl)borate complexes of gallium(III) and indium(III) (D.L. Reger, M.J. Pender, D.L. Caulder, L.B. Reger, A.L. Rheingold and L.M. Liable-Sands), 91
- Indolynyl ligands
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolynyl- and bis(1,2,3,4-tetrahydroquinolynyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243
- Insertion reactions
Reversible insertion of SO_2 into the N-N bond of $[Fe_2(CO)_6(\mu-Ph_2N_2)]$ (S.E. Kabir, M. Ruf and H. Vahrenkamp), 261
- Iridium
Reactions of the η^5 -2,5-dimethylthiophene complex $Cp^*Ir(\eta^5-2,5-Me_2T)^{2+}$ with nucleophiles (Ph^- , Me^- , $^-CH(CO_2Me)_2$ and OH^-) (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), 149
- Iron
1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl-3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85
 C_2 -symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51
Di- and triphospha-ferrocenes: crystal and molecular structures of $[Fe(\eta^5-C_5Me_5)(\eta^5-C_3^tBu_3P_2)]$ and of the adducts $[Fe(\eta^5-C_5Me_5)(\eta^5-C_2^tBu_2P_3)Mo(CO)_5]$ and $[Fe(\eta^5-C_5Me_5)(\eta^5-C_2^tBu_2P_3)W(CO)_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
New examples of Arbusov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253
Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39
Reversible insertion of SO_2 into the N-N bond of $[Fe_2(CO)_6(\mu-Ph_2N_2)]$ (S.E. Kabir, M. Ruf and H. Vahrenkamp), 261

- Rhenium complexes containing 1,1'-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111
- Structure of $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}_2\text{Fe}_2(\text{CO})_8(\mu_2\text{-CO})(\mu_4\text{-}\eta^6\text{-C}_6\text{H}_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189
- Syntheses and reactions of dinuclear μ -methylthiolate organometallic complexes (P.M. Treichel and E.K. Rublein), 157
- The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219
- Iron complexes**
- Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene-iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79
- Irons**
- Dialkylaminophosphorus metal carbonyls. 14. Stereochemistry of some HX additions to the $(^1\text{Pr}_2\text{NP})_2\text{Fe}_2(\text{CO})_6$ unit from $(^1\text{Pr}_2\text{NP})_2\text{COFe}_2(\text{CO})_6$ (V. Kumar, D.W. Lee, M.G. Newton and R.B. King), 1
- Isospecific**
- Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131
- Lithiation**
- The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219
- Lithiosulfones**
- Nickel(0)-induced geminal bond cleavages leading to carbon-carbon double bonds: intermediacy of nickel(0)-carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207
- Lithium**
- 1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl-3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85
- Media effects in directed *ortho* metalation (D.W. Slocum, D. Reed, F. Jackson, III and C. Friesen), 265
- The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219
- Manganese**
- η^6 -Hydroquinone and catechol complexes of manganese tricarbonyl. Molecular structure of $[(\eta^6\text{-hydroquinone})\text{Mn}(\text{CO})_3]_2\text{SiF}_6$ (S. Sun, G.B. Carpenter and D.A. Sweigart), 257
- Mercuration**
- Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39
- Mercury**
- Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39
- Metalation**
- Media effects in directed *ortho* metalation (D.W. Slocum, D. Reed, F. Jackson, III and C. Friesen), 265
- The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219
- Metal carbonyl**
- Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[\text{Ru}(\text{CO})_2][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5\text{-}\eta^1\text{-C}_5\text{H}_4\text{-}(\text{CH}_2)_2\text{C}_5\text{H}_3]$, $\text{Ru}_2(\text{CO})_4[\eta^5, \eta^5\text{-C}_5\text{H}_4(\text{CH}_3)_2\text{SiC}_5\text{H}_4]$ and $[\text{Ru}(\text{CO})_2\text{Br}][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5\text{-C}_5\text{H}_4\text{C}_2\text{H}_4\text{C}_5\text{H}_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11
- Metalocene**
- 1,4-Dimethyl-2,3-diphenylfulvene: A convenient precursor to heteroatom-substituted-1-methyl-2,5-dimethyl-3,4-diphenylcyclopentadienyl transition metal complexes (J. Donovalova, C.R. Jackson and E.A. Mintz), 85
- ansa*-Metalocene derivatives XXXII. Zirconocene complexes with a spiroilane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosen, R. Kirsten and H.-H. Brintzinger), 225
- C_2 -symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51
- Di- and triphospha-ferrocenes: crystal and molecular structures of $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_3^1\text{Bu}_3\text{P}_2)]$ and of the adducts $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2^1\text{Bu}_2\text{P}_3)\text{Mo}(\text{CO})_5]$ and $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2^1\text{Bu}_2\text{P}_3)\text{W}(\text{CO})_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
- Effects of steric strain on the bonding in zinc metallocenes: the structure of $[(\text{C}_3\text{H}_7)_4\text{C}_5\text{H}]_2\text{Zn}$ (D.J. Burkey and T.P. Hanusa), 165
- Electrophilic addition of CCl_4 to a cyclopentadienyl ligand in the tungstenocene carbonyl $[\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})]$ to give $[\text{W}(\eta^5\text{-C}_5\text{H}_5)(\eta^4\text{-C}_5\text{H}_5\text{-exo-CCl}_3)(\text{COCl})]$ (P. Jernakoff, J.R. Fox and N.J. Cooper), 175
- Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131
- Permercuration of substituted ferrocenes: assessment of the degree of mercuration (S.A. Kur and C.H. Winter), 39
- The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219
- Titanium(IV) compounds with cyano ligands: crystal structures of $\text{Cp}_2\text{Ti}(\text{CN})(\text{OCH}_3)$ and $[\text{Cp}_2\text{Ti}(\text{CN})_2]\text{O}$ (U. Thewalt and W. Nuding), 127
- Metalloimmunoassay**
- Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene-iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79
- Molybdenum**
- Di- and triphospha-ferrocenes: crystal and molecular structures of $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_3^1\text{Bu}_3\text{P}_2)]$ and of the adducts $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2^1\text{Bu}_2\text{P}_3)\text{Mo}(\text{CO})_5]$ and $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2^1\text{Bu}_2\text{P}_3)\text{W}(\text{CO})_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
- Nickel**
- Nickel(0)-induced geminal bond cleavages leading to carbon-carbon double bonds: intermediacy of nickel(0)-carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207
- Nucleophiles**
- Reactions of the η^5 -2,5-dimethylthiophene complex $\text{Cp}^*\text{Ir}(\eta^5\text{-2,5-Me}_2\text{T})^{2+}$ with nucleophiles (Ph^- , Me^- , $\text{CH}(\text{CO}_2\text{Me})_2^-$ and OH^-) (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), 149
- Osmium**
- Sodium oximates as starting materials for the synthesis of half-sandwich-type arene(oximate) and arene(azavinylidene) osmium complexes (H. Werner, T. Daniel, M. Müller and N. Mahr), 197
- Oxidative addition**
- Nickel(0)-induced geminal bond cleavages leading to carbon-carbon double bonds: intermediacy of nickel(0)-carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207
- Oximes**
- An analysis of cobaloxime chemistry with the electrostatic-covalent model (R.S. Drago), 61

- Sodium oximates as starting materials for the synthesis of half-sandwich-type arene(oximate) and arene(azavinylidene) osmium complexes (H. Werner, T. Daniel, M. Müller and N. Mahr), 197
- Oxo-bridge
Titanium(IV) compounds with cyano ligands: crystal structures of $\text{Cp}_2\text{Ti}(\text{CN})(\text{OCH}_3)$ and $[\text{Cp}_2\text{Ti}(\text{CN})_2]\text{O}$ (U. Thewalt and W. Nuding), 127
- Palladium
Synthesis and structure of chiral palladium(II) complexes bearing ethylene-bridged bisindolyl- and bis(1,2,3,4-tetrahydroquinolyl) ligands (A.S. Abu-Surrah, R. Fawzi, M. Steimann and B. Rieger), 243
- Pentamethylcyclopentadienyl
Reactions of the η^5 -2,5-dimethylthiophene complex $\text{Cp}^*\text{Ir}(\eta^5\text{-2,5-Me}_2\text{T})^{2+}$ with nucleophiles (Ph^- , Me^- , $^-\text{CH}(\text{CO}_2\text{Me})_2$ and OH^-) (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), 149
- Phenylacetylene
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $\text{RuCl}(\text{P} \sim \text{O})_3(\eta^2\text{-S}_2\text{CH})$ and $\text{Ru}(\text{CO})\text{Cl}(\text{P} \sim \text{O})_2(\eta^2\text{-S}_2\text{CH})$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
- Phosphates
Crystal structures of metallo-organophosphates from X-ray powder diffraction data (D.M. Poojary and A. Clearfield), 237
- Phosphines
Aqueous organometallic chemistry: the mechanism of catalytic hydrogenations with chlorotris(1,3,5-triaza-7-phosphaadamantane)-rhodium(I) (F. Joó, L. Nádasdi, A.Cs. Bényei and D.J. Darensbourg), 45
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Hénique), 183
- Phosphites
New examples of Arbuzov rearrangements of coordinated phosphites initiated by metal-centred radicals (I. Kuksis and M.C. Baird), 253
- Phosphonium ylides
Nickel(0)-induced geminal bond cleavages leading to carbon-carbon double bonds: intermediacy of nickel(0)-carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207
- Phosphorus
Di- and triphospha-ferrocenes: crystal and molecular structures of $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_3\text{Bu}_3\text{P}_2)]$ and of the adducts $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2\text{Bu}_2\text{P}_3)\text{Mo}(\text{CO})_5]$ and $[\text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_2\text{Bu}_2\text{P}_3)\text{W}(\text{CO})_5]$ (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
- Platinum
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $\text{Pt}_2(\text{P}_2\text{O}_5\text{H}_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69
- Polymerization
ansa-Metallocene derivatives XXXII. Zirconocene complexes with a spiro-silane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosen, R. Kirsten and H.-H. Brintzinger), 225
 C_2 -symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51
Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131
- Propene
ansa-Metallocene derivatives XXXII. Zirconocene complexes with a spiro-silane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosen, R. Kirsten and H.-H. Brintzinger), 225
- Propylene
 C_2 -symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51
Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131
- Pyrophosphito-bridging ligands
Homogeneous styrene hydrogenation catalyzed by the pyrophosphito-bridged $\text{Pt}_2(\text{P}_2\text{O}_5\text{H}_2)_4^{4-}$ complex (J. Lin and C.U. Pittman, Jr.), 69
- Rhenium
Rhenium complexes containing 1,1'-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111
- Rhodium
Aqueous organometallic chemistry: the mechanism of catalytic hydrogenations with chlorotris(1,3,5-triaza-7-phosphaadamantane)-rhodium(I) (F. Joó, L. Nádasdi, A.Cs. Bényei and D.J. Darensbourg), 45
- Ring-coupled
Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[\text{Ru}(\text{CO})_2][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5: \eta^1\text{-C}_5\text{H}_4(\text{CH}_2)_2\text{CC}_5\text{H}_3]$, $\text{Ru}_2(\text{CO})_4[\eta^5, \eta^5\text{-C}_5\text{H}_4(\text{CH}_3)_2\text{SiC}_5\text{H}_4]$ and $[\text{Ru}(\text{CO})_2\text{Br}][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5\text{-C}_5\text{H}_4\text{C}_2\text{H}_4\text{C}_5\text{H}_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11
- Ruthenium
Reactions of ether-phosphine ruthenium hydride complexes with carbon disulfide and phenylacetylene: crystal structures of $\text{RuCl}(\text{P} \sim \text{O})_3(\eta^2\text{-S}_2\text{CH})$ and $\text{Ru}(\text{CO})\text{Cl}(\text{P} \sim \text{O})_2(\eta^2\text{-S}_2\text{CH})$ (E. Lindner, Y.-C. Lin, M. Geprägs, K.-H. Yih, R. Fawzi and M. Steimann), 101
Structure of $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}_2\text{Fe}_2(\text{CO})_8(\mu_2\text{-CO})(\mu_4\text{-}\eta^6\text{-C}_6\text{H}_6)$: an unusual mixed-metal compound containing a bridging diallyl ligand and derived by unsymmetrical coupling of two allenyl groups (M.R. Churchill, R.F. See, C.E. Shuchart and A. Wojcicki), 189
Syntheses and reactions of dinuclear μ -methylthiolate organometallic complexes (P.M. Treichel and E.K. Rublein), 157
Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[\text{Ru}(\text{CO})_2][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5: \eta^1\text{-C}_5\text{H}_4(\text{CH}_2)_2\text{CC}_5\text{H}_3]$, $\text{Ru}_2(\text{CO})_4[\eta^5, \eta^5\text{-C}_5\text{H}_4(\text{CH}_3)_2\text{SiC}_5\text{H}_4]$ and $[\text{Ru}(\text{CO})_2\text{Br}][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5\text{-C}_5\text{H}_4\text{C}_2\text{H}_4\text{C}_5\text{H}_4]$ (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11
The lithiation of ferrocene and ruthenocene: a retraction and an improvement (R. Sanders and U.T. Mueller-Westerhoff), 219
Zur Chemie dreikerniger Carbonylruthenium-Komplexe mit $\mu_3\text{-}\eta^2$ -Sulfonsäurehydrazido-Liganden: Synthese und Molekülstruktur von $\text{HRu}_3(\text{CO})_8[\text{H}_2\text{NNS}(\text{O})_2\text{Mes}](\text{PPh}_3)$, $\text{HRu}_3(\text{CO})_8[\text{H}_2\text{NNS}(\text{O})_2\text{Mes}][\text{PPh}_2\text{CC}(\text{Ph})\text{CO}_2(\text{CO})_6]$, $\text{HRu}_3(\text{CO})_8[\text{H}_2\text{NNS}(\text{O})_2\text{ToI}][\text{PPh}_2(\text{C}_5\text{H}_4)\text{Fe}(\text{C}_5\text{H}_4)\text{PPh}_2]$ (G. Rheinwald, H. Stoeckli-Evans und G. Süss-Fink), 27
- Semiquinone
 η^6 -Hydroquinone and catechol complexes of manganese tricarbonyl. Molecular structure of $[(\eta^6\text{-hydroquinone})\text{Mn}(\text{CO})_3]_2\text{SiF}_6$ (S. Sun, G.B. Carpenter and D.A. Sweigart), 257
- Silicon
Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of $[\text{Ru}(\text{CO})_2][\text{Ru}(\text{CO})_2\text{Cl}][\eta^5, \eta^5: \eta^1\text{-C}_5\text{H}_4$

- (CH₂)₂CC₅H₃], Ru₂(CO)₄[η⁵,η⁵-C₅H₄(CH₃)₂SiC₅H₄] and [Ru(CO)₂Br][Ru(CO)₂Cl][η⁵,η⁵-C₅H₄C₂H₄C₅H₄] (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11
- Slipped-sandwich**
Effects of steric strain on the bonding in zinc metallocenes: the structure of [(C₃H₇)₄C₅H]₂Zn (D.J. Burkey and T.P. Hanusa), 165
- Stereochemistry**
Dialkylaminophosphorus metal carbonyls. 14. Stereochemistry of some HX additions to the (iPr₂NP)₂Fe₂(CO)₆ unit from (iPr₂NP)₂COFe₂(CO)₆ (V. Kumar, D.W. Lee, M.G. Newton and R.B. King), 1
- Steroids**
Metal-marked steroids of the estrane group from the reaction of steroidal functional groups with arene-iron(Cp) complexes (A. Piórko, R.G. Sutherland, A. Vessières-Jaouen and G. Jaouen), 79
- Styrene**
Homogeneous styrene hydrogenation catalyzed by the pyrophosphite-bridged Pt₂(P₂O₅H₂)₄⁴⁻ complex (J. Lin and C.U. Pittman, Jr.), 69
- Sulfonylhydrido-capped clusters**
Zur Chemie dreikerniger Carbonylruthenium-Komplexe mit μ₃-η²-Sulfonsäurehydrazido-Liganden: Synthese und Molekülstruktur von HRu₃(CO)₈[H₂NNS(O)₂Mes](PPh₃), HRu₃(CO)₈[H₂NNS(O)₂Mes][PPh₂CC(Ph)CO₂(CO)₆], HRu₃(CO)₈[H₂NNS(O)₂Tol][PPh₂(C₅H₄)Fe(C₅H₄)PPh₂] (G. Rheinwald, H. Stoeckli-Evans und G. Süss-Fink), 27
- Sulphur dioxide**
Reversible insertion of SO₂ into the N-N bond of [Fe₂(CO)₆(μ-Ph₂N₂)] (S.E. Kabir, M. Ruf and H. Vahrenkamp), 261
- Synthesis**
Nickel(0)-induced geminal bond cleavages leading to carbon-carbon double bonds: intermediacy of nickel(0)-carbene complexes as a unifying hypothesis (J.J. Eisch, Y. Qian and M. Singh), 207
- Thallium**
Synthesis of mono- and bimetallic ruthenium carbonyl compounds from ring-coupled bis(cyclopentadienyl thallium) reagents. The molecular structures of [Ru(CO)₂][Ru(CO)₂Cl][η⁵,η⁵-η¹-C₅H₄-(CH₂)₂CC₅H₃], Ru₂(CO)₄[η⁵,η⁵-C₅H₄(CH₃)₂SiC₅H₄] and [Ru(CO)₂Br][Ru(CO)₂Cl][η⁵,η⁵-C₅H₄C₂H₄C₅H₄] (T.E. Bitterwolf, M.B. Leonard, P.A. Horine, J.E. Shade, A.L. Rheingold, D.J. Staley and G.P.A. Yap), 11
- Thiolate complexes**
Syntheses and reactions of dinuclear μ-methylthiolate organometallic complexes (P.M. Treichel and E.K. Rublein), 157
- Thiophene**
Reactions of the η⁵-2,5-dimethylthiophene complex Cp*Ir(η⁵-2,5-Me₂T)²⁺ with nucleophiles (Ph⁻, Me⁻, ⁻CH(CO₂Me)₂ and OH⁻) (J. Chen, Y. Su, R.A. Jacobson and R.J. Angelici), 149
- Titanium**
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Héniqne), 183
- Titanium(IV) compounds with cyano ligands: crystal structures of Cp₂Ti(CN)(OCH₃) and [Cp₂Ti(CN)]₂O (U. Thewalt and W. Nuding), 127
- Tungsten**
Di- and triphospha-ferrocenes: crystal and molecular structures of [Fe(η⁵-C₅Me₅)(η⁵-C₃^tBu₃P₂)] and of the adducts [Fe(η⁵-C₅Me₅)(η⁵-C₂^tBu₂P₃)Mo(CO)₅] and [Fe(η⁵-C₅Me₅)(η⁵-C₂^tBu₂P₃)W(CO)₅] (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
Electrophilic addition of CCl₄ to a cyclopentadienyl ligand in the tungstenocene carbonyl [W(η⁵-C₅H₅)₂(CO)] to give [W(η⁵-C₅H₅)(η⁴-C₅H₅-exo-CCl₃)(CO)Cl] (P. Jernakoff, J.R. Fox and N.J. Cooper), 175
- Vinylidene complexes**
Sodium oximates as starting materials for the synthesis of half-sandwich-type arene(oximate) and arene(azavinylidene) osmium complexes (H. Werner, T. Daniel, M. Müller and N. Mahr), 197
- X-ray diffraction**
Di- and triphospha-ferrocenes: crystal and molecular structures of [Fe(η⁵-C₅Me₅)(η⁵-C₃^tBu₃P₂)] and of the adducts [Fe(η⁵-C₅Me₅)(η⁵-C₂^tBu₂P₃)Mo(CO)₅] and [Fe(η⁵-C₅Me₅)(η⁵-C₂^tBu₂P₃)W(CO)₅] (C. Müller, R. Bartsch, A. Fischer, P.G. Jones and R. Schmutzler), 141
Rhenium complexes containing 1,1'-ferrocene dithiolato and diselenolato chelate ligands (M. Herberhold, G.-X. Jin and W. Milius), 111
- X-ray powder diffraction**
Crystal structures of metallo-organophosphates from X-ray powder diffraction data (D.M. Poojary and A. Clearfield), 237
- Ytterbium**
The crystal and molecular structure of [η⁵-C₅H₃(SiMe₃)₂]₂Yb(THF) (R.D. Rogers), 97
- Ziegler-Natta catalyst**
Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131
- Zinc**
Effects of steric strain on the bonding in zinc metallocenes: the structure of [(C₃H₇)₄C₅H]₂Zn (D.J. Burkey and T.P. Hanusa), 165
- Zirconium**
ansa-Metalloocene derivatives XXXII. Zirconocene complexes with a spiro-silane bridge: syntheses, crystal structures and properties as olefin polymerization catalysts (S. Mansel, U. Rief, M.-H. Prosenec, R. Kirsten and H.-H. Brintzinger), 225
C₂-symmetric bis(fluorenyl) complexes: four complex models as potential catalysts for the isospecific polymerization of propylene (H.G. Alt and R. Zenk), 51
Error formation in *ansa*-zirconocene catalyzed isotactic propylene polymerization (W. Song, Z. Yu and J.C.W. Chien), 131
Phosphine complexes of Ti(III) and Zr(III): detection in solution by EPR/electrochemical methods (E. Samuel and J. Héniqne), 183