

Subject Index of Volume 519

Acetonitrile

Expedition synthesis of $\text{Re}_3(\mu\text{-H})_3(\text{CO})_{11}(\text{NCMe})$ (M.I. Bruce and P.J. Low), 221

Acetylide

Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*- $[\text{Ru}(\text{C}\equiv\text{CC}_6\text{H}_4\text{R-4})\text{Cl}(\text{dppm})_2]$ (R = H, NO_2 , $\text{C}_6\text{H}_4\text{NO}_2\text{-4}$, $\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2\text{-4,(E)}$); X-ray crystal structure of *trans*- $[\text{Ru}(\text{C}\equiv\text{CC}_6\text{H}_4\text{C}_6\text{H}_4\text{NO}_2\text{-4,4'})\text{Cl}(\text{dppm})_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229

Agostic interactions

Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site (J.A. Støvneng and E. Rytter), 277

Alkene

Coordinatively saturated olefin platinum(II) complexes containing two $\eta^1\text{-C}$ -bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75

Alkenes

Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions (M. Niestroj, W.P. Neumann and T.N. Mitchell), 45

Alkyl

η^2 -Alkin-Komplexe des η^5 -Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69

Darstellung von η^3 -Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl und V. Dimitrov), 83

Alkyl complexes

Coordinatively saturated olefin platinum(II) complexes containing two $\eta^1\text{-C}$ -bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75

Alkyne

η^2 -Alkin-Komplexe des η^5 -Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69

A comparison of the reactions of $\text{PPh}_2\text{CH}_2\text{SR}$ (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3 -thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243

Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluorborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115

Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93

Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103

η^2 -Alkyne complexes

η^2 -Alkin-Komplexe des η^5 -Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69

Alkynes

Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177

Alkynyl

Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*- $[\text{Ru}(\text{C}\equiv\text{CC}_6\text{H}_4\text{R-4})\text{Cl}(\text{dppm})_2]$ (R = H, NO_2 , $\text{C}_6\text{H}_4\text{NO}_2\text{-4}$, $\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2\text{-4,(E)}$); X-ray crystal structure of *trans*- $[\text{Ru}(\text{C}\equiv\text{CC}_6\text{H}_4\text{C}_6\text{H}_4\text{NO}_2\text{-4,4'})\text{Cl}(\text{dppm})_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229

Allyl

Darstellung von η^3 -Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl und V. Dimitrov), 83

Allylic substitution

Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3 -allyl)iron(1+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

η^3 -Allyl-1-norbornyl complexes

Darstellung von η^3 -Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl und V. Dimitrov), 83

η^3 -Allylpalladium complex

Structural and NMR spectroscopic characterization of ferrocene-containing η^3 -allylpalladium complexes (Y.J. Wu, Y.H. Liu, H.Z. Yuan and X.A. Mao), 237

Amine *N*-oxide

Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93

Aminocyclopentadiene

Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5 -cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269

η^6 -Arene, η^5 -Cyclohexadienyl-tricarbonylmanganese complexes

Cationic 1,2,3-trimethoxybenzene manganese tricarbonyl complexes: structure and reactivity (V. Gagliardini, F. Balssa, F. Rose-Munch, E. Rose, C. Susanne and Y. Dromzee), 281

Asymmetric synthesis

Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3 -allyl)iron(1+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

Benzylic carbanions

Double ortho meta regiocontrolled functionalisation of tricarbonyl- (η^6 -1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ^{17}O

- NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87
- η^1 -Bonded
- Coordinatively saturated olefin platinum(II) complexes containing two η^1 -C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75
- Bridging ligand
- Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu-\eta^6:\eta^1-C_7H_7)M'(CO)_2(\eta-C_5R_5)]$ ($M = Cr, Mo$ or W ; $M' = Fe$ or Ru ; $R = H$ or Me) (E.S. Davies and M.W. Whiteley), 261
- Bulky ligands
- Auf dem Weg zu einem stabilen Germaethen $>Ge=C<$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $Me_2Ge=C(GeMe_3)(SiMe^tBu_2)$ (N. Wiberg and H.-S. Hwang-Park), 107
- tert*-Butoxide complexes
- Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluorborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115
- Cadmium
- NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7
- Carbonyl
- A comparison of the reactions of PPh_2CH_2SR ($R = Me, Ph$) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3 -thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243
- Expeditious synthesis of $Re_3(\mu-H)_3(CO)_9(NCMe)$ (M.I. Bruce and P.J. Low), 221
- Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93
- Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103
- Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 205
- Cationic complexes
- Syntheses, molecular structure and reactivity of $(\eta^6\text{-toluene})Mn(CO)_xL_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253
- Chalcogenide complexes
- The first CpOs half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223
- Chirality
- Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93
- Chirality transfer
- Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3 -allyl)iron(I+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147
- Cluster
- Expeditious synthesis of $Re_3(\mu-H)_3(CO)_9(NCMe)$ (M.I. Bruce and P.J. Low), 221
- Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 205
- Cobalt
- A comparison of the reactions of PPh_2CH_2SR ($R = Me, Ph$) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3 -thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243
- Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93
- Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103
- Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177
- Cobalt-cobalt double bond
- Synthese und Reaktionsverhalten von $(R)(\eta^1-C_5Me_5)P=Co(CO)_3$ (H. Lang, U. Eberle, M. Leise und L. Zsolnai), 137
- Cobalt complexes
- Synthese und Reaktionsverhalten von $(R)(\eta^1-C_5Me_5)P=Co(CO)_3$ (H. Lang, U. Eberle, M. Leise und L. Zsolnai), 137
- Conjugated carbonyl derivatives
- Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonylés α -éthyléniques α -triméthylsilylés (D. Mesnard, N. Hanafi et L. Migoniac), 125
- Copper
- Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluorborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115
- NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7
- Cryptand
- The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185
- Crystal structure
- A comment on the formation of N-C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*- $[W(CN)(NNCHOCH_2CH_2CH_2)(dippe)_2]$ (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273
- Complex stabilization of sesquifulvalene derivatives (M. Tamm, A. Grzegorzewski and I. Brüdgam), 217
- Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluorborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115
- Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*- $[Ru(C\equiv CC_6H_4R-4)Cl(dppm)_2]$ ($R = H, NO_2, C_6H_4NO_2-4, CH=CHC_6H_4NO_2-4(E)$); X-ray crystal structure of *trans*- $[Ru(C\equiv CC_6H_4C_6H_4NO_2-4,4')Cl(dppm)_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229
- Structural and NMR spectroscopic characterization of ferrocene-containing η^3 -allylpalladium complexes (Y.J. Wu, Y.H. Liu, H.Z. Yuan and X.A. Mao), 237
- Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$ (A.U. Härkönen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 205

- The first Cp*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223
- Cycloheptatrienyl
 Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu-\eta^6:\eta^1-C_7H_7)M'(CO)_2(\eta-C_5R_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261
- η^5 -Cyclohexadienyl
 Syntheses, molecular structure and reactivity of (η^6 -toluene)Mn(CO)_xL_{3-x}, PF₆ (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253
- Cyclopentadienyl
 η^2 -Alkin-Komplexe des η^5 -Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69
 Aminozirocenenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5 -cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269
 Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukhareenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1
 η^5 -Cyclopentadienylnickel-1-norbornyl
 η^2 -Alkin-Komplexe des η^5 -Cyclopentadienylnickel-1-norbornyls (H. Lehmkuhl und V. Dimitrov), 69
- Density-functional theory
 Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site (J.A. Støvneng and E. Rytter), 277
- Diazenides
 A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-[W(CN)(NNCHOCH₂CH₂CH₂)(dppe)₂] (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273
- Diels-Alder reaction
 Auf dem Weg zu einem stabilen Germaethen $>Ge=C<$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens Me₂Ge=C(GeMe₃)(SiMe^tBu₂) (N. Wiberg and H.-S. Hwang-Park), 107
- Difluoromethyl
 NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7
- Dinitrogen complexes
 A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-[W(CN)(NNCHOCH₂CH₂CH₂)(dppe)₂] (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273
- Dinuclear complexes
 Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles. ³¹P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rifaiani), 161
- Electrochemistry
 Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukhareenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1
- Electron spin resonance
 Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2'-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Polásek, V. Varga and K. Mach), 195
- Electron transfer
 Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2'-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Polásek, V. Varga and K. Mach), 195
- Electrophilic destannylation
 Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions (M. Niestroj, W.P. Neumann and T.N. Mitchell), 45
- Ene reaction
 Auf dem Weg zu einem stabilen Germaethen $>Ge=C<$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens Me₂Ge=C(GeMe₃)(SiMe^tBu₂) (N. Wiberg and H.-S. Hwang-Park), 107
- Ferrocene
 Structural and NMR spectroscopic characterization of ferrocene-containing η^3 -allylpalladium complexes (Y.J. Wu, Y.H. Liu, H.Z. Yuan and X.A. Mao), 237
 The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185
- Five-coordination
 Coordinatively saturated olefin platinum(II) complexes containing two η^1 -C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75
- Fluorine
 NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7
- Gas-phase
 Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169
- Gold
 Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ³¹P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rifaiani), 161
- Heterocycles complexes
 Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ³¹P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rifaiani), 161
- Heterometallic cluster
 Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster [Ru₃IrH₂(CO)₁₂Cl] (A.U. Härkönen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 205
- Indenyl
 Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukhareenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1
- Indenyl complexes
 Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler–Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21

- IR
Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^1H , ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29
- Iridium
Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[\text{Ru}_3\text{IrH}_2(\text{CO})_{12}\text{Cl}]$ (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 205
- Iron
A comparison of the reactions of $\text{PPh}_2\text{CH}_2\text{SR}$ ($\text{R} = \text{Me}, \text{Ph}$) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3 -thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243
Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[\text{M}(\text{CO})_3(\mu\text{-}\eta^6\text{:}\eta^1\text{-C}_7\text{H}_7)\text{M}'(\text{CO})_2(\eta\text{-C}_5\text{R}_5)]$ ($\text{M} = \text{Cr}, \text{Mo}$ or W ; $\text{M}' = \text{Fe}$ or Ru ; $\text{R} = \text{H}$ or Me) (E.S. Davies and M.W. Whiteley), 261
Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3 -allyl)iron(I+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147
The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185
- Kinetics
Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169
- Ligand substitutions
Syntheses, molecular structure and reactivity of $(\eta^6\text{-toluene})\text{Mn}(\text{CO})_x\text{L}_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253
- Lithium
Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler-Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21
- Macrocycle
The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185
- Macrocycles
Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177
- Manganese
Complex stabilization of sesquifulvalene derivatives (M. Tamm, A. Grzegorzewski and I. Brüdgam), 217
Syntheses, molecular structure and reactivity of $(\eta^6\text{-toluene})\text{Mn}(\text{CO})_x\text{L}_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253
- Mass spectrometry
Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169
- Mechanism
Double ortho meta regiocontrolled functionalisation of tricarbonyl- $(\eta^6\text{-1-tert-butoxycarbonyl-2,3-dimethylbenzene})\text{chromium}$; ^{17}O NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87
- Methylsilane
Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169
- Molybdenum
Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177
Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[\text{M}(\text{CO})_3(\mu\text{-}\eta^6\text{:}\eta^1\text{-C}_7\text{H}_7)\text{M}'(\text{CO})_2(\eta\text{-C}_5\text{R}_5)]$ ($\text{M} = \text{Cr}, \text{Mo}$ or W ; $\text{M}' = \text{Fe}$ or Ru ; $\text{R} = \text{H}$ or Me) (E.S. Davies and M.W. Whiteley), 261
- Nickel
 η^2 -Alkin-Komplexe des η^5 -Cyclopentadienylnickel-1-norboryls (H. Lehmkuhl und V. Dimitrov), 69
Darstellung von η^3 -Allyl-1-Norboryl-Komplexen des Nickels und Palladiums (H. Lehmkuhl und V. Dimitrov), 83
- NMR
NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds (R. Eujen, B. Hoge and D.J. Brauer), 7
Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^1H , ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29
- Non-linear Optics
Complex stabilization of sesquifulvalene derivatives (M. Tamm, A. Grzegorzewski and I. Brüdgam), 217
- Non-linear optics
Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*- $[\text{Ru}(\text{C}\equiv\text{CC}_6\text{H}_4\text{R-4})\text{Cl}(\text{dppm})_2]$ ($\text{R} = \text{H}, \text{NO}_2, \text{C}_6\text{H}_4\text{NO}_2\text{-4}, \text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2\text{-4}(E)$); X-ray crystal structure of *trans*- $[\text{Ru}(\text{C}\equiv\text{CC}_6\text{H}_4\text{C}_6\text{H}_4\text{NO}_2\text{-4,4}')\text{Cl}(\text{dppm})_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229
- Nuclear magnetic resonance (NMR)
 η^2 -Alkin-Komplexe des η^5 -Cyclopentadienylnickel-1-norboryls (H. Lehmkuhl und V. Dimitrov), 69
Darstellung von η^3 -Allyl-1-Norboryl-Komplexen des Nickels und Palladiums (H. Lehmkuhl und V. Dimitrov), 83
- Nucleophilic addition
Cationic 1,2,3-trimethoxybenzene manganese tricarbonyl complexes: structure and reactivity (V. Gagliardini, F. Balssa, F. Rose-Munch, E. Rose, C. Susanne and Y. Dromzee), 281
Syntheses, molecular structure and reactivity of $(\eta^6\text{-toluene})\text{Mn}(\text{CO})_x\text{L}_{3-x}$, PF_6 (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253
- Olefin complexes
Coordinatively saturated olefin platinum(II) complexes containing two η^1 -C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75
- Olefin polymerization
Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site (J.A. Støvneng and E. Rytter), 277

¹⁷O NMR

Double ortho meta regiocontrolled functionalisation of tricarbonyl-(η^6 -1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ¹⁷O NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87

Osmium

Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukharenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1

The first Cp*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223

6-Oxoenoates

Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3 -allyl)iron(1+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

Palladium

Darstellung von η^3 -Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83

Structural and NMR spectroscopic characterization of ferrocene-containing η^3 -allylpalladium complexes (Y.J. Wu, Y.H. Liu, H.Z. Yuan and X.A. Mao), 237

Pentamethylcyclopentadienyl half-sandwich compounds

The first Cp*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223

Phenanthroline

The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185

Phenyltin chlorides complexes

Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209

Phosphine

A comparison of the reactions of PPh₂CH₂SR (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3 -thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243

Darstellung von η^3 -Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums (H. Lehmkuhl and V. Dimitrov), 83

Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169

Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand (W.J. Kerr, G.G. Kirk and D. Middlemiss), 93

Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103

Phosphine complexes

Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ³¹P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Ragaini), 161

Phosphorus-cobalt double bond

Synthese und Reaktionsverhalten von (R)(η^1 -C₅Me₅)P=C(CO)₃ (H. Lang, U. Eberle, M. Leise und L. Zsolnai), 137

Photochemistry

Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light (J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson), 103

Planar chirality

Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3 -allyl)iron(1+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147

Platinum

Coordinatively saturated olefin platinum(II) complexes containing two η^1 -C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75

³¹P NMR spectroscopy

Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ³¹P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Ragaini), 161

Polymerization

Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler-Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21

Preparation

Coordinatively saturated olefin platinum(II) complexes containing two η^1 -C-bonded groups (M.L. Ferrara, I. Orabona, F. Ruffo and V. De Felice), 75

Pyrazole complexes

Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209

Pyrazolonato complexes

Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ¹¹⁹Sn Mössbauer, ¹H, ¹³C and ¹¹⁹Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29

Quadratic hyperpolarizabilities

Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*-[Ru(C \equiv CC₆H₄R-4)Cl(dppm)₂] (R = H, NO₂, C₆H₄NO₂-4, CH=CHC₆H₄NO₂-4,*E*); X-ray crystal structure of *trans*-[Ru(C \equiv CC₆H₄C₆H₄NO₂-4,*4'*)Cl(dppm)₂] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229

Reaction mechanisms

Gas phase ion/molecule reactions in phosphine/methylsilane mixtures (G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe), 169

Redox activity

The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit (C.D. Hall and T.-K.-U. Truong), 185

Regioselective synthesis

Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonyles α -éthyléniques α -triméthylsilylés (D. Mesnard, N. Hanaï et L. Migoniac), 125

Regioselectivity

Cationic 1,2,3-trimethoxybenzene manganese tricarbonyl complexes: structure and reactivity (V. Gagliardini, F. Balssa, F. Rose-Munch, E. Rose, C. Susanne and Y. Dromzee), 281

- Double ortho meta regiocontrolled functionalisation of tricarbonyl- $(\eta^6\text{-}1\text{-}i\text{-}tert\text{-}butoxycarbonyl\text{-}2,3\text{-dimethylbenzene})\text{chromium}$; ^{17}O NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87
- Rhenium**
- Expedient synthesis of $\text{Re}_2(\mu\text{-H})_3(\text{CO})_{11}(\text{NCMe})$ (M.I. Bruce and P.J. Low), 221
- Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[\text{M}(\text{CO})_3(\mu\text{-}\eta^6\text{-}\eta^1\text{-C}_7\text{H}_7)\text{M}'(\text{CO})_2(\eta\text{-C}_5\text{R}_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261
- Ruthenium**
- Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of $\text{trans-}[\text{Ru}(\text{C}\equiv\text{CC}_6\text{H}_4\text{R-4})\text{Cl}(\text{dppm})_2]$ (R = H, NO_2 , $\text{C}_6\text{H}_4\text{NO}_2\text{-4}$, $\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2\text{-4}(E)$); X-ray crystal structure of $\text{trans-}[\text{Ru}(\text{C}\equiv\text{CC}_6\text{H}_4\text{C}_6\text{H}_4\text{NO}_2\text{-4,4}')\text{Cl}(\text{dppm})_2]$ (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, B.W. Skelton and A.H. White), 229
- Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium (S.V. Kukharenko, V.V. Strelets, A.R. Kudinov, A.Z. Kreidlín, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya), 1
- Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[\text{M}(\text{CO})_3(\mu\text{-}\eta^6\text{-}\eta^1\text{-C}_7\text{H}_7)\text{M}'(\text{CO})_2(\eta\text{-C}_5\text{R}_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me) (E.S. Davies and M.W. Whiteley), 261
- Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[\text{Ru}_3\text{IrH}_2(\text{CO})_{12}\text{Cl}]$ (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 205
- Selenium**
- The first Cp^*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223
- Sesquifulvalenes**
- Complex stabilization of sesquifulvalene derivatives (M. Tamm, A. Grzegorzewski and I. Brüdgam), 217
- Silaethane**
- Auf dem Weg zu einem stabilen Germaethen >Ge=C< , II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $\text{Me}_2\text{Ge}=\text{C}(\text{GeMe}_3)(\text{SiMe}^t\text{Bu}_2)$ (N. Wiberg and H.-S. Hwang-Park), 107
- Silicon**
- A comment on the formation of N-C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of $\text{trans-}[\text{W}(\text{CN})(\text{NNCHOCH}_2\text{CH}_2\text{CH}_2)(\text{dppe})_2]$ (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273
- Auf dem Weg zu einem stabilen Germaethen >Ge=C< , II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $\text{Me}_2\text{Ge}=\text{C}(\text{GeMe}_3)(\text{SiMe}^t\text{Bu}_2)$ (N. Wiberg and H.-S. Hwang-Park), 107
- Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions (M. Njestroj, W.P. Neumann and T.N. Mitchell), 45
- Silylated enol ethers**
- Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonyles α -éthyléniques α -triméthylsilylés (D. Mesnard, N. Hanäi et L. Migimac), 125
- ^{119}Sn Mössbauer spectra
- Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^1H , ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29
- ^{119}Sn NMR spectroscopy
- Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209
- Styrene**
- Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler-Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21
- Sulfur**
- A comparison of the reactions of $\text{PPh}_2\text{CH}_2\text{SR}$ (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3 -thioxo carbonyl complex (A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie), 243
- The first Cp^*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223
- Synthesis**
- Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ^{31}P NMR investigations (A. Burini, R. Galassi, B.R. Pietroni and G. Rafaiani), 161
- Tellurium**
- The first Cp^*Os half-sandwich complexes containing chalcogenido ligands (M. Herberhold, G.-X. Jin, L.M. Liable-Sands and A.L. Rheingold), 223
- Tetracarbonyl(η^3 -allyl)iron(1 +) complex
- Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3 -allyl)iron(1 +) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147
- Tetrafluoroborate complexes**
- Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluorborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich and U. Behrens), 115
- Thiocycloalkynes**
- Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177
- Thioethers**
- Synthesis and alkyne coordination chemistry of thiacycloalkynes (F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went), 177
- Tin**
- Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209
- Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions (M. Njestroj, W.P. Neumann and T.N. Mitchell), 45
- Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^1H , ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-

- phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29
- Titanium**
- Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler–Natta polymerization of styrene (T.E. Ready, J.C.W. Chien and M.D. Rausch), 21
- Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2'-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Poláček, V. Varga and K. Mach), 195
- Titanocene-2,2'-bipyridine**
- Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2'-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Poláček, V. Varga and K. Mach), 195
- Titanocene-bis(trimethylsilyl)acetylene**
- Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2'-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman, A.L. Spek, M. Poláček, V. Varga and K. Mach), 195
- Titanocene-(4,5-diazafluorenyl)**
- Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2'-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III) (P.T. Witte, R. Klein, H. Kooijman), 195
- Tricarbonylchromium**
- Double ortho meta regiocontrolled functionalisation of tricarbonyl-(η^6 -1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ^{17}O NMR study of saponification-elimination mechanism (S. Goetgheluck, J. Lamiot and J. Brocard), 87
- Trifluoromethanesulphonate**
- Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert*-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluoroborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (Y. Brussaard, F. Olbrich und U. Behrens), 115
- Tungsten**
- A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-[W(CN)(NNCHOCH₂CH₂CH₂)(dppe)₂] (D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett), 273
- a⁴-Umpolung**
- Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3 -allyl)iron(1+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals (D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray), 147
- Vibrational spectroscopy**
- Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209
- Vinyl silanes**
- Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonylés α -éthyléniques α -triméthylsilylés (D. Mesnard, N. Hanai et L. Migoniac), 125
- X-ray crystal structure**
- Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5 -cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269
- X-ray structure**
- Auf dem Weg zu einem stabilen Germaethen >Ge=C< , II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $\text{Me}_2\text{Ge}=\text{C}(\text{GeMe}_3)(\text{SiMe}'\text{Bu}_2)$ (N. Wiberg and H.-S. Hwang-Park), 107
- Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV) (J.S. Casas, E.E. Castellano, F.J.G. Barros, A. Sánchez, A.S. González, J. Sordo and J. Zukerman-Schpector), 209
- Syntheses, molecular structure and reactivity of (η^6 -toluene)Mn(CO)_xL_{3-x}, PF₆ (F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman), 253
- Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^1H , ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (F. Caruso, D. Leonesi, F. Marchetti, E. Rivarola, M. Rossi, V. Tomov and C. Pettinari), 29
- X-ray structure analysis**
- Synthese und Reaktionsverhalten von $(\text{R})(\eta^1\text{-C}_3\text{Me}_3)\text{P}=\text{Co}(\text{CO})_3$ (H. Lang, U. Eberle, M. Leise und L. Zsolnai), 137
- Zirconium**
- Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5 -cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269
- Zirconocenes**
- Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5 -cyclopentadienyl (indenyl) ligand (H. Plenio and D. Burth), 269
- Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site (J.A. Støvneng and E. Rytter), 277
- Book Reviews**
- Comprehensive Organometallic Chemistry II.*, E.W. Abel, F.G.A. Stone and G. Wilkinson (eds.), (C. Eaborn), 285
- Organic Reactions. Simplicity and Logic*, Pierre Laszlo, (J.R. Hanson), 287