



ELSEVIER

Subject Index of Volume 515

Ab initio MO calculations

Rotational isomerism in tetramethyldistibane studied by UV photo-electron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249

Acyl

Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173

Adducts

Carbonylation of iron(II) halide in the presence of chelate diphosphine ligands. Molecular structure of a novel intermolecular adduct $[\text{FeCl}_2(\text{dppe})_2][\text{Fe}_2(\text{CO})_2\text{Cl}_4]$ (Z.-Z. Zhang, J.-K. Zhang, W.-D. Zhang, H.-P. Xi, H. Cheng and H.-G. Wang), 1

Alkali metals

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{C-SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li}, \text{Na}, \text{K}$, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57

Alkyne

Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DP-PBu): syntheses and molecular structures of $[\{\text{Mo}(\text{CO})_4(\mu\text{-DP-PBu})_2\}]$ and $[\{\text{Mo}(\text{CO})_4(\eta^2\text{-DPBPu})_3\}\{\text{Mo}(\text{CO})\}]$ (G. Hogarth and J.Y. Pang), 193

Alkynyl

Some chemistry of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_8$: X-ray structures of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_6(\text{PMe}_3)_2$, $\text{Re}_2(\mu\text{-Au}(\text{PPh}_3))(\mu\text{-C}_2\text{Ph})(\text{CO})_8$, $\text{Re}_2(\mu\text{-X})(\mu\text{-dppm})(\mu\text{-C}_2\text{Ph})(\text{CO})_6$ [$\text{X} = \text{H}, \text{Br}$ and $\text{Au}(\text{PPh}_3)$] and $\text{Re}_2(\mu\text{-Br})_2(\mu\text{-dppm})(\text{CO})_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65

Allyl

A second solid-state isomer of $[(\text{PPh}_3)_2\text{N}][\text{Ru}_6\text{C}(\text{CO})_{15}(\text{C}_3\text{H}_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27

Aminoaryl ligands

Organomercury(II) and organotin(IV) compounds with nitrogen-containing substituents (P.-A. Bonnardel and R.V. Parish), 221

Aminoesters

Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-C}_5\text{H}_4\text{COONS})\text{Co}(\text{CO})_2]$ ($\text{NS} = \text{N-succinimidyl}$) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103

Ansa-cyclopentadienyl complexes

Hydride derivatives of Group 4 metals with the *ansa*-(SiMe₂)₂($\eta^5\text{-C}_5\text{H}_3$)₂ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33

Antimony

Dichlorodiphenylantimony(V) derivatives of oxo- and thioimido-diphosphinic acids, containing novel inorganic $\text{SbO}_2\text{P}_2\text{N}$ and

SbOSP_2N rings: crystal and molecular structures of $\text{Ph}_2\text{SbCl}_2[(\text{OPPh}_2)_2\text{XPPPh}_2\text{N}]$ ($\text{X} = \text{O}, \text{S}$) (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131

Rotational isomerism in tetramethyldistibane studied by UV photo-electron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249

Arene complexes

Photoredox chemistry of bismuth trichloride in benzene (K. Oldenburg and A. Vogler), 245

Arene-ruthenium

Synthesis and characterization of areneruthenium(II) dialkyldithiophosphate complexes: single crystal structure of $[\text{Ru}(\text{SSP(OEt})_2)(\eta^6\text{-p-cymene})(\text{PPh}_3)][\text{BPh}_4]$ (V.K. Jain and V.S. Jakkal), 81

Aryl ketones

Reactions of orthomanganated aryl ketones with SO_2 : synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109

Arylnickel complexes

Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233

Aryl sulfonates

Reactions of orthomanganated aryl ketones with SO_2 : synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109

Azaoxasilacyclobutane

[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43

Azasilacyclobutane

[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43

Bismuth

Photoredox chemistry of bismuth trichloride in benzene (K. Oldenburg and A. Vogler), 245

Bridging ligand

A second solid-state isomer of $[(\text{PPh}_3)_2\text{N}][\text{Ru}_6\text{C}(\text{CO})_{15}(\text{C}_3\text{H}_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27

Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DP-PBu): syntheses and molecular structures of $[\{\text{Mo}(\text{CO})_4(\mu\text{-DP-PBu})_2\}]$ and $[\{\text{Mo}(\text{CO})_4(\eta^2\text{-DPBPu})_3\}\{\text{Mo}(\text{CO})\}]$ (G. Hogarth and J.Y. Pang), 193

Carbon disulfide

Reactions of the cationic bis(chelate)ruthenium complex $[\text{Ru}(\text{P}^{\wedge}\text{O})_2]^+$ with SO_2 , CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139

Carbonyl

1,3-Asymmetric induction by planar chiral (η^4 -diene) $\text{Fe}(\text{CO})_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99

A second solid-state isomer of $[(\text{PPh}_3)_2\text{N}][\text{Ru}_6\text{C}(\text{CO})_{15}(\text{C}_3\text{H}_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27

Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173

Pyrolysis of $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_9(\text{PPh}_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143

Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $\text{M}_4(\text{CO})_{12}$ ($\text{M} = \text{Rh}$, Co) clusters with $\text{Cr}(\text{CO})_3(\eta^6\text{-PhC}_2\text{Ph})$. Crystal and molecular structure of the $\text{Rh}_4(\text{CO})_9(\mu_5,\eta^2\text{-}\eta^6\text{-PhC}_2\text{Ph})\text{Cr}(\text{CO})_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11

Some chemistry of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_8$: X-ray structures of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_6(\text{PMe}_3)_2$, $\text{Re}_2\{\mu\text{-Au}(\text{PPh}_3)\}(\mu\text{-C}_2\text{Ph})(\text{CO})_8$, $\text{Re}_2(\mu\text{-X})(\mu\text{-dppm})\mu\text{-C}_2\text{Ph})(\text{CO})_6$ [$\text{X} = \text{H}, \text{Br}$ and $\text{Au}(\text{PPh}_3)$] and $\text{Re}_2(\mu\text{-Br})_2(\mu\text{-dppm})(\text{CO})_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65

Synthesis, spectroscopic and structural characterisation of $(\text{CO})_3\text{Fe}(\mu\text{-CH}_2\text{Se})_2$ and $(\text{CO})_6\text{Fe}_2\{\mu\text{-Se}(\text{CH}_2)_n\text{Se}\}$ ($n = 1, 2$) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155

Carbonylation

Carbonylation of iron(II) halide in the presence of chelate diphosphine ligands. Molecular structure of a novel intermolecular adduct $[\text{FeCl}_2(\text{dppe})_2][\text{Fe}_2(\text{CO})_2\text{Cl}_4]$ (Z.-Z. Zhang, J.-K. Zhang, W.-D. Zhang, H.-P. Xi, H. Cheng and H.-G. Wang), 1

Carbonyl clusters

Electrospray mass spectrometric studies of some heterometal anionic carbonyl clusters (M. Ferrer, R. Reina, O. Rossell, M. Seco and G. Segalés), 205

Catalysis

Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233

Catalyst

Selective synthesis of triphenoxy silane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51

Catalytic activity

Synthesis, chirooptical properties and catalytic activity of dienecrhodium(I) and –iridium(I) cationic complexes containing binaphthyl, C_2 -symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163

C–C bond formation

Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233

Chelation

Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DP-PBu): syntheses and molecular structures of $[(\text{Mo}(\text{CO})_4(\mu\text{-DP-PBu}))_2]$ and $[(\text{Mo}(\text{CO})_4(\eta^2\text{-DP-PBu}))_3\{\text{Mo}(\text{CO})\}]$ (G. Hogarth and J.Y. Pang), 193

Chromium

Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $\text{M}_4(\text{CO})_{12}$ ($\text{M} = \text{Rh}$, Co) clusters with $\text{Cr}(\text{CO})_3(\eta^6\text{-PhC}_2\text{Ph})$. Crystal and molecular structure of the $\text{Rh}_4(\text{CO})_9(\mu_5,\eta^2\text{-}\eta^6\text{-PhC}_2\text{Ph})\text{Cr}(\text{CO})_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11

Circular dichroism

Synthesis, chirooptical properties and catalytic activity of diene–rhodium(I) and –iridium(I) cationic complexes containing binaphthyl, C_2 -symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163

Cluster

A second solid-state isomer of $[(\text{PPh}_3)_2\text{N}][\text{Ru}_6\text{C}(\text{CO})_{15}(\text{C}_3\text{H}_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27

Mixed-metal cluster chemistry III. P–C activation at tungsten–tri-iridium cores; X-ray crystal structures of $[\text{CpWIr}_3(\mu_3\text{-}\eta^2\text{-PPh}(\text{C}_6\text{H}_4)(\mu\text{-CO})_2(\text{CO})_7]$ and $[\text{CpWIr}_3(\mu_3\text{-}\eta^2\text{-PPh}(\text{C}_6\text{H}_4))(\mu\text{-CO})_2(\text{CO})_6(\text{PPh}_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89

Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $\text{M}_4(\text{CO})_{12}$ ($\text{M} = \text{Rh}$, Co) clusters with $\text{Cr}(\text{CO})_3(\eta^6\text{-PhC}_2\text{Ph})$. Crystal and molecular structure of the $\text{Rh}_4(\text{CO})_9(\mu_5,\eta^2\text{-}\eta^6\text{-PhC}_2\text{Ph})\text{Cr}(\text{CO})_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11

Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}]octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37

Clusters

Pyrolysis of $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_9(\text{PPh}_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143

Co

Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-C}_5\text{H}_4\text{COONS})\text{Co}(\text{CO})_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103

Copper

Selective synthesis of triphenoxy silane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51

Crystal structure

Alkyl- and aryl-sulphinylmethylgermanium compounds $\text{Ph}_3\text{GeCH}_2\text{S(O)R}$: structure of $\text{Ph}_3\text{GeCH}_2\text{S(O)C}_6\text{H}_4\text{^1Bu-p}$ (J.L. Wardell and P.J. Cox), 253

Bis(4-pyridylethynyl)mercury (B.F. Hoskins, R. Robson and E.E. Sutherland), 259

Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic $\text{SbO}_2\text{P}_2\text{N}$ and SbOSP_2N rings: crystal and molecular structures of $\text{Ph}_2\text{SbCl}_2[(\text{OPPh}_2)_2\text{XPPPh}_2\text{N}]$ ($\text{X} = \text{O}, \text{S}$) (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131

- Dinuclear phosphido- and arsenido-bridged early/late transition metal complexes. Efficient catalysts for ethylene polymerization (F. Lindenberg, T. Shribman, J. Sieler, E. Hey-Hawkins and M.S. Eisen), 19
- Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233
- Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DP-Bu): syntheses and molecular structures of $[(\text{Mo}(\text{CO})_4(\mu\text{-DP-Bu}))_2]$ and $[(\text{Mo}(\text{CO})_4(\eta^2\text{-DPPBu}))_3(\text{Mo}(\text{CO}))]$ (G. Hogarth and J.Y. Pang), 193
- Mixed-metal cluster chemistry III. P–C activation at tungsten–triridium cores; X-ray crystal structures of $[\text{CpWIr}_3(\mu_3\text{-}\eta^2\text{-PPh(C}_6\text{H}_4\text{)})(\mu\text{-CO}_2\text{(CO)}_7)]$ and $[\text{CpWIr}_3(\mu_3\text{-}\eta^2\text{-PPh(C}_6\text{H}_4\text{)})(\mu\text{-CO}_2\text{(CO)}_6\text{(PPh}_3\text{)})]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89
- Pyrolysis of $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_9(\text{PPh}_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143
- Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $\text{M}_4(\text{CO})_{12}$ ($\text{M} = \text{Rh}, \text{Co}$) clusters with $\text{Cr}(\text{CO})_3(\eta^6\text{-PhC}_2\text{Ph})$. Crystal and molecular structure of the $\text{Rh}_4(\text{CO})_6(\mu_5\text{-}\eta^2\text{-}\eta^6\text{-PhC}_2\text{Ph})\text{Cr}(\text{CO})_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11
- Reactions of orthomanganated aryl ketones with SO_2 : synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109
- Some chemistry of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_8$: X-ray structures of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_6(\text{PMe}_3)_2$, $\text{Re}_2(\mu\text{-Au}(\text{PPh}_3))(\mu\text{-C}_2\text{Ph})(\text{CO})_8$, $\text{Re}_2(\mu\text{-X})(\mu\text{-dppm})(\mu\text{-C}_2\text{Ph})(\text{CO})_6$ [$\text{X} = \text{H}, \text{Br}$ and $\text{Au}(\text{PPh}_3)$] and $\text{Re}_2(\mu\text{-Br})_2(\mu\text{-dppm})(\text{CO})_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65
- Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}]octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37
- Synthesis and characterization of areneruthenium(II) dialkyldithiophosphate complexes: single crystal structure of $[\text{Ru}(\text{SSP(OEt})_2)(\eta^6\text{-p-cymene})(\text{PPh}_3)][\text{BPh}_4]$ (V.K. Jain and V.S. Jakkal), 81
- Synthesis, spectroscopic and structural characterisation of $\{\text{CO}_3\text{Fe}(\mu\text{-CH}_2\text{Se})_2$ and $(\text{CO})_6\text{Fe}_2\{\mu\text{-Se(CH}_2\text{)}_n\text{Se}\}$ ($n = 1, 2$) (P. Mathur, Bala, Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155
- Cyclopentadienyl
Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173
- 9,10-Dialkyl anthracene
Inter- vs. intramolecular rearrangement of a $(\text{Bu}_3\text{P})_2\text{Ni}$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183
- Dialkyldithiophosphate
Synthesis and characterization of areneruthenium(II) dialkyldithiophosphate complexes: single crystal structure of $[\text{Ru}(\text{SSP(OEt})_2)(\eta^6\text{-p-cymene})(\text{PPh}_3)][\text{BPh}_4]$ (V.K. Jain and V.S. Jakkal), 81
- Diazaphosphasilacyclobutane
 $[2 + 2]$ -Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43
- Diazasilacyclobutanone
 $[2 + 2]$ -Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43
- Diels–Alder reaction
1,3-Asymmetric induction by planar chiral (η^4 -diene) $\text{Fe}(\text{CO})_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99
- Diene
1,3-Asymmetric induction by planar chiral (η^4 -diene) $\text{Fe}(\text{CO})_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99
- Dihydro-ethanoanthracene
Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173
- Diolefin
1,3-Asymmetric induction by planar chiral (η^4 -diene) $\text{Fe}(\text{CO})_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99
- Diphenylacetylene
Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $\text{M}_4(\text{CO})_{12}$ ($\text{M} = \text{Rh}, \text{Co}$) clusters with $\text{Cr}(\text{CO})_3(\eta^6\text{-PhC}_2\text{Ph})$. Crystal and molecular structure of the $\text{Rh}_4(\text{CO})_6(\mu_5\text{-}\eta^2\text{-}\eta^6\text{-PhC}_2\text{Ph})\text{Cr}(\text{CO})_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11
- Diphosphine
Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DP-Bu): syntheses and molecular structures of $[(\text{Mo}(\text{CO})_4(\mu\text{-DP-Bu}))_2]$ and $[(\text{Mo}(\text{CO})_4(\eta^2\text{-DPPBu}))_3(\text{Mo}(\text{CO}))]$ (G. Hogarth and J.Y. Pang), 193
- Direct synthesis
Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51
- Distibane
Rotational isomerism in tetramethyldistibane studied by UV photoelectron spectroscopy (B. Szláry, A. Nagy, L. Szepes and H.J. Breunig), 249
- Dynamic behavior
Inter- vs. intramolecular rearrangement of a $(\text{Bu}_3\text{P})_2\text{Ni}$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183
- Early/late heterodinuclear phosphido- and arsenido-bridged complexes
Dinuclear phosphido- and arsenido-bridged early/late transition metal complexes. Efficient catalysts for ethylene polymerization (F. Lindenberg, T. Shribman, J. Sieler, E. Hey-Hawkins and M.S. Eisen), 19
- Electrospray mass spectroscopy
Electrospray mass spectrometric studies of some heterometal anionic carbonyl clusters (M. Ferrer, R. Reina, O. Rossell, M. Seco and G. Segalés), 205
- Ester complex
Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-C}_5\text{H}_4\text{COONS})\text{Co}(\text{CO})_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103
- Ether-phosphines
Reactions of the cationic bis(chelate)rhodium complex $[\text{Rh}(\text{P}(\text{O})_2\text{O})_2]^+$ with SO_2 , CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139

Ethylene polymerization

Dinuclear phosphido- and arsenido-bridged early/late transition metal complexes. Efficient catalysts for ethylene polymerization (F. Lindenberg, T. Shribman, J. Sieler, E. Hey-Hawkins and M.S. Eisen), 19

Ethynyl

Bis(4-pyridylethynyl)mercury (B.F. Hoskins, R. Robson and E.E. Sutherland), 259

Fluxionality

Inter- vs. intramolecular rearrangement of a $(Bu_3P)_2Ni$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183

Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DP-PBu): syntheses and molecular structures of $[(Mo(CO)_4(\mu-DPPBu)_2]_2$ and $[(Mo(CO)_4(\eta^2-DPPBu)}_3{Mo(CO)}]$ (G. Hogarth and J.Y. Pang), 193

Gaussian calculations

Rotational isomerism in tetramethyldistibane studied by UV photo-electron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249

Germanium

Alkyl- and aryl-sulphinylmethylgermanium compounds $Ph_3GeCH_2S(O)R$: structure of $Ph_3GeCH_2S(O)C_6H_4^{'Bu-p}$ (J.L. Wardell and P.J. Cox), 253

Gold

Some chemistry of $Re_2(\mu\text{-H})(\mu\text{-C}_2Ph)(CO)_8$: X-ray structures of $Re_2(\mu\text{-H})(\mu\text{-C}_2Ph)(CO)_8(PMe_3)_2$, $Re_2(\mu\text{-Au}(PPh_3))(\mu\text{-C}_2Ph)(CO)_8$, $Re_2(\mu\text{-X})(\mu\text{-dppm})(\mu\text{-C}_2Ph)(CO)_8$ [X = H, Br and Au(PPh₃)₃] and $Re_2(\mu\text{-Br})_2(\mu\text{-dppm})(CO)_8$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65

H-bonding

Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119

Hf

Hydride derivatives of Group 4 metals with the *ansa*-(SiMe₂)₂(η^5 -C₅H₃)₂ ligand (T. Cuena, M. Galakhov, E. Royo and P. Royo), 33

Hg

Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of [(5-Me)Thien-2-yl]Hg-(μ -Pz)₂B(Pz)₂ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213

¹⁹⁹Hg-NMR

Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of [(5-Me)Thien-2-yl]Hg-(μ -Pz)₂B(Pz)₂ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213

Hydrides

Hydride derivatives of Group 4 metals with the *ansa*-(SiMe₂)₂(η^5 -C₅H₃)₂ ligand (T. Cuena, M. Galakhov, E. Royo and P. Royo), 33

Hydrocarbon bridged metal complexes

Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonyl-cyclopentadienyliironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173

Hydrogenation

Synthesis, chirooptical properties and catalytic activity of diene-rhodium(I) and -iridium(I) cationic complexes containing binaphthyl, C₂-symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163

Imidazole adducts

Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119

Iminophosphane

[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43

Iminosilane

[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43

Ir

Synthesis, chirooptical properties and catalytic activity of diene-rhodium(I) and -iridium(I) cationic complexes containing binaphthyl, C₂-symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163

Iridium

Mixed-metal cluster chemistry III. P-C activation at tungsten-tri-iridium cores; X-ray crystal structures of $[CpWIr_3\{\mu_3-\eta^2-PPh(C_6H_4)\}(\mu-CO)_2(CO)_7]$ and $[CpWIr_3\{\mu_3-\eta^2-PPh(C_6H_4)\}(\mu-CO)_2(CO)_6(PPh_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89

Iron

1,3-Asymmetric induction by planar chiral (η^4 -diene)Fe(CO)₃ complexes in Diels-Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99

Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonyl-cyclopentadienyliironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173

Synthesis, spectroscopic and structural characterisation of $[(CO)_3Fe(\mu\text{-CH}_2)_2Se]_2$ and $(CO)_6Fe_2(\mu\text{-Se(CH}_2)_nSe)$ ($n = 1, 2$) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155

Iron halides

Carbonylation of iron(II) halide in the presence of chelate diphosphine ligands. Molecular structure of a novel intermolecular adduct $[FeCl_2(dppe)_2][Fe_2(CO)_2Cl_4]$ (Z.-Z. Zhang, J.-K. Zhang, W.-D. Zhang, H.-P. Xi, H. Cheng and H.-G. Wang), 1

Isomer

A second solid-state isomer of $[(PPh_3)_2N][Ru_6C(CO)_{15}(C_3H_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27

Ketone

1,3-Asymmetric induction by planar chiral (η^4 -diene)Fe(CO)₃ complexes in Diels-Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99

Kinetics

Inter- vs. intramolecular rearrangement of a $(Bu_3P)_2Ni$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183

Manganese

Reactions of orthomanganated aryl ketones with SO₂: synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109

Mercury

Bis(4-pyridylethynyl)mercury (B.F. Hoskins, R. Robson and E.E. Sutherland), 259

- Organomercury(II) and organotin(IV) compounds with nitrogen-containing substituents (P.-A. Bonnardel and R.V. Parish), 221
- Metallacycle**
- Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic $\text{SbO}_2\text{P}_2\text{N}$ and SbOSP_2N rings: crystal and molecular structures of $\text{Ph}_2\text{SbCl}_2[(\text{OPPh}_2)_2(\text{XPPh}_2)\text{N}](X = \text{O}, \text{S})$ (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131
- Metallocycle**
- Reactions of orthomanganated aryl ketones with SO_2 : synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109
- Metal-metal bonds**
- Electrospray mass spectrometric studies of some heterometal anionic carbonyl clusters (M. Ferrer, R. Reina, O. Rossell, M. Seco and G. Segalés), 205
- Methylene**
- Synthesis, spectroscopic and structural characterisation of $\{(\text{CO})_3\text{Fe}(\mu\text{-CH}_2)\text{Se}\}_2$ and $\{(\text{CO})_6\text{Fe}_2(\mu\text{-Se}(\text{CH}_2)_n\text{Se})\}(n = 1, 2)$ (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155
- Molybdenum**
- Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DP-PBu): syntheses and molecular structures of $[(\text{Mo}(\text{CO})_4(\mu\text{-DP-PBu})_2)]$ and $[(\text{Mo}(\text{CO})_4(\eta^2\text{-DPBPu})_3\{\text{Mo}(\text{CO})\}]$ (G. Hogarth and J.Y. Pang), 193
- Nickel**
- Insertion into the nickel–carbon bond of N–O chelated arynickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233
- Inter- vs. intramolecular rearrangement of a $(\text{Bu}_3\text{P})_2\text{Ni}$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183
- Nuclear magnetic resonance**
- Inter- vs. intramolecular rearrangement of a $(\text{Bu}_3\text{P})_2\text{Ni}$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183
- Organomercury(II) and organotin(IV) compounds with nitrogen-containing substituents (P.-A. Bonnardel and R.V. Parish), 221
- Octamethyltitanocene**
- Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{C-SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li}, \text{Na}, \text{K}$, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57
- Octasilacubane**
- Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}]octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37
- Olefin insertion**
- Insertion into the nickel–carbon bond of N–O chelated arynickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233
- Organomercury(II) compounds**
- Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of $[(5\text{-Me})\text{Thien-2-yl}]\text{Hg}(\mu\text{-Pz})_2\text{B(Pz)}_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213
- Organometallic carboxylic acid**
- Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-C}_5\text{H}_4\text{COONS})\text{Co}(\text{CO})_2]$ ($\text{NS} = \text{N-succinimidyl}$) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103
- Organosilane**
- Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51
- Orthometallation**
- Mixed-metal cluster chemistry III. P–C activation at tungsten–tri-iridium cores; X-ray crystal structures of $[\text{CpWIr}_3(\mu_3\text{-}\eta^2\text{-PPH(C}_6\text{H}_4\text{)})(\mu\text{-CO})_2(\text{CO})_7]$ and $[\text{CpWIr}_3(\mu_3\text{-}\eta^2\text{-PPH(C}_6\text{H}_4\text{)})(\mu\text{-CO})_2(\text{CO})_6(\text{PPh}_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89
- Oxidation**
- Reactions of the cationic bis(chelate)ruthodium complex $[\text{Rh}(\text{P}^{\wedge}\text{O})_2]^+$ with SO_2 , CS_2 and O_2/SO_2 (E. Lindner, B. Keppler, H.A. Mayer and K. Gierling), 139
- Oxoimidophosphinic acids**
- Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic $\text{SbO}_2\text{P}_2\text{N}$ and SbOSP_2N rings: crystal and molecular structures of $\text{Ph}_2\text{SbCl}_2[(\text{OPPh}_2)_2(\text{XPPh}_2)\text{N}](X = \text{O}, \text{S})$ (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131
- Phenol**
- Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51
- Phosphine**
- Some chemistry of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_8$: X-ray structures of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_6(\text{PMe}_3)_2$, $\text{Re}_2(\mu\text{-Au}(\text{PPh}_3))(\mu\text{-C}_2\text{Ph})(\text{CO})_8$, $\text{Re}_2(\mu\text{-X})(\mu\text{-dppm})(\mu\text{-C}_2\text{Ph})(\text{CO})_6$ [$\text{X} = \text{H}, \text{Br}$ and $\text{Au}(\text{PPh}_3)$] and $\text{Re}_2(\mu\text{-Br})_2(\mu\text{-dppm})(\text{CO})_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65
- Photochemistry**
- Photoredox chemistry of bismuth trichloride in benzene (K. Oldenburg and A. Vogler), 245
- Photoelectron spectroscopy**
- Rotational isomerism in tetramethyldistibane studied by UV photoelectron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249
- Planar chiral**
- 1,3-Asymmetric induction by planar chiral $(\eta^4\text{-diene})\text{Fe}(\text{CO})_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99
- Polypyrazolylborates**
- Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of $[(5\text{-Me})\text{Thien-2-yl}]\text{Hg}(\mu\text{-Pz})_2\text{B(Pz)}_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213
- Pyrolysis**
- Pyrolysis of $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_6(\text{PPh}_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143
- Rh**
- Synthesis, chirooptical properties and catalytic activity of diene–rhodium(I) and –iridium(I) cationic complexes containing binaphthyl, C_2 -symmetric diamine ligands (P. Pertici, F. D’Arata and C. Rosini), 163
- Rhenium**
- Some chemistry of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_8$: X-ray structures of $\text{Re}_2(\mu\text{-H})(\mu\text{-C}_2\text{Ph})(\text{CO})_6(\text{PMe}_3)_2$, $\text{Re}_2(\mu\text{-Au}(\text{PPh}_3))(\mu\text{-C}_2\text{Ph})(\text{CO})_8$, $\text{Re}_2(\mu\text{-X})(\mu\text{-dppm})(\mu\text{-C}_2\text{Ph})(\text{CO})_6$ [$\text{X} = \text{H}, \text{Br}$ and $\text{Au}(\text{PPh}_3)$] and $\text{Re}_2(\mu\text{-Br})_2(\mu\text{-dppm})(\text{CO})_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65

¹⁰³Rh NMR

Reactions of the cationic bis(chelate)rhodium complex $[\text{Rh}(\text{P}^{\wedge}\text{O})_2]^+$ with SO_2 , CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139

Rhodium

Reactions of (η^6 -diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $\text{M}_4(\text{CO})_{12}$ ($\text{M} = \text{Rh}$, Co) clusters with $\text{Cr}(\text{CO})_3(\eta^6\text{-PhC}_2\text{Ph})$. Crystal and molecular structure of the $\text{Rh}_4(\text{CO})_9(\mu_5,\eta^2:\eta^6\text{-PhC}_2\text{Ph})\text{Cr}(\text{CO})_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11

Reactions of the cationic bis(chelate)rhodium complex $[\text{Rh}(\text{P}^{\wedge}\text{O})_2]^+$ with SO_2 , CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139

Ruthenium

A second solid-state isomer of $[(\text{PPh}_3)_2\text{N}][\text{Ru}_6\text{C}(\text{CO})_{15}(\text{C}_3\text{H}_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27

Pyrolysis of $\text{Ru}_3(\mu\text{-dppm})(\text{CO})_9(\text{PPh}_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143

Synthesis and characterization of areneruthenium(II) dialkyldithiophosphate complexes: single crystal structure of $[\text{Ru}(\text{SSP(OEt)}_2)(\eta^6\text{-p-cymene})(\text{PPh}_3)][\text{BPh}_4]$ (V.K. Jain and V.S. Jakkal), 81

Selenium

Synthesis, spectroscopic and structural characterisation of $\{(\text{CO})_3\text{Fe}(\mu\text{-CH}_2)\text{Se}\}_2$ and $(\text{CO})_6\text{Fe}_2\{\mu\text{-Se}(\text{CH}_2)_n\text{Se}\}$ ($n = 1, 2$) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155

Si

Hydride derivatives of Group 4 metals with the *ansa*-(SiMe_2)₂($\eta^5\text{-C}_5\text{H}_3$)₂ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33

Silicon

Selective synthesis of triphenoxy silane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51

Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}]octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37

Silylcyclopentadienyls

Hydride derivatives of Group 4 metals with the *ansa*-(SiMe_2)₂($\eta^5\text{-C}_5\text{H}_3$)₂ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33

Sn

Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119

Sulfoxide

Alkyl- and aryl-sulphinylmethylgermanium compounds $\text{Ph}_3\text{GeCH}_2\text{S(O)R}$: structure of $\text{Ph}_3\text{GeCH}_2\text{S(O)C}_6\text{H}_4\text{Bu}-p$ (J.L. Wardell and P.J. Cox), 253

Sulfur dioxide

Reactions of the cationic bis(chelate)rhodium complex $[\text{Rh}(\text{P}^{\wedge}\text{O})_2]^+$ with SO_2 , CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139

Sulphinylmethyl derivatives

Alkyl- and aryl-sulphinylmethylgermanium compounds $\text{Ph}_3\text{GeCH}_2\text{S(O)R}$: structure of $\text{Ph}_3\text{GeCH}_2\text{S(O)C}_6\text{H}_4\text{Bu}-p$ (J.L. Wardell and P.J. Cox), 253

Superlattice structure

Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}]octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37

Synthesis

Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233

Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-C}_5\text{H}_4\text{COONS})\text{Co}(\text{CO})_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103

Thienylmercury(II) derivatives

Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of $[(5\text{-Me})\text{Thien-2-yl}] \text{Hg}(\mu\text{-Pz})_2\text{B}(\text{Pz})$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213

Thioimidophosphinic acids

Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic $\text{SbO}_2\text{P}_2\text{N}$ and SbOSP_2N rings: crystal and molecular structures of $\text{Ph}_2\text{SbCl}_2[(\text{OPPh}_2)_2(\text{XPPh}_2)\text{N}]$ ($X = \text{O}, \text{S}$) (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131

Tin

Organomercury(II) and organotin(IV) compounds with nitrogen-containing substituents (P.-A. Bonnardel and R.V. Parish), 221

Titanium(III)

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{C-SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li}, \text{Na}, \text{K}$, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57

Titanium tweezer

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{C-SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li}, \text{Na}, \text{K}$, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57

Trimethylsilylethylnyl arms

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{C-SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li}, \text{Na}, \text{K}$, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57

Trimethyltin chloride

Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119

Triphenoxy silane

Selective synthesis of triphenoxy silane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51

Tungsten

Mixed-metal cluster chemistry III. P–C activation at tungsten–tri-iridium cores; X-ray crystal structures of $[\text{CpWIr}_3(\mu_3\text{-PPh}(\text{C}_6\text{H}_4))(\mu\text{-CO})_2(\text{CO})_7]$ and $[\text{CpWIr}_3(\mu_3\text{-PPh}(\text{C}_6\text{H}_4))(\mu\text{-CO})_2(\text{CO})_6(\text{PPh}_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89

X-ray diffraction

Synthesis, spectroscopic and structural characterisation of $\{(\text{CO})_3\text{Fe}(\mu\text{-CH}_2)\text{Se}\}_2$ and $(\text{CO})_6\text{Fe}_2\{\mu\text{-Se}(\text{CH}_2)_n\text{Se}\}$ ($n = 1, 2$) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155

X-ray structure

Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonyl-cyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173

Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of [(5-Me)Thien-2-yl] $\text{Hg}(\mu\text{-Pz})_2\text{B(Pz)}_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{C-SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li, Na, K, and Cs}$) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57

Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-C}_5\text{H}_4\text{COONS})\text{Co}(\text{CO})_2]$ ($\text{NS} = \text{N-succinimidyl}$) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103

Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole)] trimethyltin(IV) chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119

Zirconocene

Dinuclear phosphido- and arsenido-bridged early/late transition metal complexes. Efficient catalysts for ethylene polymerization (F. Lindenberg, T. Shribman, J. Sieler, E. Hey-Hawkins and M.S. Eisen), 19

Zr

Hydride derivatives of Group 4 metals with the *ansa*-(SiMe₂)₂(η⁵-C₅H₃)₂ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33