

Subject Index of Volume 507

Aldol condensation

- Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85

Alkene

- Palladium-catalyzed cross-coupling reactions between organic telurides and alkenes (Y. Nishibayashi, C.S. Cho and S. Uemura), 197

Alkenes

- Rhodium-catalysed hydroformylation of branched 1-alkenes; bulky phosphite vs. triphenylphosphine as modifying ligand (A. Van Rooy, J.N.H. De Bruijn, K.F. Roobeek, P.C.J. Kamer and P.W.N.M. Van Leeuwen), 69

Alkenyl(hydroxylamino)carbene complexes

- Allenyliden-Komplexe als Synthese zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125

Alkoxide, Amine

- Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53

Alkyne

- Chemistry of alkylaromatic metallacycles. Regiochemistry of C–C coupling in ring opening or enlargement reactions of a palladacycle with alkynes (M. Catellani, B. Marmiroli, M.C. Fagnola and D. Acquotti), 157

- Diacetylene-bridged clusters: Synthesis and Characterization of $(\text{CO})_6\text{Fe}_2\text{Se}_2\{\mu\text{-HC}=\text{C}(\text{C}\equiv\text{CR})\}$, $\{(\text{CO})_6\text{Fe}_2\text{Se}_2\}_2\{\mu\text{-HC}-\text{C}(\text{C}\equiv\text{CR})\}$ (R=Me on *n*-Bu) and $(\text{CO})_6\text{Fe}_2\text{Se}_2\{\mu\text{-HC}=\text{CC}(\text{CCH}_3)_3\text{Os}_3(\text{CO})_{10}\}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187

- Preparation of η^5 -pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103

Allenylidene complexes

- Allenyliden-Komplexe als Synthese zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125

Aminoarenes

- Towards the synthesis of aminodibenzo[*b,e*][1,4]dioxin derivatives via cationic ruthenium complexes (R.C. Cambie, G.R. Clark, S.L. Coombe, S.A. Coulson, P.S. Rutledge and P.D. Woodgate), 1

Anions

- Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncl, R.D. Gordon and T.K. Venkatachalam), 81

Antimony

- Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their

- derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53

- Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263

Arene

- Cyclohexadienyl derivatives of $(\eta^6\text{-arene})(\text{hydridotris}(\text{pyrazolyl})\text{-borato})\text{ruthenium(II)}$ compounds (S. Bhabri and D.A. Tocher), 291

Arene complexes

- Synthesis, structure and bonding in $\text{Nb}_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4$ and a new intermediate-valent dinuclear niobium complex, $[\text{Nb}_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4]\text{I}$ (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31

Arsenic

- Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53

Base catalysis

- Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221

Bidentate phosphine

- Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75

Bis(aryltelluro) methane

- Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[\text{Pd}\{4\text{-CH}_3\text{OC}_6\text{H}_4\text{Te}_2\text{CH}_2\}\text{Cl}_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65

2,2'-Bis(diphenylphosphino)biphenyl

- 2,2'-Bis(diphenylphosphino)biphenyl revisited (O. Desponds and M. Schlosser), 257

Bismuth

- Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53

Boron

- ^1H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207

Boronic acid

- ^1H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207

Butadiene

Bis(1,4-bis(trimethylsilyl)buta-1,3-diene)cobalt: synthesis and molecular structure (F.G.N. Cloke, M.G. Gardiner, C.L. Raston and S.J. Simpson), 245

Carbonyl

Diacetylene-bridged clusters: Synthesis and Characterization of $(\text{CO})_6\text{Fe}_2\text{Se}_2\{\mu\text{-HC}=\text{C}(\text{C}\equiv\text{CR})\}$, $\{(\text{CO})_6\text{Fe}_2\text{Se}_2\}_2\{\mu\text{-HC}-\text{C}(\text{C}\equiv\text{CR})\}$ (R=Me on *n*-Bu) and $(\text{CO})_6\text{Fe}_2\text{Se}_2\{\mu\text{-HC}=\text{CC}-\text{CCH}_3\}\text{Os}_3(\text{CO})_{10}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187

High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[\text{Ru}_{10}(\mu\text{-H})(\mu_6\text{-C})(\text{CO})_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163

Reactions of tridentate phosphine ligand $[\text{HC}(\text{PPh}_2)_3]$ with metal carbonyl clusters $\text{HRuCo}_3(\text{CO})_{12}$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_{12}$: synthesis and crystal structures of $\text{HRuCo}_3(\text{CO})_9$ $[\text{HC}(\text{PPh}_2)_3]$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_9$ $[\text{HC}(\text{PPh}_2)_3] \cdot 1/2\text{C}_6\text{H}_{14}$ (H.J. Kakkonen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 147

Carbonyl complex

New classes of zerovalent zirconium carbonyls and related species. Structural characterizations of $[\text{Zr}(\text{CO})_5(\text{SnMe}_3)_2]^{2-}$ and $[\text{Zr}(\text{CO})_4(\text{dppe})\text{SnMe}_3]^-$, dppe = $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ (J.E. Ellis, P. Yuen and M. Jang), 283

Carboranes

Preparation of C-2-pyridyl derivatives of icosahedral carboranes via copper(I) intermediates (W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 249

Catalysis

Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75

Palladium-catalyzed cross-coupling reactions between organic tellurides and alkenes (Y. Nishibayashi, C.S. Cho and S. Uemura), 197

Cations

Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75

CD spectra

Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O}-\text{HC}^*(\text{Me})-\text{COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Chelation

Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[\text{Pd}(\{4\text{-CH}_3\text{OC}_6\text{H}_4\text{Te}\}_2\text{CH}_2)\text{Cl}_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65

Chirality

Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O}-\text{HC}^*(\text{Me})-\text{COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Chiral ligand

Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O}-\text{HC}^*(\text{Me})-\text{COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Chromium

Crystal and molecular structure of chromocene ($\eta^5\text{-C}_5\text{H}_5$)₂Cr (K.R. Flower and P.B. Hitchcock), 275

Chromocene

Crystal and molecular structure of chromocene ($\eta^5\text{-C}_5\text{H}_5$)₂Cr (K.R. Flower and P.B. Hitchcock), 275

Cluster

Reactions of tridentate phosphine ligand $[\text{HC}(\text{PPh}_2)_3]$ with metal carbonyl clusters $\text{HRuCo}_3(\text{CO})_{12}$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_{12}$: synthesis and crystal structures of $\text{HRuCo}_3(\text{CO})_9$ $[\text{HC}(\text{PPh}_2)_3]$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_9$ $[\text{HC}(\text{PPh}_2)_3] \cdot 1/2\text{C}_6\text{H}_{14}$ (H.J. Kakkonen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 147

Clusters

Diacetylene-bridged clusters: Synthesis and Characterization of $(\text{CO})_6\text{Fe}_2\text{Se}_2\{\mu\text{-HC}=\text{C}(\text{C}\equiv\text{CR})\}$, $\{(\text{CO})_6\text{Fe}_2\text{Se}_2\}_2\{\mu\text{-HC}-\text{C}(\text{C}\equiv\text{CR})\}$ (R=Me on *n*-Bu) and $(\text{CO})_6\text{Fe}_2\text{Se}_2\{\mu\text{-HC}=\text{CC}-\text{CCH}_3\}\text{Os}_3(\text{CO})_{10}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187

High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[\text{Ru}_{10}(\mu\text{-H})(\mu_6\text{-C})(\text{CO})_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163

Cobalt

Bis(1,4-bis(trimethylsilyl)buta-1,3-diene)cobalt: synthesis and molecular structure (F.G.N. Cloke, M.G. Gardiner, C.L. Raston and S.J. Simpson), 245

Reactions of tridentate phosphine ligand $[\text{HC}(\text{PPh}_2)_3]$ with metal carbonyl clusters $\text{HRuCo}_3(\text{CO})_{12}$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_{12}$: synthesis and crystal structures of $\text{HRuCo}_3(\text{CO})_9$ $[\text{HC}(\text{PPh}_2)_3]$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_9$ $[\text{HC}(\text{PPh}_2)_3] \cdot 1/2\text{C}_6\text{H}_{14}$ (H.J. Kakkonen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 147

Copper

Preparation of C-2-pyridyl derivatives of icosahedral carboranes via copper(I) intermediates (W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 249

Crystal structure

Bis(1,4-bis(trimethylsilyl)buta-1,3-diene)cobalt: synthesis and molecular structure (F.G.N. Cloke, M.G. Gardiner, C.L. Raston and S.J. Simpson), 245

Crystal and molecular structure of chromocene ($\eta^5\text{-C}_5\text{H}_5$)₂Cr (K.R. Flower and P.B. Hitchcock), 275

Cyclohexadienyl derivatives of ($\eta^6\text{-arene}$)(hydrido)tris(pyrazolyl)borato)ruthenium(II) compounds (S. Bhambri and D.A. Tocher), 291

Diacetylene-bridged clusters: Synthesis and Characterization of $(\text{CO})_6\text{Fe}_2\text{Se}_2\{\mu\text{-HC}=\text{C}(\text{C}\equiv\text{CR})\}$, $\{(\text{CO})_6\text{Fe}_2\text{Se}_2\}_2\{\mu\text{-HC}-\text{C}(\text{C}\equiv\text{CR})\}$ (R=Me on *n*-Bu) and $(\text{CO})_6\text{Fe}_2\text{Se}_2\{\mu\text{-HC}=\text{CC}-\text{CCH}_3\}\text{Os}_3(\text{CO})_{10}$ (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187

High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[\text{Ru}_{10}(\mu\text{-H})(\mu_6\text{-C})(\text{CO})_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163

Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[\text{Pd}(\{4\text{-CH}_3\text{OC}_6\text{H}_4\text{Te}\}_2\text{CH}_2)\text{Cl}_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65

Preparation of η^5 -pyranyltricarboxylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103

Reactions of tridentate phosphine ligand $[\text{HC}(\text{PPh}_2)_3]$ with metal carbonyl clusters $\text{HRuCo}_3(\text{CO})_{12}$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_{12}$: synthesis

- and crystal structures of $\text{HRuCo}_3(\text{CO})_9$, $[\text{HC}(\text{PPh}_2)_3]$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_9$, $[\text{HC}(\text{PPh}_2)_3] \cdot 1/2\text{C}_6\text{H}_{14}$ (H.J. Kakkonen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 147
- Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides ($\text{Ln} = \text{Sm}, \text{Yb}$) and X-ray molecular structure of $\text{O}(\text{CH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{Yb}(\text{DME})$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41
- Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikel, U. Posset und W. Kiefer), 117
- Synthesis and structures of some diethyl- and diphenyltin bishydroxamates (T.V. Drovetskaia, N.S. Yashina, T.V. Leonova, V.S. Petrosyan, J. Lorberth, S. Wocadlo, W. Massa and J. Pebler), 201
- Towards the synthesis of aminodibenzo[*b,e*][1,4]dioxin derivatives via cationic ruthenium complexes (R.C. Cambie, G.R. Clark, S.L. Coombe, S.A. Coulson, P.S. Rutledge and P.D. Woodgate), 1
- Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263
- Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229
- Cyclic β -diketones
- Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O}-\text{HC}^*(\text{Me})-\text{COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
- Cyclometallation
- Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137
- Cyclopentadienyl
- Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides ($\text{Ln} = \text{Sm}, \text{Yb}$) and X-ray molecular structure of $\text{O}(\text{CH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{Yb}(\text{DME})$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41
- Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229
- Dibenzodioxin ligands
- Towards the synthesis of aminodibenzo[*b,e*][1,4]dioxin derivatives via cationic ruthenium complexes (R.C. Cambie, G.R. Clark, S.L. Coombe, S.A. Coulson, P.S. Rutledge and P.D. Woodgate), 1
- Dinuclear
- Synthesis, structure and bonding in $\text{Nb}_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_2$ and a new intermediate-valent dinuclear niobium complex, $[\text{Nb}_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4]\text{I}$ (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31
- Disilanes
- Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorosilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221
- Disproportionation
- Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorosilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221
- Disulfide
- Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-S}_2)(\text{Cp}^*\text{Ru})_2(\mu_3\text{-S})(\mu_2\text{-S})_2\text{MS}]$ derived from diruthenium complex $[\text{Cp}^*\text{RuCl}(\mu_2\text{-Cl})_2\text{RuCp}^*\text{Cl}]$ and $[\text{MS}_4]^{2-}$ ($\text{M} = \text{W}, \text{Mo}$; $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179
- (*S*)-(-)-Ethyl lactate
- Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O}-\text{HC}^*(\text{Me})-\text{COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
- Ferrocene
- Ferrocene compounds. XXII. Synthesis and reactions of some ferrocenylthialiphatic acids (S. Lisac and V. Rapić), 215
- Fluxionality
- High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[\text{Ru}_{10}(\mu\text{-H})(\mu_6\text{-C})(\text{CO})_2]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163
- Germanium
- Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncl, R.D. Gordon and T.K. Venkatachalam), 81
- Group 8
- Metallo-silanol and Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanol (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239
- Group 14
- Metallo-silanol and Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanol (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239
- Group 15
- Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263
- Hydrido
- Cyclohexadienyl derivatives of $(\eta^6\text{-arene})(\text{hydrido}tris(\text{pyrazolyl})\text{-borato})\text{ruthenium(II)}$ compounds (S. Bhambrri and D.A. Tocher), 291
- Hydroformylation
- Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75
- Rhodium-catalysed hydroformylation of branched 1-alkenes; bulky phosphite vs. triphenylphosphine as modifying ligand (A. Van Rooy, J.N.H. De Bruijn, K.F. Roobeek, P.C.J. Kamer and P.W.N.M. Van Leeuwen), 69
- Hydroxamates
- Synthesis and structures of some diethyl- and diphenyltin bishydroxamates (T.V. Drovetskaia, N.S. Yashina, T.V. Leonova, V.S. Petrosyan, J. Lorberth, S. Wocadlo, W. Massa and J. Pebler), 201
- Hydroxylamines
- Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarben- und Isoxazolidinylliden-Komplexen (G. Roth und H. Fischer), 125
- Imine
- Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137
- Intermediate-valent
- Synthesis, structure and bonding in $\text{Nb}_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4$ and a new intermediate-valent dinuclear niobium complex, $[\text{Nb}_2(\eta^6\text{-$

- mesitylene)₂(μ -I)₄]I (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31
- Iron**
- Diacetylene-bridged clusters: Synthesis and Characterization of (CO)₆Fe₂Se₂{ μ -HC=C(C \equiv CR)}, {(CO)₆Fe₂Se₂{ μ -HC-C(C \equiv CR)} (R=Me on *n*-Bu) and (CO)₆Fe₂Se₂{ μ -HC=CC-C(CH₃)Os₃(CO)₁₀} (P. Mathur, Md.M. Hossain and A.L. Rheingold), 187
- Ferrocene compounds. XXII. Synthesis and reactions of some ferrocenylthiaaliphatic acids (S. Lisac and V. Rapić), 215
- Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikel, U. Posset und W. Kiefer), 117
- The reaction of [Fe₂(η -C₅H₅)₂(CO)(CNMe)(μ -CO)(μ -CNMe₂)]⁺ salts with trifluoromethanesulphonic acid (HOSO₂CF₃) (C. Dowling and A.R. Manning), 281
- Iron tricarbonyl**
- Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (–)-PPh₂(O–HC*(Me)–COEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
- IR spectroscopy**
- Allenyliden-Komplexe als Synthese zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125
- Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
- Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of O(CH₂CH₂C₅H₄)₂Yb(DME) (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41
- Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263
- Isocyanate**
- Reconciling theory and experiment for SiH₃NCO: A comment to a recent article (T. Veszprémi, T. Pasinszki and M. Fehér), 279
- Isocyanides**
- The reaction of [Fe₂(η -C₅H₅)₂(CO)(CNMe)(μ -CO)(μ -CNMe₂)]⁺ salts with trifluoromethanesulphonic acid (HOSO₂CF₃) (C. Dowling and A.R. Manning), 281
- Isonitrile**
- Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
- Isoxazolidinylidene complexes**
- Allenyliden-Komplexe als Synthese zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125
- Lead**
- ¹H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207
- Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncel, R.D. Gordon and T.K. Venkatachalam), 81
- Ligand exchange**
- Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — (–)-PPh₂(O–HC*(Me)–COEt) — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23
- Liquid crystal**
- Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137
- Lutetium**
- Organometallic compounds of the lanthanides. CIII. Mixed sandwich complexes of the 4f elements: synthesis and crystal structure of (η^8 -cyclooctatetraenyl)(η^5 -2,5-di-tert.-butylpyrrolyl)samarium, -thulium, and -lutetium (H. Schumann, E.C.E. Rosenthal, J. Winterfeld, R. Weimann and J. Demtschuk), 287
- Macrocycle**
- Preparation of C-2-pyridyl derivatives of icosahedral carboranes via copper(I) intermediates (W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 249
- Manganese**
- Preparation of η^5 -pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103
- Mass spectrometry**
- Allenyliden-Komplexe als Synthese zur Darstellung von Hydroxylaminocarben- und Isoxazolidinyliden-Komplexen (G. Roth und H. Fischer), 125
- Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85
- Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of O(CH₂CH₂C₅H₄)₂Yb(DME) (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41
- Mercury**
- ¹H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207
- Mesitylene**
- Synthesis, structure and bonding in Nb₂(η^6 -mesitylene)₂(μ -I)₄ and a new intermediate-valent dinuclear niobium complex, [Nb₂(η^6 -mesitylene)₂(μ -I)₄]I (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31
- Mesogenic properties**
- Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137
- Metallacycle**
- Chemistry of alkylaromatic metallacycles. Regiochemistry of C–C coupling in ring opening or enlargement reactions of a palladacycle with alkynes (M. Catellani, B. Marmiroli, M.C. Fagnola and D. Acquotti), 157
- Preparation of η^5 -pyranyltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103
- Metalloenes**
- Crystal and molecular structure of chromocene (η^5 -C₅H₅)₂Cr (K.R. Flower and P.B. Hitchcock), 275
- Metal vapour synthesis**
- Bis{1,4-bis(trimethylsilyl)buta-1,3-diene}cobalt: synthesis and molecular structure (F.G.N. Cloke, M.G. Gardiner, C.L. Raston and S.J. Simpson), 245

Methylchlorooligosilanes

Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221

Migration

The reaction of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})(\text{CNMe})(\mu\text{-CO})(\mu\text{-CNMe}_2)]^+$ salts with trifluoromethanesulphonic acid (HOSO_2CF_3) (C. Dowling and A.R. Manning), 281

Mixed sandwich complexes

Organometallic compounds of the lanthanides. CIII. Mixed sandwich complexes of the 4f elements: synthesis and crystal structure of $(\eta^8\text{-cyclooctatetraenyl})(\eta^5\text{-2,5-di-tert-butylpyrrolyl})\text{samarium}$, -thulium, and -lutetium (H. Schumann, E.C.E. Rosenthal, J. Winterfeld, R. Weimann and J. Demtschuk), 287

Molybdenum

Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-S}_2)(\text{Cp}^*\text{Ru})(\mu_3\text{-S})(\mu_2\text{-S})_2\text{MS}]$ derived from diruthenium complex $[\text{Cp}^*\text{RuCl}(\mu_2\text{-Cl})_2\text{RuCp}^*\text{Cl}]$ and $[\text{MS}_4]^{2-}$ ($\text{M} = \text{W}, \text{Mo}$; $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179

Mössbauer spectra

Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75

Mössbauer spectroscopy

Synthesis and structures of some diethyl- and diphenyltin bishydroxamates (T.V. Drovetskaia, N.S. Yashina, T.V. Leonova, V.S. Petrosyan, J. Lorberth, S. Wocadlo, W. Massa and J. Pebler), 201

Niobium

Synthesis, structure and bonding in $\text{Nb}_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4$ and a new intermediate-valent dinuclear niobium complex, $[\text{Nb}_2(\eta^6\text{-mesitylene})_2(\mu\text{-I})_4]$ (M. Yoon, J. Lin, V.G. Young, Jr. and G.J. Miller), 31

NMR spectroscopy

Allenyliden-Komplexe als Synthese zur Darstellung von Hydroxylaminocarbon- und Isoxazolidinylliden-Komplexen (G. Roth and H. Fischer), 125

Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O- HC}^*(\text{Me})\text{-COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85

Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263

Nuclear magnetic resonance

^1H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207

Nucleophilic substitution

2,2'-Bis(diphenylphosphino)biphenyl revisited (O. Desponds and M. Schlosser), 257

Oligosilane

Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221

Organolithium intermediates

2,2'-Bis(diphenylphosphino)biphenyl revisited (O. Desponds and M. Schlosser), 257

Oxidation

Metallo-silanol und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanol (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239

Palladium

Chemistry of alkylaromatic metallocycles. Regiochemistry of C-C coupling in ring opening or enlargement reactions of a palladacycle with alkynes (M. Catellani, B. Marmiroli, M.C. Fagnola and D. Acquotti), 157

Monomeric and dimeric *ortho*-metallated palladium(II)-imine systems as liquid crystals (J. Buey and P. Espinet), 137

Palladium-catalyzed cross-coupling reactions between organic tellurides and alkenes (Y. Nishibayashi, C.S. Cho and S. Uemura), 197

Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85

Palladium(II)

Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[\text{Pd}(\text{4-CH}_3\text{OC}_6\text{H}_4\text{Te})_2\text{CH}_2\text{Cl}_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65

Phosphine

Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O- HC}^*(\text{Me})\text{-COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligand austauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Píkl, U. Posset und W. Kiefer), 117

Phosphinite

Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O- HC}^*(\text{Me})\text{-COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Phosphite

Cyclic β -diketones — precursors of chiral 1,3-cyclohexadiene iron carbonyl complexes. Ligand exchange — $(-)\text{-PPh}_2(\text{O- HC}^*(\text{Me})\text{-COOEt})$ — new, chiral, diastereomer-separating ligand in organoiron chemistry (A. Boháč, M. Lettrichová, P. Hrnčiar and M. Hutta), 23

Phosphorus

2,2'-Bis(diphenylphosphino)biphenyl revisited (O. Desponds and M. Schlosser), 257

New classes of zerovalent zirconium carbonyls and related species. Structural characterizations of $[\text{Zr}(\text{CO})_5(\text{SnMe}_3)_2]^{2-}$ and $[\text{Zr}(\text{CO})_4(\text{dppe})\text{SnMe}_3]^-$, dppe = $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ (J.E. Ellis, P. Yuen and M. Jang), 283

Reactions of tris(2,6-dimethoxyphenyl)arsine, tris(2,6-dimethoxyphenyl)stibine and tris(2,6-dimethoxyphenyl)bismuthine and their derivatives (M. Wada, S.-I. Miyake, S. Hayashi, H. Ohba, S.-I. Nobuki, S. Hayase and T. Erabi), 53

Platinum

Novel diphosphine platinum cations: NMR and Mössbauer spectra and catalytic studies (T. Kégl, L. Kollár, G. Szalontai, E. Kuzmann and A. Vértes), 75

Platinum(II)

Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[\text{Pd}(\{4\text{-CH}_3\text{OC}_6\text{H}_4\text{Te}_2\text{CH}_2\})\text{Cl}_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65

Protonation

The reaction of $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})(\text{CNMe})(\mu\text{-CO})(\mu\text{-CNMe}_2)]^+$ salts with trifluoromethanesulphonic acid (HOSO_2CF_3) (C. Dowling and A.R. Manning), 281

Pybox

Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85

Pyranil complexes

Preparation of η^5 -pyraniltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103

Pyridyl

Preparation of C-2-pyridyl derivatives of icosahedral carboranes via copper(I) intermediates (W.R. Gill, P.L. Herbertson, J.A.H. MacBride and K. Wade), 249

Pyrylium salt

Preparation of η^5 -pyraniltricarbonylmanganese complexes and pyrylium triiodide salts from cyclomanganated chalcones and alkynes (W. Tully, L. Main and B.K. Nicholson), 103

Rhodium

Rhodium-catalysed hydroformylation of branched 1-alkenes; bulky phosphite vs. triphenylphosphine as modifying ligand (A. Van Rooy, J.N.H. De Bruijn, K.F. Roobeek, P.C.J. Kamer and P.W.N.M. Van Leeuwen), 69

Ruthenium

Cyclohexadienyl derivatives of $(\eta^6\text{-arene})(\text{hydridotris}(\text{pyrazolyl})\text{-borato})\text{ruthenium(II)}$ compounds (S. Bhambri and D.A. Tocher), 291

High nuclearity ruthenium carbonyl cluster chemistry. III. Synthesis of $[\text{Ru}_{10}(\mu\text{-H})(\mu_6\text{-C})(\text{CO})_{24}]^-$, its reactivity towards triphenylphosphine and ligand dynamics of the resulting decaruthenium anionic clusters (M.P. Cifuentes, M.G. Humphrey, B.W. Skelton and A.H. White), 163

Reactions of tridentate phosphine ligand $[\text{HC}(\text{PPh}_2)_3]$ with metal carbonyl clusters $\text{HRuCo}_3(\text{CO})_{12}$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_{12}$: synthesis and crystal structures of $\text{HRuCo}_3(\text{CO})_9$, $[\text{HC}(\text{PPh}_2)_3]$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_9$, $[\text{HC}(\text{PPh}_2)_3] \cdot 1/2\text{C}_6\text{H}_{14}$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 147

Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikel, U. Posset und W. Kiefer), 117

Towards the synthesis of aminodibenzo[*b,e*][1,4]dioxin derivatives via cationic ruthenium complexes (R.C. Cambie, G.R. Clark, S.L. Coombe, S.A. Coulson, P.S. Rutledge and P.D. Woodgate), 1

Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-S}_2)(\text{Cp}^*\text{Ru})_2(\mu_3\text{-S})(\mu_2\text{-S})_2\text{MS}]$ derived from diruthenium complex $[\text{Cp}^*\text{RuCl}(\mu_2\text{-Cl})_2\text{RuCp}^*\text{Cl}]$ and $[\text{MS}_4]^{2-}$ ($\text{M} = \text{W}, \text{Mo}$; $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179

Samarium

Organometallic compounds of the lanthanides. CIII. Mixed sandwich complexes of the 4f elements: synthesis and crystal structure of $(\eta^8\text{-cyclooctatetraenyl})(\eta^5\text{-2,5-di-tert-butylpyrrolyl})\text{samarium}$,

-thulium, and -lutetium (H. Schumann, E.C.E. Rosenthal, J. Winterfeld, R. Weimann and J. Demtschuk), 287

Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides ($\text{Ln} = \text{Sm}, \text{Yb}$) and X-ray molecular structure of $\text{O}(\text{CH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{Yb}(\text{DME})$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41

Selenolate

Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229

Silane

Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikel, U. Posset und W. Kiefer), 117

Silanes

Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239

Silicon

Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Bunzel, R.D. Gordon and T.K. Venkatachalam), 81

Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239

Methylchlorooligosilanes as products of the basecatalysed disproportionation of various methylchlorodisilanes (U. Herzog, R. Richter, E. Brendler and G. Roewer), 221

Reconciling theory and experiment for SiH_3NCO : A comment to a recent article (T. Veszprémi, T. Pasinszki and M. Fehér), 279

Silyl

Synthese und Reaktivität von Silicium-Übergangsmetallkomplexen. XXIX. Trihydridosilyl-Komplexe von Eisen und Ruthenium: Ein einfacher Zugang, Ligandaustauschreaktionen am Metall und schwingungsspektroskopische Analyse (W. Malisch, S. Möller, O. Fey, H.-U. Wekel, R. Pikel, U. Posset und W. Kiefer), 117

Sulfide cluster

Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-S}_2)(\text{Cp}^*\text{Ru})_2(\mu_3\text{-S})(\mu_2\text{-S})_2\text{MS}]$ derived from diruthenium complex $[\text{Cp}^*\text{RuCl}(\mu_2\text{-Cl})_2\text{RuCp}^*\text{Cl}]$ and $[\text{MS}_4]^{2-}$ ($\text{M} = \text{W}, \text{Mo}$; $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179

Technetium

Nucleophilic attack on coordinated CO in $[\text{Tc}(\text{CO})_4(\text{PPh}_3)_2]\text{BF}_4$ (J. Cook and A. Davison), 47

Tellurium

Novel synthesis of bis(4-methoxyphenyltelluro)methane and its complexation with Pd(II) and Pt(II): crystal structure of $[\text{Pd}(\{4\text{-CH}_3\text{OC}_6\text{H}_4\text{Te}_2\text{CH}_2\})\text{Cl}_2]^-$ a chelate with short interdonor linkage (B.L. Khandelwal, A. Khalid, A.K. Singh, T.P. Singh and S. Karthikeyan), 65

Palladium-catalyzed cross-coupling reactions between organic tellurides and alkenes (Y. Nishibayashi, C.S. Cho and S. Uemura), 197

Thiocyanate

Tri- and di-arylantimony(V) thiocyanates and mixed halide thiocyanates; crystal structure of triphenylantimony(V) di-isothiocyanate (G.E. Forster, M.J. Begley and D.B. Sowerby), 263

Thiolate

Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229

Thulium

Organometallic compounds of the lanthanides. CIII. Mixed sandwich complexes of the 4f elements: synthesis and crystal structure of (η^8 -cyclooctatetraenyl)(η^5 -2,5-di-tert.-butylpyrrolyl)samarium, -thulium, and -lutetium (H. Schumann, E.C.E. Rosenthal, J. Winterfeld, R. Weimann and J. Demtschuk), 287

Tin

^1H NMR evidence for the formation of vinyllead triacetates. The reactions of vinylmercury, vinyltin, and vinylboronic acids with lead tetraacetate (C.J. Parkinson and M.J. Stoermer), 207

Carbanion mechanisms. XX. Is there charge delocalization in phenyl-substituted Group 4 anions? Evidence from electronic absorption spectroscopy (E. Buncel, R.D. Gordon and T.K. Venkatachalam), 81

New classes of zerovalent zirconium carbonyls and related species. Structural characterizations of $[\text{Zr}(\text{CO})_5(\text{SnMe}_3)_2]^{2-}$ and $[\text{Zr}(\text{CO})_4(\text{dppe})\text{SnMe}_3]^-$, dppe = $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ (J.E. Ellis, P. Yuen and M. Jang), 283

Synthesis and structures of some diethyl- and diphenyltin bishydroxamates (T.V. Drovetskaia, N.S. Yashina, T.V. Leonova, V.S. Petrovskiy, J. Lorberth, S. Wocadlo, W. Massa and J. Pebler), 201

Transition metals

Metallo-silanole und Metallo-siloxane. VII. Zur Oxofunktionalisierung von Ruthenio-hydridosilanen mit Dimethyldioxiran: Darstellung der ersten Ruthenio-silanole (S. Möller, O. Fey, W. Malisch und W. Seelbach), 239

Tridentate ligand

Reactions of tridentate phosphine ligand $[\text{HC}(\text{PPh}_2)_3]$ with metal carbonyl clusters $\text{HRuCo}_3(\text{CO})_{12}$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_{12}$: synthesis and crystal structures of $\text{HRuCo}_3(\text{CO})_9$, $[\text{HC}(\text{PPh}_2)_3]$ and $\text{H}_3\text{Ru}_3\text{Co}(\text{CO})_9$, $[\text{HC}(\text{PPh}_2)_3] \cdot 1/2\text{C}_6\text{H}_{14}$ (H.J. Kakkonen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 147

Tris(pyrazolyl)borato

Cyclohexadienyl derivatives of (η^6 -arene)(hydrido)tris(pyrazolyl)borato)ruthenium(II) compounds (S. Bhambri and D.A. Tocher), 291

Tungsten

Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-S}_2)(\text{Cp}^*\text{Ru})_2(\mu_3\text{-S})(\mu_2\text{-S})_2\text{MS}]$ derived from diruthenium complex $[\text{Cp}^*\text{RuCl}(\mu_2\text{-Cl})_2\text{RuCp}^*\text{Cl}]$ and $[\text{MS}_4]^{2-}$ (M = W, Mo; $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179

Uranium

Triscyclopentadienyl uranium thiolates and selenolates (P.C. Leverd, M. Ephritikhine, M. Lance, J. Vigner and M. Nierlich), 229

X-ray structure

Trinuclear heterometallic clusters with bridging disulfide and sulfide ligands $[(\mu_2\text{-S}_2)(\text{Cp}^*\text{Ru})_2(\mu_3\text{-S})(\mu_2\text{-S})_2\text{MS}]$ derived from diruthenium complex $[\text{Cp}^*\text{RuCl}(\mu_2\text{-Cl})_2\text{RuCp}^*\text{Cl}]$ and $[\text{MS}_4]^{2-}$ (M = W, Mo; $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$) (Y. Mizobe, M. Hosomizu, Y. Kubota and M. Hidai), 179

X-ray structure analysis

Allenyliden-Komplexe als Synthone zur Darstellung von Hydroxylaminocarbon- und Isoxazolindinylden-Komplexen (G. Roth und H. Fischer), 125

X-ray structure determination

Palladium(II) complexes of chiral tridentate nitrogen pybox ligands (R. Nesper, P. Pregosin, K. Püntener, M. Wörle and A. Albinati), 85

Ytterbium

Studies on organolanthanide complexes. LVIII. Syntheses of 1,1'-(3-oxa-pentamethylene)dicyclopentadienyl divalent organolanthanides (Ln = Sm, Yb) and X-ray molecular structure of $\text{O}(\text{CH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{Yb}(\text{DME})$ (C. Qian, C. Zhu, Y. Lin and Y. Xing), 41

Zirconium

New classes of zerovalent zirconium carbonyls and related species. Structural characterizations of $[\text{Zr}(\text{CO})_5(\text{SnMe}_3)_2]^{2-}$ and $[\text{Zr}(\text{CO})_4(\text{dppe})\text{SnMe}_3]^-$, dppe = $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ (J.E. Ellis, P. Yuen and M. Jang), 283