

## Subject Index of Volume 518

### Ab initio MO calculations

Solvent induced disproportionation of alkyl(amido)magnesium species containing a (2-pyridyl)amido unit: synthetic, theoretical and NMR spectroscopic studies of bis(amido)magnesium compounds (K.W. Henderson, R.E. Mulvey and A.E. Dorigo), 139

### Addition reaction

Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69

### Alkanes

Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55

### Alkenes

Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69

### Alkylidyne

Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of  $[(Os_3(\mu-H)_2(CO)_9(\mu_3-C))_2(\mu-dppp)]$  (dppp = bis(diphenylphosphino)propane) and  $[Os_3(\mu-H)_2(CO)_8(\mu_3-CPPH_2CH_2PPh_2)]$  (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227

### Amide

X-ray crystallographic studies and comparative reactivity studies of a sodium diisopropylamide (NDA) complex and related hindered amides (P.C. Andrews, N.D.R. Barnett, R.E. Mulvey, W. Clegg, P.A. O'Neil, D. Barr, L. Cowton, A.J. Dawson and B.J. Wakefield), 85

### Amido

Solvent induced disproportionation of alkyl(amido)magnesium species containing a (2-pyridyl)amido unit: synthetic, theoretical and NMR spectroscopic studies of bis(amido)magnesium compounds (K.W. Henderson, R.E. Mulvey and A.E. Dorigo), 139

### Arene

Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear  $\eta^6$ -benzene-ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47

### $\eta$ -Arene derivatives

$\eta^6$ -Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189

### Benzylidenebenzylamines

C–H and C–Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardfa), 105

### Betaine

Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17

### Binuclear

Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanediylbis(cyclopenta-

diethyltitanium trichloride) and hexamethyltrisiloxanediylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1

### Bis(diphenylphosphino)alkane

Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of  $[(Os_3(\mu-H)_2(CO)_9(\mu_3-C))_2(\mu-dppp)]$  (dppp = bis(diphenylphosphino)propane) and  $[Os_3(\mu-H)_2(CO)_8(\mu_3-CPPH_2CH_2PPh_2)]$  (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227

### Bridging ligand

Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear  $\eta^6$ -benzene-ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47

### Carbonyl

A re-investigation of the reaction of  $[RuCl_2(CO)_3]_2$  with  $C_5H_5-(Me_3Si)$ . X-ray structure determination of  $[Ru(CO)_3(\eta-C_5H_5)] [fac-RuCl_3(CO)_3]$  (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197

Reactions of  $HRuCo_3(CO)_9[HC(PPh_2)_3]$  and  $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$  with  $PMe_2Ph$ . Crystal structures of clusters  $HRuCo_3(CO)_8[HC(PPh_2)_3]$  ( $PMe_2Ph$ ) and  $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$  ( $PMe_2Ph$ )  $\cdot CH_2Cl_2$  (H.J. Kakkonen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 203

Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of  $[(Os_3(\mu-H)_2(CO)_9(\mu_3-C))_2(\mu-dppp)]$  (dppp = bis(diphenylphosphino)propane) and  $[Os_3(\mu-H)_2(CO)_8(\mu_3-CPPH_2CH_2PPh_2)]$  (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227

### Catalysis

Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213

Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147

Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs  $(C_{13}H_{8-n}R_nCR'R''C_5H_4)MCl_2$  ( $n = 0, 2$ ; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7

Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155

Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55

### Catalysts

Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect

- to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213
- CC-coupling reactions**  
Eine Ni<sup>0</sup>-induzierte CC-Kupplungsreaktion von Phenylisocyanat mit Cyclopenten in Gegenwart von chiralen Phosphor-Liganden (A. Tillack, R. Selke, Ch. Fischer, D. Bilda und K. Kortus), 79
- CH<sub>2</sub>-Bridging ligand**  
Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115
- Chirality**  
Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear η<sup>6</sup>-benzene-ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47
- Chirality transfer**  
Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147
- Cluster**  
Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115  
Reactions of HRuCo<sub>3</sub>(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] and H<sub>3</sub>Ru<sub>3</sub>Co(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] with PMe<sub>2</sub>Ph. Crystal structures of clusters HRuCo<sub>3</sub>(CO)<sub>8</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] (PMe<sub>2</sub>Ph) and H<sub>3</sub>Ru<sub>3</sub>Co(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] (PMe<sub>2</sub>Ph) · CH<sub>2</sub>Cl<sub>2</sub> (H.J. Kakkonen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 203
- Clusters**  
Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of [(Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>6</sub>(μ<sub>3</sub>-C)<sub>2</sub>(μ-dppp)] (dppp = bis(diphenylphosphino)propane) and [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>(μ<sub>3</sub>-CPh<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)] (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227
- Cobalt**  
Reactions of HRuCo<sub>3</sub>(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] and H<sub>3</sub>Ru<sub>3</sub>Co(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] with PMe<sub>2</sub>Ph. Crystal structures of clusters HRuCo<sub>3</sub>(CO)<sub>8</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] (PMe<sub>2</sub>Ph) and H<sub>3</sub>Ru<sub>3</sub>Co(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] (PMe<sub>2</sub>Ph) · CH<sub>2</sub>Cl<sub>2</sub> (H.J. Kakkonen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 203
- Conjugated nitroolefins**  
Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69
- Cross-coupling**  
Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97
- Crystal structure**  
Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115  
Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181  
Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear η<sup>6</sup>-benzene-ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47  
Reactions of HRuCo<sub>3</sub>(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] and H<sub>3</sub>Ru<sub>3</sub>Co(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] with PMe<sub>2</sub>Ph. Crystal structures of clusters HRuCo<sub>3</sub>(CO)<sub>8</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] (PMe<sub>2</sub>Ph) and H<sub>3</sub>Ru<sub>3</sub>Co(CO)<sub>9</sub>[HC(PPh<sub>2</sub>)<sub>3</sub>] (PMe<sub>2</sub>Ph) · CH<sub>2</sub>Cl<sub>2</sub> (H.J. Kakkonen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 203
- Synthesis, molecular structure and reactions of the novel organometallic thioether ligand [Wl<sub>2</sub>(CO){(Me)S(CH<sub>2</sub>)<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>SMe-S,S'}(η<sup>2</sup>-PhC<sub>2</sub>Ph)] (P.K. Baker, A.I. Clark, S.J. Coles, M.B. Hursthouse and R.L. Richards), 235**
- Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of [(Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>6</sub>(μ<sub>3</sub>-C)<sub>2</sub>(μ-dppp)] (dppp = bis(diphenylphosphino)propane) and [Os<sub>3</sub>(μ-H)<sub>2</sub>(CO)<sub>8</sub>(μ<sub>3</sub>-CPh<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>)] (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227**
- X-ray crystallographic studies and comparative reactivity studies of a sodium diisopropylamide (NDA) complex and related hindered amides (P.C. Andrews, N.D.R. Barnett, R.E. Mulvey, W. Clegg, P.A. O'Neil, D. Barr, L. Cowton, A.J. Dawson and B.J. Wakefield), 85**
- Cyclometallation**  
C-H and C-Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardia), 105
- Cyclopentadienyl**  
A re-investigation of the reaction of [RuCl<sub>2</sub>(CO)<sub>3</sub>]<sub>2</sub> with C<sub>5</sub>H<sub>5</sub>(Me<sub>3</sub>Si). X-ray structure determination of [Ru(CO)<sub>3</sub>(η-C<sub>5</sub>H<sub>5</sub>)] [fac-RuCl<sub>3</sub>(CO)<sub>3</sub>] (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197  
Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of Ta(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>SiMe<sub>3</sub>)Cl<sub>2</sub> and Ta(η<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)(η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>(SiMe<sub>3</sub>)<sub>2</sub>)H<sub>3</sub> (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37  
Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147
- Cyclopentadienyl ligands**  
Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115
- Cycloplatinatation**  
C-H and C-Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardia), 105
- Dehydrogenation**  
Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55
- Dimethylzirconocene**  
Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17
- Diphenylacetylene**  
Synthesis, molecular structure and reactions of the novel organometallic thioether ligand [Wl<sub>2</sub>(CO){(Me)S(CH<sub>2</sub>)<sub>2</sub>S(CH<sub>2</sub>)<sub>2</sub>SMe-S,S'}(η<sup>2</sup>-PhC<sub>2</sub>Ph)] (P.K. Baker, A.I. Clark, S.J. Coles, M.B. Hursthouse and R.L. Richards), 235
- Disproportionation**  
Solvent induced disproportionation of alkyl(amido)magnesium species containing a (2-pyridyl)amido unit: synthetic, theoretical and NMR spectroscopic studies of bis(amido)magnesium compounds (K.W. Henderson, R.E. Mulvey and A.E. Dorigo), 139

## Dynamic metallocene complexes

Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic ( $\mu\text{-R}^1\text{CCR}^2$ ) [ $\mu\text{-chloro}(\text{ZrCp}_2)_2$ ] framework (D. Röttger, G. Erker and R. Fröhlich), 221

## Electrochemistry

Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97

## Entropy data

Energetics of organometallic species: the entropic factor (M.E. Minas da Piedade and J.A. Martinho Simões), 167

## Ferrocene polymers

Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97

## Gas phase reactions

Energetics of organometallic species: the entropic factor (M.E. Minas da Piedade and J.A. Martinho Simões), 167

## Group 5

Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Cl}_2$  and  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_3(\text{SiMe}_3)_2)\text{H}_3$  (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37

## Group 4 metallocene cations

Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic ( $\mu\text{-R}^1\text{CCR}^2$ ) [ $\mu\text{-chloro}(\text{ZrCp}_2)_2$ ] framework (D. Röttger, G. Erker and R. Fröhlich), 221

## Hafnium

$\eta^6$ -Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189

Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs  $(\text{C}_{13}\text{H}_{8-n}\text{R}_n\text{CR}'\text{R}''\text{C}_5\text{H}_4)\text{MCl}_2$  ( $n = 0, 2$ ; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7

Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155

## Hydrides

Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Cl}_2$  and  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_3(\text{SiMe}_3)_2)\text{H}_3$  (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37

## Hydrogenation

Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213

## Imine

C–H and C–Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105

## Indenyl

Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181

## Isomerization

Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophos-

phido and hydrido bridged rhenium carbonyl clusters with respect to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213

## Lewis acid

Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147

Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17

## Lithium

X-ray crystallographic studies and comparative reactivity studies of a sodium diisopropylamide (NDA) complex and related hindered amides (P.C. Andrews, N.D.R. Barnett, R.E. Mulvey, W. Clegg, P.A. O'Neil, D. Barr, L. Cowton, A.J. Dawson and B.J. Wakefield), 85

## Magnesium

Solvent induced disproportionation of alkyl(amido)magnesium species containing a (2-pyridyl)amido unit: synthetic, theoretical and NMR spectroscopic studies of bis(amido)magnesium compounds (K.W. Henderson, R.E. Mulvey and A.E. Dorigo), 139

## Manganese

Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69

## Metallocene

Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanediylbis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanediylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1

## Metallocene cation

Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17

## Metallocene complexes

Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs  $(\text{C}_{13}\text{H}_{8-n}\text{R}_n\text{CR}'\text{R}''\text{C}_5\text{H}_4)\text{MCl}_2$  ( $n = 0, 2$ ; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7

## Metallocenes

Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181

Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17

Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155

## Nickel

Eine  $\text{Ni}^0$ -induzierte CC-Kupplungsreaktion von Phenylisocyanat mit Cyclopenten in Gegenwart von chiralen Phosphor-Liganden (A. Tillack, R. Selke, Ch. Fischer, D. Bilda und K. Kortus), 79

## Niobium

Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Cl}_2$  and  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_3(\text{SiMe}_3)_2)\text{H}_3$  (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37

## NMR

Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181

- Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29
- Olefin-polymerisation
- Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155
- Organomanganese reagents
- Additions of organomanganese reagents to conjugated nitroolefins (I.N.N. Namboothiri and A. Hassner), 69
- Organometallic reactions
- Energetics of organometallic species: the entropic factor (M.E. Minas da Piedade and J.A. Martinho Simões), 167
- Orthopalladation
- Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29
- Osmium
- Synthesis of triosmium alkylidyne clusters incorporating bis(diphenylphosphino)alkane type ligands. Crystal structures of  $[(Os_3(\mu-H)_2(CO)_9(\mu_3-C))_2(\mu-dppp)]$  (dppp = bis(diphenylphosphino)propane) and  $[Os_3(\mu-H)_2(CO)_8(\mu_3-CPPH_2CH_2PPh_2)]$  (Y.-Y. Choi, W.-Y. Wong and W.-T. Wong), 227
- Oxo-chloro mixed species
- Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of  $Ta(\eta^5-C_5Me_5)(\eta^5-C_5H_4SiMe_3)Cl_2$  and  $Ta(\eta^5-C_5Me_5)(\eta^5-C_5H_3(SiMe_3)_2)H_3$  (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37
- Oxygen bridge
- Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanedylbis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanedylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1
- Palladium
- Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29
- Palladium catalyst
- Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97
- Phenylisocyanate
- Eine  $Ni^0$ -induzierte CC-Kupplungsreaktion von Phenylisocyanat mit Cyclopenten in Gegenwart von chiralen Phosphor-Liganden (A. Tillack, R. Selke, Ch. Fischer, D. Bilda und K. Kortus), 79
- Phosphine
- Reactions of  $HRuCo_3(CO)_9[HC(PPh_2)_3]$  and  $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$  with  $PMe_2Ph$ . Crystal structures of clusters  $HRuCo_3(CO)_8[HC(PPh_2)_3]$  ( $PMe_2Ph$ ) and  $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$  ( $PMe_2Ph$ )  $\cdot$   $CH_2Cl_2$  (H.J. Kakkonen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 203
- Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55
- Planar-tetracoordinate carbon
- Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic ( $\mu-R^1CCR^2$ ) [ $\mu$ -chloro( $ZrCp_2$ ) $_2$ ] framework (D. Röttger, G. Erker and R. Fröhlich), 221
- Platinum
- C-H and C-Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105
- Polyethylene
- Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155
- Polysiloxane
- Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanedylbis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanedylbis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1
- Redox-active polymers
- Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97
- Rhenium carbonyl cluster derivatives
- Cluster catalysis trends in the hydrogenation and isomerization behaviour of 1-hexene with trinuclear or tetranuclear diorganophosphido and hydrido bridged rhenium carbonyl clusters with respect to the change of the organyl substituent from phenyl to parafluorophenyl (H.-J. Haupt, R. Wittbecker and U. Flörke), 213
- Rhodium
- Transfer-dehydrogenation of alkanes catalyzed by rhodium(I) phosphine complexes (K. Wang, M.E. Goldman, T.J. Emge and A.S. Goldman), 55
- Ruthenium
- Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115
- Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear  $\eta^6$ -benzene-ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47
- Reactions of  $HRuCo_3(CO)_9[HC(PPh_2)_3]$  and  $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$  with  $PMe_2Ph$ . Crystal structures of clusters  $HRuCo_3(CO)_8[HC(PPh_2)_3]$  ( $PMe_2Ph$ ) and  $H_3Ru_3Co(CO)_9[HC(PPh_2)_3]$  ( $PMe_2Ph$ )  $\cdot$   $CH_2Cl_2$  (H.J. Kakkonen, M. Ahlgren, T.A. Pakkanen and J. Pursiainen), 203
- Ruthenium anion
- A re-investigation of the reaction of  $[RuCl_2(CO)_3]_2$  with  $C_5H_5(Me_3Si)$ . X-ray structure determination of  $[Ru(CO)_3(\eta-C_5H_5)]$  [*fac*- $RuCl_3(CO)_3$ ] (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197
- Ruthenium cation
- A re-investigation of the reaction of  $[RuCl_2(CO)_3]_2$  with  $C_5H_5(Me_3Si)$ . X-ray structure determination of  $[Ru(CO)_3(\eta-C_5H_5)]$  [*fac*- $RuCl_3(CO)_3$ ] (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197
- Schiff base
- Optically active transition metal complexes. Part 108. Synthesis, crystal structure and properties of a novel "quasi-meso" dinuclear  $\eta^6$ -benzene-ruthenium(II) complex with chiral salicylaldiminato ligands (H. Brunner, R. Oeschey and B. Nuber), 47
- Semibringing carbonyl group
- Cyclopentadienyl derivatives of octahedral carbonylcarbide hexaruthenium clusters: synthesis, NMR, IR and X-ray characterization (V.S. Kaganovich, M.I. Rybinskaya, Z.A. Kerzina, F.M.

- Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, P.V. Petrovskii, E. Kolehmainen, J. Kivikoski, J. Valkonen and K. Laihia), 115
- Silicon**
- A re-investigation of the reaction of  $[\text{RuCl}_2(\text{CO})_3]_2$  with  $\text{C}_5\text{H}_5(\text{Me}_3\text{Si})$ . X-ray structure determination of  $[\text{Ru}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]\text{[fac-RuCl}_3(\text{CO})_3]$  (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197
- Synthesis, characterization, and reactivities of the polysiloxane-bridged binuclear metallocenes tetramethyldisiloxanediybis(cyclopentadienyltitanium trichloride) and hexamethyltrisiloxanediybis(cyclopentadienyltitanium trichloride) (S.K. Noh, G.-g. Byun, C.-s. Lee, D. Lee, K.-b. Yoon and K.S. Kang), 1
- Siloxane**
- Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181
- Silyl**
- Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Cl}_2$  and  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_3(\text{SiMe}_3)_2)\text{H}_3$  (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37
- Sodium**
- X-ray crystallographic studies and comparative reactivity studies of a sodium diisopropylamide (NDA) complex and related hindered amides (P.C. Andrews, N.D.R. Barnett, R.E. Mulvey, W. Clegg, P.A. O'Neil, D. Barr, L. Cowton, A.J. Dawson and B.J. Wakefield), 85
- Starting material**
- A re-investigation of the reaction of  $[\text{RuCl}_2(\text{CO})_3]_2$  with  $\text{C}_5\text{H}_5(\text{Me}_3\text{Si})$ . X-ray structure determination of  $[\text{Ru}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]\text{[fac-RuCl}_3(\text{CO})_3]$  (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197
- Sulphur**
- Synthesis, molecular structure and reactions of the novel organometallic thioether ligand  $[\text{Wl}_2(\text{CO})((\text{Me})\text{S}(\text{CH}_2)_2\text{S}(\text{CH}_2)_2\text{SMe-S,S}')(\eta^2\text{-PhC}_2\text{Ph})]$  (P.K. Baker, A.I. Clark, S.J. Coles, M.B. Hursthouse and R.L. Richards), 235
- Superlattice symmetry**
- A re-investigation of the reaction of  $[\text{RuCl}_2(\text{CO})_3]_2$  with  $\text{C}_5\text{H}_5(\text{Me}_3\text{Si})$ . X-ray structure determination of  $[\text{Ru}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]\text{[fac-RuCl}_3(\text{CO})_3]$  (C.S. Griffith, G.A. Koutsantonis, C.L. Raston, J.P. Selegue, B.W. Skelton and A.H. White), 197
- Syndiotactic polypropylene**
- Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs  $(\text{C}_{13}\text{H}_{8-n}\text{R}_n\text{CR}'\text{R}''\text{C}_5\text{H}_4)\text{MCl}_2$  ( $n = 0,2$ ; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7
- Synthesis**
- Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29
- Tantalum**
- Mixed-dicyclopentadienyl niobium and tantalum complexes: synthesis and reactivity. X-ray molecular structures of  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Cl}_2$  and  $\text{Ta}(\eta^5\text{-C}_5\text{Me}_5)(\eta^5\text{-C}_5\text{H}_3(\text{SiMe}_3)_2)\text{H}_3$  (A. Castro, M. Gómez, P. Gómez-Sal, A. Manzanero and P. Royo), 37
- Tin carboxylates**
- Mechanism of tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 21
- Tin thiolates**
- Mechanism of tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 21
- Titanium**
- $\eta^6$ -Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189
- Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147
- Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155
- Tris(pentafluorophenyl)borane**
- Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17
- Tungsten**
- Synthesis, molecular structure and reactions of the novel organometallic thioether ligand  $[\text{Wl}_2(\text{CO})((\text{Me})\text{S}(\text{CH}_2)_2\text{S}(\text{CH}_2)_2\text{SMe-S,S}')(\eta^2\text{-PhC}_2\text{Ph})]$  (P.K. Baker, A.I. Clark, S.J. Coles, M.B. Hursthouse and R.L. Richards), 235
- Urethane formation**
- Mechanism of tin(IV)-catalysed urethane formation (R.P. Houghton and A.W. Mulvaney), 21
- Van't Hoff/Le Bel compound**
- Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic  $(\mu\text{-R}^1\text{CCR}^2)[\mu\text{-chloro}(\text{ZrCp}_2)_2]$  framework (D. Röttger, G. Erker and R. Fröhlich), 221
- X-ray structure**
- C-H and C-Cl bond activation in the formation of cyclometallated platinum(II) and platinum(IV) compounds with chlorinated N-benzylidenebenzylamines (M. Crespo, X. Solans and M. Font-Bardía), 105
- Synthesis and NMR structural analysis of several orthopalladated complexes of substituted benzo-imidazole, -oxazole and -thiazole and study of two polymorphic crystals (C. Navarro-Ranninger, F. Zamora, L.A. Martínez-Cruz, R. Isea and J.R. Masaguer), 29
- X-ray structures**
- $\eta^6$ -Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189
- Zinc reagent**
- Synthesis of ferrocene-based redox-active polymers via palladium-catalysed coupling reactions (M. Bochmann, J. Lu and R.D. Cannon), 97
- Zirconium**
- $\eta^6$ -Arene derivatives of titanium(IV), zirconium(IV) and hafnium(IV) (F. Calderazzo, I. Ferri, G. Pampaloni and S. Troyanov), 189
- Novel chiral Lewis acids based on a new asymmetric cyclopentadienyl ligand (A.A.H. Van der Zeijden), 147
- Reaction of dimethylzirconocene with imidazole in the presence of tris(pentafluorophenyl)borane (D. Röttger, G. Erker, R. Fröhlich and S. Kotila), 17
- Syndiospezifische Polymerisation von Propylen: Neue Metallocenkomplexe des Typs  $(\text{C}_{13}\text{H}_{8-n}\text{R}_n\text{CR}'\text{R}''\text{C}_5\text{H}_4)\text{MCl}_2$  ( $n = 0,2$ ; R = Alkyl, Aryl, Hal; R', R'' = H, Alkyl, Aryl; M = Zr, Hf) unter besonderer Berücksichtigung verschiedener Brückensubstituenten (H.G. Alt und R. Zenk), 7

- Synthesis and catalytic properties of *ansa*-binuclear metallocenes of the Group IV transition metals (T. Ushioda, M.L.H. Green, J. Haggitt and X. Yan), 155
- Zirconocene
- Formation of stable organometallic planar-tetracoordinate carbon compounds containing a cationic ( $\mu$ -R<sup>1</sup>CCR<sup>2</sup>)[ $\mu$ -chloro(ZrCp<sub>2</sub>)<sub>2</sub>] framework (D. Röttger, G. Erker and R. Fröhlich), 221
- Isomeric zirconocenophane dichlorides involving two disiloxane-bridged indenyl ligands (H. Naderer, E. Siebel and R.D. Fischer), 181