

Subject Index of Volume 508

Acetylacetonato μ -hydroxo complexes

Synthesis of some μ -hydroxo-, phenoxo- and O,O-acetylacetonato-arylgold(III) complexes. Crystal structure of $[\text{Au}(\text{C}_6\text{H}_4\text{NO}_2 - 2)_2(\mu\text{-OH})_2 \cdot 2\text{Et}_2\text{O}]$ (J. Vicente, M.D. Bermúdez, F.J. Carrión and P.G. Jones), 53

Acetylide complex

Preparation and some properties of Pt(II) ruthenocenylacetylide complexes (M. Sato and E. Mogi), 159

Acid halide

Reaction of pentaarylantimony with acid halide, aldehyde and ketone (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 49

Aldehyde

Hydride abstraction from (η^2 -acetaldehyde)zirconocene dimer using $\text{B}(\text{C}_6\text{F}_5)_3$ (D. Röttger, S. Schmuck and G. Erker), 263

Reaction of pentaarylantimony with acid halide, aldehyde and ketone (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 49

Aliphatic diols

Reactions of trimethylaluminium with aliphatic diols (W. Ziemkowska and S. Pasynkiewicz), 243

Alkali metals

Preparation of Group 4 metal complexes of a bulky amido-fluorenyl ligand (H.V.R. Dias, Z. Wang and S.G. Bott), 91

Alkylidyne

The reactions of tricobalt alkylidyne complexes $[\text{Co}_3(\mu_3\text{-CR})(\text{CO})_9]$ ($\text{R} = \text{Me}, \text{CO}_2\text{Me}$) with the vinyl phosphine ligands $\text{PPh}_2\text{CH}=\text{CH}_2$ and *cis*- $\text{Ph}_2\text{PCH}=\text{CHPh}_2$; crystal structure of $[\text{Co}_3(\mu_3\text{-CCO}_2\text{Me})(\mu\text{-Ph}_2\text{PCH}=\text{CHPh}_2)(\text{CO})_7]$ (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 137

Alkyne

Vergleichende Dimerisierung der Enantiomere von Oct-1-in-3-ol mit chiralen Rhodium-Phosphan-Komplexen (H. Singer und M. Steigerwald), 267

Alkynyl

Comparison of the oxidation of dinuclear cyclopentadienyl iron diphosphine complexes with the bridging ligands $-\text{CN}$ and $-\text{C}\equiv\text{C}(\text{CH}_2)_2\text{CN}$ (G.A. Carriedo, A. Arancibia, C. Díaz-Valenzuela, N. Yutronic, E. Pérez-Carreño and S. García-Granda), 23

Allenylidene complexes

Synthesis of secondary allenylidene-molybdenum complexes with a ferrocenyl substituent from carbenium ions species stabilized by two organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer, B. Leblanc and R. Kergoat), 31

Allyl transfer

Mechanism of oxidative allyl transfer from allylic ammonium cations to palladium(0) α -diimine complexes (L. Canovese, F. Visentin, P. Uguagliati, F. Di Bianca, A. Fontana and B. Crociani), 101

Aluminium

Reactions of trimethylaluminium with aliphatic diols (W. Ziemkowska and S. Pasynkiewicz), 243

Synthesis, properties and crystal structure bis(cyclopentadienyl)-aluminium complex $[\eta^1\text{-}(\text{C}_5\text{H}_5)_2\text{AlO-}^1\text{Pr}]_2$ (A. Kunicki, R. Sadowski and J. Zachara), 249

Amide

Preparation of Group 4 metal complexes of a bulky amido-fluorenyl ligand (H.V.R. Dias, Z. Wang and S.G. Bott), 91

Aminophosphines

Synthesis and molecular structure of enantiopure 1-(diphenylphosphino)-2,1'-[(1-*N,N*-dimethylamino)-1,3-propanediyl]-ferrocene and its palladium dichloride complex, a new ligand for enantioselective catalysts (A. Mernyi, C. Kratky, W. Weissensteiner and M. Widhalm), 209

Antimony

Reaction of pentaarylantimony with acid halide, aldehyde and ketone (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 49

BPZM

Synthesis and spectroscopic studies of new hydridoruthenium complexes: catalytic reactions of $[\text{RuHCl}(\text{bpzm})(\text{cod})]$ (bpzm = bis(pyrazol-1-yl)methane, cod = cycloocta-1,5-diene) (F.A. Jalón, A. Otero, A. Rodríguez and M. Pérez-Manrique), 69

Butyrolactone

Molecular oxygen promoted oxidative cleavage of carbon-palladium bonds — catalytic cyclization of allylic 2-alkynoates to α -alkylidene- γ -butyrolactones by a Pd^{II} complex (G. Zhu and X. Lu), 83

Carbenium ions

Reaction of sodium amalgam with carbenium ions species stabilised by two adjacent organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer and R. Kergoat), 1

Synthesis of secondary allenylidene-molybdenum complexes with a ferrocenyl substituent from carbenium ions species stabilized by two organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer, B. Leblanc and R. Kergoat), 31

Carbon monoxide

Insertion reactions involving palladium complexes with nitrogen ligands. I. Reactivity towards carbon monoxide of methylpalladium(II) complexes containing bidentate α -diimine ligands: crystal structures of four methylpalladium (II) and acylpalladium(II) complexes (R.E. Rülke, J.G.P. Delis, A.M. Groot, C.J. Elsevier, P.W.N.M. Van Leeuwen, K. Vrieze, K. Goubitz and H. Schenk), 109

Carbonyl

Catalytic hydroformylation of (1*S*,5*S*)-(–) and (1*R*,5*R*)-(+)- β -pinene: stereoselective synthesis and spectroscopic characterization of (1*S*,2*R*,5*S*)-, (1*S*,2*S*,5*S*)-, (1*R*,2*R*,5*R*)- and (1*R*,2*S*,5*R*)-10-formylpinane (F. Azzaroni, P. Biscarini, S. Bordoni, G. Longoni and E. Venturini), 59

Diphenylphosphine derivatives of $\text{Co}(\text{NO})(\text{CO})_3$, $\text{Fe}(\text{NO})_2(\text{CO})_2$ and $\text{Mn}(\text{NO})(\text{CO})_4$ (J.T. Lin, S.Y. Wang, Y.C. Chou, M.L. Gong, Y.-M. Shiow, H.-M. Gau and Y.S. Wen), 183

^{55}Mn and ^{187}Re NQR spectral studies of modulation effects of mutual motions of electrons and atomic nuclei in cyclopentadienyl tricarbonyl manganese and rhenium complexes (G.K. Semin, S.I. Kuznetsov, E.V. Bryukhova and T.L. Khotsyanova), 129

- Multiply substituted cyclopentadienyl metal complexes: I. Solid-state and solution conformational studies on $(\eta^5\text{-C}_5\text{Me}_4\text{R})\text{Fe}(\text{CO})(\text{L})$ ($\text{R} = \text{H}, \text{}^t\text{Bu}$) (K.E. Du Plooy, J. Du Toit, D.C. Levendis and N.J. Coville), 231
- Properties and reactivity of the new $[\text{Ir}_4(\mu\text{-CO})_3(\text{CO})_5(\mu\text{-PR}_3)(\text{PR}_3)_2]$ clusters, ($\text{PR}_3 = \text{PPh}_x\text{pyl}_{3-x}$, $\text{pyl} = 2\text{-pyridyl}$) (K. Wajda-Hermanowicz, F. Pruchnik and M. Zuber), 75
- Reactions of $(\text{THF})\text{W}(\text{CO})_5$ with some diphosphenes carrying bulky aryl and phenoxy groups (D.-L. An, K. Toyota, M. Yasunami and M. Yoshifuji), 7
- The reactions of tricobalt alkylidyne complexes $[\text{Co}_3(\mu_3\text{-CR})(\text{CO})_9]$ ($\text{R} = \text{Me}, \text{CO}_2\text{Me}$) with the vinyl phosphine ligands $\text{PPh}_2\text{CH}=\text{CH}_2$ and *cis*- $\text{Ph}_2\text{PCH}=\text{CHPh}_2$; crystal structure of $[\text{Co}_3(\mu_3\text{-CCO}_2\text{Me})(\mu\text{-Ph}_2\text{PCH}=\text{CHPh}_2)(\text{CO})_7]$ (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 137
- Carbonyl complexes**
- Optically active transition-metal complexes. III. Synthesis of optically active $(\eta^4\text{-aminodiolefin})\text{tricarbonyl}$ iron complexes. Kinetic resolution of a chiral amine by means of an optically active dienyl iron cation (M. Käser and A. Salzer), 219
- Catalysis**
- Insertion reactions involving palladium complexes with nitrogen ligands. I. Reactivity towards carbon monoxide of methylpalladium(II) complexes containing bidentate α -diimine ligands: crystal structures of four methylpalladium (II) and acylpalladium(II) complexes (R.E. Rülke, J.G.P. Delis, A.M. Groot, C.J. Elsevier, P.W.N.M. Van Leeuwen, K. Vrieze, K. Goubitz and H. Schenk), 109
- Katalytische Hydrierung von Halogenmonosilanen mit Tributylzinnhydrid (U. Pätzold, G. Roewer und U. Herzog), 147
- Palladium-catalyzed reaction of 1-aza-5-germa-5-organobicyclo-[3.3.3]undecane with aryl bromide (M. Kosugi, T. Tanji, Y. Tanaka, A. Yoshida, K. Fugami, M. Kameyama and T. Migita), 255
- Synthesis and spectroscopic studies of new hydridoruthenium complexes: catalytic reactions of $[\text{RuHCl}(\text{bpzm})(\text{cod})]$ ($\text{bpzm} = \text{bis}(\text{pyrazol-1-yl})\text{methane}$, $\text{cod} = \text{cycloocta-1,5-diene}$) (F.A. Jalón, A. Otero, A. Rodríguez and M. Pérez-Manrique), 69
- Vergleichende Dimerisierung der Enantiomere von Oct-1-in-3-ol mit chiralen Rhodium-Phosphan-Komplexen (H. Singer und M. Steigerwald), 267
- Catalyst**
- Synthesis and molecular structure of enantiopure 1-(diphenylphosphino)-2,1'-[(1-*N,N*-dimethylamino)-1,3-propanediyl]-ferrocene and its palladium dichloride complex, a new ligand for enantioselective catalysts (A. Mernyi, C. Kratky, W. Weissensteiner and M. Widhalm), 209
- Charge density analysis**
- Electron density distribution in the vanadocene crystal on the basis of X-ray diffraction data at 108 K (M.Yu. Antipin, K.A. Lyssenko and R. Boese), 259
- Chemoselective reaction**
- Reaction of pentaarylantimony with acid halide, aldehyde and ketone (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 49
- Chirality**
- Vergleichende Dimerisierung der Enantiomere von Oct-1-in-3-ol mit chiralen Rhodium-Phosphan-Komplexen (H. Singer und M. Steigerwald), 267
- Chromium**
- Reactions of $(\text{THF})\text{W}(\text{CO})_5$ with some diphosphenes carrying bulky aryl and phenoxy groups (D.-L. An, K. Toyota, M. Yasunami and M. Yoshifuji), 7
- Circular dichroism**
- Isomeric diphosphines of a heteroannularly bridged ferrocene: preparation, chromatographic separation and structure elucidation (G. Kutschera, C. Kratky, W. Weissensteiner and M. Widhalm), 195
- Clusters**
- Properties and reactivity of the new $[\text{Ir}_4(\mu\text{-CO})_3(\text{CO})_5(\mu\text{-PR}_3)(\text{PR}_3)_2]$ clusters, ($\text{PR}_3 = \text{PPh}_x\text{pyl}_{3-x}$, $\text{pyl} = 2\text{-pyridyl}$) (K. Wajda-Hermanowicz, F. Pruchnik and M. Zuber), 75
- Cobalt**
- Catalytic hydroformylation of $(1S,5S)\text{-}(-)$ - and $(1R,5R)\text{-}(+)$ - β -pinene: stereoselective synthesis and spectroscopic characterization of $(1S,2R,5S)\text{-}$, $(1S,2S,5S)\text{-}$, $(1R,2R,5R)\text{-}$ and $(1R,2S,5R)\text{-}$ 10-formylpinane (F. Azzaroni, P. Biscarini, S. Bordoni, G. Longoni and E. Venturini), 59
- Diphenylphosphine derivatives of $\text{Co}(\text{NO})(\text{CO})_3$, $\text{Fe}(\text{NO})_2(\text{CO})_2$ and $\text{Mn}(\text{NO})(\text{CO})_4$ (J.T. Lin, S.Y. Wang, Y.C. Chou, M.L. Gong, Y.-M. Shiow, H.-M. Gau and Y.S. Wen), 183
- Cod**
- Synthesis and spectroscopic studies of new hydridoruthenium complexes: catalytic reactions of $[\text{RuHCl}(\text{bpzm})(\text{cod})]$ ($\text{bpzm} = \text{bis}(\text{pyrazol-1-yl})\text{methane}$, $\text{cod} = \text{cycloocta-1,5-diene}$) (F.A. Jalón, A. Otero, A. Rodríguez and M. Pérez-Manrique), 69
- Complexes**
- Reactions of trimethylaluminium with aliphatic diols (W. Ziemkowska and S. Pasykiewicz), 243
- Cross-coupling**
- Palladium-catalyzed reaction of 1-aza-5-germa-5-organobicyclo-[3.3.3]undecane with aryl bromide (M. Kosugi, T. Tanji, Y. Tanaka, A. Yoshida, K. Fugami, M. Kameyama and T. Migita), 255
- Crown compounds**
- Crown compounds for anions. A polymeric complex of cyclic trimeric perfluoro-*o*-phenylenemercury with thiocyanate anion containing an infinite helical chain of alternating molecules of mercury-containing macrocycle and SCN^- ions (I.A. Tikhonova, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, A.N. Gavrilova, L.N. Saitkulova, E.S. Shubina, L.M. Epstein, G.G. Furin and V.B. Shur), 271
- Crystal structure**
- Insertion reactions involving palladium complexes with nitrogen ligands. I. Reactivity towards carbon monoxide of methylpalladium(II) complexes containing bidentate α -diimine ligands: crystal structures of four methylpalladium (II) and acylpalladium(II) complexes (R.E. Rülke, J.G.P. Delis, A.M. Groot, C.J. Elsevier, P.W.N.M. Van Leeuwen, K. Vrieze, K. Goubitz and H. Schenk), 109
- Multiply substituted cyclopentadienyl metal complexes: I. Solid-state and solution conformational studies on $(\eta^5\text{-C}_5\text{Me}_4\text{R})\text{Fe}(\text{CO})(\text{L})$ ($\text{R} = \text{H}, \text{}^t\text{Bu}$) (K.E. Du Plooy, J. Du Toit, D.C. Levendis and N.J. Coville), 231
- Preparation of Group 4 metal complexes of a bulky amido-fluorenyl ligand (H.V.R. Dias, Z. Wang and S.G. Bott), 91
- Protonation of triosmium clusters $\text{Os}_3(\text{CO})_9(\mu\text{-CO})(\mu_3\text{-}2\sigma, \eta^2\text{-HC}\equiv\text{CR})$ and $\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu_3\text{-}\sigma, 2\eta^2\text{-C}\equiv\text{CR})$ ($\text{R} = \text{CH}_2\text{OH}, \text{CMe}_2\text{OH}, \text{C}(\text{Me})=\text{CH}_2$) (V.V. Krivykh, O.A. Kizas, E.V. Vorontsov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and A.A. Koridze), 39
- Synthesis and molecular structure of enantiopure 1-(diphenylphosphino)-2,1'-[(1-*N,N*-dimethylamino)-1,3-propanediyl]-ferrocene and its palladium dichloride complex, a new ligand for enantioselective catalysts (A. Mernyi, C. Kratky, W. Weissensteiner and M. Widhalm), 209

- Synthesis of some μ -hydroxo-, phenoxo- and O,O-acetylacetonato-arylgold(III) complexes. Crystal structure of $[\text{Au}(\text{C}_6\text{H}_4\text{NO}_2 - 2)_2(\mu\text{-OH})_2] \cdot 2\text{Et}_2\text{O}$ (J. Vicente, M.D. Bermúdez, F.J. Carrión and P.G. Jones), 53
- The reactions of tricobalt alkylidyne complexes $[\text{Co}_3(\mu_3\text{-CR})(\text{CO})_9]$ ($\text{R} = \text{Me}, \text{CO}_2\text{Me}$) with the vinyl phosphine ligands $\text{PPh}_2\text{CH}=\text{CH}_2$ and *cis*- $\text{Ph}_2\text{PCH}=\text{CHPPh}_2$; crystal structure of $[\text{Co}_3(\mu_3\text{-CCO}_2\text{Me})(\mu\text{-Ph}_2\text{PCH}=\text{CHPPh}_2)(\text{CO})_7]$ (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 137
- Cyanide**
- Comparison of the oxidation of dinuclear cyclopentadienyl iron diphosphine complexes with the bridging ligands $-\text{CN}$ and $-\text{C}\equiv\text{C}(\text{CH}_2)_2\text{CN}$ (G.A. Carriedo, A. Arancibia, C. Díaz-Valenzuela, N. Yutronic, E. Pérez-Carreño and S. García-Granda), 23
- Cyclization**
- Molecular oxygen promoted oxidative cleavage of carbon–palladium bonds — catalytic cyclization of allylic 2-alkynoates to α -alkylidene- γ -butyrolactones by a Pd^{II} complex (G. Zhu and X. Lu), 83
- Cyclooctatetraenyl**
- Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente. XXXVIII. Halbsandwich-Komplexe der Stöchiometrien $(\text{COT})\text{Ln}(\text{HBpz}_3)$ und $(\text{COT})\text{Ln}[\text{HB}(3,5\text{-Me}_2\text{pz})_3]$ -ideale Systeme für die experimentelle Bestimmung der Kristallfeld-Aufspaltungseffekte des Cyclooctatetraenyl-Liganden (H.-D. Amberger und F.T. Edelmann), 275
- Cyclopentadienyl**
- Multiply substituted cyclopentadienyl metal complexes: I. Solid-state and solution conformational studies on $(\eta^5\text{-C}_5\text{Me}_4\text{R})\text{Fe}(\text{CO})(\text{L})\text{I}$ ($\text{R} = \text{H}, \text{tBu}$) (K.E. Du Plooy, J. Du Toit, D.C. Levendis and N.J. Coville), 231
- Synthesis, properties and crystal structure bis(cyclopentadienyl)-aluminium complex $[\eta^1\text{-C}_5\text{H}_5)_2\text{AlO-}^i\text{Pr}]_2$ (A. Kunicki, R. Sadowski and J. Zachara), 249
- Diphosphine**
- Isomeric diphosphines of a heteroannularly bridged ferrocene: preparation, chromatographic separation and structure elucidation (G. Kutschera, C. Kratky, W. Weissensteiner and M. Widhalm), 195
- Early transition metals**
- Hydride abstraction from $(\eta^2\text{-acetaldehyde})\text{zirconocene}$ dimer using $\text{B}(\text{C}_6\text{F}_5)_3$ (D. Röttger, S. Schmuck and G. Erker), 263
- EHMO calculations**
- Comparison of the oxidation of dinuclear cyclopentadienyl iron diphosphine complexes with the bridging ligands $-\text{CN}$ and $-\text{C}\equiv\text{C}(\text{CH}_2)_2\text{CN}$ (G.A. Carriedo, A. Arancibia, C. Díaz-Valenzuela, N. Yutronic, E. Pérez-Carreño and S. García-Granda), 23
- Electrochemistry**
- Comparison of the oxidation of dinuclear cyclopentadienyl iron diphosphine complexes with the bridging ligands $-\text{CN}$ and $-\text{C}\equiv\text{C}(\text{CH}_2)_2\text{CN}$ (G.A. Carriedo, A. Arancibia, C. Díaz-Valenzuela, N. Yutronic, E. Pérez-Carreño and S. García-Granda), 23
- Electron–nuclear motions**
- ^{55}Mn and ^{187}Re NQR spectral studies of modulation effects of mutual motions of electrons and atomic nuclei in cyclopentadienyl tricarbonyl manganese and rhenium complexes (G.K. Semin, S.I. Kuznetsov, E.V. Bryukhova and T.L. Khotsyanova), 129
- Ferrocene**
- Synthesis and molecular structure of enantiopure 1-(diphenylphosphino)-2,1'-[(1-*N,N*-dimethylamino)-1,3-propanediyl]-ferrocene and its palladium dichloride complex, a new ligand for enantioselective catalysis (A. Mernyi, C. Kratky, W. Weissensteiner and M. Widhalm), 209
- Synthesis of secondary allenylidene–molybdenum complexes with a ferrocenyl substituent from carbenium ions species stabilized by two organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer, B. Leblanc and R. Kergoat), 31
- Ferrocenophane**
- Reaction of sodium amalgam with carbenium ions species stabilised by two adjacent organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer and R. Kergoat), 1
- Ferrocenyl**
- Reaction of sodium amalgam with carbenium ions species stabilised by two adjacent organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer and R. Kergoat), 1
- Germanium**
- Palladium-catalyzed reaction of 1-aza-5-germa-5-organobicyclo-[3.3.3]undecane with aryl bromide (M. Kosugi, T. Tanji, Y. Tanaka, A. Yoshida, K. Fugami, M. Kameyama and T. Migita), 255
- Gold**
- Synthesis of some μ -hydroxo-, phenoxo- and O,O-acetylacetonato-arylgold(III) complexes. Crystal structure of $[\text{Au}(\text{C}_6\text{H}_4\text{NO}_2 - 2)_2(\mu\text{-OH})_2] \cdot 2\text{Et}_2\text{O}$ (J. Vicente, M.D. Bermúdez, F.J. Carrión and P.G. Jones), 53
- Group 4**
- Hydride abstraction from $(\eta^2\text{-acetaldehyde})\text{zirconocene}$ dimer using $\text{B}(\text{C}_6\text{F}_5)_3$ (D. Röttger, S. Schmuck and G. Erker), 263
- Preparation of Group 4 metal complexes of a bulky amido-fluorenyl ligand (H.V.R. Dias, Z. Wang and S.G. Bott), 91
- Halogenosilanes**
- Katalytische Hydrierung von Halogenmonosilanen mit Tributylzinnhydrid (U. Pätzold, G. Roewer und U. Herzog), 147
- Heteroannularly-bridged ferrocene**
- Isomeric diphosphines of a heteroannularly bridged ferrocene: preparation, chromatographic separation and structure elucidation (G. Kutschera, C. Kratky, W. Weissensteiner and M. Widhalm), 195
- Hydride**
- Hydride abstraction from $(\eta^2\text{-acetaldehyde})\text{zirconocene}$ dimer using $\text{B}(\text{C}_6\text{F}_5)_3$ (D. Röttger, S. Schmuck and G. Erker), 263
- Synthesis and spectroscopic studies of new hydridoruthenium complexes: catalytic reactions of $[\text{RuHCl}(\text{bpzm})(\text{cod})]$ (bpzm = bis(pyrazol-1-yl)methane, cod = cycloocta-1,5-diene) (F.A. Jálón, A. Otero, A. Rodríguez and M. Pérez-Manrique), 69
- Hydroformylation**
- Catalytic hydroformylation of (1*S*,5*S*)-(–)- and (1*R*,5*R*)-(+)- β -pinene: stereoselective synthesis and spectroscopic characterization of (1*S*,2*R*,5*S*)-, (1*S*,2*S*,5*S*)-, (1*R*,2*R*,5*R*)- and (1*R*,2*S*,5*R*)-10-formylpinane (F. Azzaroni, P. Biscarini, S. Bordoni, G. Longoni and E. Venturini), 59
- Hydrogenation**
- Katalytische Hydrierung von Halogenmonosilanen mit Tributylzinnhydrid (U. Pätzold, G. Roewer und U. Herzog), 147
- Synthesis and spectroscopic studies of new hydridoruthenium complexes: catalytic reactions of $[\text{RuHCl}(\text{bpzm})(\text{cod})]$ (bpzm = bis(pyrazol-1-yl)methane, cod = cycloocta-1,5-diene) (F.A. Jálón, A. Otero, A. Rodríguez and M. Pérez-Manrique), 69
- Imine**
- Insertion reactions involving palladium complexes with nitrogen ligands. I. Reactivity towards carbon monoxide of methylpalladium(II) complexes containing bidentate α -diimine ligands: crystal structures of four methylpalladium (II) and acylpalladium(II) complexes (R.E. Rülke, J.G.P. Delis, A.M. Groot, C.J. Elsevier, P.W.N.M. Van Leeuwen, K. Vrieze, K. Goubitz and H. Schenk), 109

Indenyl complexes

Ring slippage in indenyl derivatives of molybdenum and tungsten (J.R. Ascenso, I.S. Gonçalves, E. Herdtweck and C.C. Romão), 169

Iridium

Properties and reactivity of the new $[\text{Ir}_4(\mu\text{-CO})_3(\text{CO})_5(\mu\text{-PR}_3)(\text{PR}_3)_2]$ clusters, ($\text{PR}_3 = \text{PPh}_x\text{pyl}_{3-x}$, $\text{pyl} = 2\text{-pyridyl}$) (K. Wajda-Hermanowicz, F. Pruchnik and M. Zuber), 75

Iron

Comparison of the oxidation of dinuclear cyclopentadienyl iron diphosphine complexes with the bridging ligands $-\text{CN}$ and $-\text{C}\equiv\text{C}(\text{CH}_2)_2\text{CN}$ (G.A. Carriedo, A. Arancibia, C. Díaz-Valenzuela, N. Yutronic, E. Pérez-Carreño and S. García-Granda), 23

Diphenylphosphine derivatives of $\text{Co}(\text{NO})(\text{CO})_3$, $\text{Fe}(\text{NO})_2(\text{CO})_2$ and $\text{Mn}(\text{NO})(\text{CO})_4$ (J.T. Lin, S.Y. Wang, Y.C. Chou, M.L. Gong, Y.-M. Shiow, H.-M. Gau and Y.S. Wen), 183

Isomeric diphosphines of a heteroannularly bridged ferrocene: preparation, chromatographic separation and structure elucidation (G. Kutschera, C. Kratky, W. Weissensteiner and M. Widhalm), 195

Multiply substituted cyclopentadienyl metal complexes: I. Solid-state and solution conformational studies on $(\eta^5\text{-C}_5\text{Me}_4\text{R})\text{Fe}(\text{CO})(\text{L})\text{I}$ ($\text{R} = \text{H}, \text{tBu}$) (K.E. Du Plooy, J. Du Toit, D.C. Levendis and N.J. Coville), 231

Optically active transition-metal complexes. III. Synthesis of optically active $(\eta^4\text{-aminodiolefin})\text{tricarboxyl iron complexes}$. Kinetic resolution of a chiral amine by means of an optically active dienyl iron cation (M. Käser and A. Salzer), 219

Synthesis and molecular structure of enantiopure 1-(diphenylphosphino)-2,1'-[(1-*N,N*-dimethylamino)-1,3-propanediyl]-ferrocene and its palladium dichloride complex, a new ligand for enantioselective catalysts (A. Mernyi, C. Kratky, W. Weissensteiner and M. Widhalm), 209

Synthesis of secondary allenylidene-molybdenum complexes with a ferrocenyl substituent from carbenium ions species stabilized by two organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer, B. Leblanc and R. Kergoat), 31

Synthetic studies of permethylcyclopentadienyl ruthenium(II) complexes involving *dppe*, $(\pm)\text{-BINAP}$ and $(\pm)\text{-DIOP}$ ligands (M. Sato and M. Asai), 121

Isomers

Reactions of trimethylaluminium with aliphatic diols (W. Ziemkowska and S. Pasykiewicz), 243

Ketone

Reaction of pentaarylantimony with acid halide, aldehyde and ketone (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 49

Kinetic resolution

Optically active transition-metal complexes. III. Synthesis of optically active $(\eta^4\text{-aminodiolefin})\text{tricarboxyl iron complexes}$. Kinetic resolution of a chiral amine by means of an optically active dienyl iron cation (M. Käser and A. Salzer), 219

Kinetic studies

Mechanism of oxidative allyl transfer from allylic ammonium cations to palladium(0) α -diimine complexes (L. Canovese, F. Visentin, P. Uguagliati, F. Di Bianca, A. Fontana and B. Crociani), 101

Late transition metals

Insertion reactions involving palladium complexes with nitrogen ligands. I. Reactivity towards carbon monoxide of methylpalladium(II) complexes containing bidentate α -diimine ligands: crystal structures of four methylpalladium (II) and acylpalladium(II) complexes (R.E. Rülke, J.G.P. Delis, A.M. Groot, C.J. Elsevier, P.W.N.M. Van Leeuwen, K. Vrieze, K. Goubitz and H. Schenk), 109

Ligand bridged

Comparison of the oxidation of dinuclear cyclopentadienyl iron diphosphine complexes with the bridging ligands $-\text{CN}$ and $-\text{C}\equiv\text{C}(\text{CH}_2)_2\text{CN}$ (G.A. Carriedo, A. Arancibia, C. Díaz-Valenzuela, N. Yutronic, E. Pérez-Carreño and S. García-Granda), 23

Ligand field theory

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente. XXXVIII. Halbsandwich-Komplexe der Stöchiometrien $(\text{COT})\text{Ln}(\text{HBpz}_3)$ und $(\text{COT})\text{Ln}[\text{HB}(3,5\text{-Me}_2\text{pz})_3]$ -ideale Systeme für die experimentelle Bestimmung der Kristallfeld-Aufspaltungseffekte des Cyclooctatetraenyl-Liganden (H.-D. Amberger und F.T. Edelmann), 275

Macrocycle

Crown compounds for anions. A polymeric complex of cyclic trimeric perfluoro-*o*-phenylenemercury with thiocyanate anion containing an infinite helical chain of alternating molecules of mercury-containing macrocycle and SCN^- ions (I.A. Tikhonova, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, A.N. Gavrilova, L.N. Saitkulova, E.S. Shubina, L.M. Epstein, G.G. Furin and V.B. Shur), 271

Manganese

^{55}Mn and ^{187}Re NQR spectral studies of modulation effects of mutual motions of electrons and atomic nuclei in cyclopentadienyl tricarbonyl manganese and rhenium complexes (G.K. Semin, S.I. Kuznetsov, E.V. Bryukhova and T.L. Khotsyanova), 129

Diphenylphosphine derivatives of $\text{Co}(\text{NO})(\text{CO})_3$, $\text{Fe}(\text{NO})_2(\text{CO})_2$ and $\text{Mn}(\text{NO})(\text{CO})_4$ (J.T. Lin, S.Y. Wang, Y.C. Chou, M.L. Gong, Y.-M. Shiow, H.-M. Gau and Y.S. Wen), 183

Mercury

Crown compounds for anions. A polymeric complex of cyclic trimeric perfluoro-*o*-phenylenemercury with thiocyanate anion containing an infinite helical chain of alternating molecules of mercury-containing macrocycle and SCN^- ions (I.A. Tikhonova, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, A.N. Gavrilova, L.N. Saitkulova, E.S. Shubina, L.M. Epstein, G.G. Furin and V.B. Shur), 271

Metallocene

Preparation of Group 4 metal complexes of a bulky amido-fluorenyl ligand (H.V.R. Dias, Z. Wang and S.G. Bott), 91

MO calculations

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente. XXXVIII. Halbsandwich-Komplexe der Stöchiometrien $(\text{COT})\text{Ln}(\text{HBpz}_3)$ und $(\text{COT})\text{Ln}[\text{HB}(3,5\text{-Me}_2\text{pz})_3]$ -ideale Systeme für die experimentelle Bestimmung der Kristallfeld-Aufspaltungseffekte des Cyclooctatetraenyl-Liganden (H.-D. Amberger und F.T. Edelmann), 275

Molecular oxygen

Molecular oxygen promoted oxidative cleavage of carbon-palladium bonds — catalytic cyclization of allylic 2-alkynoates to α -alkylidene- γ -butyrolactones by a Pd^{II} complex (G. Zhu and X. Lu), 83

Molybdenum

Reactions of $(\text{THF})\text{W}(\text{CO})_5$ with some diphosphines carrying bulky aryl and phenoxy groups (D.-L. An, K. Toyota, M. Yasunami and M. Yoshifuji), 7

Ring slippage in indenyl derivatives of molybdenum and tungsten (J.R. Ascenso, I.S. Gonçalves, E. Herdtweck and C.C. Romão), 169

Synthesis of secondary allenylidene-molybdenum complexes with a ferrocenyl substituent from carbenium ions species stabilized by two organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer, B. Leblanc and R. Kergoat), 31

Molybdenum clusters

Reaction of sodium amalgam with carbenium ions species stabilised by two adjacent organometallic moieties (J.-F. Capon, N. Le Berre-Cosquer and R. Kergoat), 1

Nitrosyl

Diphenylphosphine derivatives of $\text{Co}(\text{NO})(\text{CO})_3$, $\text{Fe}(\text{NO})_2(\text{CO})_2$ and $\text{Mn}(\text{NO})(\text{CO})_4$ (J.T. Lin, S.Y. Wang, Y.C. Chou, M.L. Gong, Y.-M. Shiow, H.-M. Gau and Y.S. Wen), 183

NMR spectroscopy

Properties and reactivity of the new $[\text{Ir}_4(\mu\text{-CO})_3(\text{CO})_5(\mu\text{-PR}_3)(\text{PR}_3)_2]$ clusters, ($\text{PR}_3 = \text{PPh}_x\text{pyl}_{3-x}$, $\text{pyl} = 2\text{-pyridyl}$) (K. Wajda-Hermanowicz, F. Pruchnik and M. Zuber), 75

Nuclear magnetic resonance

Multiply substituted cyclopentadienyl metal complexes: I. Solid-state and solution conformational studies on $(\eta^5\text{-C}_5\text{Me}_4\text{R})\text{Fe}(\text{CO})(\text{L})\text{I}$ ($\text{R} = \text{H}$, $t\text{Bu}$) (K.E. Du Plooy, J. Du Toit, D.C. Leventis and N.J. Coville), 231

Synthesis, properties and crystal structure bis(cyclopentadienyl)-aluminium complex $[\eta^1\text{-}(\text{C}_5\text{H}_5)_2\text{AlO-}^i\text{Pr}]_2$ (A. Kunicki, R. Sadowski and J. Zachara), 249

Nuclear Quadrupole Resonance

^{55}Mn and ^{187}Re NQR spectral studies of modulation effects of mutual motions of electrons and atomic nuclei in cyclopentadienyl tricarbonyl manganese and rhenium complexes (G.K. Semin, S.I. Kuznetsov, E.V. Bryukhova and T.L. Khotsyanova), 129

Optically active ligands

Optically active transition-metal complexes. III. Synthesis of optically active $(\eta^4\text{-aminodiol})\text{tricarbonyl iron complexes}$. Kinetic resolution of a chiral amine by means of an optically active dienyl iron cation (M. Käser and A. Salzer), 219

Optical spectra

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente. XXXVIII. Halbsandwich-Komplexe der Stöchiometrien $(\text{COT})\text{Ln}(\text{HBpz}_3)$ und $(\text{COT})\text{Ln}[\text{HB}(3,5\text{-Me}_2\text{pz})_3]$ -ideale Systeme für die experimentelle Bestimmung der Kristallfeld-Aufspaltungseffekte des Cyclooctatetraenyl-Liganden (H.-D. Amberger und F.T. Edelmann), 275

Oxidation

Preparation and some properties of Pt(II) ruthenocenylacetylidene complexes (M. Sato and E. Mogi), 159

Oxidative cleavage

Molecular oxygen promoted oxidative cleavage of carbon-palladium bonds — catalytic cyclization of allylic 2-alkynoates to α -alkylidene- γ -butyrolactones by a Pd^{II} complex (G. Zhu and X. Lu), 83

Palladium

Insertion reactions involving palladium complexes with nitrogen ligands. I. Reactivity towards carbon monoxide of methylpalladium(II) complexes containing bidentate α -diimine ligands: crystal structures of four methylpalladium(II) and acylpalladium(II) complexes (R.E. Rülke, J.G.P. Delis, A.M. Groot, C.J. Elsevier, P.W.N.M. Van Leeuwen, K. Vrieze, K. Goubitz and H. Schenk), 109

Mechanism of oxidative allyl transfer from allylic ammonium cations to palladium(0) α -diimine complexes (L. Canovese, F. Visentin, P. Uguagliati, F. Di Bianca, A. Fontana and B. Crociani), 101

Palladium-catalyzed reaction of 1-aza-5-germa-5-organobicyclo-[3.3.3]undecane with aryl bromide (M. Kosugi, T. Tanji, Y. Tanaka, A. Yoshida, K. Fugami, M. Kameyama and T. Migita), 255

Palladium(II)

Molecular oxygen promoted oxidative cleavage of carbon-palladium bonds — catalytic cyclization of allylic 2-alkynoates to α -alkylidene- γ -butyrolactones by a Pd^{II} complex (G. Zhu and X. Lu), 83

Palladium complex

Synthesis and molecular structure of enantiopure 1-(diphenylphosphino)-2,1'-[(1-*N,N*-dimethylamino)-1,3-propanediyl]-ferrocene and its palladium dichloride complex, a new ligand for enantioselective catalysts (A. Mernyi, C. Kratky, W. Weissensteiner and M. Widhalm), 209

Pentaarylantimony

Reaction of pentaarylantimony with acid halide, aldehyde and ketone (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 49

Phosphine

Diphenylphosphine derivatives of $\text{Co}(\text{NO})(\text{CO})_3$, $\text{Fe}(\text{NO})_2(\text{CO})_2$ and $\text{Mn}(\text{NO})(\text{CO})_4$ (J.T. Lin, S.Y. Wang, Y.C. Chou, M.L. Gong, Y.-M. Shiow, H.-M. Gau and Y.S. Wen), 183

Properties and reactivity of the new $[\text{Ir}_4(\mu\text{-CO})_3(\text{CO})_5(\mu\text{-PR}_3)(\text{PR}_3)_2]$ clusters, ($\text{PR}_3 = \text{PPh}_x\text{pyl}_{3-x}$, $\text{pyl} = 2\text{-pyridyl}$) (K. Wajda-Hermanowicz, F. Pruchnik and M. Zuber), 75

Vergleichende Dimerisierung der Enantiomere von Oct-1-in-3-ol mit chiralen Rhodium-Phosphan-Komplexen (H. Singer und M. Steigerwald), 267

Phosphonium allenyl ligand

Protonation of triosmium clusters $\text{Os}_3(\text{CO})_9(\mu\text{-CO})(\mu_3\text{-}2\sigma, \eta^2\text{-HC}\equiv\text{CR})$ and $\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu_3\text{-}\sigma, 2\eta^2\text{-C}\equiv\text{CR})$ ($\text{R} = \text{CH}_2\text{OH}$, CMe_2OH , $\text{C}(\text{Me})=\text{CH}_2$) (V.V. Krivykh, O.A. Kizas, E.V. Vorontsov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and A.A. Koridze), 39

Phosphonium complexes

Protonation of triosmium clusters $\text{Os}_3(\text{CO})_9(\mu\text{-CO})(\mu_3\text{-}2\sigma, \eta^2\text{-HC}\equiv\text{CR})$ and $\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu_3\text{-}\sigma, 2\eta^2\text{-C}\equiv\text{CR})$ ($\text{R} = \text{CH}_2\text{OH}$, CMe_2OH , $\text{C}(\text{Me})=\text{CH}_2$) (V.V. Krivykh, O.A. Kizas, E.V. Vorontsov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and A.A. Koridze), 39

Phosphorus

Reactions of $(\text{THF})\text{W}(\text{CO})_5$ with some diphosphenes carrying bulky aryl and phenoxy groups (D.-L. An, K. Toyota, M. Yasunami and M. Yoshifuji), 7

Pinene

Catalytic hydroformylation of (1*S*,5*S*)-(–)- and (1*R*,5*R*)-(+)- β -pinene: stereoselective synthesis and spectroscopic characterization of (1*S*,2*R*,5*S*)-, (1*S*,2*S*,5*S*)-, (1*R*,2*R*,5*R*)- and (1*R*,2*S*,5*R*)-10-formylpinane (F. Azzaroni, P. Biscarini, S. Bordoni, G. Longoni and E. Venturini), 59

Platinum complex

Preparation and some properties of Pt(II) ruthenocenylacetylidene complexes (M. Sato and E. Mogi), 159

Praseodymium

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente. XXXVIII. Halbsandwich-Komplexe der Stöchiometrien $(\text{COT})\text{Ln}(\text{HBpz}_3)$ und $(\text{COT})\text{Ln}[\text{HB}(3,5\text{-Me}_2\text{pz})_3]$ -ideale Systeme für die experimentelle Bestimmung der Kristallfeld-Aufspaltungseffekte des Cyclooctatetraenyl-Liganden (H.-D. Amberger und F.T. Edelmann), 275

Protonation

Protonation of triosmium clusters $\text{Os}_3(\text{CO})_9(\mu\text{-CO})(\mu_3\text{-}2\sigma, \eta^2\text{-HC}\equiv\text{CR})$ and $\text{Os}_3(\mu\text{-H})(\text{CO})_9(\mu_3\text{-}\sigma, 2\eta^2\text{-C}\equiv\text{CR})$ ($\text{R} = \text{CH}_2\text{OH}$, CMe_2OH , $\text{C}(\text{Me})=\text{CH}_2$) (V.V. Krivykh, O.A. Kizas, E.V. Vorontsov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and A.A. Koridze), 39

Pyridyl

Properties and reactivity of the new $[\text{Ir}_4(\mu\text{-CO})_3(\text{CO})_5(\mu\text{-PR}_3)(\text{PR}_3)_2]$ clusters, ($\text{PR}_3 = \text{PPh}_x\text{pyl}_{3-x}$, $\text{pyl} = 2\text{-pyridyl}$) (K. Wajda-Hermanowicz, F. Pruchnik and M. Zuber), 75

Rhenium

⁵⁵Mn and ¹⁸⁷Re NQR spectral studies of modulation effects of mutual motions of electrons and atomic nuclei in cyclopentadienyl tricarbonyl manganese and rhenium complexes (G.K. Semin, S.I. Kuznetsov, E.V. Bryukhova and T.L. Khotsyanova), 129

Rhodium

Catalytic hydroformylation of (1*S*,5*S*)-(–)- and (1*R*,5*R*)-(+)-β-pinene: stereoselective synthesis and spectroscopic characterization of (1*S*,2*R*,5*S*)-, (1*S*,2*S*,5*S*)-, (1*R*,2*R*,5*R*)- and (1*R*,2*S*,5*R*)-10-formylpinane (F. Azzaroni, P. Biscarini, S. Bordoni, G. Longoni and E. Venturini), 59

Vergleichende Dimerisierung der Enantiomere von Oct-1-in-3-ol mit chiralen Rhodium-Phosphan-Komplexen (H. Singer und M. Steigerwald), 267

Ring slippage

Ring slippage in indenyl derivatives of molybdenum and tungsten (J.R. Ascenso, I.S. Gonçalves, E. Herdtweck and C.C. Romão), 169

Ring substituents

Multiply substituted cyclopentadienyl metal complexes: I. Solid-state and solution conformational studies on (η⁵-C₅Me₄R)Fe(CO)(L)I (R = H, ¹Bu) (K.E. Du Plooy, J. Du Toit, D.C. Levendis and N.J. Coville), 231

Ruthenium

Synthesis and spectroscopic studies of new hydridoruthenium complexes: catalytic reactions of [RuHCl(bpzm)(cod)] (bpzm = bis(pyrazol-1-yl)methane, cod = cycloocta-1,5-diene) (F.A. Jalón, A. Otero, A. Rodríguez and M. Pérez-Manrique), 69

Synthetic studies of permethylcyclopentadienyl ruthenium(II) complexes involving dppf, (±)-BINAP and (±)-DIOP ligands (M. Sato and M. Asai), 121

Ruthenocene

Preparation and some properties of Pt(II) ruthenocenylacetylide complexes (M. Sato and E. Mogi), 159

Silicon

Katalytische Hydrierung von Halogenmonosilanen mit Tributylzinnhydrid (U. Pätzold, G. Roewer und U. Herzog), 147

Six-electronic propargyl ligand

Protonation of triosmium clusters Os₃(CO)₉(μ-CO)(μ₃-2σ,η²-HC≡CR) and Os₃(μ-H)(CO)₉(μ₃-σ,2η²-C≡CR) (R = CH₂OH, CMe₂OH, C(Me)=CH₂) (V.V. Krivykh, O.A. Kizas, E.V. Vorontsov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and A.A. Koridze), 39

Spectroscopy

Reactions of trimethylaluminium with aliphatic diols (W. Ziemkowska and S. Pasynkiewicz), 243

Stereoselectivity

Catalytic hydroformylation of (1*S*,5*S*)-(–)- and (1*R*,5*R*)-(+)-β-pinene: stereoselective synthesis and spectroscopic characterization of (1*S*,2*R*,5*S*)-, (1*S*,2*S*,5*S*)-, (1*R*,2*R*,5*R*)- and (1*R*,2*S*,5*R*)-10-formylpinane (F. Azzaroni, P. Biscarini, S. Bordoni, G. Longoni and E. Venturini), 59

Molecular oxygen promoted oxidative cleavage of carbon–palladium bonds — catalytic cyclization of allylic 2-alkynoates to α-alkylidene-γ-butyrolactones by a Pd^{II} complex (G. Zhu and X. Lu), 83

Steric effects

Multiply substituted cyclopentadienyl metal complexes: I. Solid-state and solution conformational studies on (η⁵-C₅Me₄R)Fe(CO)(L)I (R = H, ¹Bu) (K.E. Du Plooy, J. Du Toit, D.C. Levendis and N.J. Coville), 231

Tributylstannane

Katalytische Hydrierung von Halogenmonosilanen mit Tributylzinnhydrid (U. Pätzold, G. Roewer und U. Herzog), 147

Tricobalt

The reactions of tricobalt alkyldiyne complexes [Co₃(μ₃-CR)(CO)₉] (R = Me, CO₂Me) with the vinyl phosphine ligands PPh₂CH=CH₂ and *cis*-Ph₂PCH=CHPh₂; crystal structure of [Co₃(μ₃-CCO₂Me)(μ-Ph₂PCH=CHPh₂)(CO)₇] (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 137

Triosmium clusters

Protonation of triosmium clusters Os₃(CO)₉(μ-CO)(μ₃-2σ,η²-HC≡CR) and Os₃(μ-H)(CO)₉(μ₃-σ,2η²-C≡CR) (R = CH₂OH, CMe₂OH, C(Me)=CH₂) (V.V. Krivykh, O.A. Kizas, E.V. Vorontsov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and A.A. Koridze), 39

Tungsten

Reactions of (THF)W(CO)₅ with some diphosphenes carrying bulky aryl and phenoxy groups (D.-L. An, K. Toyota, M. Yasunami and M. Yoshifuji), 7

Ring slippage in indenyl derivatives of molybdenum and tungsten (J.R. Ascenso, I.S. Gonçalves, E. Herdtweck and C.C. Romão), 169

Vanadocene

Electron density distribution in the vanadocene crystal on the basis of X-ray diffraction data at 108 K (M.Yu. Antipin, K.A. Lyssenko and R. Boese), 259

Vinyl

The reactions of tricobalt alkyldiyne complexes [Co₃(μ₃-CR)(CO)₉] (R = Me, CO₂Me) with the vinyl phosphine ligands PPh₂CH=CH₂ and *cis*-Ph₂PCH=CHPh₂; crystal structure of [Co₃(μ₃-CCO₂Me)(μ-Ph₂PCH=CHPh₂)(CO)₇] (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 137

Vinylphosphine

The reactions of tricobalt alkyldiyne complexes [Co₃(μ₃-CR)(CO)₉] (R = Me, CO₂Me) with the vinyl phosphine ligands PPh₂CH=CH₂ and *cis*-Ph₂PCH=CHPh₂; crystal structure of [Co₃(μ₃-CCO₂Me)(μ-Ph₂PCH=CHPh₂)(CO)₇] (G.A. Acum, M.J. Mays, P.R. Raithby and G.A. Solan), 137

X-ray

Reactions of (THF)W(CO)₅ with some diphosphenes carrying bulky aryl and phenoxy groups (D.-L. An, K. Toyota, M. Yasunami and M. Yoshifuji), 7

X-ray diffraction

Synthesis, properties and crystal structure bis(cyclopentadienyl)-aluminium complex [η¹-(C₅H₅)₂AlO⁻¹Pr]₂ (A. Kunicki, R. Sadowski and J. Zachara), 249

X-ray structure

Electron density distribution in the vanadocene crystal on the basis of X-ray diffraction data at 108 K (M.Yu. Antipin, K.A. Lyssenko and R. Boese), 259

Isomeric diphosphenes of a heteroannularly bridged ferrocene: preparation, chromatographic separation and structure elucidation (G. Kutschera, C. Kratky, W. Weissensteiner and M. Widhalm), 195

Ring slippage in indenyl derivatives of molybdenum and tungsten (J.R. Ascenso, I.S. Gonçalves, E. Herdtweck and C.C. Romão), 169

Zirconium

Hydride abstraction from (η²-acetaldehyde)zirconocene dimer using B(C₆F₅)₃ (D. Röttger, S. Schmuck and G. Erker), 263