

Subject Index of Volume 514

Ab initio study

Structure and properties of dimer, trimer and tetramer aggregates of methyltrioxorhenium (MTO): an ab initio study (S. Köslmeier, G. Pacchioni, W.A. Herrmann and N. Rösch), 111

Addition

Le dimétylnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59

Alkali metal ions

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li, Na, K or Cs}$) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 219

Alkyl alkylidene imino acyl

Pentamethylcyclopentadienyl halo- and alkyl-alkoxo tantalum(V) complexes. Crystal structure of $\text{TaCp}^+(\text{CH}_2\text{SiMe}_3)_2(\eta^2\text{-O(2-CH}_2\text{-6-MeC}_6\text{H}_3))$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martín and P. Royo), 51

Alkyl phenoxides

Pentamethylcyclopentadienyl halo- and alkyl-alkoxo tantalum(V) complexes. Crystal structure of $\text{TaCp}^+(\text{CH}_2\text{SiMe}_3)_2(\eta^2\text{-O(2-CH}_2\text{-6-MeC}_6\text{H}_3))$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martín and P. Royo), 51

Alkyls

Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Akyne

Metallorganische Verbindungen des Kupfers XI. Synthese und Struktur von zwei vierkernigen Alkin- μ^2 -Halogeno- μ^4 -Oxo-Kupfer(I)-Komplexen; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81

Alkynyls

Synthesis and characterization of novel neutral σ -alkynylcarbonyl-nitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[\text{Mo}(\text{C}\equiv\text{C}^+\text{Pr})(\text{CO})_2(\text{dppe})(\text{NO})]$ [$\text{dppe} = 1,2\text{-bis(diphenylphosphino)ethane}$] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

Allylic substitution

Regio- and stereoselective α^4 -umpolung reactions of α,β -unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl ($\eta^3\text{-allyl})\text{iron}(1+)$ complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Allyls

Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

2-Aminopyrimidine

The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro ($\mu\text{-oxo})\text{distannate}$ (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzis), 163

Antimony

Synthesis of $(p\text{-TolSb})_n$ by reaction of Cp_2Co with $p\text{-TolSbCl}_2$, crystal structure of $[\text{Cp}_2\text{Co}(p\text{-TolSbCl}_3)]$, and electroreduction of $p\text{-TolSbCl}_2$ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149

Asymmetric synthesis

Regio- and stereoselective α^4 -umpolung reactions of α,β -unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl ($\eta^3\text{-allyl})\text{iron}(1+)$ complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Au

Ionic complexes $[\text{Au}_2(\text{P-P})_2][\text{Co}(\text{CO})_4]_2$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardía), 177

Barium

Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73

Calcium

Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73

Carbene complex

Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Carbon-13

Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

Carbon monoxide

Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of $(\text{BPF})\text{Pd}(\text{Me})\text{Cl}$ with CO. X-ray structure of $(1,1'\text{-bis(2-pyridyl)ferrocene})\text{Pd}(\text{Me})\text{Cl}$ and $(1,1'\text{-bis(2-pyridyl)ferrocene})\text{PtCl}_2(\text{CH}_2=\text{CH}_2)_2$ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125

Copolymerization of ethylene and carbon monoxide by phosphinito-modified palladium catalysts (W. Keim and H. Maas), 271

Carbonyl

Crystal structure of $\mu_2\text{-hydridododecacarbonyltriostmum dioxooctafluoro-\mu_2-fluoroditungsten}$ (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87

Efficient catalytic reduction of ketones with formic acid and ruthenium complexes (N. Menashe, E. Salant and Y. Shvo), 97

Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using $\text{RuCl}_3 \cdot n\text{H}_2\text{O}$ or $[\text{Ru}_3(\text{CO})_{12}]$ as

- starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197
- Carbonyl complexes**
- Synthesis, redox chemistry and solid state structure of di- and trinuclear ferrocenyl substituted *N*-alkylpyrazolyl pyridine complexes (W.R. Thiel, T. Priermeier, D.A. Fiedler, A.M. Bond and M.R. Mattner), 137
- Carbyns**
- Synthesis and characterization of novel neutral σ -alkynylcarbonylnitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[\text{Mo}(\text{C}\equiv\text{C}^{\text{a}}\text{Pr})(\text{CO})_2(\text{dppe})(\text{NO})]$ ($\text{dppe} = 1,2\text{-bis(diphenylphosphino)ethane}$) (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287
- Catalysis**
- Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs $(\text{C}_{13}\text{H}_{8-n}\text{R}_n\text{CR}'\text{C}_5\text{H}_4)\text{ZrCl}_2$ ($n = 1, 2$; $\text{R} = \text{Alkyl, Aryl}; \text{R}' = \text{Me, Ph}$) (H.G. Alt, R. Zenk und W. Milius), 257
- Unverbrückte Indenykomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45
- Catalytic reduction**
- Efficient catalytic reduction of ketones with formic acid and ruthenium complexes (N. Menashe, E. Salant and Y. Shvo), 97
- Chemical vapour deposition**
- Deposition of silicon carbide films by plasma enhanced chemical vapour deposition (J. Ramirez, H. Suhr, L. Szepes, L. Zanathy and A. Nagy), 23
- Cluster**
- Crystal structure of μ_2 -hydridododecacarbonyltriostium dioxooctafluoro- μ_2 -fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87
- Cyclosiloxane sandwich complexes of a lanthanide metal: $\text{Na}_6[(\text{C}_6\text{H}_5\text{SiO}_2)_2]\text{Nd}_4(\mu_4\text{-O})$ (O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29
- Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using $\text{RuCl}_3 \cdot n\text{H}_2\text{O}$ or $[\text{Ru}_3(\text{CO})_{12}]$ as starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197
- Co**
- Ionic complexes $[\text{Au}_3(\text{P-P})_3][\text{Co}(\text{CO})_4]_3$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardia), 177
- Cobalt**
- Synthesis of (*p*-TolSb)_n by reaction of Cp₂Co with *p*-TolSbCl₂, crystal structure of [Cp₂Co]*p*-TolSbCl₃], and electroreduction of *p*-TolSbCl₂ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149
- Copolymerization**
- Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271
- Copper**
- Metallorganische Verbindungen des Kupfers XI. Synthese und Struktur von zwei vierkernigen Alkin- μ^2 -Halogeno- μ^4 -Oxo-Kupfer(I)-Komplexen; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81
- Crystal structure**
- Crystal structure of μ_2 -hydridododecacarbonyltriostium dioxooctafluoro- μ_2 -fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87
- Metallorganische Verbindungen des Kupfers XI. Synthese und Struktur von zwei vierkernigen Alkin- μ^2 -Halogeno- μ^4 -Oxo-Kupfer(I)-Komplexen; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81
- Komplexe; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81
- Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73
- The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro(μ -oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzis), 163
- The solid state structures of *ortho*-lithio- β -(*N,N*-dimethylamino)ethoxybenzene and the corresponding sodium compound: a new type of organolithium tetramer and a first example of an organosodium hexamer (R. Den Besten, M.T. Lakin, N. Veldman, A.L. Spek and L. Brandsma), 191
- The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233
- Cubane structure**
- [CpTi($\mu_3\text{-S}$)₃Rh(fbb)₃]: An early-late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torrente, A. Tiripicchio and L.A. Oro), 103
- Cyanate**
- The mechanism of the isomerization of organosilicon cyanates to isocyanates (A.I. Almansour, G.A. Ayoko and C. Ebom), 277
- Cycloaddition**
- Le diméthylnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Courret), 59
- Cyclopentadienyl**
- Synthesis of (*p*-TolSb)_n by reaction of Cp₂Co with *p*-TolSbCl₂, crystal structure of [Cp₂Co]*p*-TolSbCl₃], and electroreduction of *p*-TolSbCl₂ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149
- Cyclopentadienyl**
- Photoinduced rearrangements of ring-coupled bis(cyclopentadienylrutheniumdicarbonyl) compounds of the form $\text{Ru}_2(\text{CO})_4(\eta^3,\eta^3\text{-C}_5\text{H}_4\text{LC}_5\text{H}_4)$ ($\text{L} = \text{CH}_2-$, $(\text{CH}_2)_2\text{C}-$, C_2H_4- and $(\text{CH}_3)_2\text{Si}-$). The molecular structure of $[\text{Ru}(\text{CO})_2]\text{[Ru}(\text{CO})_2\text{Cl}](\eta^3,\eta^3\text{-C}_5\text{H}_4\text{CH}_2\text{C}_5\text{H}_3)$ (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13
- Synthesis and characterization of tert-butylcyclopentadienyl derivatives of hafnium (T. Cuenca, C. Montejano and P. Royo), 93
- Cyclovolummetry**
- Synthesis, redox chemistry and solid state structure of di- and trinuclear ferrocenyl substituted *N*-alkylpyrazolyl pyridine complexes (W.R. Thiel, T. Priermeier, D.A. Fiedler, A.M. Bond and M.R. Mattner), 137
- Di- and tri-nuclear complexes**
- Different coordination modes of the 1,1,1-tris(diphenylphosphino-methyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169
- 1,6-Dicarbonyl derivatives**
- Regio- and stereoselective α^4 -umpolung reactions of α,β -unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl(η^3 -allyl)iron(I+) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227
- Dinuclear complexes**
- Dinuclear rhodium-rhodium and rhodium-palladium complexes with different bridging ligands. Crystal structure of $[\text{Rh}_2(\mu\text{-SPPh}_2\text{X}\mu\text{-Cl})(\text{COD})_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119

- Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183**
- Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu-P^tBu_2)(\mu-dppm)(\eta^1-dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243**
- 1,3-Diphosphaallyl anion**
- Diphosphirane and 1,3-diphosphaallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudie, V. Huch and M. Koenig), 37
- Diphosphiranes**
- Diphosphirane and 1,3-diphosphaallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudie, V. Huch and M. Koenig), 37
- Diphosphorylmethanes**
- The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233
- Dppm complexes**
- Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu-P^tBu_2)(\mu-dppm)(\eta^1-dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243
- Electrochemistry**
- Cyclosiloxane sandwich complexes of a lanthanide metal: $Na_6\{[C_6H_5SiO_2]_2Nd_4(\mu_4-O)\}$ (O.I. Shchegolikhina, Yu.A. Pozdnikova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29
- Synthesis of (*p*-TolSb)_n by reaction of Cp₂Co with *p*-TolSbCl₂, crystal structure of [Cp₂Co]_n[*p*-TolSbCl₃], and electroreduction of *p*-TolSbCl₂ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149
- Ene-reaction**
- Le dimésitylénopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59
- Ethyl diazoacetate**
- Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silagluturates (J.-P. Barnier and L. Blanco), 67
- Ethylene-selective catalysts**
- Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Millius), 45
- Fe**
- A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153
- Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157
- Ferrocene**
- Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF)Pd(Me)Cl with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene)Pd(Me)Cl and (1,1'-bis(2-pyridyl)ferrocene)[PtCl₂(CH₂=CH₂)₂] (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125
- Synthesis, redox chemistry and solid state structure of di- and trinuclear ferrocenyl substituted *N*-alkylpyrazolyl pyridine complexes (W.R. Thiel, T. Priermeier, D.A. Fiedler, A.M. Bond and M.R. Mattner), 137
- Ferrocene ligand**
- A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153
- Fluorine**
- Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekkink and M. Gielen), 203
- Fluxionality**
- Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1
- Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of $[Pd_2(\mu-P^tBu_2)(\mu-dppm)(\eta^1-dppm)_2]CF_3SO_3$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243
- Formyl complex**
- Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157
- Gold(I)**
- Different coordination modes of the 1,1,1-tris(diphenylphosphino-methyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169
- Gold(II)**
- Different coordination modes of the 1,1,1-tris(diphenylphosphino-methyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169
- Group 14**
- Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekkink and M. Gielen), 203
- Hafnium**
- Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs $(C_{13}H_{8-n}R_nCR_2C_5H_4)ZrCl_2$ ($n = 1, 2$; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk und W. Millius), 257
- Synthesis and characterization of tert-butylcyclopentadienyl derivatives of hafnium (T. Cuenda, C. Montejano and P. Royo), 93
- Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Millius), 45
- Halo alkoxides**
- Pentamethylcyclopentadienyl halo- and alkyl-alkoxo tantalum(V) complexes. Crystal structure of $TaCp^*(CH_2SiMe_3)_2\{\eta^2-O(2-CH_2-6-MeC_6H_3)\}$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martín and P. Royo), 51
- Heterobimetallics**
- A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153
- Heterometallic clusters**
- Ionic complexes $[Au_2(P-P)_2][Co(CO)_4]_2$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardía), 177

Heterometallic complex

$[\text{Cp}^*\text{TK}(\mu_2\text{-S})_3(\text{Rh}(\text{tfbb}))_3]$: An early-late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torreto, A. Tiripicchio and L.A. Oro), 103

Heteronuclear complexes

Dinuclear rhodium-rhodium and rhodium-palladium complexes with different bridging ligands. Crystal structure of $[\text{Rh}_2(\mu\text{-SPh}_2)(\mu\text{-Cl})(\text{COD})_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119

Hydrido

Crystal structure of $\mu_2\text{-hydridododecacarbonyltrirosmium dioxooctafluoro-\mu_2-fluoroditungsten}$ (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87

Hydrolysis

The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro ($\mu\text{-oxo}$)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzis), 163

Imidazolylsilanes

Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281

Iminophosphanes

Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281

Indenyl

Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45

Indolylphosphanes

Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281

Indolylsilanes

Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281

Infrared spectra

Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

Insertion

Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF) $\text{Pd}(\text{Me})\text{Cl}$ with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene) $\text{Pd}(\text{Me})\text{Cl}$ and (1,1'-bis(2-pyridyl)ferrocene)[$\text{PtCl}_2(\text{CH}_2=\text{CH}_2)_2$]₂ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125

IR

The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Iron

Regio- and stereoselective α^4 -umpolung reactions of α,β -unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl ($\eta^3\text{-allyl}$)iron(I+) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

IR spectroscopy

The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro ($\mu\text{-oxo}$)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzis), 163

Isomerization

The mechanism of the isomerization of organosilicon cyanates to isocyanates (A.I. Almansour, G.A. Ayoko and C. Eabom), 277

Kinetic resolution

Regio- and stereoselective α^4 -umpolung reactions of α,β -unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl ($\eta^3\text{-allyl}$)iron(I+) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Lanthanide

Cyclosiloxane sandwich complexes of a lanthanide metal: $\text{Na}_6\{[(\text{C}_6\text{H}_5\text{SiO}_2)_8]_2\text{Nd}_4(\mu_4\text{-O})\}$ (O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29

Lithium

The solid state structures of *ortho*-lithio- β -(*N,N*-dimethylamino)ethoxybenzene and the corresponding sodium compound: a new type of organolithium tetramer and a first example of an organosodium hexamer (R. Den Besten, M.T. Lakin, N. Veldman, A.L. Spek and L. Brandsma), 191

Magnesium

Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

Mechanism

The mechanism of the isomerization of organosilicon cyanates to isocyanates (A.I. Almansour, G.A. Ayoko and C. Eabom), 277

Mechanism of formation

Ionic complexes $[\text{Au}_2(\text{P}-\text{P})_2][\text{Co}(\text{CO})_4]_2$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardia), 177

Metal carbonyl

Photoinduced rearrangements of ring-coupled bis(cyclopentadienylrutheniumdicarbonyl) compounds of the form $\text{Ru}_2(\text{CO})_4(\eta^5\text{-}\eta^5\text{-C}_5\text{H}_4\text{LC}_5\text{H}_4)$ ($\text{L} = \text{CH}_2-$, $(\text{CH}_2)_2\text{C}-$, C_2H_4- and $(\text{CH}_2)_2\text{Si}-$). The molecular structure of $[\text{Ru}(\text{CO})_2][\text{Ru}(\text{CO})_2\text{Cl}]K\eta^5\text{-}\eta^5\text{-C}_5\text{H}_4\text{CH}_2\text{C}_5\text{H}_4$ (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13

Metallocene

Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73

Metallocene complexes

Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs $(\text{C}_{13}\text{H}_{8-n}\text{R}'\text{C}_2\text{C}_5\text{H}_4)_2\text{ZrCl}_2$ ($n = 1, 2$; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk and W. Milius), 257

Methyltrioxorhenium

Structure and properties of dimer, trimer and tetramer aggregates of methyltrioxorhenium (MTO): an ab initio study (S. Köstlinmeier, G. Pacchioni, W.A. Herrmann and N. Rösch), 111

Mo

Synthesis and characterization of novel neutral σ -alkynylcarbonylnitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[\text{Mo}(\text{C}=\text{C}^*\text{Pr})(\text{CO})_2(\text{dppe})(\text{NO})]$ [dppe = 1,2-bis(diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183

MOCVD

Deposition of silicon carbide films by plasma enhanced chemical vapour deposition (J. Ramirez, H. Suhr, L. Szepes, L. Zanathy and A. Nagy), 23

Neodymium

Cyclosiloxane sandwich complexes of a lanthanide metal: $\text{Na}_6\{(\text{C}_6\text{H}_5\text{SiO}_2)_8\}_2\text{Nd}_4(\mu_4\text{-O})$ (O.I. Shchegolikhina, Yu.A. Pozdnikova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29

Nitrosyls

Synthesis and characterization of novel neutral σ -alkynylcarbonyl-nitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[\text{Mo}(\text{C}\equiv\text{C}^*\text{Pr})(\text{CO})_2(\text{dppe})(\text{NO})]$ ($\text{dppe} = 1,2\text{-bis}(\text{diphenylphosphino)ethane}$) (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

NMR

Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekkink and M. Gielen), 203

The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Nuclear magnetic resonance spectra

Infrared and nuclear magnetic resonance spectroscopic studies of the structure and dynamics of allylic magnesium compounds (E.A. Hill, W.A. Boyd, H. Desai, A. Darki and L. Bivens), 1

Organotin

The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Osmium

Crystal structure of μ_2 -hydridododecacarbonyltri osmium dioxo-octafluoro- μ_2 -fluoroditungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87

 $\mu^4\text{-Oxo}$ complexes

Metallorganische Verbindungen des Kupfers XI. Synthese und Struktur von zwei vierkernigen Alkin- μ^2 -Halogeno- μ^4 -Oxo-Kupfer(I)-Komplexen; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin (G. Gröger, F. Olbrich, E. Weiss und U. Behrens), 81

Palladium

Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF) $\text{Pd}(\text{Me})\text{Cl}$ with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene) $\text{Pd}(\text{Me})\text{Cl}$ and (1,1'-bis(2-pyridyl)ferrocene)[PtCl₂(CH₂ = CH₂)]₂ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125

Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271

Palladium(II) complex

A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153

Pd

A novel heterobimetallic rotation system: characterization of palladium(II) complexes with 2-pyridylethylferrocenecarboxamides (T. Moriuchi, I. Ikeda and T. Hirao), 153

Dinuclear rhodium-rhodium and rhodium-palladium complexes with different bridging ligands. Crystal structure of [Rh₂(μ -SPPPh₂X μ -Cl)(COD)₂] (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119

Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of [Pd₂(μ -P^tBu₂X μ -dppm)(η^1 -dppm)₂]CF₃SO₃ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

Pendant bases

Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73

Pentacoordination

The structural behaviour of 2,2-functionally disubstituted triorganotin chlorides (F. Richter, M. Dargatz, H. Hartung, D. Schollmeyer and H. Weichmann), 233

Pentamethylcyclopentadienyl derivatives

Pentamethylcyclopentadienyl halo- and alkyl-alkoxo tantalum(V) complexes. Crystal structure of TaCp*(CH₂SiMe₃)₂{ η^2 -O(2-CH₂-6-MeC₆H₃)} (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martin and P. Royo), 51

Pentaphenylcyclopentadienyl

Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Phosphido

Synthesis of mono-phosphido, mono-dppm bridged Pd(I) cationic dimers. Structure and fluxionality of [Pd₂(μ -P^tBu₂X μ -dppm)(η^1 -dppm)₂]CF₃SO₃ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

Phosphinite

Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271

Phosphorous small rings

Diphosphirane and 1,3-diphosphalaallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Courret, J. Escudié, V. Huch and M. Koenig), 37

Photochemistry

Photoinduced rearrangements of ring-coupled bis(cyclopentadienylrutheniumdicarbonyl) compounds of the form Ru₂(CO)₄(η^5 , η^5 -C₅H₄LC₅H₄) (L = CH₂-₁, (CH₃)₂C-₁, C₂H₄- and (CH₃)₂Si-₁). The molecular structure of [Ru(CO)₂]₂[Ru(CO)₂Cl](η^5 , η^5 : η^1 -C₅H₄CH₂C₅H₃) (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13

Planar chirality

Regio- and stereoselective α^4 -umpolung reactions of α,β -unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3 -allyl)iron(I+) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Platinum

Coordination chemistry of 1,1'-bis(2-pyridyl)ferrocene in palladium(II) and platinum(II) complexes and reaction of (BPF) $\text{Pd}(\text{Me})\text{Cl}$ with CO. X-ray structure of (1,1'-bis(2-pyridyl)ferrocene) $\text{Pd}(\text{Me})\text{Cl}$ and (1,1'-bis(2-pyridyl)ferrocene)[PtCl₂(CH₂ = CH₂)]₂ (J.G.P. Delis, P.W.N.M. Van Leeuwen, K. Vrieze, N. Veldman, A.L. Spek, J. Fraanje and K. Goubitz), 125

³¹P NMR spectra

Different coordination modes of the 1,1,1-tris(diphenylphosphino-methyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169

Polyketone

Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271

Polymerization

Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs ($C_{13}H_{8-n}R_nCR'_2C_5H_4$) $ZrCl_2$, ($n = 1, 2$; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257

Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45

Preparation

Diphosphirane and 1,3-diphosphoallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudie, V. Huch and M. Koenig), 37

Synthesis and characterization of tert-butylcyclopentadienyl derivatives of hafnium (T. Cuenca, C. Montejano and P. Royo), 93

Pyridene-2-thiolato complexes

Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183

Pyrrolylsilanes

Indol-1-yl- und Pyrrol-1-yl-substituierte Verbindungen des Siliciums und Phosphors (A. Frenzel, M. Gluth, R. Herbst-Irmer und U. Klingebiel), 281

Rh

[Cp₂Ti(μ -S),(Rh(1fbb))₂]: An early-late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torreto, A. Tiripicchio and L.A. Oro), 103

Dinuclear rhodium-rhodium and rhodium-palladium complexes with different bridging ligands. Crystal structure of [Rh₂(μ -SPPh₂X μ -Cl)(COD)₃] (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119

Rhenium

Structure and properties of dimer, trimer and tetramer aggregates of methyltrioxorhenium (MTO): an ab initio study (S. Köslmeier, G. Pachioni, W.A. Herrmann and N. Rösch), 111

Rhodium catalysis

Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67

Ruthenium

Efficient catalytic reduction of ketones with formic acid and ruthenium complexes (N. Menashe, E. Salant and Y. Shvo), 97

Photoinduced rearrangements of ring-coupled bis(cyclopentadienyl-rutheniumdicarbonyl) compounds of the form Ru₂(CO)₄(η^5 . η^5 -C₅H₄LC₅H₄) (L = CH₂- (CH₂)₂C-, C₂H₄- and (CH₂)₂Si-). The molecular structure of [Ru(CO)₂]₂[Ru(CO)₂Cl]({ η^5 . η^5 : η^1 -C₅H₄CH₂C₅H₃}) (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13

Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using RuCl₃ · nH₂O or [Ru₃(CO)₁₂] as starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197

Si

Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67

3-Silaglutarates

Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67

Silane

Deposition of silicon carbide films by plasma enhanced chemical vapour deposition (J. Ramirez, H. Suhr, L. Szepes, L. Zanathy and A. Nagy), 23

Silene

Le diméthylnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59

Silicon

Cyclosiloxane sandwich complexes of a lanthanide metal: Na₆[{(C₆H₅SiO₂)₈]₂Nd₄(μ_4 -O)} (O.I. Shchegolikhina, Yu.A. Pozdnjakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29

Photoinduced rearrangements of ring-coupled bis(cyclopentadienyl-rutheniumdicarbonyl) compounds of the form Ru₂(CO)₄(η^5 . η^5 -C₅H₄LC₅H₄) (L = CH₂- (CH₂)₂C-, C₂H₄- and (CH₂)₂Si-). The molecular structure of [Ru(CO)₂]₂[Ru(CO)₂Cl]({ η^5 . η^5 : η^1 -C₅H₄CH₂C₅H₃}) (T.E. Bitterwolf, J.E. Shade, J.A. Hansen and A.L. Rheingold), 13

The mechanism of the isomerization of organosilicon cyanates to isocyanates (A.I. Almansour, G.A. Ayoko and C. Eaborn), 277

Silicon carbide

Deposition of silicon carbide films by plasma enhanced chemical vapour deposition (J. Ramirez, H. Suhr, L. Szepes, L. Zanathy and A. Nagy), 23

Silicon hydrides

Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67

Siloxane

Cyclosiloxane sandwich complexes of a lanthanide metal: Na₆[{(C₆H₅SiO₂)₈]₂Nd₄(μ_4 -O)} (O.I. Shchegolikhina, Yu.A. Pozdnjakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, R. Ugo, G. Gavioli, R. Battistuzzi, M. Borsari, T. Rüffer, C. Zucchi and G. Pályi), 29

Sodium

The solid state structures of *ortho*-lithio- β -(*N,N*-dimethylamino)ethoxybenzene and the corresponding sodium compound: a new type of organolithium tetramer and a first example of an organosodium hexamer (R. Den Besten, M.T. Lakin, N. Veldman, A.L. Spek and L. Brandsma), 191

Stannoxane

The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro(μ -oxo)distantannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzli), 163

Stereospecific syntheses

Stereospecific syntheses of functionalised iron alkyl complexes with a stereogenic metal center from an iron formyl precursor (M.A. Guillevic, P. Brégaint and C. Lapinte), 157

Strontium

Synthesis and X-ray crystal structures of alkaline-earth metallocenes with pendant substituents (M.L. Hays, T.P. Hanusa and T.A. Nile), 73

Substituted anilines

Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using RuCl₃ · nH₂O or [Ru₃(CO)₁₂] as starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197

Sulfide

Molecular structure of 2,2'-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium-sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213

Sulfur

Molecular structure of 2,2'-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213

Sulphides

Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of $[\text{Rh}_2(\mu\text{-SPP}_2\text{X}\mu\text{-Cl})(\text{COD})_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119

Syndiotactic polypropylene

Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs ($\text{C}_{13}\text{H}_{8-n}\text{R}_n\text{CR}'_2\text{C}_5\text{H}_4\text{ZrCl}_2$) ($n = 1, 2$; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257

Syntheses

Different coordination modes of the 1,1,1-tris(diphenylphosphino-methyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169

Synthesis

Le dimésoïlnéopentylsilène, un silène stable et facile à préparer synthèse et aspects de sa réactivité (G. Delpon-Lacaze, C. De Battisti et C. Couret), 59

Reaction of dihydrosilanes with ethyl diazoacetate: synthesis of 3,3-disubstituted 3-silaglutarates (J.-P. Barnier and L. Blanco), 67

Tantalum

Pentamethylcyclopentadienyl halo- and alkyl-alkoxo tantalum(V) complexes. Crystal structure of $\text{TaCp}^+(\text{CH}_2\text{SiMe}_3)_2\{\eta^2\text{-O}(2\text{-CH}_2\text{-}6\text{-MeC}_6\text{H}_3)\}$ (I. De Castro, M.V. Galakhov, M. Gómez, P. Gómez-Sal, A. Martin and P. Royo), 51

Tetracarbonyl(η^3 -allyl)iron(I +) complex

Regio- and stereoselective α^4 -umpolung reactions of α,β -unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3 -allyl)iron(I +) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

2,2'-Thiobisphenoxy ligand

Molecular structure of 2,2'-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213

Thiophosphinito

Dinuclear rhodium–rhodium and rhodium–palladium complexes with different bridging ligands. Crystal structure of $[\text{Rh}_2(\mu\text{-SPP}_2\text{X}\mu\text{-Cl})(\text{COD})_2]$ (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119

Ti

$[\text{CpTi}(\mu_3\text{-S})_3\{\text{Rh}(\text{fbb})\}_3]$: An early–late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torre, A. Tiripicchio and L.A. Oro), 103

Tin

Synthesis and characterization of triphenyl- and tri-n-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-n-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesemans, J.C. Martins, D. De Vos, E.R.T. Tiekkink and M. Gielen), 203

The crystal structure of di-2-aminopyrimidinium tetraphenyldichloro ($\mu\text{-oxo})$ distantannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzai), 163

Ti–S interaction

Molecular structure of 2,2'-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on

coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213

Titanium

Molecular structure of 2,2'-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium–sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213

Titanium(III)

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li}, \text{Na}, \text{K}$ or Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 219

Titanium tweezer

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-C}_5\text{HMe}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{SiMe}_3)_2]^- \text{M}^+$ ($\text{M} = \text{Li}, \text{Na}, \text{K}$ or Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 219

Trans-complexes

Copolymerization of ethylene and carbon monoxide by phosphinite-modified palladium catalysts (W. Keim and H. Maas), 271

Trinuclear complexes

Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183

1,1,1-tris(diphenylphosphinomethyl)ethane complexes

Different coordination modes of the 1,1,1-tris(diphenylphosphino-methyl)ethane ligand in gold(I) and gold(III) complexes (E.J. Fernández, M.C. Gimeno, A. Laguna, M. Laguna, J.M. López-de-Luzuriaga and E. Olmos), 169

Tungsten

Crystal structure of μ_2 -hydridododecacarbonyltungsten dioxo-octafluoro- μ_2 -fluorotungsten (M.C. Crossman, J. Fawcett, E.G. Hope and D.R. Russell), 87

 α^4 -Umpolung

Regio- and stereoselective α^4 -umpolung reactions of α,β -unsaturated esters to 1,6-dicarbonyl compounds by addition of enantiopure nucleophiles to racemic tetracarbonyl (η^3 -allyl)iron(I +) complexes (D. Enders, P. Fey, T. Schmitz, B.B. Lohray and B. Jandeleit), 227

Vibrational spectroscopy

Structure and properties of dimer, trimer and tetramer aggregates of methyltrioxorhenium (MTO): an ab initio study (S. Köstlemeier, G. Pacchioni, W.A. Herrmann and N. Rösch), 111

W

Synthesis and characterization of novel neutral σ -alkynylcarbonyl-nitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of $[\text{Mo}(\text{C}\equiv\text{C}^+\text{Pr})(\text{CO})_2(\text{dppe})(\text{NO})]$ [dppe = 1,2-bis(diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

X-ray crystal structure

Diphosphirane and 1,3-diphosphallyl anion: geometry and bonding (M. Gouygou, M. Veith, C. Couret, J. Escudie, V. Huch and M. Koenig), 37

Ionic complexes $[\text{Au}_2(\text{P-P})_2][\text{Co}(\text{CO})_4]_2$ as intermediates in the synthesis of compounds containing a Co_2Au_2 core (A. Pons, O. Rossell, M. Seco, X. Solans and M. Font-Bardia), 177

Synthesis of mono-phosphido, mono-dppm bridged $\text{Pd}(\text{I})$ cationic dimers. Structure and fluxionality of $[\text{Pd}_2(\mu\text{-P}^+\text{Bu}_2)(\mu\text{-dppm})(\eta^1\text{-dppm})_2]\text{CF}_3\text{SO}_3^-$ (dppm = bis-diphenylphosphinomethane) (P. Leoni, M. Pasquali, G. Pieri and U. Englert), 243

X-ray diffraction

The crystal structure of di-2-aminopyrimidinium tetraphenyl dichloro (μ -oxo)distannate (N. Kourkoumelis, A. Hatzidimitriou and D. Kovala-Demertzis), 163

X-ray structural analysis

Synthesis of (*p*-TolSb)_n by reaction of Cp₂Co with *p*-TolSbCl₂, crystal structure of [Cp₂Co]*p*-TolSbCl₃], and electroreduction of *p*-TolSbCl₂ (H.J. Breunig, K.H. Ebert, J. Probst, Y. Mourad and Y. Mugnier), 149

X-ray structure

[CpTi(μ_3 -S)₃{Rh(tfbb)}₃]: An early-late heterometallic complex as molecular model for the deactivation of metal sulphide catalysts (R. Atencio, M.A. Casado, M.A. Ciriano, F.J. Lahoz, J.J. Pérez-Torreto, A. Tiripicchio and L.A. Oro), 103

Molecular structure of 2,2'-thiobis(4-methyl-6-tert-butylphenoxy) titanium diisopropoxy. Influence of titanium-sulfur interaction on coordination geometry (L. Porri, A. Ripa, P. Colombo, E. Miano, S. Capelli and S.V. Meille), 213

Synthesis and characterization of novel neutral σ -alkynylcarbonyl-nitrosyl molybdenum(0) and tungsten(0) complexes. Crystal structure of [Mo(C=C^aPr)(CO)₂(dppe)(NO)] [dppe = 1,2-bis(diphenylphosphino)ethane] (M.P. Gamasa, J. Gimeno, L. Zhang, M. Lanfranchi and A. Tiripicchio), 287

Synthesis and characterization of triphenyl- and tri-*n*-butyltin pentafluorobenzoates, -phenylacetates and -cinnamates. X-ray structure determination of tri-*n*-butyltin pentafluorocinnamate (R. Willem, A. Bouhdid, M. Biesmans, J.C. Martins, D. De Vos, E.R.T. Tiekkink and M. Gielen), 203

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{C}_5\text{HMc}_4)_2\text{Ti}(\eta^1\text{-C}\equiv\text{SiMe}_3)_2]^- \text{M}^+$

(M = Li, Na, K or Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 219

Synthesis, redox chemistry and solid state structure of di- and trinuclear ferrocenyl substituted *N*-alkylpyrazolyl pyridine complexes (W.R. Thiel, T. Priermeier, D.A. Fiedler, A.M. Bond and M.R. Mattner), 137

Tri- and binuclear ruthenium carbonyl complexes containing bridging ligands derived from *ortho*-substituted anilines. A comparative study of their syntheses using RuCl₃ · nH₂O or [Ru₃(CO)₁₂] as starting materials (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and J.F. Van der Maelen), 197

X-ray structures

Dinuclear rhodium-rhodium and rhodium-palladium complexes with different bridging ligands. Crystal structure of [Rh₂(μ -SPPh₂)X(μ -Cl)(COD)₂] (M.T. Pinillos, M.P. Jarauta, A. Elduque, F.J. Lahoz and L.A. Oro), 119

Synthesis and molecular structures of di- and trinuclear molybdenum complexes containing pyridine-2-thiolato (pyS) ligand (Y. Shi, S. Lu, H. Guo, Q. Wu and N. Hu), 183

Zirconium

Syndiospezifische Polymerisation von Propylen: 3-, 4-, 3,4- und 4,5-substituierte Zirkonocenkomplexe des Typs (C₁₃H_{8-n}R_nCR'₂C₅H₄)ZrCl₂ (n = 1, 2; R = Alkyl, Aryl; R' = Me, Ph) (H.G. Alt, R. Zenk und W. Milius), 257

Unverbrückte Indenylkomplexe mit Metallen der vierten Gruppe als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 45