

Subject Index of Volume 523

Acetylide

Organometallic complexes for nonlinear optics VI¹: syntheses of rigid-rod ruthenium σ -acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C \equiv CC₆H₄NO₂-4)₂(dppm)₂] and *trans*-[Ru(C \equiv CC₆H₄C₆H₄NO₂-4,4')₂(dppm)₂] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Acyl

Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

Acyliron complexes

Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acyliron complex [(η^5 -C₅H₅)Fe(CO)(PPh₃)COCH₂SCH₃] (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1

Alkenyl selenides

A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration–iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139

Alkylselenoacetylenes

A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration–iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139

Alkynyl

Organometallic complexes for nonlinear optics VI¹: syntheses of rigid-rod ruthenium σ -acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C \equiv CC₆H₄NO₂-4)₂(dppm)₂] and *trans*-[Ru(C \equiv CC₆H₄C₆H₄NO₂-4,4')₂(dppm)₂] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Alkynylamines

Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Amide

Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

Amine

Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

2-Amino-5-chlorobenzoic acid

Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75

Annulated cyclopentadienyl

Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Asymmetric allylic alkylation

Macrocyclic diphosphine ligands in asymmetric carbon–carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167

Azo complexes

Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Carbene complexes

Darstellung und Struktur kationischer η^2 -Phosphinocarbenkomplexe des Wolframs (Th. Lehotkay, K. Wurst, P. Jaitner und F.R. Kreißl), 105

Carbonyls

Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Rio and V. Riera), 127

Carboxylate

Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75

Carbyne complexes

Darstellung und Struktur kationischer η^2 -Phosphinocarbenkomplexe des Wolframs (Th. Lehotkay, K. Wurst, P. Jaitner und F.R. Kreißl), 105

Catalysis

Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Catalysts

Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Chalcogen insertion

The insertion of chalcogen atoms into the In–In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In–S–In, In–Se–In, and In–Te–In groups (W. Uhl, R. Graupner and H. Reuter), 227

Chelation

Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

Chiral diphosphines

Macrocyclic diphosphine ligands in asymmetric carbon–carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167

Clemmensen reduction

Trimethylchlorosilane-modified Clemmensen reduction of metallo-cenyl ketones: trapping and X-ray structures of aliphatic, olefinic, silylated pinacolic, and rearranged pinacolic products (P. Denifl, A. Hradsky, B. Bildstein and K. Wurst), 79

Clusters

Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127

Cobalt

Formation of heterocyclic compounds from reactions of dicobalt octa(xylyl isocyanide) with chloroacetone or methyl monochloroacetateacetate (K. Sugano, T. Tanase and Y. Yamamoto), 197

The formation and reaction chemistry of (η^5 -benzoylcyclopentadienyl)- and (η^5 -carbomethoxycyclopentadienyl)(η^4 -tetraphenylcyclobutadiene)-cobalt (S.T. Mabrouk and M.D. Rausch), 111

Cryptates

Cryptates from 1,1':1',1''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leinweber, J.H.R. Tucker and D.J. Williams), 13

Crystal structure

Cryptates from 1,1':1',1''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leinweber, J.H.R. Tucker and D.J. Williams), 13

Organometallic complexes for nonlinear optics VI¹: syntheses of rigid-rod ruthenium σ -acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C \equiv CC₆H₄NO₂-4)₂(dppm)₂] and *trans*-[Ru(C \equiv CC₆H₄C₆H₄NO₂-4,4')₂(dppm)₂] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Photochemical reaction of W(CO)₆ with SnCl₄. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of [W₃(μ_3 -OX(μ -OH)₂(μ -Cl)₃(OX η^2 -PhC \equiv CPh)₃] (T. Szymańska-Buzar and T. Glowiak), 63

Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex [(η^5 -C₅H₅)Fe(COXPPH)₂COCH₂SCH₃] (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1

Synthesis and structural investigation of (CpPr[CH(COOC₂H₅)₂][μ -CH(COOC₂H₅)₂])₂ (F. Shen, W. Zhang, J. Hu, S. Wang and X. Huang), 121

Cyclobutadiene

The formation and reaction chemistry of (η^5 -benzoylcyclopentadienyl)- and (η^5 -carbomethoxycyclopentadienyl)(η^4 -tetraphenylcyclobutadiene)-cobalt (S.T. Mabrouk and M.D. Rausch), 111

Cyclopentadienyl

Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

Synthesis and structural characterization of functionalized organolanthanide complexes [(η^5 -C₅H₄PPh₂)₂Ln(DIME)] (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93

Synthesis and structural investigation of (CpPr[CH(COOC₂H₅)₂][μ -CH(COOC₂H₅)₂])₂ (F. Shen, W. Zhang, J. Hu, S. Wang and X. Huang), 121

The formation and reaction chemistry of (η^5 -benzoylcyclopentadienyl)- and (η^5 -carbomethoxycyclopentadienyl)(η^4 -tetraphenylcyclobutadiene)-cobalt (S.T. Mabrouk and M.D. Rausch), 111

(Diphenylphosphino)cyclopentadienyl

Synthesis and structural characterization of functionalized organolanthanide complexes [(η^5 -C₅H₄PPh₂)₂Ln(DIME)] (Ln = Eu, Yb)

(DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93

Cyclopropanation

Synthesis of 1-cyclopropylmethylsilatrane and 1-cyclopropylmethyl-3,7,10-trimethylsilatrane. Crystal structure of 1-cyclopropylmethylsilatrane (G.S. Zaitseva, S.S. Karlov, A.V. Churakov, E.V. Avtomonov, J. Lorberth and D. Hertel), 221

Dicyclohexylborane

A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration-iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139

Diethylene glycol dimethyl ether

Synthesis and structural characterization of functionalized organolanthanide complexes [(η^5 -C₅H₄PPh₂)₂Ln(DIME)] (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93

Diethyl malonate

Synthesis and structural investigation of (CpPr[CH(COOC₂H₅)₂][μ -CH(COOC₂H₅)₂])₂ (F. Shen, W. Zhang, J. Hu, S. Wang and X. Huang), 121

Dimethylacetylenedicarboxylate

Novel β -iminoenolato (or β -carbonyliminato) complexes starting from di- μ -hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of [NBu₄][C(C₆F₅)₂Pd[N(C₆H₄OMe-*p*)C(CO₂Me)CHC(O)OMe)] (J. Ruiz, V. Rodriguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23

Di-*n*-butyltin oxide

Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75

Diorganotin dicarboxylate

Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75

1,3-Dioxo-6-aza-2-germacyclooctane

A new pathway for the synthesis of 1,3-dioxo-6-aza-2-germacyclooctanes: molecular structure of 2,2-di(2-thienyl)-6-methyl-1,3-dioxo-6-aza-2-germacyclooctane (E. Lukevics, S. Belyakov and O. Pudova), 41

Electrochemistry

Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Europium

Synthesis and structural characterization of functionalized organolanthanide complexes [(η^5 -C₅H₄PPh₂)₂Ln(DIME)] (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93

Ferrocene

Cryptates from 1,1':1',1''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leinweber, J.H.R. Tucker and D.J. Williams), 13

Trimethylchlorosilane-modified Clemmensen reduction of metallo-cenyl ketones: trapping and X-ray structures of aliphatic, olefinic, silylated pinacolic, and rearranged pinacolic products (P. Denifl, A. Hradsky, B. Bildstein and K. Wurst), 79

Germanium

A new pathway for the synthesis of 1,3-dioxo-6-aza-2-germacyclooctanes: molecular structure of 2,2-di(2-thienyl)-6-methyl-1,3-dioxo-6-aza-2-germacyclooctane (E. Lukevics, S. Belyakov and O. Pudova), 41

Grignard reagents

Partially solvated alkylmagnesium chlorides in toluene (A. Tuulmets, M. Mikk and D. Panov), 133

Group 4

Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Hydroboration

A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration-iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139

Hydroxo bridges

Photochemical reaction of $W(CO)_6$ with $SnCl_4$. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[W_3(\mu_3-O)(\mu-OH)_2(\mu-Cl)_2(O)(\eta^2-PhC\equiv CPh)_3]$ (T. Szymańska-Buzar and T. Głowiak), 63

 μ -Hydroxo complexes

Novel β -iminoenolato (or β -carbonyliminato) complexes starting from di- μ -hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of $[NBu_3]_2[(C_6F_5)_2Pd\{N(C_6H_4OMe-p)C(CO_2Me)CHC(O)OMe\}]$ (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23

Indium-indium bond

The insertion of chalcogen atoms into the In-In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In-S-In, In-Se-In, and In-Te-In groups (W. Uhl, R. Graupner and H. Reuter), 227

Indium-selenium bond

The insertion of chalcogen atoms into the In-In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In-S-In, In-Se-In, and In-Te-In groups (W. Uhl, R. Graupner and H. Reuter), 227

Indium-sulphur bond

The insertion of chalcogen atoms into the In-In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In-S-In, In-Se-In, and In-Te-In groups (W. Uhl, R. Graupner and H. Reuter), 227

Indium-tellurium bond

The insertion of chalcogen atoms into the In-In bond of tetrakis[bis(trimethylsilyl)methyl]diindane(4): monomeric compounds with In-S-In, In-Se-In, and In-Te-In groups (W. Uhl, R. Graupner and H. Reuter), 227

Insertion

Formation of heterocyclic compounds from reactions of dicobalt octa(xylyl isocyanide) with chloroacetone or methyl monochloroacetateacetate (K. Sugano, T. Tanase and Y. Yamamoto), 197

Iodination

A stereoselective synthesis of 1,2-disubstituted alkenyl selenides via hydroboration-iodination of internal alkylselenoacetylenes with dicyclohexylborane (D.Y. Yang and X. Huang), 139

Iron

Counter anion effect on molecular structures of some iodobiruthenocenium and iodoferrrocenylruthenocenium salts (M. Watanabe, I. Motoyama and T. Takayama), 153

Cryptates from 1,1'' : 1',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leinweber, J.H.R. Tucker and D.J. Williams), 13

Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex $[(\eta^5-C_5H_5)Fe(CO)(PPh_3)COCH_2SCH_3]$ (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1

Trimethylchlorosilane-modified Clemmensen reduction of metallo-cenyl ketones: trapping and X-ray structures of aliphatic, olefinic, silylated pinacolic, and rearranged pinacolonol products (P. Denifl, A. Hradsky, B. Bildstein and K. Wurst), 79

Isocyanide

Formation of heterocyclic compounds from reactions of dicobalt octa(xylyl isocyanide) with chloroacetone or methyl monochloroacetateacetate (K. Sugano, T. Tanase and Y. Yamamoto), 197

Lithium

The allyl group exchange reaction between tri(substituted allyl)stannyl lithium and (substituted allyl)lithium (Y. Horikawa and T. Takeda), 99

Macrocyclic ligands

Macrocyclic diphosphine ligands in asymmetric carbon-carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klitschar), 167

Magnesium

Partially solvated alkylmagnesium chlorides in toluene (A. Tuulmets, M. Mikk and D. Panov), 133

2-Mercaptoethanol

The chemistry of Group 4 permethylmetallocene complexes with 2-mercaptoethanol: the molecular structure of $Cp_2Zr(OCH_2CH_2SH)_2$ (S.-J. Chang, H.-J. Liu, C.-T. Chen, W.-E. Shih, C.-C. Lin and H.-M. Gau), 47

Metallacycle

Formation of heterocyclic compounds from reactions of dicobalt octa(xylyl isocyanide) with chloroacetone or methyl monochloroacetateacetate (K. Sugano, T. Tanase and Y. Yamamoto), 197

Metallocene complexes

Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Metallocenes

Counter anion effect on molecular structures of some iodobiruthenocenium and iodoferrrocenylruthenocenium salts (M. Watanabe, I. Motoyama and T. Takayama), 153

Methylthioacetyliron

Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex $[(\eta^5-C_5H_5)Fe(CO)(PPh_3)COCH_2SCH_3]$ (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1

Mixed-valence alkyne complex

Photochemical reaction of $W(CO)_6$ with $SnCl_4$. Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[W_3(\mu_3-O)(\mu-OH)_2(\mu-Cl)_2(O)(\eta^2-PhC\equiv CPh)_3]$ (T. Szymańska-Buzar and T. Głowiak), 63

Molecular mechanics calculations

Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex $[(\eta^5-C_5H_5)Fe(CO)(PPh_3)COCH_2SCH_3]$ (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1

Molybdenum

Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Nickel

Macrocyclic diphosphine ligands in asymmetric carbon-carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167

Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Nitrosyl

Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

NMR

Cryptates from 1,1':1',1''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leinweber, J.H.R. Tucker and D.J. Williams), 13

Nonlinear optics

Organometallic complexes for nonlinear optics VI¹: syntheses of rigid-rod ruthenium σ -acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C \equiv CC₆H₄NO₂-4)₂(dppm)₂] and *trans*-[Ru(C \equiv CC₆H₄C₆H₄NO₂-4,4')₂(dppm)₂] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Nuclear magnetic resonance

Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Olefin polymerization

Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Optically active transition metal complexes

Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

Palladium

Macrocyclic diphosphine ligands in asymmetric carbon-carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167

Novel β -iminoenolato (or β -carbonyliminato) complexes starting from di- μ -hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of [NBu₄][C₆F₃]₂Pd{N(C₆H₄OMe-p)(CO₂Me)CHC(O)OMe} (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23

Stereoselective synthesis of (E)-vinylidene selenides by palladium catalyzed cross-coupling reactions (X. Huang and L.-S. Zhu), 9

Pentamethylcyclopentadienyl

The chemistry of Group 4 permethylmetallocene complexes with 2-mercaptoethanol: the molecular structure of Cp₅Zr(OCH₂CH₂SH)₂ (S.-J. Chang, H.-J. Liu, C.-T. Chen, W.-E. Shih, C.-C. Lin and H.-M. Gau), 47

(S)-1-Phenylethyl substitution

Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

 η^2 -Phosphinocarbene complexes of tungsten

Darstellung und Struktur kationischer η^2 -Phosphinocarbenekomplexe des Wolframs (Th. Lehotkay, K. Wurst, P. Jaitner und F.R. Kreißl), 105

Praseodymium

Synthesis and structural investigation of (CpPr[CH(COOC₂H₅)₂] μ -CH(COOC₂H₅)₂)₂ (F. Shen, W. Zhang, J. Fu, S. Wang and X. Huang), 121

Pyrazolato complexes

Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127

2-Pyridinecarboxamide ligands

Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

Pyridine complexes

Tetracarbonylmolybdenum complexes of 2-(phenylazo)pyridine ligands. Correlations of molybdenum-95 chemical shifts with electronic, infrared, and electrochemical properties (M.N. Ackermann, W.G. Fairbrother, N.S. Amin, C.J. Deodene, C.M. Lamborg and P.T. Martin), 145

Quadratic hyperpolarizabilities

Organometallic complexes for nonlinear optics VI¹: syntheses of rigid-rod ruthenium σ -acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C \equiv CC₆H₄NO₂-4)₂(dppm)₂] and *trans*-[Ru(C \equiv CC₆H₄C₆H₄NO₂-4,4')₂(dppm)₂] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Reactions with phosphines

Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127

Rearrangement

Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Rhenium

Preparation and reactions of half-sandwich rhenium nitrosyl complexes containing a tethered amino ligand (T.-F. Wang, C.-Y. Lai and Y.-S. Wen), 187

Rhodium

Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Ruthenium

Counter anion effect on molecular structures of some iodobiruthenocenium and iodoferrrocenylruthenocenium salts (M. Watanabe, I. Motoyama and T. Takayama), 153

Neutral and anionic pyrazolyl-bridged triruthenium carbonyl cluster complexes. Reactions with bis(diphenylphosphino)methane, triphenylphosphine and diphenylphosphine (J.A. Cabeza, I. Del Río and V. Riera), 127

Organometallic complexes for nonlinear optics VI¹: syntheses of rigid-rod ruthenium σ -acetylide complexes bearing strong acceptor ligands; X-ray crystal structures of *trans*-[Ru(C \equiv CC₆H₄NO₂-4)₂(dppm)₂] and *trans*-[Ru(C \equiv CC₆H₄C₆H₄NO₂-4,4')₂(dppm)₂] (A.M. McDonagh, I.R. Whittall, M.G. Humphrey, D.C.R. Hockless, B.W. Skelton and A.H. White), 33

Selenium

Stereoselective synthesis of (E)-vinylic selenides by palladium catalyzed cross-coupling reactions (X. Huang and L.-S. Zhu), 9

Silatrane

Synthesis of 1-cyclopropylmethylsilatrane and 1-cyclopropylmethyl-3,7,10-trimethylsilatrane. Crystal structure of 1-cyclopropylmethylsilatrane (G.S. Zaitseva, S.S. Karlov, A.V. Churakov, E.V. Avtomonov, J. Lorberth and D. Hertel), 221

Silicon

Synthesis, alkylation, crystal structure and molecular mechanics investigations of the (methylthio)acetyliron complex $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2\text{SCH}_3)]$ (K. Wiśniewski, Z. Pakulski, A. Zamojski and W.S. Sheldrick), 1

Synthesis of 1-cyclopropylmethylsilatrane and 1-cyclopropylmethyl-3,7,10-trimethylsilatrane. Crystal structure of 1-cyclopropylmethylsilatrane (G.S. Zaitseva, S.S. Karlov, A.V. Churakov, E.V. Avtomonov, J. Lorberth and D. Hertel), 221

Skew trapezoidal bipyramid

Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75

Sonication

Partially solvated alkyllmagnesium chlorides in toluene (A. Tuulmets, M. Mikk and D. Panov), 133

Stoichiometric complexes

Preparation and reactions of rhodium complexes of some alkynylamines (E.M. Campi and W.R. Jackson), 205

Structure

Group 4 metallocene complexes with annulated twelve-membered ring cyclopentadienyl ligands: their synthesis, characterization and catalytic behavior in olefin polymerization (M.W. Kim, E. Hong, T.K. Han, S.I. Woo and Y. Do), 211

Synthesis and structural characterization of functionalized organolanthanide complexes $[(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)_2\text{Ln}(\text{DIME})]$ (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93

Synthesis

Novel β -iminocolato (or β -carbonyliminato) complexes starting from di- μ -hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of $[\text{NBu}_4][(\text{C}_6\text{F}_5)_2\text{Pd}(\text{N}(\text{C}_6\text{H}_4\text{OMe-}p)(\text{CO}_2\text{Me})\text{CH}(\text{O}(\text{OMe})))]$ (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23

Thallium

Synthesis and structural characterization of functionalized organolanthanide complexes $[(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)_2\text{Ln}(\text{DIME})]$ (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93

Tin

Photochemical reaction of $\text{W}(\text{CO})_6$ with SnCl_4 . Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[\text{W}_3(\mu_3\text{-O})(\mu\text{-OH})_2(\mu\text{-Cl})_2(\text{O})(\eta^2\text{-PhC}\equiv\text{CPh})_5]$ (T. Szymańska-Buzar and T. Glowiak), 63

The allyl group exchange reaction between tri(substituted allyl)stannyllithium and (substituted allyl)lithium (Y. Horikawa and T. Takeda), 99

Titanium

The chemistry of Group 4 permethylmetallocene complexes with 2-mercaptoethanol: the molecular structure of $\text{Cp}_2\text{Zr}(\text{OCH}_2\text{CH}_2\text{-SH})_2$ (S.-J. Chang, H.-J. Liu, C.-T. Chen, W.-E. Shih, C.-C. Lin and H.-M. Gau), 47

Trimethylchlorosilane

Trimethylchlorosilane-modified Clemmensen reduction of metallo-cenyl ketones: trapping and X-ray structures of aliphatic, olefinic, silylated pinacolic, and rearranged pinacolonol products (P. Denifl, A. Hradsky, B. Bildstein and K. Wurst), 79

Trinuclear compound

Photochemical reaction of $\text{W}(\text{CO})_6$ with SnCl_4 . Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[\text{W}_3(\mu_3\text{-O})(\mu\text{-OH})_2(\mu\text{-Cl})_2(\text{O})(\eta^2\text{-PhC}\equiv\text{CPh})_5]$ (T. Szymańska-Buzar and T. Glowiak), 63

Tungsten

Photochemical reaction of $\text{W}(\text{CO})_6$ with SnCl_4 . Part IV: synthesis of new tungsten alkyne complexes: X-ray crystal structure of $[\text{W}_3(\mu_3\text{-O})(\mu\text{-OH})_2(\mu\text{-Cl})_2(\text{O})(\eta^2\text{-PhC}\equiv\text{CPh})_5]$ (T. Szymańska-Buzar and T. Glowiak), 63

X-ray crystal structure

Novel β -iminocolato (or β -carbonyliminato) complexes starting from di- μ -hydroxo palladium or platinum complexes with dimethyl acetylenedicarboxylate and primary amines: Crystal structure of $[\text{NBu}_4][(\text{C}_6\text{F}_5)_2\text{Pd}(\text{N}(\text{C}_6\text{H}_4\text{OMe-}p)(\text{CO}_2\text{Me})\text{CH}(\text{O}(\text{OMe})))]$ (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 23

X-ray diffraction

A new pathway for the synthesis of 1,3-dioxo-6-aza-2-germacyclooctanes: molecular structure of 2,2-di(2-thienyl)-6-methyl-1,3-dioxo-6-aza-2-germacyclooctane (E. Lukevics, S. Belyakov and O. Pudova), 41

Cryptates from 1,1'' : 1',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-dimethylene)bisferrocene (C.D. Hall, A. Leinewer, J.H.R. Tucker and D.J. Williams), 13

Synthesis and crystal structure of di-*n*-butylbis(2-amino-5-chlorobenzoato)tin(IV) (S.-G. Teoh, S.-H. Ang, E.-S. Looi, C.-A. Keok, S.-B. Teo and J.-P. Declercq), 75

X-ray structural analyses

Macrocyclic diphosphine ligands in asymmetric carbon-carbon bond-forming reactions (M. Widhalm, P. Wimmer and G. Klintschar), 167

X-ray structure

Synthesis of 1-cyclopropylmethylsilatrane and 1-cyclopropylmethyl-3,7,10-trimethylsilatrane. Crystal structure of 1-cyclopropylmethylsilatrane (G.S. Zaitseva, S.S. Karlov, A.V. Churakov, E.V. Avtomonov, J. Lorberth and D. Hertel), 221

X-ray structure analysis

Optically active transition metal complexes 110. New rhodium(I) complexes with 2-pyridinecarboxamido ligands (H. Brunner, B. Nuber and M. Prommesberger), 179

Ytterbium

Synthesis and structural characterization of functionalized organolanthanide complexes $[(\eta^5\text{-C}_5\text{H}_4\text{PPh}_2)_2\text{Ln}(\text{DIME})]$ (Ln = Eu, Yb) (DIME = diethylene glycol dimethyl ether) (G. Lin and W.-T. Wong), 93

Zirconium

Stereoselective synthesis of (E)-vinylic selenides by palladium catalyzed cross-coupling reactions (X. Huang and L.-S. Zhu), 9

The chemistry of Group 4 permethylmetallocene complexes with 2-mercaptoethanol: the molecular structure of $\text{Cp}_2\text{Zr}(\text{OCH}_2\text{CH}_2\text{-SH})_2$ (S.-J. Chang, H.-J. Liu, C.-T. Chen, W.-E. Shih, C.-C. Lin and H.-M. Gau), 47

Book reviews

Gmelin Handbook of Inorganic and Organometallic Chemistry (G.J. Leigh), 119