

Subject Index of Volume 525

Ab initio calculations

The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds (U. Pidun and G. Frenking), 269

Acetate

Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39

Acetylene complexes

The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds (U. Pidun and G. Frenking), 269

Acylpyrazol-5-ones

Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239

Alcohol

Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (–)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213

Alkyl

New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295

Alkyl halide

Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39

Alkylidene

Synthesis and characterization of tungsten oxo alkylidene complexes via the reaction of $WCl_2(O)(PX_3)_3$ ($PX_3 = P(OMe)_3, PMe_2Ph, PMePh_2$) with 4,8-dioxaspiro[2.5]oct-1-ene (ketalcyclopropene) (F.J. De la Mata), 183

Allyl

Diphosphine analogues of proton sponge: X-ray crystal structure of $[Pd(\eta^3\text{-allyl})(dppn)]BF_4 \cdot CH_2Cl_2$ ($dppn = 1,8\text{-bis(diphenylphosphino)naphthalene}$) (S.L. James, A.G. Orpen and P.G. Pringle), 299

Aluminium

New aspects of the formation of the primary product of the Fischer–Hafer synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$ (A. Fischer), 291

Ansa-metallocene

Hetero-ansa-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged ansa-zirconocene dichloride (K.A. Ruffanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287

Antimony

Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39

α -olefins

Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81

Arene

New aspects of the formation of the primary product of the Fischer–Hafer synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr][Al_3OCl_8]$ (A. Fischer), 291

Arsenic

Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu-OH)\{N(SO_2Me)_2(L)\}_2]$ ($L = HMPA, Ph_3PO, Ph_3AsO$) und Kristallstrukturen der Komplexe mit $L = HMPA$ und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167

Benchrotrenic alkenes

Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283

Bifurcated H-bonds

Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dieisen-nonacarbonyl und Reaktionen von $[Fe_2(CO)_6(\mu-CO)(\mu-Ph_2P-NH-PPh_2)] \cdot THF$ (J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter und W. Bauer), 89

Bimetallic system

Hydroformylation of olefins catalysed with bimetallic systems: $HRh(P(OPh)_3)_4 + cp_2ZrH(CH_2PPh_2)$ and $HRh(CO)(P(OPh)_3)_3 + cp_2ZrH(CH_2PPh_2)$ (A.M. Trzeciak, J.J. Ziótkowski and R. Choukroun), 145

Bipyridyl complexes

Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1

Boron

Hetero-ansa-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged ansa-zirconocene dichloride (K.A. Ruffanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287

Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283

The palladium-catalyzed cross-coupling reaction of 9-organothio-9-borabicyclo[3.3.1]nonanes with organic electrophiles: synthesis of unsymmetrical sulfides (T. Ishiyama, M. Mori, A. Suzuki and N. Miyaura), 225

Boron bridges

Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Deros, S.

- Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tazzer and S. Vuano), 71
- Bridged *ansa*-metallocene**
 Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23
- Bridging ligand**
 Reaction of $[\text{Fe}_3(\text{CO})_{12}]$ with bidentate phosphines: redox behavior of products (E. Stein and F.Y. Fujiwara), 31
 Synthesis and characterisation of monomeric and dimeric 2-substituted η^3 -bonded butadienyl complexes of molybdenum(II) (A.G.W. Hodson and S.M. Saunders), 207
- Bridging Ligand**
 Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287
- Butadienyl**
 Synthesis and characterisation of monomeric and dimeric 2-substituted η^3 -bonded butadienyl complexes of molybdenum(II) (A.G.W. Hodson and S.M. Saunders), 207
- Carbonato complexes**
 Electrochemical synthesis and reactivity of carbonato-niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125
- Carbon dioxide**
 Electrochemical synthesis and reactivity of carbonato-niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125
- Carbon paste electrode**
 Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139
- Carbonyl**
 Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283
 Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl) rhenium(I)-Komplexe $\eta^1\text{-C}_5\text{H}_5\text{Re}(\text{CO})_3\text{L}_2$ mit fluktuierender sp^3 - und starrer sp^2 -Koordination des C_5H_5 -Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115
 Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[\text{Fe}(\mu\text{-CO}(\text{CO})_4(\mu\text{-P}^i\text{Bu}_2\text{X}^i\text{Bu}_2\text{PH}))]$ and $[\text{Co}(\text{CO})_5(\mu\text{-HX}(\mu\text{-P}^i\text{Bu}_2\text{X}^i\text{Bu}_2\text{PH}))]$ (H.-C. Bötcher, M. Graf and K. Merzweiler), 191
 Trisium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133
- Carbonylation**
 A mechanistic study of thermal $\text{Fe}(\text{CO})_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze and U. Gockel), 155
- Catalysis**
 Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (*Z*)- α -*N*-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259
 Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenate: ring closure and isomerization control (M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi), 65
 Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139
 Unverbrückte Fluorenylkomplexe des Typs $(\text{C}_5\text{H}_5)(9\text{-R-C}_{11}\text{H}_8)\text{ZrCl}_2$ (R = Me, Si, Alkyl, Aryl): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 15
 Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(\text{C}_5\text{Me}_5)(2,7\text{-Me}_2\text{-C}_{13}\text{H}_7)\text{MCl}_2$ (M = Zr, Hf) (M.A. Schmid, H.G. Alt und W. Milius), 9
- Cationic complexes**
 New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295
- Cerium**
 Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (-)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
- Chiral**
 Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233
- Chirality**
 Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (*Z*)- α -*N*-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259
 Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (-)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
- Chromium**
 Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283
 New aspects of the formation of the primary product of the Fischer-Hafner synthesis under standard laboratory conditions: crystal structure of $[(\text{C}_6\text{H}_6)_2\text{Cr}[\text{Al}(\text{OCl}_2)_3]]$ (A. Fischer), 291
- Cobalt**
 Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[\text{Fe}(\mu\text{-CO}(\text{CO})_4(\mu\text{-P}^i\text{Bu}_2\text{X}^i\text{Bu}_2\text{PH}))]$ and $[\text{Co}(\text{CO})_5(\mu\text{-HX}(\mu\text{-P}^i\text{Bu}_2\text{X}^i\text{Bu}_2\text{PH}))]$ (H.-C. Bötcher, M. Graf and K. Merzweiler), 191
- Cobaltocenium**
 Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139
- Cone angle**
 Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159
- Conformation**
 Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233
- Coumarin**
 Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenate: ring closure and isomerization control (M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi), 65
- Crystal structure**
 Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (-)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
 New aspects of the formation of the primary product of the Fischer-Hafner synthesis under standard laboratory conditions: crystal structure of $[(\text{C}_6\text{H}_6)_2\text{Cr}[\text{Al}(\text{OCl}_2)_3]]$ (A. Fischer), 291
 Organolanthanoids. XX. The synthesis of $\text{YbCp}_2\text{C}(\text{THF})_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $\text{YbCp}_2\text{X}(\text{THF})$ (X =

- Br or I), and $(\text{YbCp}_2\text{X})_2$ (X = Cl, Br, or I) by oxidation of YbCp_2 with metal and organic halides, and the determination of the X-ray crystal structure of $\text{YbCp}_2\text{I}(\text{THF})$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247
- Polysulfonfylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[\text{Me}_2\text{Sn}(\mu\text{-OH})\{\text{N}(\text{SO}_2\text{Me})_2\}(\text{L})_2]$ (L = HMPA, Ph_3PO , Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167
- Synthesis and structure of $[\text{Ti}(\text{C}_6\text{F}_5)_2\text{Cl}\{\text{Au}(\text{C}_6\text{F}_5)_3(\text{PPh}_2\text{CH}_2\text{PPh}_2(\text{O}))_2\}]_2$ (B. Alvarez, E.J. Fernández, M.C. Gimeno, P.G. Jones, A. Laguna, M. Laguna and J.M. López-de-Luzuriaga), 109
- Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[\text{FeI}(\mu\text{-CO})(\text{CO})_2(\mu\text{-P}^i\text{Bu}_2)(^i\text{Bu}_2\text{PH})]$ and $[\text{CoI}(\text{CO})_2(\mu\text{-H})(\mu\text{-P}^i\text{Bu}_2)(^i\text{Bu}_2\text{PH})]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191
- Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylisothiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199
- Cyclization
- Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenolate: ring closure and isomerization control (M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi), 65
- Cyclopentadienyl
- Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (-)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
- Electrochemical synthesis and reactivity of carbonato-niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antúñolo, M. Fajardo, S.G. Yuste and A. Otero), 125
- Iron-rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[\text{CpFe}(\mu\text{-CO})_2(\mu\text{-dppm})\text{RhI}_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255
- Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl)rhodium(I)-Komplexe $\eta^1\text{-C}_5\text{H}_5\text{Re}(\text{CO})_3\text{L}_2$ mit fluktuierender sp^3 - und starrer sp^2 -Koordinat ion des C_5H_5 -Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115
- Organolanthanoids, XX. The synthesis of $\text{YbCp}_2\text{Cl}(\text{THF})_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $\text{YbCp}_2\text{X}(\text{THF})$ (X = Br or I), and $(\text{YbCp}_2\text{X})_2$ (X = Cl, Br, or I) by oxidation of YbCp_2 with metal and organic halides, and the determination of the X-ray crystal structure of $\text{YbCp}_2\text{I}(\text{THF})$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247
- Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159
- Cyclopropanation
- Trimethylsilylketene dialkylacetals in organic synthesis: reactions with alkyldiazoacetates (G.S. Zaitseva, O.P. Novikova, E.V. Grigoriev, A.V. Kisin, E.V. Avtomonov and J. Lorberth), 175
- Diene
- Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233
- Dihydrogen
- Hydroboration, followed by water addition of benchrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Tocquer, D. Sénéchal and F. Robin-le Guen), 283
- β -Diketone
- Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239
- Dimer
- Synthesis and characterisation of monomeric and dimeric 2-substituted η^3 -bonded butadienyl complexes of molybdenum(II) (A.G.W. Hodson and S.M. Saunders), 207
- Dimesylamide
- Polysulfonfylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[\text{Me}_2\text{Sn}(\mu\text{-OH})\{\text{N}(\text{SO}_2\text{Me})_2\}(\text{L})_2]$ (L = HMPA, Ph_3PO , Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167
- Dioxygen
- Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139
- Diphenylphosphine
- Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (*Z*)- α -N-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259
- Diphosphazane
- Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dieisen-nonacarbonyl und Reaktionen von $[\text{Fe}_2(\text{CO})_6(\mu\text{-CO})(\mu\text{-Ph}_2\text{P-NH-PPH}_2)] \cdot \text{THF}$ (J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter und W. Bauer), 89
- Diphosphine
- Diphosphine analogues of proton sponge: X-ray crystal structure of $[\text{Pd}(\eta^3\text{-allyl})(\text{dppn})\text{BF}_4 \cdot \text{CH}_2\text{Cl}_2]$ (dppn = 1,8-bis(diphenylphosphino)naphthalene) (S.L. James, A.G. Orpen and P.G. Pringle), 299
- Iron-rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[\text{CpFe}(\mu\text{-CO})_2(\mu\text{-dppm})\text{RhI}_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255
- Reaction of $[\text{Fe}_3(\text{CO})_9]$ with bidentate phosphines: redox behavior of products (E. Stein and F.Y. Fujiwara), 31
- Electrochemical assay
- Redox-catalytic reduction of dioxygen by cobaltocene at a carbon paste electrode: application to trace analysis (S. Rapicault, F. Paday and C. Degrand), 139
- Electrochemistry
- Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao und P.S. Braterman), 1
- Electrochemical synthesis and reactivity of carbonato-niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antúñolo, M. Fajardo, S.G. Yuste and A. Otero), 125
- Reaction of $[\text{Fe}_3(\text{CO})_9]$ with bidentate phosphines: redox behavior of products (E. Stein and F.Y. Fujiwara), 31
- Electrophilic attack
- New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295
- Enantioselective
- Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233
- Ethylene complexes
- The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds (U. Pidun und G. Frenking), 269
- Ferrocene
- Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylisothiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199
- Ferrocenophane
- Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Ben-

- zoylthiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199
- Fluorenyl**
 Unverbrückte Fluorenylkomplexe des Typs $(C_5H_5)(9-R-C_{13}H_8)ZrCl_2$ ($R = Me_3Si, Alkyl, Aryl$): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 15
 Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(C_5Me_5)(2,7-Me_2-C_{13}H_7)MCl_2$ ($M = Zr, Hf$) (M.A. Schmid, H.G. Alt und W. Milius), 9
- Gold**
 Synthesis and structure of $[Ti(C_6F_5)_2Cl\{Au(C_6F_5)_3(PPh_2CH_2PPh_2(O))\}_2]$ (B. Alvarez, E.J. Fernández, M.C. Gimeno, P.G. Jones, A. Laguna, M. Laguna and J.M. López-de-Luzuriaga), 109
- Group 4**
 Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81
- Hafnium**
 Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(C_5Me_5)(2,7-Me_2-C_{13}H_7)MCl_2$ ($M = Zr, Hf$) (M.A. Schmid, H.G. Alt und W. Milius), 9
- Halooxometallate**
 New aspects of the formation of the primary product of the Fischer-Hafner synthesis under standard laboratory conditions: crystal structure of $[(C_6H_6)_2Cr[Al_3OCl_6]]$ (A. Fischer), 291
- Heterobimetallics**
 Iron-rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu-CO)_2(\mu-dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255
- Hydroboration**
 Hydroboration, followed by water addition of benchtrotrenic alkenes. Formal dihydrogen addition (B. Caro, M.-C. Sénéchal-Toequer, D. Sénéchal and F. Robin-le Guen), 283
- Hydroformylation**
 Hydroformylation of olefins catalysed with bimetallic systems: $HRh(P(OPh)_3)_3 + Cp_2Zr(CH_3PPh_2)$ and $HRh(CO)(P(OPh)_3)_3 + Cp_2Zr(CH_3PPh_2)$ (A.M. Trzeetack, J.J. Ziolkowski and R. Choukroun), 145
- Hydrogenation**
 Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (*Z*)- α -N-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259
- Hydroxide**
 Polysulfonylamine LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[Me_2Sn(\mu-OH)(N(SO_2Me)_2)(L)]_2$ ($L = HMPA, Ph_3PO, Ph_3AsO$) und Kristallstrukturen der Komplexe mit $L = HMPA$ und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167
- Insertion reaction**
 A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze und U. Gockel), 155
- Iodine**
 Iron-rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu-CO)_2(\mu-dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255
- Iridium**
 Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu-CO)(CO)_2(\mu-P^iBu_2)(\mu^iBu_2PH)]$ and $[CoIr(CO)_2(\mu-H)(\mu-P^iBu_2)(\mu^iBu_2PH)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191
- Iron**
 A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze und U. Gockel), 155
 Cerium(III) chloride mediated addition of mono- and dilithium ferrocene to (+)-camphor and (-)-fenchone: synthesis and structure of new chiral ferrocenyl alcohols and diols (V. Dimitrov, M. Genov, S. Simova and A. Linden), 213
 Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dieisen-nonacarbonyl und Reaktionen von $[Fe_2(CO)_8(\mu-CO)(\mu-Ph_2P-NH-PPh_2)] \cdot THF$ (J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter und W. Bauer), 89
 Iron-rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[CpFe(\mu-CO)_2(\mu-dppm)RhI_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255
 Reaction of $[Fe_3(CO)_{12}]$ with bidentate phosphines: redox behavior of products (E. Stein and F.Y. Fujiwara), 31
 Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[FeIr(\mu-CO)(CO)_2(\mu-P^iBu_2)(\mu^iBu_2PH)]$ and $[CoIr(CO)_2(\mu-H)(\mu-P^iBu_2)(\mu^iBu_2PH)]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191
- Iron carbonyl**
 A mechanistic study of thermal $Fe(CO)_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze und U. Gockel), 155
- Ketalcyclopropene**
 Synthesis and characterization of tungsten oxo alkylidene complexes via the reaction of $WCl_2(O)(PX_3)_3$ ($PX_3 = P(OMe)_3, PMe_2Ph, Ph_2PPh_2$) with 4,8-dioxaspiro[2.5]oct-1-ene (ketalcyclopropene) (F.J. De la Mata), 183
- Ketene dialkylacetals**
 Trimethylsilylketene dialkylacetals in organic synthesis: reactions with alkylidiazooacetates (G.S. Zaitseva, O.P. Novikova, E.V. Grigoriev, A.V. Kisin, E.V. Avtomonov and J. Lorberth), 175
- Kinetics**
 Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizzer, L. Randaccio, G. Tauzher and S. Vuano), 71
- La**
 Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou und L. Gao), 23
- Lanthanide**
 Organolanthanoids. XX. The synthesis of $YbCp_2Cl(THF)_{0.5}$ ($Cp =$ cyclopentadienyl; $THF =$ tetrahydrofuran), $YbCp_2X(THF)$ ($X =$ Br or I), and $(YbCp_2X)_2$ ($X = Cl, Br, or I$) by oxidation of $YbCp_2$ with metal and organic halides, and the determination of the X-ray crystal structure of $YbCp_2I(THF)$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247
- Linkage isomerism**
 Synthesis, structure and spectral properties of $[(HgPh)_2TbSMe]$; a dinuclear 2-S-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism (R. Carballo, J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo und E.M. Vázquez-López), 49
- Mercury**
 Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahton, K.C. Molloy, B.A. Omotowa und M.A. Mesubi), 239
 Synthesis, structure and spectral properties of $[(HgPh)_2TbSMe]$; a dinuclear 2-S-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism (R. Carballo, J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo und E.M. Vázquez-López), 49

Metallocenes

Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81

Molybdenum

Synthesis and characterisation of monomeric and dimeric 2-substituted η^3 -bonded butadienyl complexes of molybdenum(II) (A.G.W. Hodson and S.M. Saunders), 207

Nd

Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23

Niobium

Electrochemical synthesis and reactivity of carbonato-niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125

NMR spectra

Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71

Olefin

New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295

Olefins

Hydroformylation of olefins catalysed with bimetallic systems: $\text{HRh}(\text{P}(\text{O}Ph)_3)_4 + \text{cp}_2\text{ZrH}(\text{CH}_2\text{PPh}_2)$ and $\text{HRh}(\text{CO})(\text{P}(\text{O}Ph)_3)_3 + \text{cp}_2\text{ZrH}(\text{CH}_2\text{PPh}_2)$ (A.M. Trzeciak, J.J. Ziolkowski and R. Choukroun), 145

Organolanthanoidfluorides

Metallorganische Verbindungen der Lanthanoide CIX. Organolanthanoidfluoride: Synthese und Strukturklärung von trimerem Bis(*tert*-butylecyclopentadienyl)samarium(III)-fluorid (H. Schumann, M.R. Keitsch, J. Winterfeld and J. Demtschuk), 279

Organophosphine

Chemie polyfunktioneller Moleküle. CXXII. Das komplexchemische Verhalten von Bis(diphenylphosphino)amin gegenüber Dicisnonacarbonyl und Reaktionen von $[\text{Fe}_2(\text{CO})_6(\mu\text{-CO})(\mu\text{-Ph}_2\text{P-NH-PPH}_2)] \cdot \text{THF}$ (J. Ellermann, P. Gabold, F.A. Knoch, M. Moll, D. Pohl, J. Sutter and W. Bauer), 89

Osmium

Triosmium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133

Oxidation

Organolanthanoids. XX. The synthesis of $\text{YbCp}_2\text{Cl}(\text{THF})_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $\text{YbCp}_2\text{X}(\text{THF})$ (X = Br or I), and $(\text{YbCp}_2\text{X})_2$ (X = Cl, Br, or I) by oxidation of YbCp_2 with metal and organic halides, and the determination of the X-ray crystal structure of $\text{YbCp}_2\text{I}(\text{THF})$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247

Oxo

Synthesis and characterization of tungsten oxo alkylidene complexes via the reaction of $\text{WCl}_2(\text{O})[\text{PX}_3]_3$ ($\text{PX}_3 = \text{P}(\text{OMe})_3$, PMc_2Ph , PMePh_2) with 4,8-dioxaspiro[2.5]oct-1-ene (ketacyclopropene) (F.J. De la Mata), 183

Palladium

Designing a catalytic synthesis of 4-methylcoumarin from *ortho*-iodophenyl 3-butenate: ring closure and isomerization control (M. Catellani, G.P. Chiusoli, G. Marzolini and E. Rossi), 65

Diphosphine analogues of proton sponge: X-ray crystal structure of $[\text{Pd}(\eta^3\text{-allyl}(\text{dppn}))\text{BF}_4 \cdot \text{CH}_2\text{Cl}_2]$ (dppn = 1,8-bis(diphenylphos-

phino)naphthalene) (S.L. James, A.G. Orpen and P.G. Pringle), 299

Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233

Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39

The palladium-catalyzed cross-coupling reaction of 9-organothio-9-borabicyclo[3.3.1]nonanes with organic electrophiles: synthesis of unsymmetrical sulfides (T. Ishiyama, M. Mori, A. Suzuki and N. Miyaura), 225

 π -bonding

The bonding of acetylene and ethylene in high-valent and low-valent transition metal compounds (U. Pidun and G. Frenking), 269

Pentafluorophenyl

Synthesis and structure of $[\text{Ti}(\text{C}_6\text{F}_5)_2\text{Cl}(\text{Au}(\text{C}_6\text{F}_5)_3(\text{PPh}_2\text{CH}_2\text{PPh}_2(\text{O}))_2)]$ (B. Alvarez, E.J. Fernández, M.C. Gimeno, P.G. Jones, A. Laguna, M. Laguna and J.M. López-de-Lazuriaga), 109

Phenylmercury(II) complexes

Synthesis, structure and spectral properties of $[(\text{HgPh})_2\text{TbSmc}]$; a dinuclear 2-*S*-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism (R. Carballo, J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo and E.M. Vázquez-López), 49

Phosphido-bridged

Synthesis and X-ray crystal structures of phosphido-bridged heterobimetallic complexes: $[\text{FeIr}(\mu\text{-CO}(\text{CO})_5(\mu\text{-P}^i\text{Bu}_2\text{X}^i\text{Bu}_2\text{PH}))]$ and $[\text{CoIr}(\text{CO})_5(\mu\text{-H}(\mu\text{-P}^i\text{Bu}_2\text{X}^i\text{Bu}_2\text{PH}))]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 191

Phosphine

Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl)rhenium(I)-Komplexe $\eta^1\text{-C}_5\text{H}_5\text{Re}(\text{CO})_3\text{L}_2$ mit fluktuierender sp^3 - und starrer sp^2 -Koordination des C_5H_5 -Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115

Phosphorus

Polysulfonamide LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[\text{Me}_2\text{Sn}(\mu\text{-OH})(\text{N}(\text{SO}_2\text{Me})_2)(\text{L})_2]$ (L = HMPA, Ph_3PO , Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167

Platinum

Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1

New square-planar cationic Pt(II) complexes containing a methyl and an olefin in *cis* position (I. Orabona, A. Panunzi and F. Ruffo), 295

Polymerization

Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81

Unverbrückte Fluorenylkomplexe des Typs $(\text{C}_5\text{H}_5)(9\text{-R-C}_{13}\text{H}_8)\text{ZrCl}_2$ (R = Me_3Si , Alkyl, Aryl): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 15

Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(\text{C}_5\text{Me}_5)_2(2,7\text{-Me}_2\text{-C}_{13}\text{H}_7)\text{MCl}_2$ (M = Zr, Hf) (M.A. Schmid, H.G. Alt und W. Milius), 9

Radial profile

Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159

Radical anion complexes

Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1

Rare earth

Organolanthanoids. XX. The synthesis of $\text{YbCp}_2\text{Cl}(\text{THF})_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $\text{YbCp}_2\text{X}(\text{THF})$ (X = Br or I), and $(\text{YbCp}_2\text{X})_2$ (X = Cl, Br, or I) by oxidation of YbCp_2 with metal and organic halides, and the determination of the X-ray crystal structure of $\text{YbCp}_2\text{I}(\text{THF})$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247

Reduction

Electrochemical synthesis and reactivity of carbonato-niobocene complexes (S. El Krami, Y. Mourad, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, S.G. Yuste and A. Otero), 125

Rhenium

Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl) rhenium(I)-Komplexe $\eta^1\text{-C}_5\text{H}_5\text{Re}(\text{CO})_3\text{L}_2$ mit fluktuierender sp^3 - und starrer sp^2 -Koordination des C_5H_5 -Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115

Rhodium

Asymmetrische Katalyse 104. Doppelte Stereoselektion in Rhodium-Katalysatoren bei der enantioselektiven Hydrierung von (Z)- α -N-Acetylaminozimtsäure (H. Brunner und L. Wagenhuber), 259

Enantiodifferentiation of olefinic groups in *cis*-1,2-divinylcyclohexane (K. Nordström, C. Moberg and A. Heumann), 233

Hydroformylation of olefins catalysed with bimetallic systems: $\text{HRh}(\text{P}(\text{O}(\text{Ph})_2)_3)_4 + \text{cp}_2\text{ZrH}(\text{CH}_2\text{PPh}_2)$ and $\text{HRh}(\text{CO})(\text{P}(\text{O}(\text{Ph})_2)_3)_3 + \text{cp}_2\text{ZrH}(\text{CH}_2\text{PPh}_2)$ (A.M. Trzeciak, J.J. Ziótkowski and R. Choukroun), 145

Iron-rhodium complexes with a single bridging diphosphine ligand: the crystal structure of $[\text{CpFe}(\mu\text{-CO})_2(\mu\text{-dppm})\text{RhI}_2]$ (I. Mansfield, N. Nawar, A.K. Smith and N.C. Tong), 255

Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71

Rhodoximes

Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71

Ruthenium

Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159

Samarium

Metallorganische Verbindungen der Lanthanoide CIX. Organolanthanoidfluoride: Synthese und Strukturklärung von trimerem Bis(*tert*-butylcyclopentadienyl)samarium(III)-fluorid (H. Schumann, M.R. Keitsch, J. Winterfeld und J. Demtschuk), 279

Silicon

Trimethylsilylketene dialkylacetals in organic synthesis: reactions with alkyldiazoacetates (G.S. Zaitseva, O.P. Novikova, E.V. Grigoriev, A.V. Kisin, E.V. Avtomonov and J. Lorberth), 175

Sm

Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23

Solid angle

Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl

complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159

Solvent

Novel coupling reaction of pentaarylantimony with carbon electrophiles (M. Fujiwara, M. Tanaka, A. Baba, H. Ando and Y. Souma), 39

Spectroelectrochemistry

Electro- and spectroelectrochemistry of platinum(II) bipyridine complexes and related species (L. Yang, F.L. Wimmer, S. Wimmer, J. Zhao and P.S. Braterman), 1

Steric effect

Steric effects along ligands in bis(trimethylsilyl)cyclopentadienyl complexes of ruthenium: analysis by radial profiles (J.M. Smith, S.C. Pelly and N.J. Coville), 159

Structure

Diphosphine analogues of proton sponge: X-ray crystal structure of $[\text{Pd}(\eta^3\text{-allyl})(\text{dppn})]\text{BF}_4 \cdot \text{CH}_2\text{Cl}_2$ (dppn = 1,8-bis(diphenylphosphino)naphthalene) (S.L. James, A.G. Orpen and P.G. Pringle), 299

Substituted anilines

Triosmium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133

Synthesis

Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23

Thallium

Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239

Synthesis and structure of $[\text{Tl}(\text{C}_6\text{F}_5)_2\text{Cl}(\text{Au}(\text{C}_6\text{F}_5)_3(\text{PPh}_2\text{CH}_2\text{PPh}_2(\text{O}))_2)]$ (B. Alvarez, E.J. Fernández, M.C. Gimeno, P.G. Jones, A. Laguna, M. Laguna and J.M. López-de-Luzuriaga), 109

Thiocyanate

Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylthiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199

Thiourea

Zur Reaktion von 1,1'-Bis(alkylaminomethylen)ferrocenen mit Benzoylthiocyanat (R. Richter, O. Seidelmann, L. Beyer und H. Plenio), 199

Tin

Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Ruffanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287

Polysulfonamide LXXV. Komplexierung eines dimeren Diorganozinn(IV)-(amid)hydroxids mit Neutralliganden: Synthese von $[\text{Me}_2\text{Sn}(\mu\text{-OH})(\text{N}(\text{SO}_2\text{Me})_2)(\text{L})_2]$ (L = HMPA, Ph_3PO , Ph_3AsO) und Kristallstrukturen der Komplexe mit L = HMPA und Ph_3PO (A. Wirth, D. Henschel, P.G. Jones und A. Blaschette), 167

Titanium

Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81

Transmetallation

Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Ruffanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287

Triosmium clusters

Triosmium carbonyl complexes containing bridging ligands derived

- from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133
- Tungsten**
 Synthesis and characterization of tungsten oxo alidene complexes via the reaction of $\text{WCl}_2(\text{O})\{\text{PX}_3\}_3$ ($\text{PX}_3 = \text{P}(\text{OMe})_3, \text{PMe}_2\text{Ph}, \text{PMePh}_2$) with 4,8-dioxaspiro[2,5]oct-1-ene (ketalcyclopropene) (F.J. De la Mata), 183
- Vinylcyclopropane**
 A mechanistic study of thermal $\text{Fe}(\text{CO})_5$ mediated CO insertion into vinylcyclopropanes (M.M. Schulze and U. Gockel), 155
- X-ray diffraction**
 Metallorganische Verbindungen der Lanthanoide CIX. Organolanthanoïdfluoride: Synthese und Strukturaufklärung von trimerem Bis(*tert.*-butylcyclopentadienyl)samarium(III)-fluorid (H. Schumann, M.R. Keitsch, J. Winterfeld and J. Demtschuk), 279
 New aspects of the formation of the primary product of the Fischer-Hafner synthesis under standard laboratory conditions: crystal structure of $[(\text{C}_6\text{H}_6)_2\text{Cr}\{\text{Al}_3\text{OCl}_8\}]$ (A. Fischer), 291
 Oligophosphan-Liganden XLII. Carbonyl(cyclopentadienyl)rhenium(I)-Komplexe $\eta^1\text{-C}_5\text{H}_5\text{Re}(\text{CO})_3\text{L}_2$ mit fluktuierender sp^3 - und starrer sp^2 -Koordination des C_5H_5 -Rings (L. Dahlenburg, G. Hillmann, M. Ernst, M. Moll und F. Knoch), 115
 Organomercury(II) and diorganothallium(III) derivatives of 4-acylpyrazol-5-ones (M.F. Mahon, K.C. Molloy, B.A. Omotowa and M.A. Mesubi), 239
- X-ray structure**
 Synthesis, structure and spectral properties of $[(\text{HgPh})_2\text{TbSMe}]$; a dinuclear 2-S-methylthiobarbiturate of phenylmercury(II) exhibiting linkage isomerism (R. Carballo, J.S. Casas, M.S. García-Tasende, A. Sánchez, J. Sordo and E.M. Vázquez-López), 49
 Triosmium carbonyl complexes containing bridging ligands derived from *ortho*-functionalized anilines (J.A. Cabeza, M.A. Martínez-García, V. Riera, S. García-Granda and D. Ardura), 133
- X-ray structures**
 Synthesis, characterization and solution properties of organorhodium complexes derived from rhodoximes with one or two diphenylboron moieties in the oxime bridges (F. Asuro, R. Dreos, S. Gerenia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 71
- Y**
 Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23
- Yb**
 Studies on organolanthanide complexes. Part 61. Synthesis and characterization of 3-oxa-pentamethylene bridged *ansa*-metallocene chlorides of rare earth elements (C. Qian, G. Zou and L. Gao), 23
- Ytterbium**
 Organolanthanoids. XX. The synthesis of $\text{YbCp}_2\text{Cl}(\text{THF})_{0.5}$ (Cp = cyclopentadienyl; THF = tetrahydrofuran), $\text{YbCp}_2\text{X}(\text{THF})$ (X = Br or I), and $(\text{YbCp}_2\text{X})_2$ (X = Cl, Br, or I) by oxidation of YbCp_2 with metal and organic halides, and the determination of the X-ray crystal structure of $\text{YbCp}_2\text{I}(\text{THF})$ (G.B. Deacon, S.C. Harris, G. Meyer, D. Stellfeldt, D.L. Wilkinson and G. Zelesny), 247
- Zirconium**
 Hetero-*ansa*-metallocenes: I. Synthesis of the novel [1]-borylidene-bridged *ansa*-zirconocene dichloride (K.A. Rufanov, V.V. Kotov, N.B. Kazennova, D.A. Lemenovskii, E.V. Avtomonov and J. Lorberth), 287
 Hydroformylation of olefins catalysed with bimetallic systems: $\text{HRh}\{\text{P}(\text{OPh})_3\}_4 + \text{cp}_2\text{ZrH}(\text{CH}_2\text{PPh}_2)$ and $\text{HRh}(\text{CO})\{\text{P}(\text{OPh})_3\}_3 + \text{cp}_2\text{ZrH}(\text{CH}_2\text{PPh}_2)$ (A.M. Trzeciak, J.J. Ziótkowski and R. Choukroun), 145
 Synthesis, characterization and reactivity of amido titanium and zirconium complexes (H. Mack and M.S. Eisen), 81
 Unverbrückte Fluorenylkomplexe des Typs $(\text{C}_5\text{H}_5)(9\text{-R-C}_{13}\text{H}_8)\text{ZrCl}_2$ (R = Me_3Si , Alkyl, Aryl): Synthese, Charakterisierung und Anwendung als Katalysatoren bei der homogenen Olefinpolymerisation (M.A. Schmid, H.G. Alt und W. Milius), 15
 Unverbrückte (Pentamethylcyclopentadienyl)(fluorenyl)-Komplexe des Zirconiums und Hafniums. Die Molekülstrukturen von $(\text{C}_5\text{Me}_5)(2,7\text{-Me}_2\text{-C}_{13}\text{H}_7)\text{MCl}_2$ (M = Zr, Hf) (M.A. Schmid, H.G. Alt und W. Milius), 9
- Book Review**
Gmelin Handbook of Inorganic and Organometallic Chemistry, Eighth Edition (G.J. Leigh), 304
Macromolecule-Metal Complexes, E. Ciardelli, E. Tsuchida and D. Wöhrlé (eds.) (G.J. Leigh), 303
Stereoselective Synthesis, Robert S. Atkinson, John Wiley (J.R. Hanson), 303