

## Subject Index of Volume 549

### Acetylacetonate complexes

Synthesis and crystal structures of the distorted pentagonal bipyramidal seven-coordinate acetylacetonate complexes  $[\text{M}(\text{acac})(\text{CO})_2(\text{PEt}_3)_2]$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ) (P.K. Baker, A.I. Clark, M.G.B. Drew, M.C. Durrant and R.L. Richards), 193

### Acetylides

Organometallic complexes for nonlinear optics. X. Molecular quadratic and cubic hyperpolarizabilities of systematically varied (cyclopentadienyl)bis(phosphine)ruthenium  $\sigma$ -arylacetylides: X-ray crystal structure of  $\text{Ru}((E)\text{-}4,4'\text{-C} \equiv \text{CC}_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$  (I.R. Whittall, M.P. Cifuentes, M.G. Humphrey, B. Luther-Davies, M. Samoc, S. Houbrechts, A. Perseons, G.A. Heath and D.C.R. Hockless), 127

### Alkyne complexes

The action of lithium perchlorate in ether on (allyl propargyl ether) hexacarbonyldicobalt complexes (P.L. Pauson and M.D. Spicer), 199

### Alkynes

Carbon–carbon coupling reactions on triruthenium clusters: synthesis and structure of  $\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^3\text{-PhCCCC(H)Ph}][\mu_2\text{-NS(O)MePh}]$  and  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-}\eta^3\text{-PhCCCC(H)Ph}][\mu_3\text{-NS(O)MePh}]$  (V. Ferrand, C. Gamba, N. Derrien, C. Bolm, H. Stoeckli-Evans and G. Süss-Fink), 275

Triruthenium clusters containing vinyl ligands: synthesis and structure of  $\text{Ru}_3(\mu_2\text{-CO})_2(\text{CO})_6[\mu_3\text{-NS(O)MePh}][\mu_2\text{-}\eta^1, \eta^2\text{-PhCH}_2\text{C}=\text{CH}_2]$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}][\mu_3\text{-}\eta^1, \eta^2\text{-Pr}^n\text{C}=\text{CHPr}^n]$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}][\mu_3\text{-}\eta^1, \eta^2\text{-PhC}=\text{CHBu}^n]$ , and  $(\mu_2\text{-H})\text{Ru}_3(\text{CO})_6(\mu_2\text{-}\eta^1, \eta^2\text{-PhC}=\text{CHPh})(\mu_3\text{-}\eta^1, \eta^2\text{-PhC} \equiv \text{CPh})$   $[\mu_3\text{-}\eta^1, \eta^2\text{-NS(O)Me(C}_6\text{H}_4)]$  (V. Ferrand, K. Merzweiler, G. Rheinwald, H. Stoeckli-Evans and G. Süss-Fink), 263

### Alkynyl

The interaction of  $[\text{Cp}^* \text{RuCl}(\text{dippe})]$  and  $[\text{CpRuCl}(\text{dippe})]$  with alkynols: hydroxyvinylidene, allenylidene and related derivatives (dippe = 1,2-bis(diisopropylphosphino)ethane) (I. De los Ríos, M. Jiménez Tenorio, M.C. Puerta and P. Valerga), 221

### (1-Alkynyl)carbene complexes

Organic syntheses via transition metal complexes,  $\text{XC}l^1$ . Dihydropyridinyl carbene complexes by [4 + 2] annulation of alkenyl- or aryl imines to (1-alkynyl)carbene complexes of chromium and tungsten (R. Aumann, Z. Yu and R. Fröhlich), 311

### Alkynyl

Organometallic complexes for nonlinear optics. X. Molecular quadratic and cubic hyperpolarizabilities of systematically varied (cyclopentadienyl)bis(phosphine)ruthenium  $\sigma$ -arylacetylides: X-ray crystal structure of  $\text{Ru}((E)\text{-}4,4'\text{-C} \equiv \text{CC}_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$  (I.R. Whittall, M.P. Cifuentes, M.G. Humphrey, B. Luther-Davies, M. Samoc, S. Houbrechts, A. Perseons, G.A. Heath and D.C.R. Hockless), 127

### Allenylidene complex

The interaction of  $[\text{Cp}^* \text{RuCl}(\text{dippe})]$  and  $[\text{CpRuCl}(\text{dippe})]$  with alkynols: hydroxyvinylidene, allenylidene and related derivatives

(dippe = 1,2-bis(diisopropylphosphino)ethane) (I. De los Ríos, M. Jiménez Tenorio, M.C. Puerta and P. Valerga), 221

### Allylic alcohol

High  $\gamma$ -selectivity in the coupling of penta-2,4-dienyl- and pent-2-en-4-ynylindium reagents with aldehydes (T. Hirashita, S. Inoue, H. Yamamura, M. Kawai and S. Araki), 305

### Allyl propargylic ethers

The action of lithium perchlorate in ether on (allyl propargyl ether) hexacarbonyldicobalt complexes (P.L. Pauson and M.D. Spicer), 199

### Aminogallane

Synthesis and characterization of a series of aminogallanes,  $[\text{Me}_2\text{GaR}]_2$ . The crystal structures of  $[\text{Me}_2\text{GaN}(\text{CH}_2\text{Ph})_2]_2$  and  $[\text{Me}_2\text{GaN}(\text{CH}_2\text{CH}_2)_2\text{NMe}]_2$  (S.J. Schauer, C.H. Lake, C.L. Watkins, L.K. Krannich and D.H. Powell), 31

### $\alpha$ -pyrone

Synthesis of a new iron tricarbonyl ( $\eta^4$ )- $\alpha$ -pyrone complex by reaction of iron vinyl diketone complexes with methyl lithium under a CO atmosphere (C. Alvarez-Toledano, S. Hernández-Ortega, S. Bernès, R. Gutiérrez-Pérez and O. García-Mellado), 49

### 1,3-Bis(trimethylsilyl)-1-aza-allyls

Synthesis, characterisation and reactions of 1,3-bis(trimethylsilyl)-1-aza-allyl-lanthanide complexes; X-ray structures of  $[\text{Sm}(\text{LL}')_2](\text{thf})$ ,  $[\text{Yb}(\text{LL}')_2]$  and  $[\text{RN}=\text{C}(\text{Bu}^i)\text{CH}(\text{R})_2]$  (thf = tetrahydrofuran,  $\text{LL}' = \eta^3\text{-N}(\text{R})\text{C}(\text{Bu}^i)\text{CHR}$ ,  $\text{R} = \text{SiMe}_3$ ) (P.B. Hitchcock, M.F. Lappert and S. Tian), 1

### Bond length

1-Fluorogermetrane—germetrane with the shortest intramolecular N  $\rightarrow$  Ge bond (E. Lukevics, S. Belyakov, P. Arsenyan and J. Popelis), 163

### Carbene complexes

Organic syntheses via transition metal complexes,  $\text{XC}l^1$ . Dihydropyridinyl carbene complexes by [4 + 2] annulation of alkenyl- or aryl imines to (1-alkynyl)carbene complexes of chromium and tungsten (R. Aumann, Z. Yu and R. Fröhlich), 311

### Carbon–carbon coupling

Carbon–carbon coupling reactions on triruthenium clusters: synthesis and structure of  $\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^3\text{-PhCCCC(H)Ph}][\mu_2\text{-NS(O)MePh}]$  and  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-}\eta^3\text{-PhCCCC(H)Ph}][\mu_3\text{-NS(O)MePh}]$  (V. Ferrand, C. Gamba, N. Derrien, C. Bolm, H. Stoeckli-Evans and G. Süss-Fink), 275

### Carbon nucleophile

Proton sponge as a carbon nucleophile, addition to a putative carbocation linked to a dicarbocobaltaborane cage (F.S. McQuillan, T.A. Hamor, R. Tanna, P.R. Ashton, M.S. Tolley and C.J. Jones), 233

### Carbonyl chromium complexes

Hydrocarbon bridged metal complexes: XLII. Addition of aniline tricarbonyl chromium complexes to the diene ligands of  $[(\eta^5\text{-H}_3\text{CC}_5\text{H}_5\text{CH}_2)_2\text{Fe}(\text{CO})_2]^+$  and  $[(\eta^5\text{-C}_5\text{H}_6\text{CH}_3)\text{Fe}(\text{CO})_3]^+$  (H.-J. Bentele, K. Sünkel and W. Beck), 245

## Carbonyl iron complexes

Hydrocarbon bridged metal complexes: XLII. Addition of aniline tricarbonyl chromium complexes to the dienyl ligands of  $[(\eta^5\text{-H}_3\text{CC}_5\text{H}_5\text{CH}_3)\text{Fe}(\text{CO})_3]^+$  and  $[(\eta^5\text{-C}_5\text{H}_6\text{CH}_3)\text{Fe}(\text{CO})_3]^+$  (H.-J. Bentele, K. Sünkel and W. Beck), 245

## Catalysis

Metallocene dichlorides bearing acenaphthyl substituted cyclopentadienyl rings: preparation and polymerization behavior (T. Repo, G. Jany, K. Hakala, M. Klinga, M. Polamo, M. Leskelä and B. Rieger), 177

## Chloride

Systematic studies on the reactions of lanthanide trichlorides with  $\text{Na}[1,3\text{-bis}(\text{trimethylsilyl})\text{cyclopentadienyl}]$ . Crystal structures of  $[1,3\text{-(Me}_3\text{Si)}_2\text{C}_5\text{H}_3\text{]}_3\text{Ln}$  (Ln = La, Nd, Gd, Dy) (Z. Xie, K. Chui, Z. Liu, F. Xue, Z. Zhang, T.C.W. Mak and J. Sun), 239

## Chromium and tungsten complexes

Organic syntheses via transition metal complexes.  $\text{XC}l^I$ . Dihydropyridinyl carbene complexes by  $[4+2]$  annulation of alkenyl- or aryl imines to (1-alkynyl)carbene complexes of chromium and tungsten (R. Aumann, Z. Yu and R. Fröhlich), 311

## Clusters

Carbon-carbon coupling reactions on triruthenium clusters: synthesis and structure of  $\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^3\text{-PhCCCC(H)Ph}][\mu_2\text{-NS(O)MePh}]$  and  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-}\eta^3\text{-PhCCCC(H)Ph}][\mu_3\text{-NS(O)MePh}]$  (V. Ferrand, C. Gambs, N. Derrien, C. Bolm, H. Stoeckli-Evans and G. Süß-Fink), 275

Triruthenium clusters containing vinyl ligands: synthesis and structure of  $\text{Ru}_3(\mu_2\text{-CO})_2(\text{CO})_6[\mu_3\text{-NS(O)MePh}](\mu_2\text{-}\eta^1, \eta^2\text{-PhCH}_2\text{C}=\text{CH}_2)$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}](\mu_3\text{-}\eta^1, \eta^2\text{-Pr}^n\text{C}=\text{CHPr}^n)$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}](\mu_3\text{-}\eta^1, \eta^2\text{-PhC}=\text{CHBu}^n)$ , and  $(\mu_2\text{-H})\text{Ru}_3(\text{CO})_6(\mu_2\text{-}\eta^1, \eta^2\text{-PhC}=\text{CHPh})(\mu_3\text{-}\eta^1, \eta^2\text{-PhC}\equiv\text{CPh})$  [ $\mu_3\text{-}\eta^1, \eta^2\text{-NS(O)Me(C}_6\text{H}_4\text{)}$ ] (V. Ferrand, K. Merzweiler, G. Rheinwald, H. Stoeckli-Evans and G. Süß-Fink), 263

## Cobalt

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovanova, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

The action of lithium perchlorate in ether on (allyl propargyl ether) hexacarbonyldicobalt complexes (P.L. Pauson and M.D. Spicer), 199

## Crystals

The synthesis of novel bridging cyclopentadienyl W-Sn(IV) bonded bimetallic complexes. Crystal structure of  $\text{Cl}_3\text{SnMo}(\text{CO})_3\text{C}_5\text{H}_4(\text{CH}_3)\text{C}=\text{N}-\text{NHC}_6\text{H}_3(\text{NO}_2)_2$  and  $\mu\text{-}[\text{C}_5\text{H}_4(\text{CH}_3)\text{C}=\text{N}-\text{N}(\text{CO})\text{Ph}]\text{W}(\text{CO})_3\text{SnCl}_2 \cdot (\text{EtOH})_2$  (J.-T. Wang, H.-Y. He, Y.-M. Xu, J. Sun and X.-F. Kong), 25

## Crystal structure

Conversion of a manganese-carbon-bonded complex to a manganese-oxygen-bonded complex, some reactions of manganese carbonate complexes (G.Q. Li, R.M. Burns, S.K. Mandal, J. Krause Bauer and M. Orchin), 89

Crystal structure, conformational diversity and solution NMR spectroscopy of four tris(indenyl)lanthanoid(III)tetrahydrofuran adducts:  $[\text{Ln}(\text{C}_9\text{H}_7)_3 \cdot \text{THF}]$  (Ln = La, Pr, Nd, Sm) (J. Guan, Q. Shen and R.D. Fischer), 203

Proton sponge as a carbon nucleophile, addition to a putative carbocation linked to a dicarbacobaltaborane cage (F.S. McQuillan, T.A. Hamor, R. Tanna, P.R. Ashton, M.S. Tolley and C.J. Jones), 233

Synthesis and characterization of cyclometallated palladium(II) dithiolate complexes of the type  $[\text{Pd}(\text{E}^-\text{C}(\text{S}^-\text{S}))]$  (S. Narayan, V.K. Jain and R.J. Butcher), 73

Synthesis, characterisation and reactions of 1,3-bis(trimethylsilyl)-1-aza-allyl-lanthanide complexes; X-ray structures of  $[\text{Sm}(\text{LL}')_2]$

$[\text{Yb}(\text{LL}')_2]$  and  $[\text{RN}=\text{C}(\text{Bu}^i)\text{CH}(\text{R})_2]$  (thf = tetrahydrofuran.  $\text{LL}' = \eta^3\text{-N}(\text{R})\text{C}(\text{Bu}^i)\text{CHR}$ .  $\text{R}=\text{SiMe}_3$ ) (P.B. Hitchcock, M.F. Lappert and S. Tian), 1

Systematic studies on the reactions of lanthanide trichlorides with  $\text{Na}[1,3\text{-bis}(\text{trimethylsilyl})\text{cyclopentadienyl}]$ . Crystal structures of  $[1,3\text{-(Me}_3\text{Si)}_2\text{C}_5\text{H}_3\text{]}_3\text{Ln}$  (Ln = La, Nd, Gd, Dy) (Z. Xie, K. Chui, Z. Liu, F. Xue, Z. Zhang, T.C.W. Mak and J. Sun), 239

## Crystal structures

Carbon-carbon coupling reactions on triruthenium clusters: synthesis and structure of  $\text{Ru}_3(\text{CO})_9[\mu_3\text{-}\eta^3\text{-PhCCCC(H)Ph}][\mu_2\text{-NS(O)MePh}]$  and  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-}\eta^3\text{-PhCCCC(H)Ph}][\mu_3\text{-NS(O)MePh}]$  (V. Ferrand, C. Gambs, N. Derrien, C. Bolm, H. Stoeckli-Evans and G. Süß-Fink), 275

Synthesis and crystal structures of the distorted pentagonal bipyramidal seven-coordinate acetylacetonate complexes  $[\text{M}(\text{acac})(\text{CO})_2(\text{PEt}_3)_2]$  (M = Mo or W) (P.K. Baker, A.I. Clark, M.G.B. Drew, M.C. Durrant and R.L. Richards), 193

Triruthenium clusters containing vinyl ligands: synthesis and structure of  $\text{Ru}_3(\mu_2\text{-CO})_2(\text{CO})_6[\mu_3\text{-NS(O)MePh}](\mu_2\text{-}\eta^1, \eta^2\text{-PhCH}_2\text{C}=\text{CH}_2)$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}](\mu_3\text{-}\eta^1, \eta^2\text{-Pr}^n\text{C}=\text{CHPr}^n)$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}](\mu_3\text{-}\eta^1, \eta^2\text{-PhC}=\text{CHBu}^n)$ , and  $(\mu_2\text{-H})\text{Ru}_3(\text{CO})_6(\mu_2\text{-}\eta^1, \eta^2\text{-PhC}=\text{CHPh})(\mu_3\text{-}\eta^1, \eta^2\text{-PhC}\equiv\text{CPh})$  [ $\mu_3\text{-}\eta^1, \eta^2\text{-NS(O)Me(C}_6\text{H}_4\text{)}$ ] (V. Ferrand, K. Merzweiler, G. Rheinwald, H. Stoeckli-Evans and G. Süß-Fink), 263

## Cyclooctatetraenyl ligands

Cyclooctatetraenyl complexes of the early transition metals and lanthanides. IX. (Cyclooctatetraenyl)lanthanide diazadiene complexes (P. Poremba and F.T. Edelmann), 101

## Cyclopentadienyl

Systematic studies on the reactions of lanthanide trichlorides with  $\text{Na}[1,3\text{-bis}(\text{trimethylsilyl})\text{cyclopentadienyl}]$ . Crystal structures of  $[1,3\text{-(Me}_3\text{Si)}_2\text{C}_5\text{H}_3\text{]}_3\text{Ln}$  (Ln = La, Nd, Gd, Dy) (Z. Xie, K. Chui, Z. Liu, F. Xue, Z. Zhang, T.C.W. Mak and J. Sun), 239

The synthesis of novel bridging cyclopentadienyl W-Sn(IV) bonded bimetallic complexes. Crystal structure of  $\text{Cl}_3\text{SnMo}(\text{CO})_3\text{C}_5\text{H}_4(\text{CH}_3)\text{C}=\text{N}-\text{NHC}_6\text{H}_3(\text{NO}_2)_2$  and  $\mu\text{-}[\text{C}_5\text{H}_4(\text{CH}_3)\text{C}=\text{N}-\text{N}(\text{CO})\text{Ph}]\text{W}(\text{CO})_3\text{SnCl}_2 \cdot (\text{EtOH})_2$  (J.-T. Wang, H.-Y. He, Y.-M. Xu, J. Sun and X.-F. Kong), 25

## DFT

Ab initio theoretical study of 3-aminopyrrolidines lithium amides as chiral ligands for butyllithium (C. Fressigné, A. Corruble, J.-Y. Valnot, J. Maddaluno and C. Giessner-Prettre), 81

## Diazadiene ligands

Cyclooctatetraenyl complexes of the early transition metals and lanthanides. IX. (Cyclooctatetraenyl)lanthanide diazadiene complexes (P. Poremba and F.T. Edelmann), 101

## Dibenzoyl ethylene

Synthesis of a new iron tricarbonyl ( $\eta^4$ )- $\alpha$ -pyrone complex by reaction of iron vinylidone complexes with methyl lithium under a CO atmosphere (C. Alvarez-Toledano, S. Hernández-Ortega, S. Bernès, R. Gutiérrez-Pérez and O. García-Mellado), 49

## Dihydropyridine

Organic syntheses via transition metal complexes.  $\text{XC}l^I$ . Dihydropyridinyl carbene complexes by  $[4+2]$  annulation of alkenyl- or aryl imines to (1-alkynyl)carbene complexes of chromium and tungsten (R. Aumann, Z. Yu and R. Fröhlich), 311

## Diorganoarsenic(V) compound

The first oxygen-bridged diorganoarsenic(V) compound: the crystal structure of  $\text{AsMe}_2(\text{SO})\text{As}(\text{S})\text{Me}_2$  (L. Silaghi-Dumitrescu, S. Pascu, I. Silaghi-Dumitrescu, I. Haiduc, M.N. Gibbons and D.B. Sowerby), 187

## Dithiophosphate

Synthesis and characterization of cyclometallated palladium(II) dithiolate complexes of the type  $[\text{Pd}(\text{E}^-\text{C})(\text{S}^-\text{S})]$  (S. Narayan, V.K. Jain and R.J. Butcher), 73

## Donor ligands

Chirale Titan- und Zirkoniumkomplexe mit dem 1-(8-Chinolyl)-2,3-dimethylcyclopentadienyl-Liganden (M. Enders, R. Rudolph und H. Pritzkow), 251

## Ethene

Metallocene dichlorides bearing acenaphthyl substituted cyclopentadienyl rings: preparation and polymerization behavior (T. Repo, G. Jany, K. Hakala, M. Klinga, M. Polamo, M. Leskelä and B. Rieger), 177

## 1-Fluorogeramatrane

1-Fluorogeramatrane—germatrane with the shortest intramolecular N → Ge bond (E. Lukevics, S. Belyakov, P. Arsenyan and J. Popelis), 163

## Fullerenepolydiphenylphosphite

Synthesis of polydiphenylphosphite derivatives of [60]fullerene and their reactions with metal complexes (M. Iglesias and A. Santos), 213

## Fullerenol

Synthesis of polydiphenylphosphite derivatives of [60]fullerene and their reactions with metal complexes (M. Iglesias and A. Santos), 213

## Functionalized cyclopentadienyl

Tripod-Liganden mit Cyclopentadienyl-Donorgruppe: Synthese und Reaktivität von Komplexen des Typs  $\text{CH}_3\text{C}(\text{CH}_2-\eta^5\text{-C}_5\text{H}_4)(\text{CH}_2\text{PR}_2)(\text{CH}_2\text{PR}'_2)\text{FeCl}$  (B. Antelmann, G. Huttner, J. Vogelgesang, O. Walter und U. Winterhalter), 139

## Geramatrane

1-Fluorogeramatrane—germatrane with the shortest intramolecular N → Ge bond (E. Lukevics, S. Belyakov, P. Arsenyan and J. Popelis), 163

## Gold

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovanova, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

## Halgenotrimethylplatinum(IV) metal moiety

Synthesis and detailed NMR study of tricarbonylrhenium(I) and trimethylplatinum(IV) halide complexes of 2-methylthiomethyl-4-(S)-methyl-1,3-oxazoline (L). X-ray crystal structure of *fac*- $[\text{ReBr}(\text{CO})_3\text{L}]$  (P.J. Heard and D.A. Tocher), 295

## Halides

Observations on the synthesis and chemistry of a complete series of phenylazophenyl(C,N')tellurium(II) halides (fluoride, chloride, bromide and iodide) (Z. Majeed, W.R. McWhinnie and T.A. Hamor), 257

## Halogenopentacarbonylrhenium metal moiety

Synthesis and detailed NMR study of tricarbonylrhenium(I) and trimethylplatinum(IV) halide complexes of 2-methylthiomethyl-4-(S)-methyl-1,3-oxazoline (L). X-ray crystal structure of *fac*- $[\text{ReBr}(\text{CO})_3\text{L}]$  (P.J. Heard and D.A. Tocher), 295

 $\eta^3$ -1,3-dimethylallyl

Crystallographic studies of  $\{\eta^3\text{-1,3-dimethylallyl}\}\{2\text{-[2'-(diphenylphosphino)phenyl]oxazoline-P,N}\}$  palladium(II) hexafluorophosphates complexes complemented by  $^1\text{H}$  NMR investigations (S. Liu, J.F.K. Müller, M. Neuburger, S. Schaffner and M. Zehnder), 283

## Hexamethyldisilazane

Radiochemical study of the reactions between the methyl cation and hexamethyldisilazane (T.A. Kochina, D.V. Vrazhnov and I.S. Ignatyev), 45

## Hydrazone

The synthesis of novel bridging cyclopentadienyl W–Sn(IV) bonded bimetallic complexes. Crystal structure of  $\text{Cl}_3\text{SnMo}(\text{CO})_3\text{C}_5\text{H}_4(\text{CH}_3)\text{C}=\text{N}-\text{NHC}_6\text{H}_3(\text{NO}_2)_2$  and  $\mu\text{-}[\text{C}_5\text{H}_4(\text{CH}_3)\text{C}=\text{N}-\text{N}(\text{CO})\text{Ph}]\text{W}(\text{CO})_3\text{SnCl}_2 \cdot (\text{EtOH})_2$  (J.-T. Wang, H.-Y. He, Y.-M. Xu, J. Sun and X.-F. Kong), 25

## Hydrogen bond

Proton sponge as a carbon nucleophile, addition to a putative carbocation linked to a dicarbocobaltaborane cage (F.S. McQuillan, T.A. Hamor, R. Tanna, P.R. Ashton, M.S. Tolley and C.J. Jones), 233

## Hydrolysis

Conversion of a manganese–carbon-bonded complex to a manganese–oxygen-bonded complex. some reactions of manganese carbonate complexes (G.Q. Li, R.M. Burns, S.K. Mandal, J. Krause Bauer and M. Orchin), 89

## Iminium carbonylmetalates

Organic syntheses via transition metal complexes.  $\text{XC}^1$ . Dihydropyridinyl carbene complexes by [4 + 2] annulation of alkenyl- or aryl imines to (1-alkynyl)carbene complexes of chromium and tungsten (R. Aumann, Z. Liu and R. Fröhlich), 311

## Indenyl

Syntheses of indenyl lanthanide derivatives and the molecular structures of  $[(\text{C}_9\text{H}_7)_2\text{PrCl}(\text{THF})_2]$  and  $[(\text{C}_9\text{H}_7)_3\text{La}(\text{THF})]$  (Q. Shen, M. Qi, S. Song, L. Zhang and Y. Lin), 95

## Indenyl ligand

Crystal structure, conformational diversity and solution NMR spectroscopy of four tris(indenyl)lanthanoid(III)tetrahydrofuran adducts:  $[\text{Ln}(\text{C}_9\text{H}_7)_3 \cdot \text{THF}]$  (Ln = La, Pr, Nd, Sm) (J. Guan, Q. Shen and R.D. Fischer), 203

## Indium

High  $\gamma$ -selectivity in the coupling of penta-2,4-dienyl- and pent-2-en-4-ynylindium reagents with aldehydes (T. Hirashita, S. Inoue, H. Yamamura, M. Kawaji and S. Araki), 305

## Iron

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovanova, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

Synthesis of a new iron tricarbonyl ( $\eta^4$ )- $\alpha$ -pyrone complex by reaction of iron vinyl diketone complexes with methyl lithium under a CO atmosphere (C. Alvarez-Toledano, S. Hernández-Ortega, S. Bernès, R. Gutiérrez-Pérez and O. García-Mellado), 49

## Iron complexes

Tripod-Liganden mit Cyclopentadienyl-Donorgruppe: Synthese und Reaktivität von Komplexen des Typs  $\text{CH}_3\text{C}(\text{CH}_2-\eta^5\text{-C}_5\text{H}_4)(\text{CH}_2\text{PR}_2)(\text{CH}_2\text{PR}'_2)\text{FeCl}$  (B. Antelmann, G. Huttner, J. Vogelgesang, O. Walter und U. Winterhalter), 139

## Isomerization

Products from the photoreaction of  $(\text{Me}_3\text{P}(\text{OC})_2\text{OsW}(\text{CO})_5)$  with  $\text{CCl}_4$ ; synthesis and isomerization of  $\text{Os}(\text{CO})_2(\text{PMe}_3)_2\text{Cl}_2$  (J.L. Male, F.W.B. Einstein, W.K. Leong, R.K. Pomeroy and D.R. Tyler), 105

## Lanthanides

Synthesis, characterisation and reactions of 1,3-bis(trimethylsilyl)-1-aza-allyl-lanthanide complexes: X-ray structures of  $[\text{Sm}(\text{LL}')_2](\text{thf})$ ,  $[\text{Yb}(\text{LL}')_2]$  and  $[\text{RN}=\text{C}(\text{Bu}^t)\text{CH}(\text{R})_2]$  (thf = tetrahydrofuran,  $\text{LL}' = \eta^3\text{-N}(\text{R})\text{C}(\text{Bu}^t)\text{CHR}$ ,  $\text{R} = \text{SiMe}_3$ ) (P.B. Hitchcock, M.F. Lappert and S. Tian), 1

## Lanthanoid complexes

Crystal structure, conformational diversity and solution NMR spectroscopy of four tris(indenyl)lanthanoid(III)tetrahydrofuran adducts:  $[\text{Ln}(\text{C}_9\text{H}_7)_3 \cdot \text{THF}]$  ( $\text{Ln} = \text{La}, \text{Pr}, \text{Nd}, \text{Sm}$ ) (J. Guan, Q. Shen and R.D. Fischer), 203

## Lanthanum

Syntheses of indenyl lanthanide derivatives and the molecular structures of  $[(\text{C}_9\text{H}_7)_2\text{PrCl}(\text{THF})_2]$  and  $[(\text{C}_9\text{H}_7)_3\text{La}(\text{THF})]$  (Q. Shen, M. Qi, S. Song, L. Zhang and Y. Lin), 95

## Ligands

Synthesis and reactivity of new palladium alkyl complexes containing  $\text{PMe}_3$  ligands: Insertion reactions and formation of bis(pyrazolyl)borate derivatives (E. Gutiérrez, M.C. Nicasio, M. Paneque, C. Ruiz and V. Salazar), 167

## Lithium amide

Thermal decomposition of  $[\text{Me}_3\text{SiNCH}_2\text{CH}_2\text{NSiMe}_3] \cdot \text{Li}_2(\text{THF})_2$  to  $[\text{LiN}(\text{SiMe}_3)_2 \cdot \text{THF}]_2$  via a 1,4-trimethylsilyl shift (H. Mack, G. Frenzen, M. Bendikov and M.S. Eisen), 39

## Lithium amide-alkyllithium complexes

Ab initio theoretical study of 3-aminopyrrolidines lithium amides as chiral ligands for butyllithium (C. Fressigné, A. Corruble, J.-Y. Valnot, J. Maddaluno and C. Giessner-Prettre), 81

## Lithium amides conformation

Ab initio theoretical study of 3-aminopyrrolidines lithium amides as chiral ligands for butyllithium (C. Fressigné, A. Corruble, J.-Y. Valnot, J. Maddaluno and C. Giessner-Prettre), 81

## Lithium perchlorate

The action of lithium perchlorate in ether on (allyl propargyl ether) hexacarbonyldicobalt complexes (P.L. Pauson and M.D. Spicer), 199

## Manganese-carbon metallocarboxylate complex

Conversion of a manganese-carbon-bonded complex to a manganese-oxygen-bonded complex, some reactions of manganese carbonato complexes (G.Q. Li, R.M. Burns, S.K. Mandal, J. Krause Bauer and M. Orchin), 89

## Manganese-oxygen bridging carbonato complex

Conversion of a manganese-carbon-bonded complex to a manganese-oxygen-bonded complex, some reactions of manganese carbonato complexes (G.Q. Li, R.M. Burns, S.K. Mandal, J. Krause Bauer and M. Orchin), 89

## Manganese phosphine complexes

Conversion of a manganese-carbon-bonded complex to a manganese-oxygen-bonded complex, some reactions of manganese carbonato complexes (G.Q. Li, R.M. Burns, S.K. Mandal, J. Krause Bauer and M. Orchin), 89

## Mer-cis- to fac-isomerization

Products from the photoreaction of  $(\text{Me}_3\text{P})(\text{OC})_4\text{OsW}(\text{CO})_5$  with  $\text{CCl}_4$ ; synthesis and isomerization of  $\text{Os}(\text{CO})_3(\text{PMe}_3)\text{Cl}_2$  (J.L. Male, F.W.B. Einstein, W.K. Leong, R.K. Pomeroy and D.R. Tyler), 105

## Metallocarbaborane

Proton sponge as a carbon nucleophile, addition to a putative carbocation linked to a dicarbocobaltaborane cage (F.S. McQuillan, T.A. Hamor, R. Tanna, P.R. Ashton, M.S. Tolley and C.J. Jones), 233

## Metallocene

A molecular structure of mixed valence biruthenocenium ( $\text{Ru}^{\text{II}}\text{Ru}^{\text{IV}}$ ) salts  $[\text{Ru}^{\text{II}}\text{Cp}(\text{C}_5\text{H}_4\text{C}_5\text{H}_4)\text{CpRu}^{\text{IV}}\text{L}]^2+(\text{BF}_4^-)_2$  ( $\text{L} = \text{NCCH}_3, \text{N}(\text{CH}_2)_3\text{N}$ ) (M. Watanabe, I. Motoyama, T. Takayama and M. Sato), 13

Metallocene dichlorides bearing acenaphthyl substituted cyclopentadienyl rings: preparation and polymerization behavior (T. Repo, G. Jany, K. Hakala, M. Klinga, M. Polamo, M. Leskelä and B. Rieger), 177

## Methyltrioxorhenium

Multiple bonds between transition metals and main-group elements. Part 168. Methyltrioxorhenium/Lewisbase catalysts in olefin epoxidation (W.A. Herrmann, H. Ding, R.M. Kratzer, F.E. Kühn, J.J. Haider and R.W. Fischer), 319

## Mixed-valence

A molecular structure of mixed valence biruthenocenium ( $\text{Ru}^{\text{II}}\text{Ru}^{\text{IV}}$ ) salts  $[\text{Ru}^{\text{II}}\text{Cp}(\text{C}_5\text{H}_4\text{C}_5\text{H}_4)\text{CpRu}^{\text{IV}}\text{L}]^2+(\text{BF}_4^-)_2$  ( $\text{L} = \text{NCCH}_3, \text{N}(\text{CH}_2)_3\text{N}$ ) (M. Watanabe, I. Motoyama, T. Takayama and M. Sato), 13

## Mo complex

Synthesis of polydiphenylphosphite derivatives of [60]fullerene and their reactions with metal complexes (M. Iglesias and A. Santos), 213

## N-((E)-1-Methyl-2,4-pentadienyl)aniline

Hydrocarbon bridged metal complexes: XLII. Addition of aniline tricarbonyl chromium complexes to the dienylic ligands of  $[(\eta^5\text{-H}_3\text{CC}_5\text{H}_5\text{CH}_3)\text{Fe}(\text{CO})_3]^+$  and  $[(\eta^5\text{-C}_5\text{H}_6\text{CH}_3)\text{Fe}(\text{CO})_3]^+$  (H.-J. Bentele, K. Sünkel and W. Beck), 245

## N-Methyl-N-((2E,4E)-1-methyl-2,4-hexadienyl)aniline

Hydrocarbon bridged metal complexes: XLII. Addition of aniline tricarbonyl chromium complexes to the dienylic ligands of  $[(\eta^5\text{-H}_3\text{CC}_5\text{H}_5\text{CH}_3)\text{Fe}(\text{CO})_3]^+$  and  $[(\eta^5\text{-C}_5\text{H}_6\text{CH}_3)\text{Fe}(\text{CO})_3]^+$  (H.-J. Bentele, K. Sünkel and W. Beck), 245

## N-functionalized cyclopentadienyl

Chirale Titan- und Zirkoniumkomplexe mit dem 1-(8-Chinoly)-2,3-dimethylcyclopentadienyl-Liganden (M. Enders, R. Rudolph und H. Pritzkow), 251

## NMR spectroscopy

Crystallographic studies of  $\{\eta^3\text{-1,3-dimethylallyl}\}\{2\text{-[2'-(diphenylphosphino)phenyl]oxazoline-P,N}\}$  palladium(II) hexafluorophosphates complexes complemented by  $^1\text{H}$  NMR investigations (S. Liu, J.F.K. Müller, M. Neuburger, S. Schaffner and M. Zehnder), 283

## NMR studies

Synthesis and detailed NMR study of tricarbonylrhenium(I) and trimethylplatinum(IV) halide complexes of 2-methylthiomethyl-4-(S)-methyl-1,3-oxazoline (L). X-ray crystal structure of *fac*- $[\text{ReBr}(\text{CO})_3\text{L}]$  (P.J. Heard and D.A. Tocher), 295

## Nonlinear optics

Organometallic complexes for nonlinear optics. X. Molecular quadratic and cubic hyperpolarizabilities of systematically varied (cyclopentadienyl)bis(phosphine)ruthenium  $\sigma$ -arylacetylides: X-ray crystal structure of  $\text{Ru}((E)\text{-4,4'-C}\equiv\text{CC}_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$  (I.R. Whittall, M.P. Cifuentes, M.G. Humphrey, B. Luther-Davies, M. Samoc, S. Houbrechts, A. Persoons, G.A. Heath and D.C.R. Hockless), 127

## Olefins

Multiple bonds between transition metals and main-group elements. Part 168. Methyltrioxorhenium/Lewisbase catalysts in olefin epoxidation (W.A. Herrmann, H. Ding, R.M. Kratzer, F.E. Kühn, J.J. Haider and R.W. Fischer), 319

## Optically active clusters

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovaneva, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

## Organolanthanide

Systematic studies on the reactions of lanthanide trichlorides with  $\text{Na}[1,3\text{-bis(trimethylsilyl)cyclopentadienyl}]$ . Crystal structures of  $[1,3\text{-}(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3]_3\text{Ln}$  ( $\text{Ln} = \text{La}, \text{Nd}, \text{Gd}, \text{Dy}$ ) (Z. Xie, K. Chui, Z. Liu, F. Xue, Z. Zhang, T.C.W. Mak and J. Sun), 239

## Organolanthanide complexes

Cyclooctatetraenyl complexes of the early transition metals and lanthanides. IX. (Cyclooctatetraenyl)lanthanide diazadiene complexes (P. Poremba and F.T. Edelmann), 101

## Organometallic chemistry

Synthesis and reactivity of new palladium alkyl complexes containing  $\text{PMe}_3$  ligands: Insertion reactions and formation of bis(pyrazolyl)borate derivatives (E. Gutiérrez, M.C. Nicasio, M. Paneque, C. Ruiz and V. Salazar), 167

## Orthometallated

Synthesis and characterization of cyclometallated palladium(II) dithiolate complexes of the type  $[\text{Pd}(\text{E}^-\text{C}(\text{S}^-\text{S}))]$  (S. Narayan, V.K. Jain and R.J. Butcher), 73

## Oxidation

The first oxygen-bridged diorganoarsenic(V) compound, the crystal structure of  $\text{AsMe}_2(\text{S})\text{OAs}(\text{S})\text{Me}_2$  (L. Silaghi-Dumitrescu, S. Pascu, I. Silaghi-Dumitrescu, I. Haiduc, M.N. Gibbons and D.B. Sowerby), 187

Oxidative-addition of  $\text{CCl}_4$ 

Products from the photoreaction of  $(\text{Me}_3\text{P}(\text{OC})_2\text{OsW}(\text{CO})_5)$  with  $\text{CCl}_4$ ; synthesis and isomerization of  $\text{Os}(\text{CO})_3(\text{PMe}_3)\text{Cl}_2$  (J.L. Male, F.W.B. Einstein, W.K. Leong, R.K. Pomeroy and D.R. Tyler), 105

## Palladium

Crystallographic studies of  $\{\eta^3\text{-1,3-dimethylallyl}\}\{2\text{-[2'-(diphenylphosphino)phenyl]oxazoline-P,N}\}$  palladium(II) hexafluorophosphates complexes complemented by  $^1\text{H}$  NMR investigations (S. Liu, J.F.K. Müller, M. Neuburger, S. Schaffner and M. Zehnder), 283

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovaneva, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

Synthesis and characterization of cyclometallated palladium(II) dithiolate complexes of the type  $[\text{Pd}(\text{E}^-\text{C}(\text{S}^-\text{S}))]$  (S. Narayan, V.K. Jain and R.J. Butcher), 73

## Palladium alkyl complexes

Synthesis and reactivity of new palladium alkyl complexes containing  $\text{PMe}_3$  ligands: Insertion reactions and formation of bis(pyrazolyl)borate derivatives (E. Gutiérrez, M.C. Nicasio, M. Paneque, C. Ruiz and V. Salazar), 167

Pd-C  $\sigma$  bonds

Synthesis and reactivity of new palladium alkyl complexes containing  $\text{PMe}_3$  ligands: Insertion reactions and formation of bis(pyrazolyl)borate derivatives (E. Gutiérrez, M.C. Nicasio, M. Paneque, C. Ruiz and V. Salazar), 167

## Penta-2,4-dienyl system

High  $\gamma$ -selectivity in the coupling of penta-2,4-dienyl- and pent-2-en-4-ynylindium reagents with aldehydes (T. Hirashita, S. Inoue, H. Yamamura, M. Kawai and S. Araki), 305

## Pentanuclear heterotrimetallic clusters

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovaneva, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

## Pent-2-en-4-ynyl system

High  $\gamma$ -selectivity in the coupling of penta-2,4-dienyl- and pent-2-en-4-ynylindium reagents with aldehydes (T. Hirashita, S. Inoue, H. Yamamura, M. Kawai and S. Araki), 305

## Phenylazophenyl

Observations on the synthesis and chemistry of a complete series of phenylazophenyl(*C,N'*)tellurium(II) halides (fluoride, chloride, bromide and iodide) (Z. Majeed, W.R. McWhinnie and T.A. Hamor), 257

## Phosphine

The interaction of  $[\text{Cp}^+\text{RuCl}(\text{dippe})]$  and  $[\text{CpRuCl}(\text{dippe})]$  with alkynols: hydroxyvinylidene, allenylidene and related derivatives (dippe = 1,2-bis(diisopropylphosphino)ethane) (I. De los Ríos, M. Jiménez Tenorio, M.C. Puerta and P. Valerga), 221

## Phosphinooxazolines

Crystallographic studies of  $\{\eta^3\text{-1,3-dimethylallyl}\}\{2\text{-[2'-(diphenylphosphino)phenyl]oxazoline-P,N}\}$  palladium(II) hexafluorophosphates complexes complemented by  $^1\text{H}$  NMR investigations (S. Liu, J.F.K. Müller, M. Neuburger, S. Schaffner and M. Zehnder), 283

## Photochemistry

Products from the photoreaction of  $(\text{Me}_3\text{P}(\text{OC})_2\text{OsW}(\text{CO})_5)$  with  $\text{CCl}_4$ ; synthesis and isomerization of  $\text{Os}(\text{CO})_3(\text{PMe}_3)\text{Cl}_2$  (J.L. Male, F.W.B. Einstein, W.K. Leong, R.K. Pomeroy and D.R. Tyler), 105

## Polyethyleneimine

Thermal decomposition of  $[\text{Me}_3\text{SiNCH}_2\text{CH}_2\text{NSiMe}_3] \cdot \text{Li}_2(\text{THF})_2$  to  $[\text{LiN}(\text{SiMe}_3)_2 \cdot \text{THF}]_2$  via a 1,4-trimethylsilyl shift (H. Mack, G. Frenzen, M. Bendikov and M.S. Eisen), 39

## Polymerization

Metallocene dichlorides bearing acenaphthyl substituted cyclopentadienyl rings: preparation and polymerization behavior (T. Repo, G. Jany, K. Hakala, M. Klinga, M. Polamo, M. Leskelä and B. Rieger), 177

## Praseodymium

Syntheses of indenyl lanthanide derivatives and the molecular structures of  $[(\text{C}_9\text{H}_7),\text{PrCl}(\text{THF})_2]$  and  $[(\text{C}_9\text{H}_7)_3\text{La}(\text{THF})]$  (Q. Shen, M. Qi, S. Song, L. Zhang and Y. Lin), 95

## Propene

Metallocene dichlorides bearing acenaphthyl substituted cyclopentadienyl rings: preparation and polymerization behavior (T. Repo, G. Jany, K. Hakala, M. Klinga, M. Polamo, M. Leskelä and B. Rieger), 177

## Proton sponge

Proton sponge as a carbon nucleophile. addition to a putative carbocation linked to a dicarbocobaltaborane cage (F.S. McQuillan, T.A. Hamor, R. Tanna, P.R. Ashton, M.S. Tolley and C.J. Jones), 233

## Pyridine

Multiple bonds between transition metals and main-group elements. Part 168. Methyltrioxorhenium/Lewisbase catalysts in olefin epoxidation (W.A. Herrmann, H. Ding, R.M. Kratzer, F.E. Kühn, J.J. Haider and R.W. Fischer), 319

## Radiochromatographic method

Radiochemical study of the reactions between the methyl cation and hexamethyldisilazane (T.A. Kochina, D.V. Vrazhnov and I.S. Ignatyev), 45

## Rearrangements

The action of lithium perchlorate in ether on (allyl propargyl ether) hexacarbonyldicobalt complexes (P.L. Pauson and M.D. Spicer), 199

## Regioselectivity

High  $\gamma$ -selectivity in the coupling of penta-2,4-dienyl- and pent-2-en-4-ynylindium reagents with aldehydes (T. Hirashita, S. Inoue, H. Yamamura, M. Kawai and S. Araki), 305

## Rh complexes

Synthesis of polydiphenylphosphite derivatives of [60]fullerene and their reactions with metal complexes (M. Iglesias and A. Santos), 213

## Rhodium

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovaneva, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

## Ru complexes

Synthesis of polydiphenylphosphite derivatives of [60]fullerene and their reactions with metal complexes (M. Iglesias and A. Santos), 213

## Ruthenium

Carbon-carbon coupling reactions on triruthenium clusters: synthesis and structure of  $\text{Ru}_3(\text{CO})_9[\mu_3-\eta^1\text{-PhCCCC(H)Ph}][\mu_2\text{-NS(O)MePh}]$  and  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3-\eta^1\text{-PhCCCC(H)Ph}][\mu_3\text{-NS(O)MePh}]$  (V. Ferrand, C. Gams, N. Derrien, C. Bolm, H. Stoeckli-Evans and G. Süss-Fink), 275

Organometallic complexes for nonlinear optics. X. Molecular quadratic and cubic hyperpolarizabilities of systematically varied (cyclopentadienyl)bis(phosphine)ruthenium  $\sigma$ -arylacetylides: X-ray crystal structure of  $\text{Ru}((E)\text{-}4,4'\text{-C}\equiv\text{CC}_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$  (I.R. Whittall, M.P. Cifuentes, M.G. Humphrey, B. Luther-Davies, M. Samoc, S. Houbrechts, A. Persoons, G.A. Heath and D.C.R. Hockless), 127

The interaction of  $[\text{Cp}^+\text{RuCl}(\text{dippe})]$  and  $[\text{CpRuCl}(\text{dippe})]$  with alkynols: hydroxyvinylidene, allenylidene and related derivatives (dippe = 1,2-bis(diisopropylphosphino)ethane) (I. De los Ríos, M. Jiménez Tenorio, M.C. Puerta and P. Valerga), 221

Triruthenium clusters containing vinyl ligands: synthesis and structure of  $\text{Ru}_3(\mu_2\text{-CO})_2(\text{CO})_6[\mu_3\text{-NS(O)MePh}](\mu_2\text{-}\eta^1, \eta^2\text{-PhCH}_2\text{C}\equiv\text{CH}_2)$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}](\mu_3\text{-}\eta^1, \eta^2\text{-Pr}^n\text{C}\equiv\text{CHPr}^n)$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}](\mu_3\text{-}\eta^1, \eta^2\text{-PhC}\equiv\text{CHBu}^n)$ , and  $(\mu_2\text{-H})\text{Ru}_3(\text{CO})_6(\mu_2\text{-}\eta^1, \eta^2\text{-PhC}\equiv\text{CHPh})(\mu_3\text{-}\eta^1, \eta^2\text{-PhC}\equiv\text{CPh})$  [ $\mu_3\text{-}\eta^1, \eta^2\text{-NS(O)Me(C}_6\text{H}_4)$ ] (V. Ferrand, K. Merzweiler, G. Rheinwald, H. Stoeckli-Evans and G. Süss-Fink), 263

## Ruthenocene

A molecular structure of mixed valence biruthenocenium ( $\text{Ru}^{\text{II}}\text{Ru}^{\text{IV}}$ ) salts  $[\text{Ru}^{\text{II}}\text{Cp}(\text{C}_5\text{H}_4\text{C}_5\text{H}_4)\text{CpRu}^{\text{IV}}\text{L}]^{2+}(\text{BF}_4^-)_2$  (L =  $\text{NCCH}_3$ ,  $\text{N}(\text{CH}_3)_3$ ) (M. Watanabe, I. Motoyama, T. Takayama and M. Sato), 13

## Samarium

Cyclooctatetraenyl complexes of the early transition metals and lanthanides. IX. (Cyclooctatetraenyl)lanthanide diazadiene complexes (P. Poremba and F.T. Edelmann), 101

## Silylium groups

Radiochemical study of the reactions between the methyl cation and hexamethyldisilazane (T.A. Kochina, D.V. Vrazhnov and I.S. Ignatyev), 45

Solution NMR ( $^1\text{H}$ ,  $^{139}\text{La}$ )

Crystal structure, conformational diversity and solution NMR spectroscopy of four tris(indenyl)lanthanoid(III)tetrahydrofuran adducts:  $[\text{Ln}(\text{C}_9\text{H}_7)_3 \cdot \text{THF}]$  (Ln = La, Pr, Nd, Sm) (J. Guan, Q. Shen and R.D. Fischer), 203

## Susceptibility

Organometallic complexes for nonlinear optics. X. Molecular quadratic and cubic hyperpolarizabilities of systematically varied (cyclopentadienyl)bis(phosphine)ruthenium  $\sigma$ -arylacetylides: X-ray crystal structure of  $\text{Ru}((E)\text{-}4,4'\text{-C}\equiv\text{CC}_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$  (I.R. Whittall, M.P. Cifuentes, M.G. Humphrey, B. Luther-Davies, M. Samoc, S. Houbrechts, A. Persoons, G.A. Heath and D.C.R. Hockless), 127

## Synthesis

Syntheses of indenyl lanthanide derivatives and the molecular structures of  $[(\text{C}_9\text{H}_7)_2\text{PrCl}(\text{THF})_2]$  and  $[(\text{C}_9\text{H}_7)_3\text{La}(\text{THF})]$  (Q. Shen, M. Qi, S. Song, L. Zhang and Y. Lin), 95

Synthesis and characterization of a series of aminogallanes,  $[\text{Me}_2\text{GaR}]_2$ . The crystal structures of  $[\text{Me}_2\text{GaN}(\text{CH}_2\text{Ph})_2]_2$  and  $[\text{Me}_2\text{GaN}(\text{CH}_2\text{CH}_2)_2\text{NMe}]_2$  (S.J. Schauer, C.H. Lake, C.L. Watkins, L.K. Krannich and D.H. Powell), 31

Synthesis and crystal structures of the distorted pentagonal bipyramidal seven-coordinate acetylacetonate complexes  $[\text{M}(\text{acac})_2(\text{CO})_2(\text{PET})_2]$  (M = Mo or W) (P.K. Baker, A.I. Clark, M.G.B. Drew, M.C. Durrant and R.L. Richards), 193

## Tellurium

Observations on the synthesis and chemistry of a complete series of phenylazophenyl(C,N')tellurium(II) halides (fluoride, chloride, bromide and iodide) (Z. Majeed, W.R. McWhinnie and T.A. Hamor), 257

## Tetramethyldiarsinedisulfide

The first oxygen-bridged diorganoarsenic(V) compound: the crystal structure of  $\text{AsMe}_2(\text{S})\text{OAs}(\text{S})\text{Me}_2$  (L. Silaghi-Dumitrescu, S. Pascu, I. Silaghi-Dumitrescu, I. Haiduc, M.N. Gibbons and D.B. Sowerby), 187

## Thermolysis

Synthesis and characterization of a series of aminogallanes,  $[\text{Me}_2\text{GaR}]_2$ . The crystal structures of  $[\text{Me}_2\text{GaN}(\text{CH}_2\text{Ph})_2]_2$  and  $[\text{Me}_2\text{GaN}(\text{CH}_2\text{CH}_2)_2\text{NMe}]_2$  (S.J. Schauer, C.H. Lake, C.L. Watkins, L.K. Krannich and D.H. Powell), 31

## THF adducts

Crystal structure, conformational diversity and solution NMR spectroscopy of four tris(indenyl)lanthanoid(III)tetrahydrofuran adducts:  $[\text{Ln}(\text{C}_9\text{H}_7)_3 \cdot \text{THF}]$  (Ln = La, Pr, Nd, Sm) (J. Guan, Q. Shen and R.D. Fischer), 203

## Titanium

Chirale Titan- und Zirkoniumkomplexe mit dem 1-(8-Chinoly)-2,3-dimethylcyclopentadienyl-Liganden (M. Enders, R. Rudolph and H. Pritzkow), 251

## TMS-shift

Thermal decomposition of  $[\text{Me}_3\text{SiNCH}_2\text{CH}_2\text{NSiMe}_3] \cdot \text{Li}_2(\text{THF})_2$  to  $[\text{LiN}(\text{SiMe}_3)_2 \cdot \text{THF}]_2$  via a 1,4-trimethylsilyl shift (H. Mack, G. Frenzen, M. Bendikov and M.S. Eisen), 39

## Trimethylsilyl

Systematic studies on the reactions of lanthanide trichlorides with  $\text{Na}[1,3\text{-bis(trimethylsilyl)cyclopentadienyl}]$ . Crystal structures of  $[1,3\text{-(Me}_3\text{Si)}_2\text{C}_5\text{H}_4]_2\text{Ln}$  (Ln = La, Nd, Gd, Dy) (Z. Xie, K. Chui, Z. Liu, F. Xue, Z. Zhang, T.C.W. Mak and J. Sun), 239

## Tripodal ligands

Tripod-Liganden mit Cyclopentadienyl-Donorgruppe: Synthese und Reaktivität von Komplexen des Typs  $\text{CH}_3\text{C}(\text{CH}_2\text{-}\eta^5\text{-C}_5\text{H}_4)(\text{CH}_2\text{PR}_2)(\text{CH}_2\text{PR}_2)\text{FeCl}$  (B. Antelmann, G. Hutner, J. Vogelgesang, O. Walter and U. Winterhalter), 139

## Vinylidene complex

The interaction of  $[\text{Cp}^+\text{RuCl}(\text{dippe})]$  and  $[\text{CpRuCl}(\text{dippe})]$  with alkynols: hydroxyvinylidene, allenylidene and related derivatives (dippe = 1,2-bis(diisopropylphosphino)ethane) (I. De los Ríos, M. Jiménez Tenorio, M.C. Puerta and P. Valerga), 221

## Vinylketene complexes

Synthesis of a new iron tricarbonyl ( $\eta^4$ )- $\alpha$ -pyrone complex by reaction of iron vinylketone complexes with methyl lithium under a CO atmosphere (C. Alvarez-Toledano, S. Hernández-Ortega, S. Bernés, R. Gutiérrez-Pérez and O. García-Mellado), 49

## Vinyl ligands

Triruthenium clusters containing vinyl ligands: synthesis and structure of  $\text{Ru}_3(\mu_2\text{-CO})_2(\text{CO})_6[\mu_3\text{-NS(O)MePh}](\mu_2\text{-}\eta^1, \eta^2\text{-PhCH}_2\text{C}\equiv\text{CH}_2)$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}](\mu_3\text{-}\eta^1, \eta^2\text{-Pr}^n\text{C}\equiv\text{CHPr}^n)$ ,  $\text{Ru}_3(\mu_2\text{-CO})(\text{CO})_7[\mu_3\text{-NS(O)MePh}](\mu_3\text{-}\eta^1, \eta^2\text{-PhC}\equiv\text{CHBu}^n)$ , and  $(\mu_2\text{-H})\text{Ru}_3(\text{CO})_6(\mu_2\text{-}\eta^1, \eta^2\text{-PhC}\equiv\text{CHPh})(\mu_3\text{-}\eta^1, \eta^2\text{-PhC}\equiv\text{CPh})$  [ $\mu_3\text{-}\eta^1, \eta^2\text{-NS(O)Me(C}_6\text{H}_4)$ ] (V. Ferrand, K. Merzweiler, G. Rheinwald, H. Stoeckli-Evans and G. Süss-Fink), 263

**'Wing-tip' butterfly structure**

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovaneva, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

**X-ray crystal structure**

Optically active pentanuclear wing-tip butterfly heterotrimetallic clusters (S.P. Gubin, T.V. Galuzina, I.F. Golovaneva, A.P. Klyagina, L.A. Polyakova, O.A. Belyakova, Ya.V. Zubavichus and Yu.L. Slovokhotov), 55

Thermal decomposition of  $[\text{Me}_3\text{SiNCH}_2\text{CH}_2\text{NSiMe}_3] \cdot \text{Li}_2(\text{THF})_2$  to  $[\text{LiN}(\text{SiMe}_3)_2 \cdot \text{THF}]_2$  via a 1,4-trimethylsilyl shift (H. Mack, G. Frenzen, M. Bendikov and M.S. Eisen), 39

**X-ray diffraction**

A molecular structure of mixed valence biruthenocenium ( $\text{Ru}^{\text{II}}\text{Ru}^{\text{IV}}$ ) salts  $[\text{Ru}^{\text{II}}\text{Cp}(\text{C}_5\text{H}_4\text{C}_5\text{H}_4)\text{CpRu}^{\text{IV}}\text{L}]^{2+}(\text{BF}_4^-)_2$  ( $\text{L} = \text{NCCH}_3$ ,  $\text{N}(\text{CH}_3)_4$ ) (M. Watanabe, I. Motoyama, T. Takayama and M. Sato), 13

Syntheses of indenyl lanthanide derivatives and the molecular structures of  $[(\text{C}_9\text{H}_7)_2\text{PrCl}(\text{THF})_2]$  and  $[(\text{C}_9\text{H}_7)_3\text{La}(\text{THF})]$  (Q. Shen, M. Qi, S. Song, L. Zhang and Y. Lin), 95

**X-ray structure**

Crystallographic studies of  $\{\eta^3\text{-1,3-dimethylallyl}\}\{2\text{-[2'-(diphenylphosphino)phenyl]oxazoline-P,N}\}$  palladium(II) hexafluorophos-

phates complexes complemented by  $^1\text{H}$  NMR investigations (S. Liu, J.F.K. Müller, M. Neuburger, S. Schaffner and M. Zehnder), 283

Organometallic complexes for nonlinear optics. X. Molecular quadratic and cubic hyperpolarizabilities of systematically varied (cyclopentadienyl)bis(phosphine)ruthenium  $\sigma$ -arylacetylides: X-ray crystal structure of  $\text{Ru}((E)\text{-4,4'-C} \equiv \text{CC}_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{NO}_2)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)$  (I.R. Whittall, M.P. Cifuentes, M.G. Humphrey, B. Luther-Davies, M. Samoc, S. Houbrechts, A. Persoons, G.A. Heath and D.C.R. Hockless), 127

**Ytterbium**

Cyclooctatetraenyl complexes of the early transition metals and lanthanides. IX. (Cyclooctatetraenyl)lanthanide diazadiene complexes (P. Poremba and F.T. Edelmann), 101

**Zirconium**

Chirale Titan- und Zirkoniumkomplexe mit dem 1-(8-Chinoly)-2,3-dimethylcyclopentadienyl-Liganden (M. Enders, R. Rudolph und H. Pritzkow), 251

Metallocene dichlorides bearing acenaphthyl substituted cyclopentadienyl rings: preparation and polymerization behavior (T. Repo, G. Jany, K. Hakala, M. Klinga, M. Polamo, M. Leskelä and B. Rieger), 177