

Author Index of Volume 544

- Agarkov, A.Yu., see Voskoboynikov, A.Z. 65
 Alt, H.G., see Peifer, B. 115
 Alt, H.G., see Schmid, C. 139
 Alvarez, R., see Höpfl, H. 175
 Arnason, I., see Björgvinsson, M. 207
 Avtomonov, E.V., Megges, K., Li, X., Lorb-
 berth, J., Wocadlo, S., Massa, W., Harms,
 K., Churakov, A.V. and Howard, J.A.K.,
 Syntheses and structures of cyclopentadi-
 enyl arsenic compounds. II. Pentamethyl-
 and tetraisopropylcyclopentadienyl arsenic
 amido derivatives, 79
 Azam, K.A., Hossain, Md.M., Hursthouse,
 M.B., Kabir, S.E., Karim, M.M. and Malik,
 K.M.A., A dinuclear manganese carbonyl
 complex of tetramethylthiourea: X-ray crys-
 tal structure of $eq\text{-}[\text{Mn}_2(\text{CO})_9\{\eta^1\text{-SC}(\text{NMe}_2)_2\}]$, 23
 Bajaj, H.C., see Das, A. 55
 Beletskaya, I.P., see Voskoboynikov, A.Z. 65
 Bhadbhade, M.M., see Das, A. 55
 Björgvinsson, M., Halldorsson, S., Arnason, I.,
 Magull, J. and Fenske, D., Preparation and
 characterization of $(\text{C}_5\text{Me}_4\text{Ph})\text{TiCl}_3$, the
 oxochloride complexes $[(\text{C}_5\text{Me}_4\text{Ph})\text{Ti}-$
 $\text{Cl}_2]_2(\mu\text{-O})$ and $[(\text{C}_5\text{Me}_4\text{Ph})\text{TiCl}(\mu\text{-O})_3]$
 and the oxo-complex $[(\text{C}_5\text{Me}_4\text{Ph})\text{Ti}_4(\mu\text{-O})_6]$.
 The X-ray crystal structures of $[(\text{C}_5\text{Me}_4\text{Ph})\text{TiCl}_2]_2(\mu\text{-O})$
 and $[(\text{C}_5\text{Me}_4\text{Ph})\text{Ti}_4(\mu\text{-O})_6]$, 207
 Bosque, R., Caubet, A., López, C., Espinosa, E.
 and Molins, E., Syntheses, characterization
 and study of the properties of heterobimetal-
 lic compounds containing ferrocenyl units.
 X-ray crystal structure of: $[\text{Zn}\{\eta^5\text{-C}_5\text{H}_5\text{Fe}(\eta^5\text{-C}_5\text{H}_4)\text{-CH=N-CH}_2\text{-CH}_2\text{-N}(\text{CH}_3)_2\}\text{Cl}_2]$, 233
 Bott, S.G., see Don, M.-J. 15
 Bringmann, G., Stowasser, R. and Göbel, L.,
 DF-studies on a 'stop and go' rotor: steric
 and electronic factors determining the regio-
 and stereochemical position of a $\eta^6\text{-Cr}(\text{CO})_3$
 metal fragment on a helically distorted biaryl
 ligand, 7
 Brüser, W., see Poremba, P. 1
 Calhorda, M.J., see De Azevedo, C.G. 257
 Carcelli, M., Delledonne, D., Fochi, A., Pelizzi,
 G., Rodríguez-Argüelles, M.C. and Russo,
 U., The behaviour of polydentate hydra-
 zonic ligands derived from 2-acetylpyridine
 towards organotin compounds. Part I: the
 diorganotin(IV) complexes, 29
 Castillo, D., see Höpfl, H. 175
 Caubet, A., see Bosque, R. 233
 Cavell, K.J., see Desjardins, S.Y. 163
 Cea-Olivares, R., see Flores-Santos, L. 37
 Churakov, A.V., see Avtomonov, E.V. 79
 Contreras, R., see Höpfl, H. 175
 Corma, A., Iglesias, M., Mohino, F. and
 Sánchez, F., Heterogenised catalysts on zeo-
 lites. Synthesis of new chiral Rh(I) com-
 plexes with (2S,4R)-*trans*-4-RCOO-2-(*t*-
 butylaminocarbonyl)pyrrolidines and
 (2S,4S)-*cis*-4-RCONH-2-(*t*-butylaminocar-
 bonyl)pyrrolidines. Heterogenisation on sil-
 ica and a USY-zeolite and study of the role
 of support on their catalytic profile in hy-
 drogenation of olefins, 147
 Da Piedade, F.M., see De Azevedo, C.G. 257
 Daran, J.-C., see Höpfl, H. 175
 Das, A., Bajaj, H.C. and Bhadbhade, M.M.,
 Redox responsive bi/tri-nuclear complexes
 incorporating ferrocenyl unit: Synthesis,
 characterization, physicochemical studies
 and X-ray structure of $[\text{C}_5\text{H}_5\text{FeC}_5\text{H}_4\text{CH}=\text{CHC}_5\text{H}_4\text{N-CH}_3]\text{PF}_6$
 with a mirror creat-
 ing disorder, 55
 De Azevedo, C.G., Calhorda, M.J., De C.T.
 Carrondo, M.A.A.F., Dias, A.R., Duarte,
 M.T., Galvão, A.M., Gamelas, C.A.,
 Gonçalves, I.S., Da Piedade, F.M. and
 Romão, C.C., Nucleophilic and electrophilic
 reactions of C_5 *cyclo*-polyenes coordinated
 to the $[\text{CpMoL}_2]^{n+}$ fragment ($n = 1, 2$; $\text{L} =$
 $1/2\text{dppe}$, PMe_3 , $\text{P}(\text{OMe})_3$, CO), 257
 De C.T. Carrondo, M.A.A.F., see De Azevedo,
 C.G. 257
 Delledonne, D., see Carcelli, M. 29
 Deravakian, A., see Melikyan, G.G. 143
 Desjardins, S.Y., Cavell, K.J., Hoare, J.L.,
 Skelton, B.W., Sobolev, A.N., White, A.H.
 and Keim, W., Single component N–O
 chelated arylnickel(II) complexes as ethene
 polymerisation and CO/ethene copolymeri-
 sation catalysts. Examples of ligand induced
 changes to the reaction pathway, 163
 Desmet, M., see Raubenheimer, H.G. 91
 De Souza, A.-L.A.B., see Hussain, Z.I. 121
 Dias, A.R., see De Azevedo, C.G. 257
 Don, M.-J., Yang, K., Bott, S.G. and Rich-
 mond, M.G., Redox investigation and X-ray
 diffraction structure of the dimeric rhodium
 maleonitriledithiolate complex $[\text{Cp}^*\text{Rh}(\text{mnt})_2]$.
 Confirmation of bridging and
 chelating mnt ligands in the solid-state
 structure, 15
 Duarte, M.T., see De Azevedo, C.G. 257
 Edelmann, F.T., see Poremba, P. 1
 Espinosa, E., see Bosque, R. 233
 Farfán, N., see Höpfl, H. 175
 Fenske, D., see Björgvinsson, M. 207
 Fernández, L., see Höpfl, H. 175
 Fierro, J.L.G., Martínez-Ripoll, M., Merchán,
 M.D., Rodríguez, A., Terreros, P., Torrens,
 H. and Vivar-Cerrato, M.A., Rhodium(I)
 fluorothiolate complexes as hydroformyla-
 tion catalyst precursors. Crystal structure of
 two polymorphs of *trans*- $[\text{Rh}(\text{SC}_6\text{F}_5)(\text{CO})(\text{PPh}_3)_2]$, 243
 Filippou, A.C., Winter, J.G., Kociok-Köhn, G.
 and Hinz, I., Insertion of GeCl_2 into molyb-
 denum–hydrogen bonds: a convenient route
 to dichlorogermyl complexes, 225
 Flores-Santos, L., Cea-Olivares, R., Hernán-
 dez-Ortega, S., Toscano, R.A., García-
 Montalvo, V., Novosad, J. and Woollins,
 J.D., First functionalized diorganotin (IV)
 derivative containing the imidobis(diphenyl-
 selenophosphinate-*Se, Se'*) ligand. The syn-
 thesis and X-ray crystal structures of
 $\text{Bu}_3\text{Sn}[\text{N}(\text{SePPh}_2)_2\text{-Se, Se'}]_2$ and
 $\text{Ph}_2\text{Cl-Sn}[\text{N}(\text{SePPh}_2)_2\text{-Se, Se'}] \cdot \text{H}_2\text{O}$, 37
 Fochi, A., see Carcelli, M. 29
 Galván, M., see Höpfl, H. 175
 Galvão, A.M., see De Azevedo, C.G. 257
 Gamelas, C.A., see De Azevedo, C.G. 257
 García-Montalvo, V., see Flores-Santos, L. 37
 Göbel, L., see Bringmann, G. 7
 Gonçalves, I.S., see De Azevedo, C.G. 257
 Gutmann, T., see Schenk, W.A. 69

- Halldorsson, S., see Björgvinsson, M. 207
Halut, S., see Höpfl, H. 175
Harms, K., see Avtomonov, E.V. 79
Hernández-Ortega, S., see Flores-Santos, L. 37
Herzog, U. and Roewer, G., Preparation of oligosilanes containing perhalogenated silyl groups ($-\text{SiX}_3$, $-\text{SiX}_2-$, $>\text{SiX}-$, X = Cl, Br) and their hydrogenation by stannanes, 217
Hinz, I., see Filippou, A.C. 225
Hoare, J.L., see Desjardins, S.Y. 163
Hockless, D.C.R., see Whittall, I.R. 189
Hockless, D.C.R., see Whittall, I.R. 277
Höpfl, H., Farfán, N., Castillo, D., Santillan, R., Contreras, R., Martínez-Martínez, F.J., Galván, M., Alvarez, R., Fernández, L., Halut, S. and Daran, J.-C., Dynamic NMR and X-ray diffraction study of (N-B)-diphenyl(2-aminoethoxy)borane derivatives of ephedrine and pseudoephedrine, 175
Hossain, Md.M., see Azam, K.A. 23
Houbrechts, S., see Whittall, I.R. 277
Howard, J.A.K., see Avtomonov, E.V. 79
Howard, J.A.K., see Voskoboynikov, A.Z. 65
Hrušák, J., see Raubenheimer, H.G. 91
Humphrey, M.G., see Whittall, I.R. 189
Humphrey, M.G., see Whittall, I.R. 277
Hursthouse, M.B., see Azam, K.A. 23
Hussain, Z.I., De Souza, A.-L.A.B. and Whiteley, M.W., Investigations on the synthesis and stability of η^3 -bonded cycloheptadienyl complexes of molybdenum, 121
Iglesias, M., see Corma, A. 147
Ishikawa, M., see Ohshita, J. 49
Johnsen, E., see Roberts, R.M.G. 197
Jones, R.G., see Wiseman, A.J. 129
Kabir, S.E., see Azam, K.A. 23
Karim, M.M., see Azam, K.A. 23
Keim, W., see Desjardins, S.Y. 163
Kociok-Köhn, G., see Filippou, A.C. 225
Kruger, G.J., see Raubenheimer, H.G. 91
Kuz'mina, L.O., see Voskoboynikov, A.Z. 65
Leung, S.-W., see Singleton, D.A. 157
Li, X., see Avtomonov, E.V. 79
Lindeque, L., see Raubenheimer, H.G. 91
López, C., see Bosque, R. 233
Lorberth, J., see Avtomonov, E.V. 79
Luther-Davies, B., see Whittall, I.R. 189
Maes, J., see Whittall, I.R. 277
Magull, J., see Björgvinsson, M. 207
Malik, K.M.A., see Azam, K.A. 23
Martínez-Martínez, F.J., see Höpfl, H. 175
Martínez-Ripoll, M., see Fierro, J.L.G. 243
Masaoka, S., see Ohshita, J. 49
Massa, W., see Avtomonov, E.V. 79
Megges, K., see Avtomonov, E.V. 79
Melikyan, G.G. and Deravakian, A., Tetrahydrofuran as an one-electron donor: Highly diastereoselective coupling of cobalt-complexed propargyl alcohol, 143
Merchán, M.D., see Fierro, J.L.G. 243
Milius, W., see Schmid, C. 139
Mohino, F., see Corma, A. 147
Molins, E., see Bosque, R. 233
Nekoda, E., see Ohshita, J. 49
Noltemeyer, M., see Poremba, P. 1
Novosad, J., see Flores-Santos, L. 37
Ohshita, J., Nekoda, E., Masaoka, S. and Ishikawa, M., Reactions of tris(trimethylsilyl)silane-carboxylates with organolithium reagents, 49
Oldenburg, K. and Vogler, A., Optical metal-to-metal charge transfer in $[\text{Fe}^{\text{III}}(\text{C}_5\text{H}_4\text{-PPh}_2)_2\text{Re}^{\text{I}}(\text{CO})_3\text{Cl}]^+$, 101
Olivier, P.J., see Raubenheimer, H.G. 91
Peifer, B., Welch, M.B. and Alt, H.G., Synthese und Charakterisierung von C_1 - und C_2 -verbrückten Bis(flourenyl)komplexen des Zirconiums und Hafniums und deren Anwendung bei der katalytischen Olefinpolymerisation, 115
Pelizzi, G., see Carcelli, M. 29
Persoons, A., see Whittall, I.R. 277
Plenio, H. and Warnecke, A., η^2 -Complexes of cyclopentadienylsilyl ethers ($\text{C}_5\text{H}_4\text{OSiR}_3$) and hydroxycyclopentadiene ($\text{C}_5\text{H}_4\text{OH}$) with titanium and zirconium chlorides, 133
Poremba, P., Reißmann, U., Noltemeyer, M., Schmidt, H.-G., Brüser, W. and Edelmann, F.T., Cyclooctatetraenyl complexes of the early transition metals and lanthanides VIII. Anionic sandwich complexes of the lanthanides containing silylated cyclooctatetraenyl ligands, 1
Raubenheimer, H.G., Olivier, P.J., Lindeque, L., Desmet, M., Hrušák, J. and Kruger, G.J., Oxidative addition of mono and bis(carbene) complexes derived from imidazolyl and thiazolyl gold(I) compounds, 91
Reißmann, U., see Poremba, P. 1
Richmond, M.G., see Don, M.-J. 15
Roberts, R.M.G. and Johnsen, E., Synthesis, stereochemistry and decomplexation of (η -arene)(η -cyclopentadienyl) iron(II) hexafluorophosphate complexes containing amino acid side chains. A route to *N*-arylamino acids, 197
Rodríguez, A., see Fierro, J.L.G. 243
Rodríguez-Argüelles, M.C., see Carcelli, M. 29
Roewer, G., see Herzog, U. 217
Romão, C.C., see De Azevedo, C.G. 257
Russo, U., see Carcelli, M. 29
Samoc, M., see Whittall, I.R. 189
Sánchez, F., see Corma, A. 147
Santillan, R., see Höpfl, H. 175
Schenk, W.A. and Gutmann, T., Bimetallic complexes III. Synthesis and reactions of $\text{C}_5\text{H}_4\text{PPh}_2$ -bridged zirconium-molybdenum and zirconium-tungsten complexes, 69
Schmid, C., Alt, H.G. and Milius, W., Sterisch überladene Indenylkomplexe des Zirconiums und Hafniums, 139
Schmid, S., see Whittall, I.R. 277
Schmidt, H.-G., see Poremba, P. 1
Sebald, A., see Wrackmeyer, B. 105
Shestakova, A.K., see Voskoboynikov, A.Z. 65
Singleton, D.A. and Leung, S.-W., In situ formation of alkenyl- and alkynylboranes for Diels-Alder reactions by boron-silicon exchange with alkenyl- and alkynylsilanes, 157
Skelton, B.W., see Desjardins, S.Y. 163
Sobolev, A.N., see Desjardins, S.Y. 163
Stowasser, R., see Bringmann, G. 7
Terrerros, P., see Fierro, J.L.G. 243
Tian, G., see Zhang, Y. 43
Torrens, H., see Fierro, J.L.G. 243
Toscano, R.A., see Flores-Santos, L. 37
Vivar-Cerrato, M.A., see Fierro, J.L.G. 243
Vogler, A., see Oldenburg, K. 101
Voskoboynikov, A.Z., Agarkov, A.Yu., Shestakova, A.K., Beletskaya, I.P., Kuz'mina, L.O. and Howard, J.A.K., Synthesis and molecular structure of $\text{Na}[\{1,3-(\text{Me}_3\text{Si})_2\text{-C}_5\text{H}_3\}\text{Yb}^{\text{II}}\}]_2(\mu\text{-I})$, 65
Warnecke, A., see Plenio, H. 133
Welch, M.B., see Peifer, B. 115
Went, M.J., see Wiseman, A.J. 129
White, A.H., see Desjardins, S.Y. 163
Whiteley, M.W., see Hussain, Z.I. 121
Whittall, I.R., Humphrey, M.G., Houbrechts, S., Maes, J., Persoons, A., Schmidt, S. and Hockless, D.C.R., Organometallic complexes for nonlinear optics. 14. Syntheses and second-order nonlinear optical properties of ruthenium, nickel and gold σ -acetylides of 1,3,5-triethynylbenzene: X-ray crystal structures of 1-(HC \equiv C)-3,5- C_6H_3 (*trans*-C \equiv CRuCl(dppm) $_2$) $_2$ and 1,3,5- C_6H_3 (C \equiv CAu(PPh $_3$) $_3$) $_3$, 277
Whittall, I.R., Humphrey, M.G., Samoc, M., Luther-Davies, B. and Hockless, D.C.R., Organometallic complexes for non-linear optics XII. Syntheses and second-order susceptibilities of (neomenthyl)diphenylphosphine)gold σ -arylacetylides: X-ray crystal structures of Au(C \equiv CPh)(nmdpp) and Au(*E*)-4,4'-C \equiv CC $_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{-NO}_2$ (nmdpp), 189
Winter, J.G., see Filippou, A.C. 225
Wiseman, A.J., Jones, R.G. and Went, M.J., Synthesis of manganese and ruthenium complexes of phenyltrimethylsilane, diphenyltetramethyldisilane and poly(methylphenylsilane), 129
Wocadlo, S., see Avtomonov, E.V. 79
Woollins, J.D., see Flores-Santos, L. 37

Wrackmeyer, B. and Sebald, A., Reactivity of 1-alkynylplatinum(II) complexes towards trialkylboranes, 105

Xu, S., see Zhang, Y. 43

Yang, K., see Don, M.-J. 15

Zhang, W., see Zhang, Y. 43

Zhang, Y., Xu, S., Tian, G., Zhang, W. and

Zhou, X., Insertion of SnCl_2 into the

metal-metal bonds in bridged binuclear complexes $(\text{Me}_2\text{E})(\eta^5\text{-C}_5\text{H}_4)\text{M}(\text{CO})_2(\mu\text{-CO})_2$ (E = Si, Ge; M = Fe, Ru). The molecular structure of $(\text{Me}_2\text{Ge})(\eta^5\text{-C}_5\text{H}_4)\text{Fe}(\text{CO})_2\text{SnCl}_2$, 43

Zhou, X., see Zhang, Y. 43