

Subject Index of Volumes 536–537

Ab initio

The MM3 force field for 12-vertex boranes and carboranes (T.V. Timofeeva, K.Yu. Suponitsky, A.I. Yanovsky and N.L. Allinger), 481

Ab initio MO calculations

Molecular structure and conformation of trimethylsilylbenzene: a study by gas-phase electron diffraction and theoretical calculations (A.R. Campanelli, F. Ramondo, A. Domenicano and I. Hargittai), 309

Agostic

Organotransition-metal metallacarboranes. 45. Synthesis and structure of hydridoruthenacarborane double-decker and triple-decker sandwich complexes (E.J. Houser, M.A. Curtis, M. Sabat and R.N. Grimes), 115

Alkenylcarboranes

Directive effects in the hydroboration of 1-alkenyl derivatives of *o*-carborane with representative hydroborating agents (G.W. Kabalka and G. Hondrogiannis), 327

Alkoxide

A heterometallic alkoxide combining hard and soft Lewis acids (Et₃PO)₂Ba₂Cu₄(O^tBu)₈ (B. Borup, J.C. Huffman and K.G. Caulton), 109

Alkyne

Reactions of the phenyl-substituted five-membered titanacyclocumulene – unusual coupling of a 1,4-disubstituted 1,3-butadiene with two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293

Synthesis and structure of the heteronuclear alkyne cluster RuOs₃(μ₄-HC₂Me)(CO)₁₂ (A.A. Koridze, A.M. Sheloumov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 381

Aluminum halides

Polyhalomethanes combined with aluminum halides as generators of superelectrophiles of a novel type (I.S. Akhrem, A.L. Chistyakov, N.P. Gambaryan, I.V. Stankevich and M.E. Vol'pin), 489

Anomeric effect

Solid state conformation of the anomeric effect in 2-phosphoryl-, 2-thiophosphoryl- and 2-selenophosphoryl-substituted 1,3-dithiolanes (M. Mikołajczyk, T. Łuczak, P.P. Graczyk, M.W. Wiczorek, J. Błaszczak, G.D. Bujacz and W.R. Majzner), 355

Antiferromagnetic behaviour

Antiferromagnetic complexes with the metal–metal bond. XXVIII. Synthesis and molecular structure of the antiferromagnetic cluster [CpCr(μ-SCMe₃)₂(μ₄-S)[PtMe₃(μ-I)]₂ (A.A. Pasynskii, Y.V. Torubaev, S.E. Nefedov, I.L. Eremenko, O.G. Ellert, V.K. Belsky and A.I. Stastch), 433

Antimony

Reactions of pentaphenylantimony with dicarboxylic acids (V.V. Sharutin, O.K. Sharutina, A.P. Pakusina and V.K. Belsky), 87

Arsenic

Polyelement substituted cyclopentadienes and indenenes – novel ligand precursors for organotransition metal chemistry (K. Rufanov, E.

Avtomonov, N. Kazennova, V. Kotov, A. Khvorost, D. Lemenovskii and J. Lorberth), 361

1-Aza-allyl

Organometallic chemistry of the actinides. Part 3. Novel 1-aza-allyl- and β-diketiminatothorium chlorides; X-ray structures of [Th(LL')₂(μ₃-Cl)(μ-Cl)₂K(OEt₂)₂]_n and [Th(LL)₂Cl₂] [LL' = N(SiMe₃)C(Bu^t)C(H)SiMe₃; LL = {N(SiMe₃)C(Ph)₂CH} (P.B. Hitchcock, J. Hu, M.F. Lappert and S. Tian), 473

Barium

A heterometallic alkoxide combining hard and soft Lewis acids (Et₃PO)₂Ba₂Cu₄(O^tBu)₈ (B. Borup, J.C. Huffman and K.G. Caulton), 109

Benzylic functionalization

Benzylic functionalization of (η⁶-alkylarene)chromium tricarbonyl complexes (V.N. Kalinin, I.A. Cherepanov and S.K. Moiseev), 437

Bicyclic systems

Reactions of dodecacarbonyltriruthenium with unsaturated α,β-diketones (M.I. Rybinskaya, L.V. Rybin, S.V. Osintseva, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 345

Bicycymantrenyl

Metallation of bicycymantrenyl and synthesis of polycymantrenyls (A.G. Ginzburg, S.V. Suprunovich, F.M. Dolgushin, A.I. Yanovsky, E.V. Vorontsov and V.I. Sokolov), 165

π-Bonding

Dihydrogen addition to (PⁱPr₃)₂OxX_nH_{2-n} (R. Kuhlman, D.G. Gusev, I.L. Eremenko, H. Berke, J.C. Huffman and K.G. Caulton), 139

Borane–THF

Directive effects in the hydroboration of 1-alkenyl derivatives of *o*-carborane with representative hydroborating agents (G.W. Kabalka and G. Hondrogiannis), 327

Boron

Directive effects in the hydroboration of 1-alkenyl derivatives of *o*-carborane with representative hydroborating agents (G.W. Kabalka and G. Hondrogiannis), 327

Ligand effects in the hydrogenation of methacycline to doxycycline and epi-doxycycline catalysed by rhodium complexes. Molecular structure of the key catalyst [*cis*-3,3-(η^{2,3}-C₇H₇CH₂)-3,1,2-RhC₂B₉H₁₁] (A. Felekidis, M. Goblet-Stachow, J.F. Liégeois, B. Pirotte, J. Delarge, A. Demonceau, M. Fontaine, A.F. Noels, I.T. Chizhevsky, T.V. Zinevich, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 405

Organotransition-metal metallacarboranes. 45. Synthesis and structure of hydridoruthenacarborane double-decker and triple-decker sandwich complexes (E.J. Houser, M.A. Curtis, M. Sabat and R.N. Grimes), 115

Polyelement substituted cyclopentadienes and indenenes – novel ligand precursors for organotransition metal chemistry (K. Rufanov, E. Avtomonov, N. Kazennova, V. Kotov, A. Khvorost, D. Lemenovskii and J. Lorberth), 361

- Semi-sandwich platinum metals metallocarboranes derived from *nido*-C₂B₉H₁₂: chemistry and structural studies (I.T. Chizhevsky, A.I. Yanovsky and Yu.T. Struchkov), 51
- Sterically encumbered charge-compensated carboranes: synthesis and reactivity. Molecular structures of 7-Ph-11-SMe₂-7,8-*nido*-C₂B₉H₁₀ and 1-Ph-3,3-(CO)₂-7-SMe₂-3,1,2-*closo*-RhC₂B₉H₈ (G.M. Rosair, A.J. Welch, A.S. Weller and S.K. Zahn), 299
- Synthesis and characterization of the first charge-compensated monocarbollide(octacarbonyl)triosmium complex (V.N. Lebedev, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 537
- Synthesis, structure and reactivity of a novel monocarbon hydridorhodacarborane *closo*-2,2-(Ph₃P)₂-2-*H*-1-(Me₃N)-2,1-RhCB₁₀H₁₀. Molecular structure of 16-electron *closo*-2-(Ph₃P)-2-Cl-1-(Me₃N)-2,1-RhCB₁₀H₁₀ and closely related 18-electron *closo*-3,3-(Ph₃P)₂-3-Cl-3,1,2-RhC₂B₉H₁₁ (I.T. Chizhevsky, I.V. Pisareva, E.V. Vorontsov, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, C.B. Knobler and M.F. Hawthorne), 223
- The MM3 force field for 12-vertex boranes and carboranes (T.V. Timofeeva, K.Yu. Suponitsky, A.I. Yanovsky and N.L. Allinger), 481
- Cage compounds
- Template synthesis, structure and electrochemistry of trinuclear iron(II) clathrochelate dioximates with ferrocenylboron fragments (Y.Z. Voloshin, T.E. Kron, V.K. Belsky, V.E. Zavodnik, Yu.A. Maletin and S.G. Kozachkov), 207
- Carboranes
- Sterically encumbered charge-compensated carboranes: synthesis and reactivity. Molecular structures of 7-Ph-11-SMe₂-7,8-*nido*-C₂B₉H₁₀ and 1-Ph-3,3-(CO)₂-7-SMe₂-3,1,2-*closo*-RhC₂B₉H₈ (G.M. Rosair, A.J. Welch, A.S. Weller and S.K. Zahn), 299
- Synthesis, structure and reactivity of a novel monocarbon hydridorhodacarborane *closo*-2,2-(Ph₃P)₂-2-*H*-1-(Me₃N)-2,1-RhCB₁₀H₁₀. Molecular structure of 16-electron *closo*-2-(Ph₃P)-2-Cl-1-(Me₃N)-2,1-RhCB₁₀H₁₀ and closely related 18-electron *closo*-3,3-(Ph₃P)₂-3-Cl-3,1,2-RhC₂B₉H₁₁ (I.T. Chizhevsky, I.V. Pisareva, E.V. Vorontsov, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, C.B. Knobler and M.F. Hawthorne), 223
- Carbonyl
- Behaviour of triphenylphosphine-substituted ruthenium carbonyl carboxylates with hydrogen (P. Frediani, C. Faggi, S. Papaleo, A. Salvini, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 123
- Metalation of bicycymantrenyl and synthesis of polycymantrenyls (A.G. Ginzburg, S.V. Suprunovich, F.M. Dolgushin, A.I. Yanovsky, E.V. Vorontsov and V.I. Sokolov), 165
- Novel generation of organometallic systems. Metal carbonyl complexes with silacarbacyclic π-ligands, synthetic and structural investigations (O.B. Afanasova, N.I. Kirillova, E.A. Chernyshev and Yu.T. Struchkov), 31
- Preparation and thermolysis of complexes derived from some trinuclear ruthenium clusters and 1,4-diphenylbuta-1,3-diyne (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 93
- Structural correlation between Rh–P and Rh–C bond distances vs. ³¹P and ¹³C NMR parameters in monocarbonylphosphine-rhodium(I) complexes: crystal structure of (methyl 2-(amino)-1-cyclopentene-1-dithiocarboxylato-κN,κS)-carbonyl(triphenylphosphine)rhodium(I) (G.J.J. Steyn, A. Roodt, I. Poletaeva and Y.S. Varshavsky), 197
- Synthesis and characterization of the first charge-compensated monocarbollide(octacarbonyl)triosmium complex (V.N. Lebedev, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 537
- Synthesis and structural characterisation of [Os₄H₂(CO)₁₁–{Au₂(DPPM)₂}: the first cluster with an Os₄Au₄ core (M.R.A. Al-Mandhary, J. Lewis and P.R. Raithby), 549
- Synthesis and structure of β-tellurovinylcarbonyl compounds (V.I. Minkin, I.D. Sadekov, B.B. Rivkin, A.V. Zakharov, V.L. Nivorozhkin, O.E. Kompan and Yu.T. Struchkov), 233
- Synthesis and structure of the heteronuclear alkyne cluster RuOs₃(μ₄-HC₂Me)(CO)₁₂ (A.A. Koridze, A.M. Sheloumov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 381
- Synthesis of diphosphine-substituted selenido carbonyl iron clusters: progressive deformation of the Fe₃Se₂ core in the *nido* clusters [Fe₃Se₂(CO)₇{μ-(Ph₂P)₂R}] by widening the bite of the bridging ligand (D. Cauzzi, C. Graiff, M. Lanfranchi, G. Predieri and A. Tiripicchio), 497
- The interaction of unsaturated C₈-ring systems with ruthenium carbonyl clusters (D.B. Brown, B.F.G. Johnson, C.M. Martin and S. Parsons), 285
- The new organometallic polydentate ligand *trans*-bis(2-(diphenylphosphino)pyrimidine)tricarbonyliron(0) and its mono-, di- and tridentate coordination modes towards mercury(II) halide/pseudohalide (S.-I. Li, Z.-Z. Zhang and T.C.W. Mak), 73
- Carborane
- Organotransition-metal metallocarboranes. 45. Synthesis and structure of hydridoruthenacarborane double-decker and triple-decker sandwich complexes (E.J. Houser, M.A. Curtis, M. Sabat and R.N. Grimes), 115
- Synthesis and characterization of the first charge-compensated monocarbollide(octacarbonyl)triosmium complex (V.N. Lebedev, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 537
- o*-Carborane
- Direct effects in the hydroboration of 1-alkenyl derivatives of *o*-carborane with representative hydroborating agents (G.W. Kabalka and G. Hondrogiannis), 327
- Catalysis
- Synthesis and characterisation of trifluoro(η⁵-*n*-propyltetramethylcyclopentadienyl)metal(IV)-compounds of the elements of Group IV (A. Künzel, E. Parisini, H.W. Roesky and G.M. Sheldrick), 177
- Cations
- Polyhalomethanes combined with aluminum halides as generators of superelectrophiles of a novel type (I.S. Akhrem, A.L. Chistyakov, N.P. Gambaryan, I.V. Stankevich and M.E. Vol'pin), 489
- C–H bond activation
- The activation of C–H bonds in terminal olefins by cyclopentadienyl-nickel species (S. Pasynkiewicz, W. Buchowicz, A. Pietrzykowski and T. Głowiak), 249
- Chelating phosphines
- Chelating organophosphines: the use of comparative structural investigations to determine ligand properties (J. Bruckmann and C. Krüger), 465
- Chemical hardness
- The influence of aryl ligands on the chemical hardness of triarylitin cations (D.N. Kravtsov, A.S. Peregudov, V.M. Pachevskaya and L.S. Golovchenko), 385
- Chiral crystal
- Crystalline-state β–α photoisomerization of cobaloxime complexes, part 1. Generation of asymmetry in chiral crystal environment (A. Sekine, H. Tatsuki and Y. Ohashi), 389
- Chromium
- Antiferromagnetic complexes with the metal–metal bond. XXVIII. Synthesis and molecular structure of the antiferromagnetic cluster [CpCr(μ-SCMe₃)₂(μ₄-S)[PtMe₃(μ-I)]₂ (A.A. Pasynskii, Y.V. Torubaev, S.E. Nefedov, I.L. Eremenko, O.G. Ellert, V.K. Belsky and A.I. Stastch), 433
- Benzylic functionalization of (η⁶-alkylarene)chromium tricarbonyl complexes (V.N. Kalinin, I.A. Cherepanov and S.K. Moiseev), 437

- (η^6 -Arene)chromium tricarbonyl complexes
 Benzylic functionalization of (η^6 -alkylarene)chromium tricarbonyl complexes (V.N. Kalinin, I.A. Cherepanov and S.K. Moiseev), 437
- Cluster
 Organotransition-metal metallacarboranes. 45. Synthesis and structure of hydridoruthenacarborane double-decker and triple-decker sandwich complexes (E.J. Houser, M.A. Curtis, M. Sabat and R.N. Grimes), 115
 Reactivity of the electron deficient compound $[(\mu\text{-H})\text{Os}_3(\text{CO})_9\{\mu_3\text{-}\eta^2\text{-C}_9\text{H}_5(\text{CH}_3)\text{N}\}]$ with thiols (S.E. Kabir, H. Vahrenkamp, M.B. Hursthouse and K.M.A. Malik), 509
 Structure of a Pt/Re cluster complex: aggregation of ions in crystals of $[\text{Pt}_3\{\text{Re}(\text{CO})_2\text{P}(\text{OMe})_3\}\{\mu_3\text{-O}\}_2(\mu\text{-dppm})_3][\text{AsF}_6]$ (K.W. Muir, L. Manojlovic-Muir and A.A. Torabi), 319
 Synthesis and structural characterisation of $[\text{Os}_4\text{H}_2(\text{CO})_{11}\text{-}\{\text{Au}_2(\text{DPPM})\}_2]$: the first cluster with an Os_4Au_4 core (M.R.A. Al-Mandhary, J. Lewis and P.R. Raithby), 549
 Synthesis and structure of the heteronuclear alkyne cluster $\text{RuOs}_3(\mu_4\text{-HC}_2\text{Me})(\text{CO})_{12}$ (A.A. Koridze, A.M. Sheloumov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 381
- Clusters
 Behaviour of triphenylphosphine-substituted ruthenium carbonyl carboxylates with hydrogen (P. Frediani, C. Faggi, S. Papaleo, A. Salvini, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 123
 Preparation and thermolysis of complexes derived from some trinuclear ruthenium clusters and 1,4-diphenylbuta-1,3-diyne (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 93
 Reactions of diacetylene ligands with trinuclear clusters. II. Reactions of hexa-2,4-diyne-1,6-diol and 1,4-diphenyl-1,3-butadiyne with $\text{Ru}_3(\text{CO})_{12}$ (S.P. Tunik, E.V. Grachova, V.R. Denisov, G.L. Starova, A.B. Nikol'skii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 339
 Synthesis of diphosphine-substituted selenido carbonyl iron clusters: progressive deformation of the Fe_3Se_2 core in the *nido* clusters $[\text{Fe}_3\text{Se}_2(\text{CO})_7\{\mu\text{-}(\text{Ph}_2\text{P})_2\text{R}\}]$ by widening the bite of the bridging ligand (D. Cauzzi, C. Graiff, M. Lanfranchi, G. Predieri and A. Tiripicchio), 497
 The interaction of unsaturated C_8 -ring systems with ruthenium carbonyl clusters (D.B. Brown, B.F.G. Johnson, C.M. Martin and S. Parsons), 285
- Cobaloxime
 Crystalline-state β - α photoisomerization of cobaloxime complexes, part 1. Generation of asymmetry in chiral crystal environment (A. Sekine, H. Tatsuki and Y. Ohashi), 389
- Cobalt
 Crystalline-state β - α photoisomerization of cobaloxime complexes, part 1. Generation of asymmetry in chiral crystal environment (A. Sekine, H. Tatsuki and Y. Ohashi), 389
 The electrochemical synthesis of η^5 -cyclopentadienylcobalt- η^4 -tetraphenylbutadiene and its reaction with iodine in the presence of electron donor ligands (V.A. Knizhnikov, V.L. Shirokii, A.N. Ryabtsev and N.A. Maier), 181
- Complexes
 Crown compounds for anions. A new approach to the description of chemical bonds in the complexes of halide anions with polymercury-containing macrocycles ¹ (A.L. Chistyakov, I.V. Stankevich, N.P. Gambaryan, Yu.T. Struchkov, A.I. Yanovsky, I.A. Tikhonova and V.B. Shur), 413
- Cone angle
 Chelating organophosphines: the use of comparative structural investigations to determine ligand properties (J. Bruckmann and C. Krüger), 465
- Copper
 A heterometallic alkoxide combining hard and soft Lewis acids $(\text{Et}_3\text{PO})_2\text{Ba}_2\text{Cu}_4(\text{O}^t\text{Bu})_8$ (B. Borup, J.C. Huffman and K.G. Caulton), 109
- Crystal
 Structural correlation between Rh–P and Rh–C bond distances vs. ³¹P and ¹³C NMR parameters in monocarbonylphosphine-rhodium(I) complexes: crystal structure of (methyl 2-(amino)-1-cyclopentene-1-dithiocarboxylato- $\kappa\text{N}, \kappa\text{S}$)-carbonyl(triphenylphosphine)rhodium(I) (G.J.J. Steyn, A. Roodt, I. Poletaeva and Y.S. Varshavsky), 197
- Crystal structure
 Antiferromagnetic complexes with the metal–metal bond. XXVIII. Synthesis and molecular structure of the antiferromagnetic cluster $[\text{CpCr}(\mu\text{-SCMe}_3)]_2(\mu_4\text{-S})[\text{PtMe}_3(\mu\text{-I})_2]$ (A.A. Pasyanskii, Y.V. Torubaev, S.E. Nefedov, I.L. Eremenko, O.G. Ellert, V.K. Belsky and A.I. Stastch), 433
 Behaviour of triphenylphosphine-substituted ruthenium carbonyl carboxylates with hydrogen (P. Frediani, C. Faggi, S. Papaleo, A. Salvini, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 123
 Crystalline-state β - α photoisomerization of cobaloxime complexes, part 1. Generation of asymmetry in chiral crystal environment (A. Sekine, H. Tatsuki and Y. Ohashi), 389
 Dihydrogen addition to $(\text{P}^i\text{Pr}_3)_2\text{OsX}_n\text{H}_{4-n}$ (R. Kuhlman, D.G. Gusev, I.L. Eremenko, H. Berke, J.C. Huffman and K.G. Caulton), 139
 Metallation of bicycmanthrenyl and synthesis of polycymanthrenyls (A.G. Ginzburg, S.V. Suprunovich, F.M. Dolgushin, A.I. Yanovsky, E.V. Vorontsov and V.I. Sokolov), 165
 Novel Group 4b *ansa*-metallocene complexes with the shortest bridge: $[1,1'$ -isopropylidene-3,3'-di-*t*-Bu-bis(η^5 -cyclopentadienyl)] Ti and Zr dichlorides (I.F. Urazowski, L.O. Atovmyan, S.G. Mkoyan, R. Broussier, P. Perron, B. Gautheron and F. Robert), 531
 Organometallic chemistry of the actinides. Part 3. Novel 1-aza-allyl- and β -diketiminatothorium chlorides; X-ray structures of $[\{\text{Th}(\text{LL}')_2(\mu_3\text{-Cl})(\mu\text{-Cl})_2\text{K}(\text{OEt}_2)_k\}]$ and $[\text{Th}(\text{LL})_2\text{Cl}_2]$ [LL' = N(SiMe₃)C(Bu^t)C(H)SiMe₃; LL = {N(SiMe₃)C(Ph)}₂CH] (P.B. Hitchcock, J. Hu, M.F. Lappert and S. Tian), 473
 Preparation and thermolysis of complexes derived from some trinuclear ruthenium clusters and 1,4-diphenylbuta-1,3-diyne (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 93
 Preparation of stable α -(nonamethylmetallocenyl)- α -hydroxycarboxylates and their transformations (M.I. Rybinskaya, A.Z. Kreindlin, L.N. Kiseleva, N.V. Kruglova, A.A. Kamyshova, P.V. Petrovskii and U. Turpeinen), 257
 Reactions of dodecacarbonyltriruthenium with unsaturated α, β -diketones (M.I. Rybinskaya, L.V. Rybin, S.V. Osintseva, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 345
 Reactions of pentaphenylantimony with dicarboxylic acids (V.V. Sharutin, O.K. Sharutina, A.P. Pakusina and V.K. Belsky), 87
 Reactivity of the electron deficient compound $[(\mu\text{-H})\text{Os}_3(\text{CO})_9\{\mu_3\text{-}\eta^2\text{-C}_9\text{H}_5(\text{CH}_3)\text{N}\}]$ with thiols (S.E. Kabir, H. Vahrenkamp, M.B. Hursthouse and K.M.A. Malik), 509
 Ring-methyl activation in pentamethylcyclopentadienyl complexes 7. Reactions of $[\text{Ru}(\eta^2\text{:}\eta^3\text{-C}_3\text{Me}_4\text{CH}_2\text{O}(\text{CH}_2)_n\text{CH}=\text{CHR}_2)(\text{CO})_2]^+\text{BF}_4^-$ with nucleophiles (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.Yu. Antipin, K.A. Lyssenko, A.F. Noels, S.R. O'Leary and P.M. Maitlis), 191
 Solid state conformation of the anomeric effect in 2-phosphoryl-, 2-thiophosphoryl- and 2-selenophosphoryl-substituted 1,3-dithiolanes (M. Mikołajczyk, T. Łuczak, P.P. Graczyk, M.W. Wiczorek, J. Błaszczak, G.D. Bujacz and W.R. Majzner), 355
 Sterically encumbered charge-compensated carbaboranes: synthesis and reactivity. Molecular structures of 7-Ph-11-SMe₂-7,8-*nido*-C₂B₉H₁₀ and 1-Ph-3,3-(CO)₂-7-SMe₂-3,1,2-*closo*-RhC₂B₉H₈ (G.M. Rosair, A.J. Welch, A.S. Weller and S.K. Zahn), 299

- Structural correlation between Rh–P and Rh–C bond distances vs. ^{31}P and ^{13}C NMR parameters in monocarbonylphosphine-rhodium(I) complexes: crystal structure of (methyl 2-(amino)-1-cyclopentene-1-dithiocarboxylato- $\kappa\text{N},\kappa\text{S}$)-carbonyl(triphenylphosphine)rhodium(I) (G.J.J. Steyn, A. Roodt, I. Poletaeva and Y.S. Varshavsky), 197
- Structure of a Pt/Re cluster complex: aggregation of ions in crystals of $[\text{Pt}_3(\text{Re}(\text{CO})_2\text{P}(\text{OMe})_3)(\mu_3\text{-O})_2(\mu\text{-dppm})_3][\text{AsF}_6]$ (K.W. Muir, L. Manojlovic-Muir and A.A. Torabi), 319
- Synthesis and structural characterisation of $[\text{Os}_4\text{H}_2(\text{CO})_{11}\text{-}\{\text{Au}_2(\text{DPPM})_2\}]$: the first cluster with an Os_4Au_4 core (M.R.A. Al-Mandhary, J. Lewis and P.R. Raithby), 549
- Synthesis and structure of 3-(cyclohexylamino)propyldimethylsilanol (W. Ziche, B. Herrschaft, F. Hahn, P. John, J. Weis and N. Auner), 375
- Synthesis and structure of β -tellurovinylcarbonyl compounds (V.I. Minkin, I.D. Sadekov, B.B. Rivkin, A.V. Zakharov, V.L. Nivorozhkin, O.E. Kompan and Yu.T. Struchkov), 233
- Synthesis and structure of the heteronuclear alkyne cluster $\text{RuOs}_3(\mu_4\text{-HC}_2\text{Me})(\text{CO})_{12}$ (A.A. Koridze, A.M. Sheloumou, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 381
- Synthesis, structure and reactivity of a novel monocarbon hydrido-rhodacarborane *closo*-2,2-(Ph_3P) $_2$ -2-*H*-1-(Me_3N)-2,1-RhCB $_{10}$ -H $_{10}$. Molecular structure of 16-electron *closo*-2-(Ph_3P)-2-Cl-1-(Me_3N)-2,1-RhCB $_{10}$ H $_{10}$ and closely related 18-electron *closo*-3,3-(Ph_3P) $_2$ -3-Cl-3,1,2-RhC $_2$ B $_9$ H $_{11}$ (I.T. Chizhevsky, I.V. Pisareva, E.V. Vorontsov, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, C.B. Knobler and M.F. Hawthorne), 223
- The interaction of unsaturated C_8 -ring systems with ruthenium carbonyl clusters (D.B. Brown, B.F.G. Johnson, C.M. Martin and S. Parsons), 285
- Variety of naphthalene coordination modes in the polynuclear (pentamethylcyclopentadienyl)lutetium naphthalene complex $\{[(\text{C}_5\text{Me}_5\text{-Lu})_3(\text{C}_{10}\text{H}_8)(\text{C}_{10}\text{H}_7)(\text{H})][(\text{Na}(\text{THF})_3)]_2\text{C}_{10}\text{H}_8$ (A.V. Protchenko, O.G. Almazova, L.N. Zakharov, G.K. Fukin, Yu.T. Struchkov and M.N. Bochkarev), 457
- X-ray study of organic and organoelement compounds of the lanthanides (L.N. Zakharov and Yu.T. Struchkov), 65
- Crystal structures
- Synthesis of diphosphine-substituted selenido carbonyl iron clusters: progressive deformation of the Fe_3Se_2 core in the *nido* clusters $[\text{Fe}_3\text{Se}_2(\text{CO})_7\{\mu\text{-}(\text{Ph}_2\text{P})_2\text{R}\}]$ by widening the bite of the bridging ligand (D. Cauzzi, C. Graiff, M. Lanfranchi, G. Predieri and A. Tiripicchio), 497
- Cycloaddition
- [4 + 2] Cycloaddition reactions involving 1,3-diphosphacyclopentadiene and 1,2,4-triphosphacyclopentadiene: crystal and molecular structures of the *exo*-compounds $\text{P}_3\text{C}_5^1\text{Bu}_5\text{H}_2$ and $\text{P}_4\text{C}_6^1\text{Bu}_6\text{H}_2$ (V. Caliman, P.B. Hitchcock and J.F. Nixon), 273
- Cyclooctatetraene
- The interaction of unsaturated C_8 -ring systems with ruthenium carbonyl clusters (D.B. Brown, B.F.G. Johnson, C.M. Martin and S. Parsons), 285
- Cyclooctene
- The interaction of unsaturated C_8 -ring systems with ruthenium carbonyl clusters (D.B. Brown, B.F.G. Johnson, C.M. Martin and S. Parsons), 285
- Cyclopentadienyl
- [4 + 2] Cycloaddition reactions involving 1,3-diphosphacyclopentadiene and 1,2,4-triphosphacyclopentadiene: crystal and molecular structures of the *exo*-compounds $\text{P}_3\text{C}_5^1\text{Bu}_5\text{H}_2$ and $\text{P}_4\text{C}_6^1\text{Bu}_6\text{H}_2$ (V. Caliman, P.B. Hitchcock and J.F. Nixon), 273
- Metallation of bicycmanthrenyl and synthesis of polycymanthrenyls (A.G. Ginzburg, S.V. Suprunovich, F.M. Dolgushin, A.I. Yanovsky, E.V. Vorontsov and V.I. Sokolov), 165
- Ring-methyl activation in pentamethylcyclopentadienyl complexes 7. Reactions of $[\text{Ru}(\eta^2:\eta^5\text{-C}_5\text{Me}_4\text{CH}_2\text{O}(\text{CH}_2)_n\text{CH}=\text{CHR}_2)(\text{CO})_2]^+\text{BF}_4^-$ with nucleophiles (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.Yu. Antipin, K.A. Lyssenko, A.F. Noels, S.R. O'Leary and P.M. Maitlis), 191
- Synthesis and characterisation of trifluoro(η^5 -*n*-propyltetramethylcyclopentadienyl)metal(IV)-compounds of the elements of Group IV (A. Künzel, E. Parisini, H.W. Roesky and G.M. Sheldrick), 177
- The electrochemical synthesis of η^5 -cyclopentadienylcobalt- η^4 -tetraphenylbutadiene and its reaction with iodine in the presence of electron donor ligands (V.A. Knizhnikov, V.L. Shirokii, A.N. Ryabtsev and N.A. Maier), 181
- Variety of naphthalene coordination modes in the polynuclear (pentamethylcyclopentadienyl)lutetium naphthalene complex $\{[(\text{C}_5\text{Me}_5\text{-Lu})_3(\text{C}_{10}\text{H}_8)(\text{C}_{10}\text{H}_7)(\text{H})][(\text{Na}(\text{THF})_3)]_2\text{C}_{10}\text{H}_8$ (A.V. Protchenko, O.G. Almazova, L.N. Zakharov, G.K. Fukin, Yu.T. Struchkov and M.N. Bochkarev), 457
- Cyclopentadienyl ligands
- Polyelement substituted cyclopentadienes and indenenes – novel ligand precursors for organotransition metal chemistry (K. Rufanov, E. Avtomonov, N. Kazennova, V. Kotov, A. Khvorost, D. Lemenovskii and J. Lorberth), 361
- Cyclopentadienylnickel clusters
- The activation of C–H bonds in terminal olefins by cyclopentadienylnickel species (S. Pasykiewicz, W. Buchowicz, A. Pietrzykowski and T. Głowiak), 249
- Decarbonylation
- Reactivity of the electron deficient compound $[(\mu\text{-H})\text{Os}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}_9\text{H}_5(\text{CH}_3)\text{N})]$ with thiols (S.E. Kabir, H. Vahrenkamp, M.B. Hursthouse and K.M.A. Malik), 509
- Diacetylene derivatives
- Reactions of diacetylene ligands with trinuclear clusters. II. Reactions of hexa-2,4-diyne-1,6-diol and 1,4-diphenyl-1,3-butadiyne with $\text{Ru}_3(\text{CO})_{12}$ (S.P. Tunik, E.V. Grachova, V.R. Denisov, G.L. Starova, A.B. Nikol'skii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 339
- 1,4-Diarylbut-2-en-1,4-diones
- Reactions of dodecacarbonyltriruthenium with unsaturated α,β -diketones (M.I. Rybinskaya, L.V. Rybin, S.V. Osintseva, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 345
- Dicarboxylic acids
- Reactions of pentaphenylantimony with dicarboxylic acids (V.V. Sharutin, O.K. Sharutina, A.P. Pakusina and V.K. Belsky), 87
- Dications
- Polyhalomethanes combined with aluminum halides as generators of superelectrophiles of a novel type (I.S. Akhrem, A.L. Chistyakov, N.P. Gambaryan, I.V. Stankevich and M.E. Vol'pin), 489
- β -Diketiminates
- Organometallic chemistry of the actinides. Part 3. Novel 1-aza-allyl- and β -diketiminatothorium chlorides; X-ray structures of $[\{\text{Th}(\text{LL}')_2(\mu_3\text{-Cl})(\mu\text{-Cl})_2\text{K}(\text{OEt}_2)_6\}]$ and $[\{\text{Th}(\text{LL})_2\text{Cl}_2\}]$ [$\text{LL}' = \text{N}(\text{SiMe}_3)\text{C}(\text{Bu}^t)\text{C}(\text{H})\text{SiMe}_3$; $\text{LL} = \{\text{N}(\text{SiMe}_3)\text{C}(\text{Ph})_2\text{CH}\}$] (P.B. Hitchcock, J. Hu, M.F. Lappert and S. Tian), 473
- 2-(Diphenylphosphino)pyrimidine
- The new organometallic polydentate ligand *trans*-bis(2-(diphenylphosphino)pyrimidine)tricarbonyliron(0) and its mono-, di- and tridentate coordination modes towards mercury(II) halide/pseudohalide (S.-I. Li, Z.-Z. Zhang and T.C.W. Mak), 73

- Disilene**
Vibrational spectra of disilenes. Normal coordinate analysis and identification of the $\nu(\text{Si}=\text{Si})$ stretching vibration (L.A. Leites, S.S. Bukalov, I.A. Garbuzova, R. West, J. Mangette and H. Spitzner), 425
- Dithiocarboxylato**
Structural correlation between Rh–P and Rh–C bond distances vs. ^{31}P and ^{13}C NMR parameters in monocarbonylphosphine-rhodium(I) complexes: crystal structure of (methyl 2-(amino)-1-cyclopentene-1-dithiocarboxylato- $\kappa\text{N}, \kappa\text{S}$)-carbonyl(triphenylphosphine)rhodium(I) (G.J.J. Steyn, A. Roodt, I. Poletaeva and Y.S. Varshavsky), 197
- Diyne**
Reactions of the phenyl-substituted five-membered titanacyclocumene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293
- Diyne complexes**
Preparation and thermolysis of complexes derived from some trinuclear ruthenium clusters and 1,4-diphenylbuta-1,3-diyne (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 93
- Dodecacarbonyltriruthenium**
Reactions of dodecacarbonyltriruthenium with unsaturated α, β -diketones (M.I. Rybinskaya, L.V. Rybin, S.V. Osintseva, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 345
- Donor–acceptor bonding**
The new organometallic polydentate ligand *trans*-bis(2-(diphenylphosphino)pyrimidine)tricarbonyliron(0) and its mono-, di- and tridentate coordination modes towards mercury(II) halide/pseudohalide (S.-I. Li, Z.-Z. Zhang and T.C.W. Mak), 73
- Doxycycline**
Ligand effects in the hydrogenation of methacycline to doxycycline and epi-doxycycline catalysed by rhodium complexes. Molecular structure of the key catalyst [*closo*-3,3-($\eta^{2,3}$ - $\text{C}_7\text{H}_7\text{CH}_2$)-3,1,2- $\text{RhC}_2\text{B}_9\text{H}_{11}$] (A. Felekidis, M. Goblet-Stachow, J.F. Liégeois, B. Pirotte, J. Delarge, A. Demonceau, M. Fontaine, A.F. Noels, I.T. Chizhevsky, T.V. Zinevich, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 405
- Early transition metals**
Reactions of the phenyl-substituted five-membered titanacyclocumene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293
Synthesis and characterisation of trifluoro(η^5 -*n*-propyltetramethylcyclopentadienyl)metal(IV)-compounds of the elements of Group IV (A. Künzel, E. Parisini, H.W. Roesky and G.M. Sheldrick), 177
- Electrochemistry**
Template synthesis, structure and electrochemistry of trinuclear iron(II) clathrochelate dioximates with ferrocenylboron fragments (Y.Z. Voloshin, T.E. Kron, V.K. Belsky, V.E. Zavodnik, Yu.A. Maletin and S.G. Kozachkov), 207
The electrochemical synthesis of η^5 -cyclopentadienylcobalt- η^4 -tetraphenylbutadiene and its reaction with iodine in the presence of electron donor ligands (V.A. Knizhnikov, V.L. Shirokii, A.N. Ryabtsev and N.A. Maier), 181
The role of Ni(0) complexes in electrochemical phosphorylation of organic halides. Part 1. Factors determining catalytic activity (Y.H. Budnikova and Yu.M. Kargin), 265
- Electron deficient**
Reactivity of the electron deficient compound $[(\mu\text{-H})\text{Os}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}_9\text{H}_5(\text{CH}_3)\text{N})]$ with thiols (S.E. Kabir, H. Vahrenkamp, M.B. Hursthouse and K.M.A. Malik), 509
- Electron deformation density**
Chelating organophosphines: the use of comparative structural investigations to determine ligand properties (J. Bruckmann and C. Krüger), 465
- Electron diffraction**
The molecular structure of a germacyclobutane by gas electron diffraction and ab initio molecular orbital calculations (A. Haaland, S. Samdal, T.G. Strand, M.A. Tafipolsky, H.V. Volden, B.J.J. Van de Heisteeg, O.S. Akkerman and F. Bickelhaupt), 217
- Erbium**
Organometallic compounds of the lanthanides. CXV. Donor substituted chiral *ansa*-lanthanidocenes: synthesis of dimethyl(dimethylaminoethylcyclopentadienyl)(tetramethylcyclopentadienyl)silane dipotassium and of some chiral *ansa*-metallocene derivatives of Y, Sm, Ho, Er and Lu ² (H. Schumann, F. Erbstein, R. Weimann and J. Demtschuk), 541
- Exchange equilibria**
The influence of aryl ligands on the chemical hardness of triarylytinitic cations (D.N. Kravtsov, A.S. Peregodov, V.M. Pachevskaya and L.S. Golovchenko), 385
- Ferrocenyl derivatives**
Template synthesis, structure and electrochemistry of trinuclear iron(II) clathrochelate dioximates with ferrocenylboron fragments (Y.Z. Voloshin, T.E. Kron, V.K. Belsky, V.E. Zavodnik, Yu.A. Maletin and S.G. Kozachkov), 207
- Fluorine**
Synthesis and characterisation of trifluoro(η^5 -*n*-propyltetramethylcyclopentadienyl)metal(IV)-compounds of the elements of Group IV (A. Künzel, E. Parisini, H.W. Roesky and G.M. Sheldrick), 177
- Formylnonamethylmetallocene**
Preparation of stable α -(nonamethylmetallocenyl)- α -hydroxycarboxylic acids and their transformations (M.I. Rybinskaya, A.Z. Kreindlin, L.N. Kiseleva, N.V. Kruglova, A.A. Kamysheva, P.V. Petrovskii and U. Turpeinen), 257
- Gas-phase electron diffraction**
Molecular structure and conformation of trimethylsilylbenzene: a study by gas-phase electron diffraction and theoretical calculations (A.R. Campanelli, F. Ramondo, A. Domenicano and I. Hargittai), 309
- Generalized chemical bonds**
Crown compounds for anions. A new approach to the description of chemical bonds in the complexes of halide anions with polymercury-containing macrocycles ¹ (A.L. Chistyakov, I.V. Stankevich, N.P. Gambaryan, Yu.T. Struchkov, A.I. Yanovsky, I.A. Tikhonova and V.B. Shur), 413
- Germacyclobutane**
The molecular structure of a germacyclobutane by gas electron diffraction and ab initio molecular orbital calculations (A. Haaland, S. Samdal, T.G. Strand, M.A. Tafipolsky, H.V. Volden, B.J.J. Van de Heisteeg, O.S. Akkerman and F. Bickelhaupt), 217
- Germanium**
The molecular structure of a germacyclobutane by gas electron diffraction and ab initio molecular orbital calculations (A. Haaland, S. Samdal, T.G. Strand, M.A. Tafipolsky, H.V. Volden, B.J.J. Van de Heisteeg, O.S. Akkerman and F. Bickelhaupt), 217
X-ray study of organic and organoelement compounds of the lanthanides (L.N. Zakharov and Yu.T. Struchkov), 65
- Gold**
Synthesis and structural characterisation of $[\text{Os}_4\text{H}_2(\text{CO})_{11}\text{-}(\text{Au}_2(\text{DPPM}))_2]$: the first cluster with an Os_4Au_4 core (M.R.A. Al-Mandhary, J. Lewis and P.R. Raithby), 549
- Group 4**
Reactions of the phenyl-substituted five-membered titanacyclocumene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with

- two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293
- Synthesis and characterisation of trifluoro(η^5 -*n*-propyltetramethylcyclopentadienyl)metal(IV)-compounds of the elements of Group IV (A. Künzel, E. Parisini, H.W. Roesky and G.M. Sheldrick), 177
- Group 8
- Organotransition-metal metallacarboranes. 45. Synthesis and structure of hydridoruthenacarborane double-decker and triple-decker sandwich complexes (E.J. Houser, M.A. Curtis, M. Sabat and R.N. Grimes), 115
- Group VIII
- Synthesis and characterization of the first charge-compensated monocarbollide(octacarbonyl)triosmium complex (V.N. Lebedev, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 537
- Group 15
- [4 + 2] Cycloaddition reactions involving 1,3-diphosphacyclopentadiene and 1,2,4-triphosphacyclopentadiene: crystal and molecular structures of the *exo*-compounds $P_5C_5^1Bu_5H_2$ and $P_4C_6^1Bu_6H_2$ (V. Caliman, P.B. Hitchcock and J.F. Nixon), 273
- Halide
- Synthesis and characterisation of trifluoro(η^5 -*n*-propyltetramethylcyclopentadienyl)metal(IV)-compounds of the elements of Group IV (A. Künzel, E. Parisini, H.W. Roesky and G.M. Sheldrick), 177
- Halide anions
- Crown compounds for anions. A new approach to the description of chemical bonds in the complexes of halide anions with polymercury-containing macrocycles ¹ (A.L. Chistyakov, I.V. Stankevich, N.P. Gambaryan, Yu.T. Struchkov, A.I. Yanovsky, I.A. Tikhonova and V.B. Shur), 413
- Halogen
- Dihydrogen addition to $(P^iPr_3)_2OsX_nH_{4-n}$ (R. Kuhlman, D.G. Gusev, I.L. Eremenko, H. Berke, J.C. Huffman and K.G. Caulton), 139
- Heterobimetallic complex
- The new organometallic polydentate ligand *trans*-bis(2-(diphenylphosphino)pyrimidine)tricarbonyliron(0) and its mono-, di- and tridentate coordination modes towards mercury(II) halide/pseudohalide (S.-I. Li, Z.-Z. Zhang and T.C.W. Mak), 73
- η^6 -, μ - η^6/η^6 -, η^4 -, η^2 -, μ - σ -, σ -complexation
- Novel generation of organometallic systems. Metal carbonyl complexes with silacarbacyclic π -ligands, synthetic and structural investigations (O.B. Afanasyova, N.I. Kirillova, E.A. Chernyshev and Yu.T. Struchkov), 31
- Holmium
- Organometallic compounds of the lanthanides. CXV. Donor substituted chiral *ansa*-lanthanidocenes: synthesis of dimethyl(dimethylaminoethylcyclopentadienyl)(tetramethylcyclopentadienyl)silane dipotassium and of some chiral *ansa*-metallocene derivatives of Y, Sm, Ho, Er and Lu ² (H. Schumann, F. Erbsstein, R. Weimann and J. Demtschuk), 541
- Homogeneous redox catalysis
- The role of Ni(0) complexes in electrochemical phosphorylation of organic halides. Part 1. Factors determining catalytic activity (Y.H. Budnikova and Yu.M. Kargin), 265
- Hydride
- Reactivity of the electron deficient compound $[(\mu-H)Os_3(CO)_9(\mu_3-\eta^2-C_6H_5(CH_3)N)]$ with thiols (S.E. Kabir, H. Vahrenkamp, M.B. Hursthouse and K.M.A. Malik), 509
- Hydride addition
- Dihydrogen addition to $(P^iPr_3)_2OsX_nH_{4-n}$ (R. Kuhlman, D.G. Gusev, I.L. Eremenko, H. Berke, J.C. Huffman and K.G. Caulton), 139
- Hydroboration
- Directive effects in the hydroboration of 1-alkenyl derivatives of *o*-carborane with representative hydroborating agents (G.W. Kabalka and G. Hondrogiannis), 327
- Hydrogen
- Behaviour of triphenylphosphine-substituted ruthenium carbonyl carboxylates with hydrogen (P. Frediani, C. Faggi, S. Papaleo, A. Salvini, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 123
- Dihydrogen addition to $(P^iPr_3)_2OsX_nH_{4-n}$ (R. Kuhlman, D.G. Gusev, I.L. Eremenko, H. Berke, J.C. Huffman and K.G. Caulton), 139
- Hydrogenation
- Ligand effects in the hydrogenation of methacycline to doxycycline and epi-doxycycline catalysed by rhodium complexes. Molecular structure of the key catalyst [*closo*-3,3-($\eta^{2,3}$ -C₇H₇CH₂)-3,1,2-RhC₂B₉H₁₁] (A. Felekidis, M. Goblet-Stachow, J.F. Liégeois, B. Pirotte, J. Delarge, A. Demonceau, M. Fontaine, A.F. Noels, I.T. Chizhevsky, T.V. Zinevich, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 405
- Hydrogen bond
- Novel types of hydrogen bonding with transition metal π -complexes and hydrides (E.S. Shubina, N.V. Belkova and L.M. Epstein), 19
- Synthesis and structure of 3-(cyclohexylamino)propyldimethylsilanol (W. Ziche, B. Herrschaft, F. Hahn, P. John, J. Weis and N. Auner), 375
- Hydrogen bonding
- Structure of a Pt/Re cluster complex: aggregation of ions in crystals of $[Pt_3(Re(CO)_2P(OMe)_3)(\mu_3-O)_2(\mu-dppm)_3][AsF_6]$ (K.W. Muir, L. Manojlovic-Muir and A.A. Torabi), 319
- Hydrogen bonds
- Preparation of stable α -(nonamethylmetallocenyl)- α -hydroxycarboxocations and their transformations (M.I. Rybinskaya, A.Z. Kreindlin, L.N. Kiseleva, N.V. Kruglova, A.A. Kamysheva, P.V. Petrovskii and U. Turpeinen), 257
- Indenyl ligands
- Polyelement substituted cyclopentadienes and indenenes – novel ligand precursors for organotransition metal chemistry (K. Rufanov, E. Avtomonov, N. Kazennova, V. Kotov, A. Khvorost, D. Lemenovskii and J. Lorberth), 361
- Indium
- Vibrational spectra and structure of trimethylindium and trimethylthallium (A.P. Kurbakova, S.S. Bukalov, L.A. Leites, L.M. Golubinskaya and V.I. Bregadze), 519
- Intramolecular coordination
- Synthesis and crystal structure of enantiomeric *N*-(dimethylfluorosilylmethyl) and *N*-(dimethylchlorosilylmethyl)-[*N*-(*S*)-1-phenylethyl] acetamides (Yu.I. Baukov, Yu.E. Ovchinnikov, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.T. Struchkov), 399
- Iridium
- X-ray structures of decamethylplatinocene dication in the crystal of $[Pt(\eta^5-C_5Me_5)_2]^{2+}(PF_6^-)_2$ and decamethyliridocenium cation in the crystal of $[Ir(\eta^5-C_5Me_5)_2]^{2+}(BPh_4^-)_2 \cdot CH_2Cl_2$ (Yu.T. Struchkov, M.Yu. Antipin, K.A. Lyssenko, O.V. Gusev, T.A. Peganova and N.A. Ustynyuk), 281
- Iron
- Preparation of stable α -(nonamethylmetallocenyl)- α -hydroxycarboxocations and their transformations (M.I. Rybinskaya, A.Z. Kreindlin, L.N. Kiseleva, N.V. Kruglova, A.A. Kamysheva, P.V. Petrovskii and U. Turpeinen), 257
- Synthesis of diphosphine-substituted selenido carbonyl iron clusters: progressive deformation of the Fe₃Se₂ core in the *nido* clusters $[Fe_3Se_2(CO)_7(\mu-(Ph_2P)_2R)]$ by widening the bite of the bridging ligand (D. Cauzzi, C. Graiff, M. Lanfranchi, G. Predieri and A. Tiripicchio), 497

- The new organometallic polydentate ligand *trans*-bis(2-(diphenylphosphino)pyrimidine)tricarbonyliron(0) and its mono-, di- and tridentate coordination modes towards mercury(II) halide/pseudohalide (S.-I. Li, Z.-Z. Zhang and T.C.W. Mak), 73
- Lanthanides**
- X-ray study of organic and organoelement compounds of the lanthanides (L.N. Zakharov and Yu.T. Struchkov), 65
- ansa-Lanthanidocene complexes**
- Organometallic compounds of the lanthanides. CXV. Donor substituted chiral *ansa*-lanthanidocenes: synthesis of dimethyl(dimethylaminoethylcyclopentadienyl)(tetramethylcyclopentadienyl)silane dipotassium and of some chiral *ansa*-metallocene derivatives of Y, Sm, Ho, Er and Lu² (H. Schumann, F. Erbstein, R. Weimann and J. Demtschuk), 541
- Lanthanoid**
- Variety of naphthalene coordination modes in the polynuclear (pentamethylcyclopentadienyl)lutetium naphthalene complex $\{[(C_5Me_5-Lu)_3(C_{10}H_8)(C_{10}H_7)(H)](Na(THF)_3)_2\}C_{10}H_8$ (A.V. Protchenko, O.G. Almazova, L.N. Zakharov, G.K. Fukin, Yu.T. Struchkov and M.N. Bochkarev), 457
- Lithium**
- The *tert*-butyl chloride–lithium naphthalene radical anion and *tert*-butyllithium–naphthalene systems. Mechanism of metallation (C.G. Screttas, M. Micha-Screttas and B.R. Steele), 149
- Lutetium**
- Organometallic compounds of the lanthanides. CXV. Donor substituted chiral *ansa*-lanthanidocenes: synthesis of dimethyl(dimethylaminoethylcyclopentadienyl)(tetramethylcyclopentadienyl)silane dipotassium and of some chiral *ansa*-metallocene derivatives of Y, Sm, Ho, Er and Lu² (H. Schumann, F. Erbstein, R. Weimann and J. Demtschuk), 541
- Variety of naphthalene coordination modes in the polynuclear (pentamethylcyclopentadienyl)lutetium naphthalene complex $\{[(C_5Me_5-Lu)_3(C_{10}H_8)(C_{10}H_7)(H)](Na(THF)_3)_2\}C_{10}H_8$ (A.V. Protchenko, O.G. Almazova, L.N. Zakharov, G.K. Fukin, Yu.T. Struchkov and M.N. Bochkarev), 457
- Manganese**
- Metallation of bicycmanthrenyl and synthesis of polycycmanthrenyls (A.G. Ginzburg, S.V. Suprunovich, F.M. Dolgushin, A.I. Yanovsky, E.V. Vorontsov and V.I. Sokolov), 165
- Mechanism**
- The *tert*-butyl chloride–lithium naphthalene radical anion and *tert*-butyllithium–naphthalene systems. Mechanism of metallation (C.G. Screttas, M. Micha-Screttas and B.R. Steele), 149
- Mercury(II) complex**
- The new organometallic polydentate ligand *trans*-bis(2-(diphenylphosphino)pyrimidine)tricarbonyliron(0) and its mono-, di- and tridentate coordination modes towards mercury(II) halide/pseudohalide (S.-I. Li, Z.-Z. Zhang and T.C.W. Mak), 73
- Metallacarboranes**
- Semi-sandwich platinum metals metallacarboranes derived from *nido*-C₂B₉H₁₂⁻: chemistry and structural studies (I.T. Chizhevsky, A.I. Yanovsky and Yu.T. Struchkov), 51
- Metallacycle**
- Reactions of the phenyl-substituted five-membered titanacyclocumene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293
- Metallation**
- Benzyl functionalization of (η⁶-alkylarene)chromium tricarbonyl complexes (V.N. Kalinin, I.A. Cherepanov and S.K. Moiseev), 437
- Metallocenes**
- Novel Group 4b *ansa*-metallocene complexes with the shortest bridge: [1,1'-isopropylidene-3,3'-di-*t*-Bu-bis(η⁵-cyclopentadienyl)] Ti and Zr dichlorides (I.F. Urazowski, L.O. Atovmyan, S.G. Mkoyan, R. Broussier, P. Perron, B. Gautheron and F. Robert), 531
- Polyelement substituted cyclopentadienes and indenenes – novel ligand precursors for organotransition metal chemistry (K. Rufanov, E. Avtomonov, N. Kazennova, V. Kotov, A. Khvorost, D. Lemenovskii and J. Lorberth), 361
- Reactions of the phenyl-substituted five-membered titanacyclocumene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293
- X-ray structures of decamethylplatinocene dication in the crystal of [Pt(η⁵-C₅Me₅)₂]²⁺(PF₆⁻)₂ and decamethyliridocenium cation in the crystal of [Ir(η⁵-C₅Me₅)₂]⁺(BPh₄⁻) · CH₂Cl₂ (Yu.T. Struchkov, M.Yu. Antipin, K.A. Lyssenko, O.V. Gusev, T.A. Peganova and N.A. Ustyynyuk), 281
- ansa-Metallocenes**
- Novel Group 4b *ansa*-metallocene complexes with the shortest bridge: [1,1'-isopropylidene-3,3'-di-*t*-Bu-bis(η⁵-cyclopentadienyl)] Ti and Zr dichlorides (I.F. Urazowski, L.O. Atovmyan, S.G. Mkoyan, R. Broussier, P. Perron, B. Gautheron and F. Robert), 531
- Methacycline**
- Ligand effects in the hydrogenation of methacycline to doxycycline and *epi*-doxycycline catalysed by rhodium complexes. Molecular structure of the key catalyst [*cis*-3,3-(η^{2,3}-C₇H₇CH₂)-3,1,2-RhC₂B₉H₁₁] (A. Felekidis, M. Goblet-Stachow, J.F. Liégeois, B. Pirotte, J. Delarge, A. Demonceau, M. Fontaine, A.F. Noels, I.T. Chizhevsky, T.V. Zinevich, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 405
- Methyl group rotation**
- Vibrational spectra and structure of trimethylindium and trimethylthallium (A.P. Kurbakova, S.S. Bukalov, L.A. Leites, L.M. Golubinskaya and V.I. Bregadze), 519
- MNDO method**
- Crown compounds for anions. A new approach to the description of chemical bonds in the complexes of halide anions with polymercury-containing macrocycles¹ (A.L. Chistyakov, I.V. Stankevich, N.P. Gambaryan, Yu.T. Struchkov, A.I. Yanovsky, I.A. Tikhonova and V.B. Shur), 413
- MO calculations**
- The molecular structure of a germacyclobutane by gas electron diffraction and ab initio molecular orbital calculations (A. Haaland, S. Samdal, T.G. Strand, M.A. Tafipolsky, H.V. Volden, B.J.J. Van de Heisteeg, O.S. Akkerman and F. Bickelhaupt), 217
- Molecular mechanics**
- Molecular structure and conformation of trimethylsilylbenzene: a study by gas-phase electron diffraction and theoretical calculations (A.R. Campanelli, F. Ramondo, A. Domenicano and I. Hargittai), 309
- The MM3 force field for 12-vertex boranes and carboranes (T.V. Timofeeva, K.Yu. Suponitsky, A.I. Yanovsky and N.L. Allinger), 481
- Molecular structure**
- Molecular structure and conformation of trimethylsilylbenzene: a study by gas-phase electron diffraction and theoretical calculations (A.R. Campanelli, F. Ramondo, A. Domenicano and I. Hargittai), 309
- Multipole expansion**
- Chelating organophosphines: the use of comparative structural investigations to determine ligand properties (J. Bruckmann and C. Krüger), 465

Naphthalene

The *tert*-butyl chloride–lithium naphthalene radical anion and *tert*-butyllithium–naphthalene systems. Mechanism of metallation (C.G. Screttas, M. Micha-Screttas and B.R. Steele), 149

Variety of naphthalene coordination modes in the polynuclear (pentamethylcyclopentadienyl)lutetium naphthalene complex $\{[(C_5Me_5Lu)_3(C_{10}H_8)(C_{10}H_7)(H)](Na(THF)_3)_2C_{10}H_8\}$ (A.V. Protchenko, O.G. Almazova, L.N. Zakharov, G.K. Fukin, Yu.T. Struchkov and M.N. Bochkarev), 457

Nickel

The activation of C–H bonds in terminal olefins by cyclopentadienyl-nickel species (S. Pasynkiewicz, W. Buchowicz, A. Pietrzykowski and T. Głowiak), 249

Ni(0) complexes

The role of Ni(0) complexes in electrochemical phosphorylation of organic halides. Part 1. Factors determining catalytic activity (Y.H. Budnikova and Yu.M. Kargin), 265

NMR

Structural correlation between Rh–P and Rh–C bond distances vs. ^{31}P and ^{13}C NMR parameters in monocarbonylphosphine-rhodium(I) complexes: crystal structure of (methyl 2-(amino)-1-cyclopentene-1-dithiocarboxylato- $\kappa N, \kappa S$)-carbonyl(triphenylphosphine)rhodium(I) (G.J.J. Steyn, A. Roodt, I. Poletaeva and Y.S. Varshavsky), 197

C-Norbenzomorphans

Benzylic functionalization of (η^6 -alkylarene)chromium tricarbonyl complexes (V.N. Kalinin, I.A. Cherepanov and S.K. Moiseev), 437

Normal coordinate analysis

Vibrational spectra of disilenes. Normal coordinate analysis and identification of the $\nu(Si=Si)$ stretching vibration (L.A. Leites, S.S. Bukalov, I.A. Garbuzova, R. West, J. Mangette and H. Spitzner), 425

Nucleophilic attack

Ring-methyl activation in pentamethylcyclopentadienyl complexes 7. Reactions of $[Ru(\eta^2:\eta^5-C_5Me_4CH_2O(CH_2)_nCH=CHR_2)(CO)_2]^+BF_4^-$ with nucleophiles (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.Yu. Antipin, K.A. Lyssenko, A.F. Noels, S.R. O'Leary and P.M. Maitlis), 191

Olefin chelate

Ring-methyl activation in pentamethylcyclopentadienyl complexes 7. Reactions of $[Ru(\eta^2:\eta^5-C_5Me_4CH_2O(CH_2)_nCH=CHR_2)(CO)_2]^+BF_4^-$ with nucleophiles (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.Yu. Antipin, K.A. Lyssenko, A.F. Noels, S.R. O'Leary and P.M. Maitlis), 191

O-protonation

Preparation of stable α -(nonamethylmetallocenyl)- α -hydroxycarboxylic acids and their transformations (M.I. Rybinskaya, A.Z. Kreindlin, L.N. Kiseleva, N.V. Kruglova, A.A. Kamyshova, P.V. Petrovskii and U. Turpeinen), 257

Optically active compounds

Synthesis and crystal structure of enantiomeric *N*-(dimethylfluorosilylmethyl) and *N*-(dimethylchlorosilylmethyl)-[*N*-(*S*)-1-phenylethyl] acetamides (Yu.I. Baukov, Yu.E. Ovchinnikov, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.T. Struchkov), 399

Organoiron complex

The new organometallic polydentate ligand *trans*-bis(2-(diphenylphosphino)pyrimidine)tricarbonyliron(0) and its mono-, di- and tridentate coordination modes towards mercury(II) halide/pseudohalide (S.-I. Li, Z.-Z. Zhang and T.C.W. Mak), 73

Osmium

Dihydrogen addition to $(P^iPr_3)_2OsX_nH_{4-n}$ (R. Kuhlman, D.G. Gusev, I.L. Eremenko, H. Berke, J.C. Huffman and K.G. Caulton), 139

Preparation of stable α -(nonamethylmetallocenyl)- α -hydroxycarboxylic acids and their transformations (M.I. Rybinskaya, A.Z. Kreindlin, L.N. Kiseleva, N.V. Kruglova, A.A. Kamyshova, P.V. Petrovskii and U. Turpeinen), 257

Reactivity of the electron deficient compound $[(\mu-H)Os_3(CO)_9\{\mu_3-\eta^2-C_9H_5(CH_3)N\}]$ with thiols (S.E. Kabir, H. Vahrenkamp, M.B. Hursthouse and K.M.A. Malik), 509

Synthesis and characterization of the first charge-compensated monocarbonyl(octacarbonyl)triosmium complex (V.N. Lebedev, D.F. Mullica, E.L. Sappenfield and F.G.A. Stone), 537

Synthesis and structural characterisation of $[Os_4H_2(CO)_{11}\{Au_2(DPPM)\}_2]$: the first cluster with an Os_4Au_4 core (M.R.A. Al-Mandhary, J. Lewis and P.R. Raithby), 549

Synthesis and structure of the heteronuclear alkyne cluster $RuOs_3(\mu_4-HC_2Me)(CO)_{12}$ (A.A. Koridze, A.M. Sheloumov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 381

Oxaruthenacycles

Reactions of dodecacarbonyltriruthenium with unsaturated α, β -diketones (M.I. Rybinskaya, L.V. Rybin, S.V. Osintseva, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 345

Pentacoordinated organosilicon compounds

Synthesis and crystal structure of enantiomeric *N*-(dimethylfluorosilylmethyl) and *N*-(dimethylchlorosilylmethyl)-[*N*-(*S*)-1-phenylethyl] acetamides (Yu.I. Baukov, Yu.E. Ovchinnikov, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.T. Struchkov), 399

Permethylcyclopentadienyl

Ring-methyl activation in pentamethylcyclopentadienyl complexes 7. Reactions of $[Ru(\eta^2:\eta^5-C_5Me_4CH_2O(CH_2)_nCH=CHR_2)(CO)_2]^+BF_4^-$ with nucleophiles (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.Yu. Antipin, K.A. Lyssenko, A.F. Noels, S.R. O'Leary and P.M. Maitlis), 191

Phosphanes

Solid state conformation of the anomeric effect in 2-phosphoryl-, 2-thiophosphoryl- and 2-selenophosphoryl-substituted 1,3-dithiolanes (M. Mikołajczyk, T. Łuczak, P.P. Graczyk, M.W. Wiczorek, J. Błaszczak, G.D. Bujacz and W.R. Majzner), 355

Phosphine

Synthesis and structural characterisation of $[Os_4H_2(CO)_{11}\{Au_2(DPPM)\}_2]$: the first cluster with an Os_4Au_4 core (M.R.A. Al-Mandhary, J. Lewis and P.R. Raithby), 549

Phosphorus

[4 + 2] Cycloaddition reactions involving 1,3-diphosphacyclopentadiene and 1,2,4-triphosphacyclopentadiene: crystal and molecular structures of the *exo*-compounds $P_5C_5^1Bu_5H_2$ and $P_4C_6^1Bu_6H_2$ (V. Caliman, P.B. Hitchcock and J.F. Nixon), 273

Chelating organophosphines: the use of comparative structural investigations to determine ligand properties (J. Bruckmann and C. Krüger), 465

Phosphorus chlorides

The role of Ni(0) complexes in electrochemical phosphorylation of organic halides. Part 1. Factors determining catalytic activity (Y.H. Budnikova and Yu.M. Kargin), 265

Phosphoryldithiolanes

Solid state conformation of the anomeric effect in 2-phosphoryl-, 2-thiophosphoryl- and 2-selenophosphoryl-substituted 1,3-dithiolanes (M. Mikołajczyk, T. Łuczak, P.P. Graczyk, M.W. Wiczorek, J. Błaszczak, G.D. Bujacz and W.R. Majzner), 355

Photoisomerization

Crystalline-state β - α photoisomerization of cobaloxime complexes, part 1. Generation of asymmetry in chiral crystal environment (A. Sekine, H. Tatsuki and Y. Ohashi), 389

Platinum

Antiferromagnetic complexes with the metal–metal bond. XXVIII. Synthesis and molecular structure of the antiferromagnetic cluster $[\text{CpCr}(\mu\text{-SCMe}_3)_2(\mu\text{-S})\{\text{PtMe}_3(\mu\text{-I})_2\}]_2$ (A.A. Pasyanskiy, Y.V. Torubaev, S.E. Nefedov, I.L. Eremenko, O.G. Ellert, V.K. Belsky and A.I. Stastch), 433

Structure of a Pt/Re cluster complex: aggregation of ions in crystals of $[\text{Pt}_3\{\text{Re}(\text{CO})_2\text{P}(\text{OMe})_3\}(\mu\text{-O})_2(\mu\text{-dppm})_3][\text{AsF}_6]$ (K.W. Muir, L. Manojlovic-Muir and A.A. Torabi), 319

X-ray structures of decamethylplatinocene dication in the crystal of $[\text{Pt}(\eta^5\text{-C}_5\text{Me}_5)_2]^+(\text{PF}_6^-)_2$ and decamethyliridocenium cation in the crystal of $[\text{Ir}(\eta^5\text{-C}_5\text{Me}_5)_2]^+(\text{BPh}_4^-) \cdot \text{CH}_2\text{Cl}_2$ (Yu.T. Struchkov, M.Yu. Antipin, K.A. Lyssenko, O.V. Gusev, T.A. Peganova and N.A. Ustynyuk), 281

Platinum metals

Semi-sandwich platinum metals metallacarboranes derived from *nido*- $\text{C}_2\text{B}_9\text{H}_{12}$: chemistry and structural studies (I.T. Chizhevsky, A.I. Yanovsky and Yu.T. Struchkov), 51

Polyhalomethanes

Polyhalomethanes combined with aluminum halides as generators of superelectrophiles of a novel type (I.S. Akhrem, A.L. Chistyakov, N.P. Gambaryan, I.V. Stankevich and M.E. Vol'pin), 489

Polymers containing macrocycles

Crown compounds for anions. A new approach to the description of chemical bonds in the complexes of halide anions with polymercury-containing macrocycles¹ (A.L. Chistyakov, I.V. Stankevich, N.P. Gambaryan, Yu.T. Struchkov, A.I. Yanovsky, I.A. Tikhonova and V.B. Shur), 413

Proton transfer

Novel types of hydrogen bonding with transition metal π -complexes and hydrides (E.S. Shubina, N.V. Belkova and L.M. Epstein), 17

Quantum-chemical calculations

Polyhalomethanes combined with aluminum halides as generators of superelectrophiles of a novel type (I.S. Akhrem, A.L. Chistyakov, N.P. Gambaryan, I.V. Stankevich and M.E. Vol'pin), 489

Radical anions

The *tert*-butyl chloride–lithium naphthalene radical anion and *tert*-butyllithium–naphthalene systems. Mechanism of metallation (C.G. Screttas, M. Micha-Screttas and B.R. Steele), 149

Raman and IR spectra

Vibrational spectra of disilenes. Normal coordinate analysis and identification of the $\nu(\text{Si}=\text{Si})$ stretching vibration (L.A. Leites, S.S. Bukalov, I.A. Garbuzova, R. West, J. Mangette and H. Spitzner), 425

Raman and IR spectroscopy

Vibrational spectra and structure of trimethylindium and trimethylthallium (A.P. Kurbakova, S.S. Bukalov, L.A. Leites, L.M. Golubinskaya and V.I. Bregadze), 519

Reactivity

Reactivity of the electron deficient compound $[(\mu\text{-H})\text{Os}_3(\text{CO})_9(\mu\text{-}\eta^2\text{-C}_9\text{H}_5(\text{CH}_3)\text{N})]$ with thiols (S.E. Kabir, H. Vahrenkamp, M.B. Hursthouse and K.M.A. Malik), 509

Rhenium

Structure of a Pt/Re cluster complex: aggregation of ions in crystals of $[\text{Pt}_3\{\text{Re}(\text{CO})_2\text{P}(\text{OMe})_3\}(\mu\text{-O})_2(\mu\text{-dppm})_3][\text{AsF}_6]$ (K.W. Muir, L. Manojlovic-Muir and A.A. Torabi), 319

Rhodacarboranes

Ligand effects in the hydrogenation of methacycline to doxycycline and epi-doxycycline catalysed by rhodium complexes. Molecular structure of the key catalyst $[\textit{closo}\text{-}3,3\text{-}(\eta^{2,3}\text{-C}_7\text{H}_7\text{CH}_2)\text{-}3,1,2\text{-RhC}_2\text{B}_9\text{H}_{11}]$ (A. Felekidis, M. Goblet-Stachow, J.F. Liégeois, B. Pirotte, J. Delarge, A. Demonceau, M. Fontaine, A.F. Noels, I.T. Chizhevsky, T.V. Zinevich, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 405

Rhodium

Ligand effects in the hydrogenation of methacycline to doxycycline and epi-doxycycline catalysed by rhodium complexes. Molecular structure of the key catalyst $[\textit{closo}\text{-}3,3\text{-}(\eta^{2,3}\text{-C}_7\text{H}_7\text{CH}_2)\text{-}3,1,2\text{-RhC}_2\text{B}_9\text{H}_{11}]$ (A. Felekidis, M. Goblet-Stachow, J.F. Liégeois, B. Pirotte, J. Delarge, A. Demonceau, M. Fontaine, A.F. Noels, I.T. Chizhevsky, T.V. Zinevich, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 405

Sterically encumbered charge-compensated carbaboranes: synthesis and reactivity. Molecular structures of 7-Ph-11-SMe₂-7,8-*nido*- $\text{C}_2\text{B}_9\text{H}_{10}$ and 1-Ph-3,3-(CO)₂-7-SMe₂-3,1,2-*closo*- $\text{RhC}_2\text{B}_9\text{H}_8$ (G.M. Rosair, A.J. Welch, A.S. Weller and S.K. Zahn), 299

Structural correlation between Rh–P and Rh–C bond distances vs. ³¹P and ¹³C NMR parameters in monocarbonylphosphine-rhodium(I) complexes: crystal structure of (methyl 2-(amino)-1-cyclopentene-1-dithiocarboxylato- κ N, κ S)-carbonyl(triphenylphosphine)rhodium(I) (G.J.J. Steyn, A. Roodt, I. Poletaeva and Y.S. Varshavsky), 197

Synthesis, structure and reactivity of a novel monocarbon hydrido-rhodacarborane *closo*-2,2-(Ph₃P)₂-2-*H*-1-(Me₃N)-2,1-RhCB₁₀-H₁₀. Molecular structure of 16-electron *closo*-2-(Ph₃P)-2-Cl-1-(Me₃N)-2,1-RhCB₁₀H₁₀ and closely related 18-electron *closo*-3,3-(Ph₃P)₂-3-Cl-3,1,2-RhC₂B₉H₁₁ (I.T. Chizhevsky, I.V. Pisareva, E.V. Vorontsov, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov, C.B. Knobler and M.F. Hawthorne), 223

Ruthenium

Behaviour of triphenylphosphine-substituted ruthenium carbonyl carboxylates with hydrogen (P. Frediani, C. Faggi, S. Papaleo, A. Salvini, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 123

Organotransition-metal metallacarboranes. 45. Synthesis and structure of hydridoruthenacarborane double-decker and triple-decker sandwich complexes (E.J. Houser, M.A. Curtis, M. Sabat and R.N. Grimes), 115

Preparation and thermolysis of complexes derived from some trinuclear ruthenium clusters and 1,4-diphenylbuta-1,3-diyne (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 93

Preparation of stable α -(nonamethylmetallocenyl)- α -hydroxycarboxylates and their transformations (M.I. Rybinskaya, A.Z. Kreindlin, L.N. Kiseleva, N.V. Kruglova, A.A. Kamysheva, P.V. Petrovskii and U. Turpeinen), 257

Reactions of diacetylene ligands with trinuclear clusters. II. Reactions of hexa-2,4-diyne-1,6-diol and 1,4-diphenyl-1,3-butadiyne with $\text{Ru}_3(\text{CO})_{12}$ (S.P. Tunik, E.V. Grachova, V.R. Denisov, G.L. Starova, A.B. Nikol'skii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 339

Ring-methyl activation in pentamethylcyclopentadienyl complexes 7. Reactions of $[\text{Ru}(\eta^2\text{-}\eta^5\text{-C}_5\text{Me}_4\text{CH}_2\text{O}(\text{CH}_2)_n\text{CH}=\text{CHR}_2)(\text{CO})_2]^+\text{BF}_4^-$ with nucleophiles (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.Yu. Antipin, K.A. Lyssenko, A.F. Noels, S.R. O'Leary and P.M. Maitlis), 191

Synthesis and structure of the heteronuclear alkyne cluster $\text{RuOs}_3(\mu_4\text{-HC}_2\text{Me})(\text{CO})_{12}$ (A.A. Koridze, A.M. Sheloumov, F.M. Dolgushin, A.I. Yanovsky, Yu.T. Struchkov and P.V. Petrovskii), 381

The interaction of unsaturated C₈-ring systems with ruthenium carbonyl clusters (D.B. Brown, B.F.G. Johnson, C.M. Martin and S. Parsons), 285

Samarium

Organometallic compounds of the lanthanides. CXV. Donor substituted chiral *ansa*-lanthanidocenes: synthesis of dimethyl(dimethylaminoethylcyclopentadienyl)(tetramethylcyclopentadienyl)-

- silane dipotassium and of some chiral *ansa*-metallocene derivatives of Y, Sm, Ho, Er and Lu² (H. Schumann, F. Erbstein, R. Weimann and J. Demtschuk), 541
- Selection rules**
- Vibrational spectra and structure of trimethylindium and trimethylthallium (A.P. Kurbakova, S.S. Bukalov, L.A. Leites, L.M. Golubinskaya and V.I. Bregadze), 519
- Selenium**
- Synthesis of diphosphine-substituted selenido carbonyl iron clusters: progressive deformation of the Fe₃Se₂ core in the *nido* clusters [Fe₃Se₂(CO)₇{μ-(Ph₂P)₂R}] by widening the bite of the bridging ligand (D. Cauzzi, C. Graiff, M. Lanfranchi, G. Predieri and A. Tiripicchio), 497
- Silanol**
- Synthesis and structure of 3-(cyclohexylamino)propyldimethylsilanol (W. Ziche, B. Herrschaft, F. Hahn, P. John, J. Weis and N. Auner), 375
- Silicon**
- Molecular structure and conformation of trimethylsilylbenzene: a study by gas-phase electron diffraction and theoretical calculations (A.R. Campanelli, F. Ramondo, A. Domenicano and I. Hargittai), 309
- Synthesis and crystal structure of enantiomeric *N*-(dimethylfluorosilylmethyl) and *N*-(dimethylchlorosilylmethyl)-[*N*-(*S*)-1-phenylethyl] acetamides (Yu.I. Baukov, Yu.E. Ovchinnikov, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.T. Struchkov), 399
- Synthesis and structure of 3-(cyclohexylamino)propyldimethylsilanol (W. Ziche, B. Herrschaft, F. Hahn, P. John, J. Weis and N. Auner), 375
- Vibrational spectra of disilenes. Normal coordinate analysis and identification of the ν(Si=Si) stretching vibration (L.A. Leites, S.S. Bukalov, I.A. Garbuzova, R. West, J. Mangette and H. Spitzner), 425
- X-ray study of organic and organoelement compounds of the lanthanides (L.N. Zakharov and Yu.T. Struchkov), 65
- Si=Si stretching vibration**
- Vibrational spectra of disilenes. Normal coordinate analysis and identification of the ν(Si=Si) stretching vibration (L.A. Leites, S.S. Bukalov, I.A. Garbuzova, R. West, J. Mangette and H. Spitzner), 425
- Steric effects**
- Sterically encumbered charge-compensated carbaboranes: synthesis and reactivity. Molecular structures of 7-Ph-11-SMe₂-7,8-*nido*-C₂B₉H₁₀ and 1-Ph-3,3-(CO)₂-7-SMe₂-3,1,2-*closo*-RhC₂B₉H₈ (G.M. Rosair, A.J. Welch, A.S. Weller and S.K. Zahn), 299
- Structural chemistry**
- Novel generation of organometallic systems. Metal carbonyl complexes with silacarbacyclic π-ligands, synthetic and structural investigations (O.B. Afanasova, N.I. Kirillova, E.A. Chernyshev and Yu.T. Struchkov), 31
- Sulfido**
- Antiferromagnetic complexes with the metal–metal bond. XXVIII. Synthesis and molecular structure of the antiferromagnetic cluster [CpCr(μ-SCMe₃)₂](μ₄-S)[PtMe₃(μ-I)]₂ (A.A. Pasynskii, Y.V. Torubaev, S.E. Nefedov, I.L. Eremenko, O.G. Ellert, V.K. Belsky and A.I. Stastch), 433
- Superelectrophiles**
- Polyhalomethanes combined with aluminum halides as generators of superelectrophiles of a novel type (I.S. Akhrem, A.L. Chistyakov, N.P. Gambaryan, I.V. Stankevich and M.E. Vol'pin), 489
- Syntheses**
- Semi-sandwich platinum metals metallacarboranes derived from *nido*-C₂B₉H₁₂⁻: chemistry and structural studies (I.T. Chizhevsky, A.I. Yanovsky and Yu.T. Struchkov), 51
- Tellurium**
- Synthesis and structure of β-tellurovinylcarbonyl compounds (V.I. Minkin, I.D. Sadekov, B.B. Rivkin, A.V. Zakharov, V.L. Nivorozhkin, O.E. Kompan and Yu.T. Struchkov), 233
- Tetraphenylbutadiene**
- The electrochemical synthesis of η⁵-cyclopentadienylcobalt-η⁴-tetraphenylbutadiene and its reaction with iodine in the presence of electron donor ligands (V.A. Knizhnikov, V.L. Shirokii, A.N. Ryabtsev and N.A. Maier), 181
- Thallium**
- Vibrational spectra and structure of trimethylindium and trimethylthallium (A.P. Kurbakova, S.S. Bukalov, L.A. Leites, L.M. Golubinskaya and V.I. Bregadze), 519
- Thorium**
- Organometallic chemistry of the actinides. Part 3. Novel 1-aza-allyl- and β-diketiminatothorium chlorides; X-ray structures of [Th(LL')₂(μ₃-Cl)(μ-Cl)₂K(OEt₂)₆] and [Th(LL)₂Cl₂] [LL' = N(SiMe₃)C(Bu^t)C(H)SiMe₃; LL = N(SiMe₃)C(Ph)₂CH] (P.B. Hitchcock, J. Hu, M.F. Lappert and S. Tian), 473
- Tin**
- Synthesis and characterisation of trifluoro(η⁵-*n*-propyltetramethylcyclopentadienyl)metal(IV)-compounds of the elements of Group IV (A. Künzel, E. Parisini, H.W. Roesky and G.M. Sheldrick), 177
- The influence of aryl ligands on the chemical hardness of triarylitin cations (D.N. Kravtsov, A.S. Peregudov, V.M. Pachevskaya and L.S. Golovchenko), 385
- X-ray study of organic and organoelement compounds of the lanthanides (L.N. Zakharov and Yu.T. Struchkov), 65
- Titanium**
- Novel Group 4b *ansa*-metallocene complexes with the shortest bridge: [1,1'-isopropylidene-3,3'-di-*t*-Bu-bis(η⁵-cyclopentadienyl)] Ti and Zr dichlorides (I.F. Urazowski, L.O. Atovmyan, S.G. Mkoyan, R. Broussier, P. Perron, B. Gautheron and F. Robert), 531
- Reactions of the phenyl-substituted five-membered titanacyclocumene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293
- Transition metal π-Complexes and hydrides**
- Novel types of hydrogen bonding with transition metal π-complexes and hydrides (E.S. Shubina, N.V. Belkova and L.M. Epstein), 17
- Transition metals**
- Novel generation of organometallic systems. Metal carbonyl complexes with silacarbacyclic π-ligands, synthetic and structural investigations (O.B. Afanasova, N.I. Kirillova, E.A. Chernyshev and Yu.T. Struchkov), 31
- Trialkylindium**
- Vibrational spectra and structure of trimethylindium and trimethylthallium (A.P. Kurbakova, S.S. Bukalov, L.A. Leites, L.M. Golubinskaya and V.I. Bregadze), 519
- Trialkylthallium**
- Vibrational spectra and structure of trimethylindium and trimethylthallium (A.P. Kurbakova, S.S. Bukalov, L.A. Leites, L.M. Golubinskaya and V.I. Bregadze), 519
- Triarylitin**
- The influence of aryl ligands on the chemical hardness of triarylitin cations (D.N. Kravtsov, A.S. Peregudov, V.M. Pachevskaya and L.S. Golovchenko), 385
- Trimethylsilyl**
- Reactions of the phenyl-substituted five-membered titanacyclocumene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293

Trimethylsilylbenzene

- Molecular structure and conformation of trimethylsilylbenzene: a study by gas-phase electron diffraction and theoretical calculations (A.R. Campanelli, F. Ramondo, A. Domenicano and I. Hargittai), 309

Unsaturated silacarbacycles

- Novel generation of organometallic systems. Metal carbonyl complexes with silacarbacyclic π -ligands, synthetic and structural investigations (O.B. Afanasova, N.I. Kirillova, E.A. Chernyshev and Yu.T. Struchkov), 31

12-Vertex boranes

- The MM3 force field for 12-vertex boranes and carboranes (T.V. Timofeeva, K.Yu. Suponitsky, A.I. Yanovsky and N.L. Allinger), 481

12-Vertex carboranes

- The MM3 force field for 12-vertex boranes and carboranes (T.V. Timofeeva, K.Yu. Suponitsky, A.I. Yanovsky and N.L. Allinger), 481

Vinyl

- Synthesis and structure of β -tellurovinylcarbonyl compounds (V.I. Minkin, I.D. Sadekov, B.B. Rivkin, A.V. Zakharov, V.L. Nivorozhkin, O.E. Kompan and Yu.T. Struchkov), 233

White phosphorus

- The role of Ni(0) complexes in electrochemical phosphorylation of organic halides. Part 1. Factors determining catalytic activity (Y.H. Budnikova and Yu.M. Kargin), 265

X-ray diffraction

- A heterometallic alkoxide combining hard and soft Lewis acids ($(Et_3PO)_2Ba_2Cu_4(O^tBu)_8$) (B. Borup, J.C. Huffman and K.G. Caulton), 109
- Reactions of the phenyl-substituted five-membered titanacyclocumene – unusual coupling of a 1,4-disubstituted 1,3-butadiyne with two titanium atoms (V.V. Burlakov, N. Peulecke, W. Baumann, A. Spannenberg, R. Kempe and U. Rosenthal), 293
- Structure of a Pt/Re cluster complex: aggregation of ions in crystals of $[Pt_3(Re(CO)_2P(OMe)_3)(\mu_3-O)_2(\mu-dppm)_3][AsF_6]$ (K.W. Muir, L. Manojlovic-Muir and A.A. Torabi), 319
- Template synthesis, structure and electrochemistry of trinuclear iron(II) clathrochelate dioximates with ferrocenylboron fragments (Y.Z. Voloshin, T.E. Kron, V.K. Belsky, V.E. Zavodnik, Yu.A. Maletin and S.G. Kozachkov), 207

X-ray diffraction studies

- Semi-sandwich platinum metals metallacarboranes derived from $nido-C_2B_9H_{12}^-$: chemistry and structural studies (I.T. Chizhevsky, A.I. Yanovsky and Yu.T. Struchkov), 51
- Ligand effects in the hydrogenation of methacycline to doxycycline and epi-doxycycline catalysed by rhodium complexes. Molecular

structure of the key catalyst [*closo*-3,3-($\eta^{2,3}$ - $C_7H_7CH_2$)-3,1,2- $RhC_2B_9H_{11}$] (A. Felekidis, M. Goblet-Stachow, J.F. Liégeois, B. Pirotte, J. Delarge, A. Demonceau, M. Fontaine, A.F. Noels, I.T. Chizhevsky, T.V. Zinevich, V.I. Bregadze, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 405

X-ray structure

- Chelating organophosphines: the use of comparative structural investigations to determine ligand properties (J. Bruckmann and C. Krüger), 465
- Organometallic compounds of the lanthanides. CXV. Donor substituted chiral *ansa*-lanthanidocenes: synthesis of dimethyl(dimethylaminoethylcyclopentadienyl)(tetramethylcyclopentadienyl)silane dipotassium and of some chiral *ansa*-metallocene derivatives of Y, Sm, Ho, Er and Lu² (H. Schumann, F. Erbstein, R. Weimann and J. Demtschuk), 541
- Polyelement substituted cyclopentadienes and indenenes – novel ligand precursors for organotransition metal chemistry (K. Rufanov, E. Avtomonov, N. Kazennova, V. Kotov, A. Khvorost, D. Lemenovskii and J. Lorberth), 361
- Reactions of diacetylene ligands with trinuclear clusters. II. Reactions of hexa-2,4-diyne-1,6-diol and 1,4-diphenyl-1,3-butadiyne with $Ru_3(CO)_{12}$ (S.P. Tunik, E.V. Grachova, V.R. Denisov, G.L. Starova, A.B. Nikol'skii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 339
- X-ray structures of decamethylplatinocene dication in the crystal of $[Pt(\eta^5-C_5Me_5)_2]^{2+}(PF_6^-)_2$ and decamethyliridocenium cation in the crystal of $[Ir(\eta^5-C_5Me_5)_2]^+(BPh_4^-) \cdot CH_2Cl_2$ (Yu.T. Struchkov, M.Yu. Antipin, K.A. Lyssenko, O.V. Gusev, T.A. Peganova and N.A. Ustynyuk), 281

X-ray study

- Synthesis and crystal structure of enantiomeric *N*-(dimethylfluorosilylmethyl) and *N*-(dimethylchlorosilylmethyl)-[*N*-(*S*)-1-phenylethyl] acetamides (Yu.I. Baukov, Yu.E. Ovchinnikov, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.T. Struchkov), 399

Yttrium

- Organometallic compounds of the lanthanides. CXV. Donor substituted chiral *ansa*-lanthanidocenes: synthesis of dimethyl(dimethylaminoethylcyclopentadienyl)(tetramethylcyclopentadienyl)silane dipotassium and of some chiral *ansa*-metallocene derivatives of Y, Sm, Ho, Er and Lu² (H. Schumann, F. Erbstein, R. Weimann and J. Demtschuk), 541

Zirconium

- Novel Group 4b *ansa*-metallocene complexes with the shortest bridge: [1,1'-isopropylidene-3,3'-di-*t*-Bu-bis(η^5 -cyclopentadienyl)] Ti and Zr dichlorides (I.F. Urazowski, L.O. Atovmyan, S.G. Mkoyan, R. Broussier, P. Perron, B. Gautheron and F. Robert), 531