

## Subject Index of Volume 528

### Alkoxide

Reversible carbon–hydrogen bond oxidative addition across a W–W multiple bond (M.H. Chisholm, J.-H. Huang and J.C. Huffman), 221

### Allyl

Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65

### Amide

Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195

### Aminoborole

Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65

### Ansa-bridged

Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47

### Bimetallic

Reactions of  $[\text{Cp}_2\text{Ti}(\text{N}^i\text{Bu}\chi\text{py})]$  with S–H bonds and synthesis of  $[\text{Cp}_2\text{Ti}(\mu\text{-S})_2\text{TiCp}_2]$  (P. Mountford), 15

### Carbene

Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83

### Carboranes

Icosahedral palladium metallocarboranes with thiophene substituents: unexpected cage substitution products from the reaction of  $\text{Pd}(\text{PMe}_2\text{Ph})_2\text{Cl}_2$  with  $\text{Ti}_2[7\text{-}(\text{RC}_4\text{H}_2\text{S})\text{-}7,8\text{-nido-C}_2\text{B}_9\text{H}_{10}]$  (R = Me or H) (D.M. Michaelidou, D.M.P. Mingos, D.J. Williams and A.J.P. White), 135

### Carboxylate

Ethylene elimination upon addition of acids to the  $\mu$ -ethenyl complex  $[\text{Fe}_2(\text{CO})_4(\mu\text{-}\eta^2\text{-HC=CH}_2)(\mu\text{-PCy}_2)(\mu\text{-dppm})]$ : synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3

### Catalysis

H/D exchange reactions between  $\text{C}_6\text{D}_6$  and  $\text{C}_5\text{Me}_5\text{Co}(\text{CH}_2=\text{CHR})_2$  (R = H,  $\text{SiMe}_3$ ): evidence for oxidative addition of  $\text{C}_{\text{sp}^2}\text{-H}$  bonds to the  $[\text{C}_5\text{Me}_5(\text{L})\text{Co}]$  moiety (C.P. Lenges, M. Brookhart and B.E. Grant), 199

### C–H activation

Formation of 1,2,3- $\eta^3$ -butadienyl derivatives by photochemical C–H activation of  $\text{Ir}(\text{I})\text{-}\eta^4\text{-}1,3\text{-diene}$  complexes containing tris(pyrazolyl)borate ligands (O. Boutry, M.L. Poveda and E. Carmona), 143

### Chalcogen

Terminal chalcogenido complexes of zirconium: syntheses and reactivity of  $\text{Cp}_2\text{Zr}(\text{E})(\text{NC}_5\text{H}_5)$  (E = O, S, Se, Te) (W.A. Howard, T.M. Tmka, M. Waters and G. Parkin), 95

### C–H bond activation

H/D exchange reactions between  $\text{C}_6\text{D}_6$  and  $\text{C}_5\text{Me}_5\text{Co}(\text{CH}_2=\text{CHR})_2$

(R = H,  $\text{SiMe}_3$ ): evidence for oxidative addition of  $\text{C}_{\text{sp}^2}\text{-H}$  bonds to the  $[\text{C}_5\text{Me}_5(\text{L})\text{Co}]$  moiety (C.P. Lenges, M. Brookhart and B.E. Grant), 199

### Chromium

Group 6 transition metal complexes containing the  $\sigma$ -bonded 2,4,6-tris(trifluoromethyl)phenyl ('fluoromes') ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179

### Cobalt

H/D exchange reactions between  $\text{C}_6\text{D}_6$  and  $\text{C}_5\text{Me}_5\text{Co}(\text{CH}_2=\text{CHR})_2$  (R = H,  $\text{SiMe}_3$ ): evidence for oxidative addition of  $\text{C}_{\text{sp}^2}\text{-H}$  bonds to the  $[\text{C}_5\text{Me}_5(\text{L})\text{Co}]$  moiety (C.P. Lenges, M. Brookhart and B.E. Grant), 199

### Computation

Electronic structure of f<sup>1</sup> lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of  $[\text{Ce}(\eta\text{-C}_5\text{H}_5)_3]$ ,  $[\text{Th}(\eta\text{-C}_5\text{H}_5)_3]$  and  $[\text{Pa}(\eta\text{-C}_8\text{H}_8)_2]$  (N. Kaltsoyannis and B.E. Bursten), 19

### Crystal structure

Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35

Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195

Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47

Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex  $[(\eta^5\text{-C}_5\text{H}_5\chi\text{OC})_2\text{W}(\mu\text{-H})(\mu\text{-PPh}_2)\text{Mn}(\text{CO})_4]$  (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123

### Crystal structures

Carbon–antimony bond fission in reactions of triphenylantimony with palladium(II): crystal structures of *trans*-chloro(phenyl)bis(triphenylantimony)palladium(II) and *trans*-bromo(phenyl)bis(triphenylantimony)palladium(II) (A. Mentés, R.D.W. Kemmitt, J. Fawcett and D.R. Russell), 59

### Cyclopentadienyl

H/D exchange reactions between  $\text{C}_6\text{D}_6$  and  $\text{C}_5\text{Me}_5\text{Co}(\text{CH}_2=\text{CHR})_2$  (R = H,  $\text{SiMe}_3$ ): evidence for oxidative addition of  $\text{C}_{\text{sp}^2}\text{-H}$  bonds to the  $[\text{C}_5\text{Me}_5(\text{L})\text{Co}]$  moiety (C.P. Lenges, M. Brookhart and B.E. Grant), 199

Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195

Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65

Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91

- Reactions of  $[\text{Cp}_2\text{Ti}(\text{N}^i\text{BuXpy})]$  with S–H bonds and synthesis of  $[\text{Cp}_2\text{Ti}(\mu\text{-S})_2\text{TiCp}_2]$  (P. Mountford), 15
- Synthesis and characterization of  $[(\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{CH}_3))(\mu\text{-O})(\text{W}(\eta^5\text{-C}_5\text{H}_5)(\text{O})(\text{CH}_2\text{CH}_3))]\text{PF}_6$ , a mixed valence oxo alkyl dimer in which  $d^0$  and  $d^2$  tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151
- Density functional**
- Electronic structure of  $f^1$  lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of  $[\text{Ce}(\eta\text{-C}_5\text{H}_5)_3]$ ,  $[\text{Th}(\eta\text{-C}_5\text{H}_5)_3]$  and  $[\text{Pa}(\eta\text{-C}_8\text{H}_8)_2]$  (N. Kaltsoyannis and B.E. Bursten), 19
- Diene complexes**
- Formation of 1,2,3- $\eta^3$ -butadienyl derivatives by photochemical C–H activation of  $\text{Ir}(\text{I})\text{-}\eta^4\text{-1,3}$ -diene complexes containing tris(pyrazolyl)borate ligands (O. Boutry, M.L. Poveda and E. Carmona), 143
- Diiron**
- Ethylene elimination upon addition of acids to the  $\mu$ -ethenyl complex  $[\text{Fe}_2(\text{CO})_4(\mu\text{-}\eta^2\text{-HC=CH}_2)(\mu\text{-PCy}_2)(\mu\text{-dppm})]$ : synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3
- Diphosphine**
- Ethylene elimination upon addition of acids to the  $\mu$ -ethenyl complex  $[\text{Fe}_2(\text{CO})_4(\mu\text{-}\eta^2\text{-HC=CH}_2)(\mu\text{-PCy}_2)(\mu\text{-dppm})]$ : synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3
- Electrochemistry**
- Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35
- Electronic structure**
- Electronic structure of  $f^1$  lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of  $[\text{Ce}(\eta\text{-C}_5\text{H}_5)_3]$ ,  $[\text{Th}(\eta\text{-C}_5\text{H}_5)_3]$  and  $[\text{Pa}(\eta\text{-C}_8\text{H}_8)_2]$  (N. Kaltsoyannis and B.E. Bursten), 19
- Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91
- f-Element**
- Electronic structure of  $f^1$  lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of  $[\text{Ce}(\eta\text{-C}_5\text{H}_5)_3]$ ,  $[\text{Th}(\eta\text{-C}_5\text{H}_5)_3]$  and  $[\text{Pa}(\eta\text{-C}_8\text{H}_8)_2]$  (N. Kaltsoyannis and B.E. Bursten), 19
- Ethenyl**
- Ethylene elimination upon addition of acids to the  $\mu$ -ethenyl complex  $[\text{Fe}_2(\text{CO})_4(\mu\text{-}\eta^2\text{-HC=CH}_2)(\mu\text{-PCy}_2)(\mu\text{-dppm})]$ : synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3
- Exchange**
- Facile synthesis of amino-functionalised cyclopentadienyl sodium compounds and subsequent formation of rhodium complexes: proton–deuterium exchange for the sodium salts (P.C. McGowan, C.E. Hart, B. Donnadiu and R. Poilblanc), 191
- Extended Hückel calculations**
- Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163
- Ferrocene**
- Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35
- Fluorine**
- Group 6 transition metal complexes containing the  $\sigma$ -bonded 2,4,6-tris(trifluoromethyl)phenyl (“fluoromes”) ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179
- Fluxionality**
- Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163
- Hafnium**
- Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65
- Halide**
- Ethylene elimination upon addition of acids to the  $\mu$ -ethenyl complex  $[\text{Fe}_2(\text{CO})_4(\mu\text{-}\eta^2\text{-HC=CH}_2)(\mu\text{-PCy}_2)(\mu\text{-dppm})]$ : synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3
- Heteroarene**
- Bis( $\eta$ -heteroarene)titanium complexes derived from 2,4,6-*tert*-butylpyridine and 2,4,6-*tert*-butylphosphorin: conformational preference in solution and redox activity (P.L. Arnold, F.G.N. Cloke, K. Khan and P. Scott), 77
- Heterobimetallics**
- Reactivity of pyrazolylborate complexes of samarium with transition metal carbonyls (A.C. Hillier, S.Y. Liu, A. Sella, O. Zekria and M.R.J. Elsegood), 209
- Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex  $[(\eta^5\text{-C}_5\text{H}_5)(\text{OC})_2\text{W}(\mu\text{-H})(\mu\text{-PPh}_2)\text{Mn}(\text{CO})_4]$  (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123
- Hydride**
- Effects of dihydrogen bonding on fluxionality in  $\text{ReH}_5(\text{PPh}_3)_2\text{L}$  (B.P. Patel, K. Kavallieratos and R.H. Crabtree), 205
- Hydrido**
- Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex  $[(\eta^5\text{-C}_5\text{H}_5)(\text{OC})_2\text{W}(\mu\text{-H})(\mu\text{-PPh}_2)\text{Mn}(\text{CO})_4]$  (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123
- Hydrodenitrogenation**
- Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225
- Hydrogen bonding**
- Effects of dihydrogen bonding on fluxionality in  $\text{ReH}_5(\text{PPh}_3)_2\text{L}$  (B.P. Patel, K. Kavallieratos and R.H. Crabtree), 205
- Hydrotreating**
- Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225
- Imide**
- Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225
- Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195
- Imido**
- Group 6 transition metal complexes containing the  $\sigma$ -bonded 2,4,6-tris(trifluoromethyl)phenyl (“fluoromes”) ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179
- Reactions of  $[\text{Cp}_2\text{Ti}(\text{N}^i\text{BuXpy})]$  with S–H bonds and synthesis of  $[\text{Cp}_2\text{Ti}(\mu\text{-S})_2\text{TiCp}_2]$  (P. Mountford), 15

- Indenyl**  
 Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47
- Ir complexes**  
 Formation of 1,2,3- $\eta^3$ -butadienyl derivatives by photochemical C–H activation of Ir(I)- $\eta^4$ -1,3-diene complexes containing tris(pyrazolyl)borate ligands (O. Boutry, M.L. Poveda and E. Carmona), 143
- Iron**  
 Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83  
 Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47
- Isocarbonyl**  
 Reactivity of pyrazolylborate complexes of samarium with transition metal carbonyls (A.C. Hillier, S.Y. Liu, A. Sella, O. Zekria and M.R.J. Elsegood), 209
- Manganese**  
 Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex  $[(\eta^5\text{-C}_5\text{H}_5\text{XOC})_2\text{W}(\mu\text{-HX})(\mu\text{-PPh}_2)\text{Mn}(\text{CO})_4]$  (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123
- Merocyanines**  
 Synthesis and optical properties of a new class of organometallic compounds: organometallic merocyanines (Z. Wu, R. Ortiz, A. Fort, M. Barzoukas and S.R. Marder), 217
- Mesityl**  
 Group 6 transition metal complexes containing the  $\sigma$ -bonded 2,4,6-tris(trifluoromethyl)phenyl ('fluoromes') ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179
- Metal carbonyl anions**  
 Reactivity of pyrazolylborate complexes of samarium with transition metal carbonyls (A.C. Hillier, S.Y. Liu, A. Sella, O. Zekria and M.R.J. Elsegood), 209
- Metallacycle**  
 Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225
- Metallaboranes**  
 Icosahedral palladium metallocarboranes with thiophene substituents: unexpected cage substitution products from the reaction of  $\text{Pd}(\text{PMe}_2\text{Ph})_2\text{Cl}_2$  with  $\text{Ti}_2[7\text{-}(\text{RC}_4\text{H}_2\text{S})\text{-}7,8\text{-nido-C}_2\text{B}_9\text{H}_{10}]$  (R = Me or H) (D.M. Michaelidou, D.M.P. Mingos, D.J. Williams and A.J.P. White), 135
- Metalocene**  
 Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47
- Metalloporphyrin**  
 Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83
- Metal–metal bond**  
 Reversible carbon–hydrogen bond oxidative addition across a W–W multiple bond (M.H. Chisholm, J.-H. Huang and J.C. Huffman), 221
- Metal vapour synthesis**  
 Bis( $\eta$ -heteroarene)titanium complexes derived from 2,4,6-tri-*tert*-butylpyridine and 2,4,6-tri-*tert*-butylphosphorin: conformational preference in solution and redox activity (P.L. Arnold, F.G.N. Cloke, K. Khan and P. Scott), 77
- Mixed valence**  
 Synthesis and characterization of  $\{[\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{CH}_3)](\mu\text{-O})[\text{W}(\eta^5\text{-C}_5\text{H}_5)(\text{O})(\text{CH}_2\text{CH}_3)]\}\text{PF}_6$ , a mixed valence oxo alkyl dimer in which  $d^0$  and  $d^2$  tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151
- Molybdenum**  
 Group 6 transition metal complexes containing the  $\sigma$ -bonded 2,4,6-tris(trifluoromethyl)phenyl ('fluoromes') ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179
- Mössbauer**  
 Synthesis, characterisation and structure of a strained ring-tilted bis(indenyl)iron complex (F.M. Alías, S. Barlow, J.S. Tudor, D. O'Hare, R.T. Perry, J.M. Nelson and I. Manners), 47
- Nickel**  
 Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91
- Nickel(0)**  
 The synthesis and characterisation of some divinylidisiloxane–(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 185
- Nitrosyl**  
 Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91
- Non-linear optics (NLO)**  
 Synthesis and optical properties of a new class of organometallic compounds: organometallic merocyanines (Z. Wu, R. Ortiz, A. Fort, M. Barzoukas and S.R. Marder), 217
- Organometallic**  
 Synthesis and optical properties of a new class of organometallic compounds: organometallic merocyanines (Z. Wu, R. Ortiz, A. Fort, M. Barzoukas and S.R. Marder), 217
- Oxidation**  
 Synthesis and characterization of  $\{[\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{CH}_3)](\mu\text{-O})[\text{W}(\eta^5\text{-C}_5\text{H}_5)(\text{O})(\text{CH}_2\text{CH}_3)]\}\text{PF}_6$ , a mixed valence oxo alkyl dimer in which  $d^0$  and  $d^2$  tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151
- Oxidative addition**  
 Reversible carbon–hydrogen bond oxidative addition across a W–W multiple bond (M.H. Chisholm, J.-H. Huang and J.C. Huffman), 221
- Oxo**  
 Synthesis and characterization of  $\{[\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{CH}_3)](\mu\text{-O})[\text{W}(\eta^5\text{-C}_5\text{H}_5)(\text{O})(\text{CH}_2\text{CH}_3)]\}\text{PF}_6$ , a mixed valence oxo alkyl dimer in which  $d^0$  and  $d^2$  tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151  
 Terminal chalcogenido complexes of zirconium: syntheses and reactivity of  $\text{Cp}_2\text{Zr}(\text{E})(\text{NC}_5\text{H}_5)$  (E = O, S, Se, Te) (W.A. Howard, T.M. Tmka, M. Waters and G. Parkin), 95
- Palladium(II)**  
 Carbon–antimony bond fission in reactions of triphenylantimony with palladium(II): crystal structures of *trans*-chloro(phenyl)bis(triphenylantimony)palladium(II) and *trans*-bromo(phenyl)bis(triphenylantimony)palladium(II) (A. Mentés, R.D.W. Kemmitt, J. Fawcett and D.R. Russell), 59
- Palladium metallaboranes**  
 Icosahedral palladium metallocarboranes with thiophene substituents: unexpected cage substitution products from the reaction of  $\text{Pd}(\text{PMe}_2\text{Ph})_2\text{Cl}_2$  with  $\text{Ti}_2[7\text{-}(\text{RC}_4\text{H}_2\text{S})\text{-}7,8\text{-nido-C}_2\text{B}_9\text{H}_{10}]$  (R = Me or H) (D.M. Michaelidou, D.M.P. Mingos, D.J. Williams and A.J.P. White), 135

## Phosphido

Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex  $[(\eta^5\text{-C}_5\text{H}_5)(\text{OC})_2\text{W}(\mu\text{-H})(\mu\text{-PPh}_2)\text{Mn}(\text{CO})_4]$  (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123

## Phosphine

Group 6 transition metal complexes containing the  $\sigma$ -bonded 2,4,6-tris(trifluoromethyl)phenyl ('fluoromes') ligand (K.B. Dillon, V.C. Gibson, J.A.K. Howard, C. Redshaw, L. Sequeira and J.W. Yao), 179

The synthesis and characterisation of some divinylidisiloxane–(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 185

## Photochemistry

Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83

## Photoelectron spectroscopy

Pentamethylcyclopentadienylnickelnitrosyl: synthesis and photoelectron spectrum (J.C. Green and C. Underwood), 91

## Platinum

Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163

## Platinum(0)

The synthesis and characterisation of some divinylidisiloxane–(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 185

## Platinum clusters

Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163

## Platinum(I) dimers

Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163

## Polyaromatic phosphines

Platinum(I) dimers and platinum(0) triangles with polyaromatic phosphine ligands (T.E. Müller, F. Ingold, S. Menzer, D.M.P. Mingos and D.J. Williams), 163

## Porphyrin

Photochemical activation of metalloporphyrin carbene complexes (C.J. Ziegler and K.S. Suslick), 83

## Protonation

Ethylene elimination upon addition of acids to the  $\mu$ -ethenyl complex  $[\text{Fe}_2(\text{CO})_4(\mu\text{-}\eta^2\text{-HC=CH}_2)(\mu\text{-PCy}_2)(\mu\text{-dppm})]$ : synthesis of halide- and carboxylate-bridged diiron carbonyl complexes (D. Glushove, G. Hogarth and M.H. Lavender), 3

## Pyridine

Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35

Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225

## Relativistic

Electronic structure of  $f^1$  lanthanide and actinide complexes. Part 2. Non-relativistic and relativistic calculations of the ground state electronic structures and optical transition energies of  $[\text{Ce}(\eta\text{-C}_5\text{H}_5)_3]$ ,  $[\text{Th}(\eta\text{-C}_5\text{H}_5)_3]$  and  $[\text{Pa}(\eta\text{-C}_8\text{H}_8)_2]$  (N. Kaltsayannis and B.E. Bursten), 19

## Rhenium

Effects of dihydrogen bonding on fluxionality in  $\text{ReH}_3(\text{PPh}_3)_2\text{L}$  (B.P. Patel, K. Kavallieratos and R.H. Crabtree), 205

## Rhodium

Facile synthesis of amino-functionalised cyclopentadienyl sodium compounds and subsequent formation of rhodium complexes: proton–deuterium exchange for the sodium salts (P.C. McGowan, C.E. Hart, B. Donnadieu and R. Poilblanc), 191

## Samarium

Reactivity of pyrazolylborate complexes of samarium with transition metal carbonyls (A.C. Hillier, S.Y. Liu, A. Sella, O. Zekria and M.R.J. Elsegood), 209

## Selenido

Terminal chalcogenido complexes of zirconium: syntheses and reactivity of  $\text{Cp}_2^*\text{Zr}(\text{E})(\text{NC}_5\text{H}_5)$  (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95

## Sodium salts

Facile synthesis of amino-functionalised cyclopentadienyl sodium compounds and subsequent formation of rhodium complexes: proton–deuterium exchange for the sodium salts (P.C. McGowan, C.E. Hart, B. Donnadieu and R. Poilblanc), 191

## Substituted cyclopentadienyls

Facile synthesis of amino-functionalised cyclopentadienyl sodium compounds and subsequent formation of rhodium complexes: proton–deuterium exchange for the sodium salts (P.C. McGowan, C.E. Hart, B. Donnadieu and R. Poilblanc), 191

## Sulfido

Reactions of  $[\text{Cp}_2\text{Ti}(\text{N}^i\text{BuXpy})]$  with S–H bonds and synthesis of  $[\text{Cp}_2\text{Ti}(\mu\text{-S})_2\text{TiCp}_2]$  (P. Mountford), 15

Terminal chalcogenido complexes of zirconium: syntheses and reactivity of  $\text{Cp}_2^*\text{Zr}(\text{E})(\text{NC}_5\text{H}_5)$  (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95

## Tantalum

Isolation and characterization of a monomeric metallapyridine complex: models for pyridine hydrodenitrogenation intermediates (K.J. Weller, I. Filippov, P.M. Briggs and D.E. Wigley), 225

## Tellurido

Terminal chalcogenido complexes of zirconium: syntheses and reactivity of  $\text{Cp}_2^*\text{Zr}(\text{E})(\text{NC}_5\text{H}_5)$  (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95

## Tetrahydrofuran (THF)

Carbon–antimony bond fission in reactions of triphenylantimony with palladium(II): crystal structures of *trans*-chloro(phenyl)bis(triphenylantimony)palladium(II) and *trans*-bromo(phenyl)bis(triphenylantimony)palladium(II) (A. Mentés, R.D.W. Kemmitt, J. Fawcett and D.R. Russell), 59

## Tetramethyldivinylidisiloxane

The synthesis and characterisation of some divinylidisiloxane–(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 185

## Thiophene substituted metalloboranes

Icosahedral palladium metallocarboranes with thiophene substituents: unexpected cage substitution products from the reaction of  $\text{Pd}(\text{PMe}_2\text{Ph})_2\text{Cl}_2$  with  $\text{Ti}_2[7\text{-}(\text{RC}_4\text{H}_2\text{S})\text{-}7,8\text{-}n\text{-ido-C}_2\text{B}_9\text{H}_{10}]$  (R = Me or H) (D.M. Michaelidou, D.M.P. Mingos, D.J. Williams and A.J.P. White), 135

## Titanium

Bis( $\eta$ -heteroarene)titanium complexes derived from 2,4,6-tri-*tert*-butylpyridine and 2,4,6-tri-*tert*-butylphosphorin: conformational preference in solution and redox activity (P.L. Arnold, F.G.N. Cloke, K. Khan and P. Scott), 77

- Reactions of  $[\text{Cp}_2\text{Ti}(\text{N}^i\text{BuXpy})]$  with S–H bonds and synthesis of  $[\text{Cp}_2\text{Ti}(\mu\text{-S})_2\text{TiCp}_2]$  (P. Mountford), 15
- Lewis base functionalised cyclopentadienyl complexes of titanium (A.K. Hughes, S.M.B. Marsh, J.A.K. Howard and P.S. Ford), 195
- Triphenylantimony
- Carbon–antimony bond fission in reactions of triphenylantimony with palladium(II): crystal structures of *trans*-chloro(phenyl)bis(triphenylantimony)palladium(II) and *trans*-bromo(phenyl)bis(triphenylantimony)palladium(II) (A. Mentès, R.D.W. Kemmitt, J. Fawcett and D.R. Russell), 59
- Tungsten
- Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35
- Reversible carbon–hydrogen bond oxidative addition across a W–W multiple bond (M.H. Chisholm, J.-H. Huang and J.C. Huffman), 221
- Synthesis and characterization of  $[(\text{W}(\eta^5\text{-C}_5\text{H}_5)_2(\text{CH}_2\text{CH}_3))(\mu\text{-O})(\text{W}(\eta^5\text{-C}_5\text{H}_5)(\text{O})(\text{CH}_2\text{CH}_3))]\text{PF}_6$ , a mixed valence oxo alkyl dimer in which  $d^0$  and  $d^2$  tungsten centers are connected by an asymmetric oxo bridge (G.A. Miller and N.J. Cooper), 151
- Synthesis, structure and substitution reactions of a heterodimetallic tungsten–manganese complex  $[(\eta^5\text{-C}_5\text{H}_5)(\text{OC})_2\text{W}(\mu\text{-H})(\mu\text{-PPh}_2)\text{Mn}(\text{CO})_4]$  (M.J. Mays, S.M. Owen, P.R. Raithby, P.F. Reinisch, G.P. Shields and G.A. Solan), 123
- UV–VIS Spectroscopy
- Donor/acceptor complexes containing ferrocenyl-pyridine ligands attached to a tungsten carbonyl centre: structural, spectroscopic and electrochemical properties (S. Sakanishi, D.A. Bardwell, S. Couchman, J.C. Jeffery, J.A. McCleverty and M.D. Ward), 35
- X-ray diffraction
- Reactions of  $[\text{Cp}_2\text{Ti}(\text{N}^i\text{BuXpy})]$  with S–H bonds and synthesis of  $[\text{Cp}_2\text{Ti}(\mu\text{-S})_2\text{TiCp}_2]$  (P. Mountford), 15
- Zirconium
- Pentamethylcyclopentadienyl–aminoborole derivatives of zirconium and hafnium with alkyl and allyl ligands (A. Pastor, A.F. Kiely, L.M. Henling, M.W. Day and J.E. Bercaw), 65
- Terminal chalcogenido complexes of zirconium: syntheses and reactivity of  $\text{Cp}_2^*\text{Zr}(\text{E})(\text{NC}_5\text{H}_5)$  (E = O, S, Se, Te) (W.A. Howard, T.M. Trnka, M. Waters and G. Parkin), 95