

## Subject Index of Volume 548

- Alkyl lithium**  
Regioselective addition reaction of organolanthanide reagents to  $\alpha,\beta$ -unsaturated imines (C. Qian and T. Huang), 143
- Alkyne complexes**  
Synthesis and characterization of platinum(II) complexes with terminal alkynes analogous to Zeise's salt - structure of  $[\text{K}(18\text{-crown-6})][\text{PtCl}_3(\text{PhC}\equiv\text{CD})] \cdot \text{CH}_2\text{Cl}_2$  (M. Gerisch, F.W. Heinemann, H. Bögel and D. Steinborn), 247
- Allenlyc organometallics**  
Synthèse en une étape par voie organométallique de diamines primaires benzyliques  $\alpha, \alpha'$ -disubstituées (G. Courtois and L. Miginiac), 269
- Allyl**  
Allyl versus aryl C–H activation mediated by palladium acetate (M. Grellier and M. Pfeffer), 301  
Komplekxkatalyse LI. Komplexe des Tris(allyl)lanthans mit verschiedenen Donorliganden  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_3 \cdot \text{L}$  (L:DME, TMED, 2HMPT) und ihre katalytischen Eigenschaften in der stereospezifischen Butadienpolymerisation (R. Taube, H. Windisch, H. Weißenborn, H. Hemling and H. Schumann), 229
- Allylic organometallics**  
Synthèse en une étape par voie organométallique de diamines primaires benzyliques  $\alpha, \alpha'$ -disubstituées (G. Courtois and L. Miginiac), 269
- Allyl magnesium**  
Regioselective addition reaction of organolanthanide reagents to  $\alpha,\beta$ -unsaturated imines (C. Qian and T. Huang), 143
- Amine**  
Allyl versus aryl C–H activation mediated by palladium acetate (M. Grellier and M. Pfeffer), 301
- Ammonium perchlenates**  
On the formation of  $(\text{CH}_3)_4\text{Re}_2\text{O}_4$  from methyl trioxorhenium complex  $\text{CH}_3\text{ReO}_3$  under non-alkylating conditions (H. Rudler, J.R. Gregorio, B. Denise and J. Vaissermann), 295
- Antimony**  
Two-step synthesis of triarylmetals (As, Sb, Bi) starting from the metal oxides and 2,6-dimethoxybenzenethiol (M. Wada, S. Natsume, S. Suzuki, A. Uo, M. Nakamura, S. Hayase and T. Erabi), 223
- Arsenic**  
Two-step synthesis of triarylmetals (As, Sb, Bi) starting from the metal oxides and 2,6-dimethoxybenzenethiol (M. Wada, S. Natsume, S. Suzuki, A. Uo, M. Nakamura, S. Hayase and T. Erabi), 223
- Aryl**  
Allyl versus aryl C–H activation mediated by palladium acetate (M. Grellier and M. Pfeffer), 301
- Aryllithium**  
Two-step synthesis of triarylmetals (As, Sb, Bi) starting from the metal oxides and 2,6-dimethoxybenzenethiol (M. Wada, S. Natsume, S. Suzuki, A. Uo, M. Nakamura, S. Hayase and T. Erabi), 223
- Asymmetric hydrogenation**  
Kinetic influences on enantioselectivity in asymmetric catalytic hydrogenation (Y. Sun, J. Wang, C. LeBlond, R.A. Reamer, J. Laquidara, J.R. Sowa Jr. and D.G. Blackmond), 65
- 1-Azavinylidene**  
Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand (J.A. Cabeza, I. Del Río and V. Riera), 255
- Azides**  
Organoindium azides: new precursors to indium nitride (R.A. Fischer, H. Sussek, A. Miehr, H. Pritzkow and E. Herdtweck), 73
- Bis(fluorenes)**  
Synthesis and characterisation of Ti, Cr, Mo and W bis(fluorene) complexes (F.G.N. Cloke, A.R. Dias, A.M. Galvão and J.L. Ferreira da Silva), 177
- Bismuth**  
Two-step synthesis of triarylmetals (As, Sb, Bi) starting from the metal oxides and 2,6-dimethoxybenzenethiol (M. Wada, S. Natsume, S. Suzuki, A. Uo, M. Nakamura, S. Hayase and T. Erabi), 223
- Bis-N-trimethylsilylimines**  
Synthèse en une étape par voie organométallique de diamines primaires benzyliques  $\alpha, \alpha'$ -disubstituées (G. Courtois and L. Miginiac), 269
- Boratrane**  
A novel route to pentacoordinated organylsilanes and -germanes (V. Gevorgyan, L. Borisova, A. Vyater, V. Ryabova and E. Lukevics), 149
- Boron substituted**  
Diphenylborylated derivatives of organocobaloximes and organorhodoximes: synthesis, spectroscopic and structural characterisation (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 211
- Butadiene**  
Komplekxkatalyse LI. Komplexe des Tris(allyl)lanthans mit verschiedenen Donorliganden  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_3 \cdot \text{L}$  (L:DME, TMED, 2HMPT) und ihre katalytischen Eigenschaften in der stereospezifischen Butadienpolymerisation (R. Taube, H. Windisch, H. Weißenborn, H. Hemling and H. Schumann), 229
- Carbazole deprotonation**  
Carbazole deprotonation by sodium metal mirror in various ethers: structures with  $\text{Na}^+$ -coordination numbers 3 and 4 to 7 (H. Bock, C. Arad, C. Näther and Z. Havlas), 115
- Carbohydrates**  
Organotransition metal modified sugars. 4. Carbene complex functionalized acyclic carbohydrates (K.H. Dötz, R. Ehlenz, W. Straub, J.C. Weber, K. Airola and M. Nieger), 91
- Carbon monoxide**  
Silylcarbonylation of 1,5-dienes accompanied by acyl radical cycliza-

- tion (I. Ryu, K. Nagahara, A. Kurihara, M. Komatsu and N. Sonoda), 105
- Carbonyls**  
Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand (J.A. Cabeza, I. Del Río and V. Riera), 255
- Catalysis**  
A novel route to pentacoordinated organylsilanes and -germanes (V. Gevorgyan, L. Borisova, A. Vyater, V. Ryabova and E. Lukevics), 149  
Allyl versus aryl C–H activation mediated by palladium acetate (M. Grellier and M. Pfeffer), 301  
Influence of the reaction temperature on the regioselectivity in the rhodium-catalyzed hydroformylation of vinylpyrroles (A. Caiazza, R. Settambolo, G. Uccello-Barretta and R. Lazzaroni), 279  
Komplekxkatalyse LI. Komplexe des Tris(allyl)lanthans mit verschiedenen Donorliganden  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_3 \cdot \text{L}$  (L: DME, TMED, 2HMP) und ihre katalytischen Eigenschaften in der stereospezifischen Butadienpolymerisation (R. Taube, H. Windisch, H. Weißenborn, H. Hemling and H. Schumann), 229
- Cationic clusters**  
Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand (J.A. Cabeza, I. Del Río and V. Riera), 255
- C–C bond formation**  
Generation of chiral bis(cyclopentadienyl)neodymium Schiff base complex bearing internal C–C bond formation and hydrogen transfer (Q. Liu, M. Ding, Y. Lin and Y. Xing), 139
- C–Cl bond**  
Unexpected formation of  $\text{Cp}^* \text{IrCl}_2 \text{PPh}_3$  from the reaction of  $[\text{Cp}^* \text{Ir}(\eta^5\text{-C}_6\text{H}_5\text{O})][\text{BF}_4]$  with  $\text{PPh}_3$  in dichloroethane involving C–Cl bond activation (J. Le Bras, H. Amouri and J. Vaissermann), 305
- Chiral**  
Kinetic influences on enantioselectivity in asymmetric catalytic hydrogenation (Y. Sun, J. Wang, C. LeBlond, R.A. Reamer, J. Laquidara, J.R. Sowa Jr. and D.G. Blackmond), 65
- Chirality**  
Generation of chiral bis(cyclopentadienyl)neodymium Schiff base complex bearing internal C–C bond formation and hydrogen transfer (Q. Liu, M. Ding, Y. Lin and Y. Xing), 139
- Chromium**  
Synthesis and characterisation of Ti, Cr, Mo and W bis(flourene) complexes (F.G.N. Cloke, A.R. Dias, A.M. Galvão and J.L. Ferreira da Silva), 177
- Clusters**  
Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand (J.A. Cabeza, I. Del Río and V. Riera), 255
- Cobalt**  
Fluoroalkylation of cobalt complexes: selective reactions at the metal or the cyclopentadienyl ring (R.P. Hughes, T. Le Husebo, B.J. Holliday, A.L. Rheingold and L.M. Liable-Sands), 109
- Conformational equilibria**  
Diphenylborylated derivatives of organocobaloximes and organorhodoximes: synthesis, spectroscopic and structural characterisation (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tazzer and S. Vuano), 211
- Conformation of carbohydrates**  
Organotransition metal modified sugars. 4. Carbene complex functionalized acyclic carbohydrates (K.H. Dötz, R. Ehlenz, W. Straub, J.C. Weber, K. Airola and M. Nieger), 91
- Crown ether complexes**  
Synthesis and characterization of platinum(II) complexes with terminal alkynes analogous to Zeise's salt - structure of  $[\text{K}(18\text{-crown-6})][\text{PtCl}_3(\text{PhC}\equiv\text{CD})] \cdot \text{CH}_2\text{Cl}_2$  (M. Gerisch, F.W. Heinemann, H. Bögel and D. Steinborn), 247
- Crystal structure**  
Generation of chiral bis(cyclopentadienyl)neodymium Schiff base complex bearing internal C–C bond formation and hydrogen transfer (Q. Liu, M. Ding, Y. Lin and Y. Xing), 139  
Synthesis of luminescent zirconium thiolate complexes. Crystal structures of  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{Cl-}p)_2$  and  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{OMe-}p)]_2\text{O}$  (V. Wing-Wah Yam, G.-Z. Qi and K.-K. Cheung), 289
- Crystal structures**  
Carbazole deprotonation by sodium metal mirror in various ethers: structures with  $\text{Na}^+$ -coordination numbers 3 and 4 to 7 (H. Bock, C. Arad, C. Näther and Z. Havlas), 115  
Synthesis and characterization of substituted (aminomethyl)lithium compounds. The structures of  $[\text{Li}_2(\text{CH}_2\text{NPh}_2)_2(\text{THF})_3]$  and  $[\text{Li}_4(\text{CH}_2\text{NC}_5\text{H}_{10})_4(\text{THF})_2]$  (F. Becke, F.W. Heinemann, T. Ruffer, P. Wiegeleben, R. Boese, D. Bläser and D. Steinborn), 205
- Cyclization**  
Silylcarbonylation of 1,5-dienes accompanied by acyl radical cyclization (I. Ryu, K. Nagahara, A. Kurihara, M. Komatsu and N. Sonoda), 105
- Cyclometallation**  
Allyl versus aryl C–H activation mediated by palladium acetate (M. Grellier and M. Pfeffer), 301
- Cyclopalladation**  
Cyclometallated fragments as building blocks for self-assembly reactions (R.F. Carina, A.F. Williams and G. Bernardinelli), 45
- Cyclopentadienyl**  
Stereoselective synthesis and reactivity of *cis*- and *trans*-dimolybdenum nitrosyl derivatives with the bridging bis(dimethylsilylanediyl)di( $\eta^5$ -cyclopentadienyl) ligand. X-ray molecular structures of *cis*- $[\{\text{Mo}(\text{CO})_2(\text{NO})\}_2\{\mu\text{-}(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}]$ , *trans*- $[\{\text{Mo}(\text{CO})(\text{NO})(\text{CN}^t\text{Bu})\}_2\{\mu\text{-}(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}]$ , *cis*- $[\{\text{Mo}_2(\text{CO})_3(\text{NO})_2(\text{PMe}_3)\}\{\mu\text{-}(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}]$  and *trans*- $[\{\text{Mo}(\text{NO})(\text{CN}^t\text{Bu})\}_2\{\mu\text{-}(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}]$  (M. Calvo, M.V. Galakhov, R. Gómez-García, P. Gómez-Sal, A. Martín, P. Royo and A. Vázquez de Miguel), 157
- Deuteration**  
Reduction of (1,3-diene)tricarbonyliron(0) complexes: application to (ergosterol acetate)tricarbonyliron(0) (T.N. Danks, M.E. Howells and M.J. Ackland), 285
- Deuterioformylation**  
Influence of the reaction temperature on the regioselectivity in the rhodium-catalyzed hydroformylation of vinylpyrroles (A. Caiazza, R. Settambolo, G. Uccello-Barretta and R. Lazzaroni), 279
- Diastereoselective addition**  
Regioselective addition reaction of organolanthanide reagents to  $\alpha,\beta$ -unsaturated imines (C. Qian and T. Huang), 143
- 1,5-Dienes**  
Silylcarbonylation of 1,5-dienes accompanied by acyl radical cyclization (I. Ryu, K. Nagahara, A. Kurihara, M. Komatsu and N. Sonoda), 105
- Dimesitylgermylidene-*p*-toluene sulfonamide**  
Dimesitylgermylidene *p*-toluene sulfonamide: a new stable germanium–nitrogen doubly bonded species (F. El Baz, M. Rivière-Baudet and M. Ahra), 123
- 2,6-Dimethoxybenzenethiol**  
Two-step synthesis of triarylmetals (As, Sb, Bi) starting from the metal oxides and 2,6-dimethoxybenzenethiol (M. Wada, S. Nat-

- sume, S. Suzuki, A. Uo, M. Nakamura, S. Hayase and T. Erabi), 223
- Dinuclear Re(VI) complex**  
On the formation of  $(\text{CH}_3)_4\text{Re}_2\text{O}_4$  from methyl trioxorhenium complex  $\text{CH}_3\text{ReO}_3$  under non-alkylating conditions (H. Rudler, J.R. Gregorio, B. Denise and J. Vaissermann), 295
- Diphenylphosphide**  
Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand (J.A. Cabeza, I. Del Río and V. Riera), 255
- Diphenylphosphine**  
Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand (J.A. Cabeza, I. Del Río and V. Riera), 255
- Donor ligands**  
Komplekxkatalyse LI. Komplexe des Tris(allyl)lanthans mit verschiedenen Donorliganden  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_3 \cdot \text{L}$  (L:DME, TMED, 2HMPT) und ihre katalytischen Eigenschaften in der stereospezifischen Butadienpolymerisation (R. Taube, H. Windisch, H. Weißenborn, H. Hemling and H. Schumann), 229
- Electroreduction**  
Electrocatalytic process in the reduction of  $\{\text{Nb}[\eta^5\text{-C}_5\text{H}_4(\text{SiMe}_3)]_2(\text{Cl})(\text{NHPh})\}\text{BF}_4$  (Z.M. Tehrani, D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, M. Fajardo, A. Garces and C. Lopez-Mardomingo), 309
- Enantioselectivity**  
Kinetic influences on enantioselectivity in asymmetric catalytic hydrogenation (Y. Sun, J. Wang, C. LeBlond, R.A. Reamer, J. Laquidara, J.R. Sowa Jr. and D.G. Blackmond), 65
- Ether-dependent  $\text{Na}^+$  solvation**  
Carbazole deprotonation by sodium metal mirror in various ethers: structures with  $\text{Na}^+$ -coordination numbers 3 and 4 to 7 (H. Bock, C. Arad, C. Näther and Z. Havlas), 115
- Germa-imines**  
Dimethylgermylidene *p*-toluene sulfonamide: a new stable germanium–nitrogen doubly bonded species (F. El Baz, M. Rivière-Baudet and M. Ahra), 123
- Germanium**  
A novel route to pentacoordinated organylsilanes and -germanes (V. Gevorgyan, L. Borisova, A. Vyater, V. Ryabova and E. Lukevics), 149
- Germanium–nitrogen double bond**  
Dimethylgermylidene *p*-toluene sulfonamide: a new stable germanium–nitrogen doubly bonded species (F. El Baz, M. Rivière-Baudet and M. Ahra), 123
- Germatrane**  
A novel route to pentacoordinated organylsilanes and -germanes (V. Gevorgyan, L. Borisova, A. Vyater, V. Ryabova and E. Lukevics), 149
- Germylidene–sulfonamide**  
Dimethylgermylidene *p*-toluene sulfonamide: a new stable germanium–nitrogen doubly bonded species (F. El Baz, M. Rivière-Baudet and M. Ahra), 123
- Glycosyl carbene complexes**  
Organotransition metal modified sugars. 4. Carbene complex functionalized acyclic carbohydrates (K.H. Dötz, R. Ehlenz, W. Straub, J.C. Weber, K. Airola and M. Nieger), 91
- Group 6**  
Stereoselective synthesis and reactivity of *cis*- and *trans*- dimolybdenum nitrosyl derivatives with the bridging bis(dimethylsilyl)di( $\eta^5$ -cyclopentadienyl) ligand. X-ray molecular structures of *cis*- $\{[\text{Mo}(\text{CO})_2(\text{NO})]_2\{\mu\text{-}(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$ , *trans*- $\{[\text{Mo}(\text{CO})(\text{NO})(\text{CN}^t\text{Bu})]_2\{\mu\text{-}(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$ , *cis*- $\{[\text{Mo}_2(\text{CO})_3(\text{NO})_2(\text{PMe}_3)]\{\mu\text{-}(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$  and *trans*- $\{[\text{Mo}(\text{NO})(\text{CN}^t\text{Bu})]_2\{\mu\text{-}(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$  (M. Calvo, M.V. Galakhov, R. Gómez-García, P. Gómez-Sal, A. Martín, P. Royo and A. Vázquez de Miguel), 157
- Hydroformylation**  
Influence of the reaction temperature on the regioselectivity in the rhodium-catalyzed hydroformylation of vinylpyrroles (A. Caiazzo, R. Settambolo, G. Uccello-Barretta and R. Lazzaroni), 279
- Hydrogen transfer**  
Generation of chiral bis(cyclopentadienyl)neodymium Schiff base complex bearing internal C–C bond formation and hydrogen transfer (Q. Liu, M. Ding, Y. Lin and Y. Xing), 139
- Imido and amido complex**  
Electrocatalytic process in the reduction of  $\{\text{Nb}[\eta^5\text{-C}_5\text{H}_4(\text{SiMe}_3)]_2(\text{Cl})(\text{NHPh})\}\text{BF}_4$  (Z.M. Tehrani, D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, M. Fajardo, A. Garces and C. Lopez-Mardomingo), 309
- Indium**  
Organoindium azides: new precursors to indium nitride (R.A. Fischer, H. Sussek, A. Miehr, H. Pritzkow and E. Herdtweck), 73
- Indium nitride**  
Organoindium azides: new precursors to indium nitride (R.A. Fischer, H. Sussek, A. Miehr, H. Pritzkow and E. Herdtweck), 73
- Lanthanum**  
Komplekxkatalyse LI. Komplexe des Tris(allyl)lanthans mit verschiedenen Donorliganden  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_3 \cdot \text{L}$  (L:DME, TMED, 2HMPT) und ihre katalytischen Eigenschaften in der stereospezifischen Butadienpolymerisation (R. Taube, H. Windisch, H. Weißenborn, H. Hemling and H. Schumann), 229
- Ligand**  
Mechanistic information of substitution reaction of  $\text{W}(\text{PhC}\equiv\text{CPh})_3(\text{CO})$  with trimethylphosphine (W.-Y. Yeh and S.-M. Chien), 191
- Ligand formation**  
Unexpected formation of  $\text{Cp}^*\text{IrCl}_2\text{PPh}_3$  from the reaction of  $[\text{Cp}^*\text{Ir}(\eta^5\text{-C}_6\text{H}_5\text{O})][\text{BF}_4]$  with  $\text{PPh}_3$  in dichloroethane involving C–Cl bond activation (J. Le Bras, H. Amouri and J. Vaissermann), 305
- (Aminomethyl)lithium compounds**  
Synthesis and characterization of substituted (aminomethyl)lithium compounds. The structures of  $[\text{Li}_2(\text{CH}_2\text{NPh}_2)_2(\text{THF})_3]$  and  $[\text{Li}_4(\text{CH}_2\text{NC}_5\text{H}_{10})_4(\text{THF})_2]$  (F. Becke, F.W. Heinemann, T. Ruffer, P. Wiegeleben, R. Boese, D. Bläser and D. Steinborn), 205
- Lithium pentaorganylsilicates**  
In search of stable lithium pentaorganylsilicates; special role of five phenyl ligands and of ligands containing the 1,4-(1,3-butadienediyl) unit (A.H.J.F. De Keijzer, F.J.J. De Kanter, M. Schakel, V.P. Osinga and G.W. Klumpp), 29
- Luminescent complexes**  
Synthesis of luminescent zirconium thiolate complexes. Crystal structures of  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{Cl-}p)_2$  and  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{OMe-}p)]_2\text{O}$  (V. Wing-Wah Yam, G.-Z. Qi and K.-K. Cheung), 289
- Metal vapour synthesis**  
Synthesis and characterisation of Ti, Cr, Mo and W bis(fluorene) complexes (F.G.N. Cloke, A.R. Dias, A.M. Galvão and J.L. Ferreira da Silva), 177
- Methyl trioxorhenium complex**  
On the formation of  $(\text{CH}_3)_4\text{Re}_2\text{O}_4$  from methyl trioxorhenium com-

- plex  $\text{CH}_3\text{ReO}_3$  under non-alkylating conditions (H. Rudler, J.R. Gregorio, B. Denise and J. Vaissermann), 295
- MOCVD**
- Organoindium azides: new precursors to indium nitride (R.A. Fischer, H. Sussek, A. Michr, H. Pritzkow and E. Herdtweck), 73
- Molecular construction**
- The organometallic 'Molecular Tinkertoy' approach to planar grid polymers (T.F. Magnera, L.M. Peslherbe, E. Körblóvá and J. Michl), 83
- Molybdenum**
- Stereoselective synthesis and reactivity of *cis*- and *trans*- dimolybdenum nitrosyl derivatives with the bridging bis(dimethylsilylanediyl)di( $\eta^5$ -cyclopentadienyl) ligand. X-ray molecular structures of *cis*- $\{[\text{Mo}(\text{CO})_2(\text{NO})]_2\{\mu-(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$ , *trans*- $\{[\text{Mo}(\text{CO})(\text{NO})(\text{CN}^t\text{Bu})]_2\{\mu-(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$ , *cis*- $\{[\text{Mo}_2(\text{CO})_3(\text{NO})_2(\text{PMe}_3)]\{\mu-(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$  and *trans*- $\{[\text{Mo}(\text{NO})(\text{CN}^t\text{Bu})_2]_2\{\mu-(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$  (M. Calvo, M.V. Galakhov, R. Gómez-García, P. Gómez-Sal, A. Martín, P. Royo and A. Vázquez de Miguel), 157
- Synthesis and characterisation of Ti, Cr, Mo and W bis(fluorene) complexes (F.G.N. Cloke, A.R. Dias, A.M. Galvão and J.L. Ferreira da Silva), 177
- N-alkyl  $\alpha,\beta$ -unsaturated imine**
- Regioselective addition reaction of organolanthanide reagents to  $\alpha,\beta$ -unsaturated imines (C. Qian and T. Huang), 143
- N-chiral alkyl  $\alpha,\beta$ -unsaturated imine**
- Regioselective addition reaction of organolanthanide reagents to  $\alpha,\beta$ -unsaturated imines (C. Qian and T. Huang), 143
- Niobium**
- Electrocatalytic process in the reduction of  $\{\text{Nb}[\eta^5\text{-C}_5\text{H}_4(\text{SiMe}_3)_2(\text{Cl})(\text{NHPH})]\text{BF}_4\}$  (Z.M. Tehrani, D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, M. Fajardo, A. Garces and C. Lopez-Mardomingo), 309
- Nitrosyl**
- Stereoselective synthesis and reactivity of *cis*- and *trans*- dimolybdenum nitrosyl derivatives with the bridging bis(dimethylsilylanediyl)di( $\eta^5$ -cyclopentadienyl) ligand. X-ray molecular structures of *cis*- $\{[\text{Mo}(\text{CO})_2(\text{NO})]_2\{\mu-(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$ , *trans*- $\{[\text{Mo}(\text{CO})(\text{NO})(\text{CN}^t\text{Bu})]_2\{\mu-(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$ , *cis*- $\{[\text{Mo}_2(\text{CO})_3(\text{NO})_2(\text{PMe}_3)]\{\mu-(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$  and *trans*- $\{[\text{Mo}(\text{NO})(\text{CN}^t\text{Bu})_2]_2\{\mu-(\eta^5\text{-C}_5\text{H}_3)_2(\text{SiMe}_2)_2\}\}$  (M. Calvo, M.V. Galakhov, R. Gómez-García, P. Gómez-Sal, A. Martín, P. Royo and A. Vázquez de Miguel), 157
- NMR**
- Synthese und struktur von *N,N*-bis(trimethylsilyl)trifluormethansulfonsäureamid (S. Jonas, M. Westerhausen and G. Simchen), 131
- Optically active carbene complexes**
- Organotransition metal modified sugars. 4. Carbene complex functionalized acyclic carbohydrates (K.H. Dötz, R. Ehlens, W. Straub, J.C. Weber, K. Airola and M. Nieger), 91
- Organocobaloximes**
- Diphenylborylated derivatives of organocobaloximes and organorhodoximes: synthesis, spectroscopic and structural characterisation (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 211
- Organolanthanide reagent**
- Regioselective addition reaction of organolanthanide reagents to  $\alpha,\beta$ -unsaturated imines (C. Qian and T. Huang), 143
- Organometallics**
- Synthesis and characterisation of Ti, Cr, Mo and W bis(fluorene) complexes (F.G.N. Cloke, A.R. Dias, A.M. Galvão and J.L. Ferreira da Silva), 177
- Organoneodymocene**
- Generation of chiral bis(cyclopentadienyl)neodymium Schiff base complex bearing internal C–C bond formation and hydrogen transfer (Q. Liu, M. Ding, Y. Lin and Y. Xing), 139
- Organorhodoximes**
- Diphenylborylated derivatives of organocobaloximes and organorhodoximes: synthesis, spectroscopic and structural characterisation (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tauzher and S. Vuano), 211
- Ortho-position of the phenol ring**
- Unexpected formation of  $\text{Cp}^*\text{IrCl}_2\text{PPh}_3$  from the reaction of  $[\text{Cp}^*\text{Ir}(\eta^5\text{-C}_6\text{H}_5\text{O})][\text{BF}_4]$  with  $\text{PPh}_3$  in dichloroethane involving C–Cl bond activation (J. Le Bras, H. Amouri and J. Vaissermann), 305
- Oxidative addition**
- Transition metal silyl complexes. 55 intramolecular Si–E (E = Si, Sn) oxidative addition of  $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{SiR}'_2\text{ER}_3$  ligands ( $n = 1, 2$ ) to  $\text{Pt}(0)$  (H. Gilges, G. Kickelbick and U. Schubert), 57
- Palladium**
- Allyl versus aryl C–H activation mediated by palladium acetate (M. Grellier and M. Pfeffer), 301
- Cyclometallated fragments as building blocks for self-assembly reactions (R.F. Carina, A.F. Williams and G. Bernardinelli), 45
- Perfluoroalkyl iodide**
- Fluoroalkylation of cobalt complexes: selective reactions at the metal or the cyclopentadienyl ring (R.P. Hughes, T. Le Husebo, B.J. Holliday, A.L. Rheingold and L.M. Liable-Sands), 109
- Phosphacymantrenes**
- 2-(2'-Pyridyl)phosphaferrocenes and analogues: a new type of chelating ligands with planar chirality and  $\pi$ -acceptor phosphorus centres (B. Deschamps, L. Ricard and F. Mathey), 17
- Phosphaferrocenes**
- 2-(2'-Pyridyl)phosphaferrocenes and analogues: a new type of chelating ligands with planar chirality and  $\pi$ -acceptor phosphorus centres (B. Deschamps, L. Ricard and F. Mathey), 17
- Phosphole [1,5]-shifts**
- 2-(2'-Pyridyl)phosphaferrocenes and analogues: a new type of chelating ligands with planar chirality and  $\pi$ -acceptor phosphorus centres (B. Deschamps, L. Ricard and F. Mathey), 17
- Platinum**
- Synthesis and characterization of platinum(II) complexes with terminal alkynes analogous to Zeise's salt - structure of  $[\text{K}(18\text{-crown-6})][\text{PtCl}_3(\text{PhC}\equiv\text{CD})] \cdot \text{CH}_2\text{Cl}_2$  (M. Gerisch, F.W. Heinemann, H. Bögel and D. Steinborn), 247
- Platinum complexes**
- Transition metal silyl complexes. 55 intramolecular Si–E (E = Si, Sn) oxidative addition of  $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{SiR}'_2\text{ER}_3$  ligands ( $n = 1, 2$ ) to  $\text{Pt}(0)$  (H. Gilges, G. Kickelbick and U. Schubert), 57
- P,N-chelating ligands**
- 2-(2'-Pyridyl)phosphaferrocenes and analogues: a new type of chelating ligands with planar chirality and  $\pi$ -acceptor phosphorus centres (B. Deschamps, L. Ricard and F. Mathey), 17
- Polymerization**
- Komplekxkatalyse LI. Komplexe des Tris(allyl)lanthans mit verschiedenen Donorliganden  $\text{La}(\eta^3\text{-C}_3\text{H}_5)_3 \cdot \text{L}$  (L: DME, TMED, 2HMPT) und ihre katalytischen Eigenschaften in der stereospezifischen Butadienpolymerisation (R. Taube, H. Windisch, H. Weißborn, H. Hemling and H. Schumann), 229
- Polymers**
- The organometallic 'Molecular Tinkertoy' approach to planar grid polymers (T.F. Magnera, L.M. Peslherbe, E. Körblóvá and J. Michl), 83
- Primary benzylic diamines**
- Synthèse en une étape par voie organométallique de diamines pri-

- maires benzyliques  $\alpha$ ,  $\alpha'$ -disubstituées (G. Courtois and L. Miginiac), 269
- Propargylic organozincs  
Synthèse en une étape par voie organométallique de diamines primaires benzyliques  $\alpha$ ,  $\alpha'$ -disubstituées (G. Courtois and L. Miginiac), 269
- Protonation  
Electrocatalytic process in the reduction of  $\{\text{Nb}[\eta^5\text{-C}_5\text{H}_4(\text{SiMe}_3)_2(\text{Cl})(\text{NHPh})]\text{BF}_4$  (Z.M. Tehrani, D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, M. Fajardo, A. Garces and C. Lopez-Mardomingo), 309
- Protonation reactions  
Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand (J.A. Cabeza, I. Del Río and V. Riera), 255
- Pyridines  
2-(2'-Pyridyl)phosphaferrocenes and analogues: a new type of chelating ligands with planar chirality and  $\pi$ -acceptor phosphorus centres (B. Deschamps, L. Ricard and F. Mathey), 17
- Quinolines  
2-(2'-Pyridyl)phosphaferrocenes and analogues: a new type of chelating ligands with planar chirality and  $\pi$ -acceptor phosphorus centres (B. Deschamps, L. Ricard and F. Mathey), 17
- Radical  
Fluoroalkylation of cobalt complexes: selective reactions at the metal or the cyclopentadienyl ring (R.P. Hughes, T. Le Husebo, B.J. Holliday, A.L. Rheingold and L.M. Liable-Sands), 109  
Silylcarbonylation of 1,5-dienes accompanied by acyl radical cyclization (I. Ryu, K. Nagahara, A. Kurihara, M. Komatsu and N. Sonoda), 105
- Reduction  
Reduction of (1,3-diene)tricarbonyliron(0) complexes: application to (ergosterol acetate)tricarbonyliron(0) (T.N. Danks, M.E. Howells and M.J. Ackland), 285
- Regioselective addition  
Regioselective addition reaction of organolanthanide reagents to  $\alpha,\beta$ -unsaturated imines (C. Qian and T. Huang), 143
- Rhenium carbonyls  
Direct and high yield syntheses of  $\text{Re}_2(\text{CO})_{10}$  and  $\text{Re}(\text{CO})_5\text{Cl}$  by sodium reduction of  $\text{K}_2\text{ReCl}_6$  under CO (A.H. Klahn, B. Oelckers, A. Toro and F. Godoy), 121
- Rhodium  
Influence of the reaction temperature on the regioselectivity in the rhodium-catalyzed hydroformylation of vinylpyrroles (A. Caiazzo, R. Settambolo, G. Uccello-Barretta and R. Lazzaroni), 279
- Ruthenium  
Neutral and cationic diphenylphosphine and diphenylphosphido derivatives of a trinuclear ruthenium carbonyl cluster containing a bridging 1-azavinylidene ligand (J.A. Cabeza, I. Del Río and V. Riera), 255
- Sandwich complexes  
Synthesis and characterisation of Ti, Cr, Mo and W bis(fluorene) complexes (F.G.N. Cloke, A.R. Dias, A.M. Galvão and J.L. Ferreira da Silva), 177
- Schiff base complex  
Generation of chiral bis(cyclopentadienyl)neodymium Schiff base complex bearing internal C-C bond formation and hydrogen transfer (Q. Liu, M. Ding, Y. Lin and Y. Xing), 139
- Selective fluoroalkylation  
Fluoroalkylation of cobalt complexes: selective reactions at the metal or the cyclopentadienyl ring (R.P. Hughes, T. Le Husebo, B.J. Holliday, A.L. Rheingold and L.M. Liable-Sands), 109
- Self-assembly  
Cyclometallated fragments as building blocks for self-assembly reactions (R.F. Carina, A.F. Williams and G. Bernardinelli), 45
- Silatrane  
A novel route to pentacoordinated organylsilanes and -germanes (V. Gevorgyan, L. Borisova, A. Vyater, V. Ryabova and E. Lukevics), 149
- Silicon  
A novel route to pentacoordinated organylsilanes and -germanes (V. Gevorgyan, L. Borisova, A. Vyater, V. Ryabova and E. Lukevics), 149
- Silicon hydride  
Silylcarbonylation of 1,5-dienes accompanied by acyl radical cyclization (I. Ryu, K. Nagahara, A. Kurihara, M. Komatsu and N. Sonoda), 105
- Silylation  
Synthese und struktur von *N,N*-bis(trimethylsilyl)trifluormethansulfonsäureamid (S. Jonas, M. Westerhausen and G. Simchen), 131
- Silylcarbonylation  
Silylcarbonylation of 1,5-dienes accompanied by acyl radical cyclization (I. Ryu, K. Nagahara, A. Kurihara, M. Komatsu and N. Sonoda), 105
- Silyl complexes  
Transition metal silyl complexes. 55 intramolecular Si-E (E = Si, Sn) oxidative addition of  $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{SiR}'_2\text{ER}_3$  ligands ( $n = 1, 2$ ) to  $\text{Pt}(0)$  (H. Gilges, G. Kickelbick and U. Schubert), 57
- <sup>29</sup>Si-NMR  
In search of stable lithium pentaorganylsilicates; special role of five phenyl ligands and of ligands containing the 1,4-(1,3-butadienediyl) unit (A.H.J.F. De Keijzer, F.J.J. De Kanter, M. Schakel, V.P. Osinga and G.W. Klumpp), 29
- Sodium reduction  
Direct and high yield syntheses of  $\text{Re}_2(\text{CO})_{10}$  and  $\text{Re}(\text{CO})_5\text{Cl}$  by sodium reduction of  $\text{K}_2\text{ReCl}_6$  under CO (A.H. Klahn, B. Oelckers, A. Toro and F. Godoy), 121
- $\sigma$ -organolithiums  
In search of stable lithium pentaorganylsilicates; special role of five phenyl ligands and of ligands containing the 1,4-(1,3-butadienediyl) unit (A.H.J.F. De Keijzer, F.J.J. De Kanter, M. Schakel, V.P. Osinga and G.W. Klumpp), 29
- Spectroscopy  
Mechanistic information of substitution reaction of  $\text{W}(\text{PhC}\equiv\text{CPh})_3(\text{CO})$  with trimethylphosphine (W.-Y. Yeh and S.-M. Chien), 191
- Stereoisomerism  
In search of stable lithium pentaorganylsilicates; special role of five phenyl ligands and of ligands containing the 1,4-(1,3-butadienediyl) unit (A.H.J.F. De Keijzer, F.J.J. De Kanter, M. Schakel, V.P. Osinga and G.W. Klumpp), 29
- Synthesis  
Direct and high yield syntheses of  $\text{Re}_2(\text{CO})_{10}$  and  $\text{Re}(\text{CO})_5\text{Cl}$  by sodium reduction of  $\text{K}_2\text{ReCl}_6$  under CO (A.H. Klahn, B. Oelckers, A. Toro and F. Godoy), 121
- Tautomerism  
Synthese und struktur von *N,N*-bis(trimethylsilyl)trifluormethansulfonsäureamid (S. Jonas, M. Westerhausen and G. Simchen), 131
- Tetra-<sup>n</sup>-butylammonium  
The organometallic 'Molecular Tinkertoy' approach to planar grid polymers (T.F. Magnera, L.M. Peslherbe, E. Körblová and J. Michl), 83

## Tetraorganylsilanes

In search of stable lithium pentaorganylsilicates; special role of five phenyl ligands and of ligands containing the 1,4-(1,3-butadienediyl) unit (A.H.J.F. De Keijzer, F.J.J. De Kanter, M. Schakel, V.P. Osinga and G.W. Klumpp), 29

## Thin films

Organoindium azides: new precursors to indium nitride (R.A. Fischer, H. Sussek, A. Miehr, H. Pritzkow and E. Herdtweck), 73

## Thiolate complexes

Synthesis of luminescent zirconium thiolate complexes. Crystal structures of  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{Cl-}p)_2$  and  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{OMe-}p)]_2\text{O}$  (V. Wing-Wah Yam, G.-Z. Qi and K.-K. Cheung), 289

## Thiolatometals

Two-step synthesis of triarylmotals (As, Sb, Bi) starting from the metal oxides and 2,6-dimethoxybenzenethiol (M. Wada, S. Natsume, S. Suzuki, A. Uo, M. Nakamura, S. Hayase and T. Erabi), 223

## Titanium

Synthesis and characterisation of Ti, Cr, Mo and W bis(fluorene) complexes (F.G.N. Cloke, A.R. Dias, A.M. Galvão and J.L. Ferreira da Silva), 177

## Triethanolamine

A novel route to pentacoordinated organylsilanes and -germanes (V. Gevorgyan, L. Borisova, A. Vyater, V. Ryabova and E. Lukevics), 149

## Trifluoromethane sulfonic acid

Synthese und struktur von *N,N*-bis(trimethylsilyl)trifluormethan-sulfonsäureamid (S. Jonas, M. Westerhausen and G. Simchen), 131

## Trigonal-bipyramidal structures

In search of stable lithium pentaorganylsilicates; special role of five phenyl ligands and of ligands containing the 1,4-(1,3-butadienediyl) unit (A.H.J.F. De Keijzer, F.J.J. De Kanter, M. Schakel, V.P. Osinga and G.W. Klumpp), 29

## Trimethylphosphine

Mechanistic information of substitution reaction of  $\text{W}(\text{PhC}\equiv\text{CPh})_3(\text{CO})$  with trimethylphosphine (W.-Y. Yeh and S.-M. Chien), 191

## Tungsten

Synthesis and characterisation of Ti, Cr, Mo and W bis(fluorene)

complexes (F.G.N. Cloke, A.R. Dias, A.M. Galvão and J.L. Ferreira da Silva), 177

## Vinylpyrroles

Influence of the reaction temperature on the regioselectivity in the rhodium-catalyzed hydroformylation of vinylpyrroles (A. Caiazzo, R. Settambolo, G. Uccello-Barretta and R. Lazzaroni), 279

## Vinyl-1-tosylpyrroles

Influence of the reaction temperature on the regioselectivity in the rhodium-catalyzed hydroformylation of vinylpyrroles (A. Caiazzo, R. Settambolo, G. Uccello-Barretta and R. Lazzaroni), 279

## X-ray diffraction

Synthesis and characterization of platinum(II) complexes with terminal alkynes analogous to Zeise's salt - structure of  $[\text{K}(18\text{-crown-}6)][\text{PtCl}_3(\text{PhC}\equiv\text{CD})] \cdot \text{CH}_2\text{Cl}_2$  (M. Gerisch, F.W. Heinemann, H. Bögel and D. Steinborn), 247

## X-ray structure

Synthese und struktur von *N,N*-bis(trimethylsilyl)trifluormethan-sulfonsäureamid (S. Jonas, M. Westerhausen and G. Simchen), 131

## X-ray structure analysis

Transition metal silyl complexes. 55 intramolecular Si-E (E = Si, Sn) oxidative addition of  $\text{Ph}_2\text{P}(\text{CH}_2)_n\text{SiR}'_2\text{ER}_3$  ligands ( $n = 1, 2$ ) to Pt(0) (H. Gilges, G. Kickelbick and U. Schubert), 57

## X-ray structures

Diphenylborylated derivatives of organocobaloximes and organorhodoximes: synthesis, spectroscopic and structural characterisation (F. Asaro, R. Dreos, S. Geremia, G. Nardin, G. Pellizer, L. Randaccio, G. Tazher and S. Vuano), 211

## Zirconium complexes

Synthesis of luminescent zirconium thiolate complexes. Crystal structures of  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{Cl-}p)_2$  and  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{OMe-}p)]_2\text{O}$  (V. Wing-Wah Yam, G.-Z. Qi and K.-K. Cheung), 289

## Zirconocene

Synthesis of luminescent zirconium thiolate complexes. Crystal structures of  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{Cl-}p)_2$  and  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{SC}_6\text{H}_4\text{OMe-}p)]_2\text{O}$  (V. Wing-Wah Yam, G.-Z. Qi and K.-K. Cheung), 289