

Subject Index of Volume 534

Acetylenes

Synthesis of ferrocene derivatives with π -extended conjugation (J.-G. Rodríguez, M. Gayo and I. Fonseca), 35

Acetylide ligand

Diiron acetylide complexes: molecular structures of $[\text{Fe}_2(\text{CO})_4(\mu\text{-C}\equiv\text{CPh})(\mu\text{-PPh}_2)(\mu\text{-dppm})]$ and $[\text{Fe}_2(\text{CO})_3(\text{Ph}_2\text{PC}\equiv\text{CPh})(\mu\text{-C}\equiv\text{CPh})(\mu\text{-PPh}_2)(\mu\text{-dppm})]$ (G. Hogarth and S.P. Redmond), 221

Alkynes

Homoleptische Alkin–Nickel(0) Komplexe: Kombination von Nickel(0) Zentren mit Alkinylsilanen $\text{R}_n^1\text{Si}(\text{C}\equiv\text{C}-\text{R}^2)_{4-n}$ zu nickelorganischen Analoga von Siloxanen (D. Walther, T. Klettke, H. Görls und W. Imhof), 129

Allenic organozinc

Réactivité d'organozinciques α -insaturés vis à vis de *N*-(phénylsulfanyl)iminoesters Application à la synthèse d' α -aminoacides insaturés, mono- ou disubstitués (M. Aidene, F. Barbot et L. Miginiac), 117

Allyl

Cationic mono(pentamethylcyclopentadienyl)(2-methylallyl) complexes of hafnium (B. Hessen and H. Van der Heijden), 237

Allylic organozinc

Réactivité d'organozinciques α -insaturés vis à vis de *N*-(phénylsulfanyl)iminoesters Application à la synthèse d' α -aminoacides insaturés, mono- ou disubstitués (M. Aidene, F. Barbot et L. Miginiac), 117

α -Aminoacide

Réactivité d'organozinciques α -insaturés vis à vis de *N*-(phénylsulfanyl)iminoesters Application à la synthèse d' α -aminoacides insaturés, mono- ou disubstitués (M. Aidene, F. Barbot et L. Miginiac), 117

α -Aminoesters

Réactivité d'organozinciques α -insaturés vis à vis de *N*-(phénylsulfanyl)iminoesters Application à la synthèse d' α -aminoacides insaturés, mono- ou disubstitués (M. Aidene, F. Barbot et L. Miginiac), 117

Antimony

Half sandwich complexes derived from a 2,4-diphosphastibolyl ring anion (S.J. Black and C. Jones), 89

Arene

Reduction of ruthenium arenecyclopentadienyl complexes. Reactions induced by electron transfer (O.V. Gusev, M.A. Ievlev, M.G. Peterleitner, S.M. Peregodova, L.I. Denisovich, P.V. Petrovskii and N.A. Ustynyuk), 57

Azoles

Hydroboration of isoprene and 1,4-cyclooctadiene with *N*-azolyboranes (B. Wrackmeyer and B. Schwarze), 207

Biphenyl

Synthesis of ferrocene derivatives with π -extended conjugation (J.-G. Rodríguez, M. Gayo and I. Fonseca), 35

Boron

Hydroboration of isoprene and 1,4-cyclooctadiene with *N*-azolyboranes (B. Wrackmeyer and B. Schwarze), 207

Synthesis of bicyclic *N*-pyrrolylboranes via hydroboration of 2-vinyl and 2-allylpyrrole (B. Wrackmeyer and B. Schwarze), 181

Bulky substituted-pyrazole ligands

3-[4-Phenoxyphenyl]pyrazole (Hpz^{PP}) and 3-[4-butoxyphenyl]pyrazole (Hpz^{BP}) in rhodium chemistry. Crystal structures of 3-[4-phenoxyphenyl]pyrazole, $[\text{Rh}(\mu\text{-pz}^{\text{PP}})(\text{COD})]_2 \cdot \frac{1}{2}\text{CH}_2\text{Cl}_2$ and $[\text{Rh}(\mu\text{-pz}^{\text{BP}})(\text{COD})]_2$ (M. Cano, J.V. Heras, M. Maeso, M. Alvaro, R. Fernández, E. Pinilla, J.A. Campo and A. Monge), 159

Carbene

Synthesis and catalytic properties of *N*-functionalized carbene complexes of rhodium(I) and ruthenium(II) (B. Çetinkaya, I. Özdemir and P.H. Dixneuf), 153

Carbonyl

Insertion reactions of diazoalkanes into an Re–H–Re bridge of $[\text{Re}_2(\mu\text{-H})_2(\text{CO})_8]$. Synthesis and characterization of $[\text{Re}_2(\mu\text{-H})(\text{CO})_8(\mu\text{-}\eta^1\text{-N(H)NCPH}_2)]$ and of $[\text{Re}_2(\mu\text{-H})(\text{CO})_8(\mu\text{-}\eta^2\text{-CH}_2\text{CO}_2\text{Et})]$ (L. Carlucci, G. Ciani, D.W. V. Gudenberg and G. D'Alfonso), 233

Reactions of rhodium chloro complexes containing secondary phosphines with metal carbonyls $[\text{M}_3(\text{CO})_{12}]$ (M = Fe, Ru): Synthesis and X-ray crystal structures of the metal clusters $[\text{Ru}_3\text{Rh}(\text{CO})_7(\mu_3\text{-H})(\mu\text{-PBu}_2)_2(\text{Bu}^i\text{PH})(\mu\text{-Cl})_2]$ and $[\text{Ru}_3\text{Rh}(\text{CO})_8(\mu_3\text{-H})(\mu\text{-H})_2(\mu_3\text{-PBu}^i)(\mu\text{-PBu}_2)_2]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 43

Carbonyl complexes

ansa-Metallocene derivatives XXXVI. Dimethylsilyl-bridged permethyl chromocene carbonyl complexes – syntheses, crystal structures and interconversion reactions (F. Schaper, M. Rentzsch, M.-H. Prosenc, U. Rief, K. Schmidt and H.-H. Brintzinger), 67

Catalysis

Cationic mono(pentamethylcyclopentadienyl)(2-methylallyl) complexes of hafnium (B. Hessen and H. Van der Heijden), 237

Synthesis and catalytic properties of *N*-functionalized carbene complexes of rhodium(I) and ruthenium(II) (B. Çetinkaya, I. Özdemir and P.H. Dixneuf), 153

Chromium

ansa-Metallocene derivatives XXXVI. Dimethylsilyl-bridged permethyl chromocene carbonyl complexes – syntheses, crystal structures and interconversion reactions (F. Schaper, M. Rentzsch, M.-H. Prosenc, U. Rief, K. Schmidt and H.-H. Brintzinger), 67

Cluster

Reactions of rhodium chloro complexes containing secondary phosphines with metal carbonyls $[\text{M}_3(\text{CO})_{12}]$ (M = Fe, Ru): Synthesis and X-ray crystal structures of the metal clusters $[\text{Ru}_3\text{Rh}(\text{CO})_7(\mu_3\text{-H})(\mu\text{-PBu}_2)_2(\text{Bu}^i\text{PH})(\mu\text{-Cl})_2]$ and $[\text{Ru}_3\text{Rh}(\text{CO})_8(\mu_3\text{-H})(\mu\text{-H})_2(\mu_3\text{-PBu}^i)(\mu\text{-PBu}_2)_2]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 43

Cobalt

Novel organotin-functionalized, polymeric transition metal cyanides: from $\text{Me}_3\text{Sn-}$ to $\text{Me}_2\text{Sn}(\text{CH}_2)_3\text{SnMe}_2$ spacers (J.-U. Schütze, R. Eckhardt, R.D. Fischer, D.C. Apperley, N.A. Davies and R.K. Harris), 187

- Organobridged dicobaloximes: synthesis and NMR correlation (B.D. Gupta and K. Qanungo), 213
- Conformational isomerism
3-[4-Phenoxyphenyl]pyrazole (Hpz^{pp}) and 3-[4-butoxyphenyl]pyrazole (Hpz^{bp}) in rhodium chemistry. Crystal structures of 3-[4-phenoxyphenyl]pyrazole, $[\text{Rh}(\mu\text{-pz}^{\text{pp}})(\text{COD})]_2 \cdot \frac{1}{2}\text{CH}_2\text{Cl}_2$ and $[\text{Rh}(\mu\text{-pz}^{\text{bp}})(\text{COD})]_2$ (M. Cano, J.V. Heras, M. Maeso, M. Alvaro, R. Fernández, E. Pinilla, J.A. Campo and A. Monge), 159
- Copper
Synthesis and reactivity of 2-(ethylthio)phenylcopper: a stable organocopper compound carrying an intramolecular sulfane ligand (S. Toyota and M. Ōki), 1
- Coupling reactions
Synthesis of ferrocene derivatives with π -extended conjugation (J.-G. Rodríguez, M. Gayo and I. Fonseca), 35
- Crystal structure
Binuclear complexes containing an iron(I)–mercury(I) bond from oxidation of *trans*- $[\text{Fe}(\text{CO})_2(\text{CS}_2)(\text{Ph}_2\text{Ppy-P})_2]$ with HgX_2 ($\text{Ph}_2\text{Ppy} = 2$ -(diphenylphosphino)pyridine, X = Cl, SCN) (S.-M. Kuang, F. Xue, C.-Y. Duan, T.C.W. Mak and Z.-Z. Zhang), 15
- Insertion reactions of diazoalkanes into an Re–H–Re bridge of $[\text{Re}_2(\mu\text{-H})_2(\text{CO})_8]$. Synthesis and characterization of $[\text{Re}_2(\mu\text{-H})(\text{CO})_8(\mu\text{-}\eta^1\text{-N}(\text{H})\text{NCPH}_2)]$ and of $[\text{Re}_2(\mu\text{-H})(\text{CO})_8(\mu\text{-}\eta^2\text{-CH}_2\text{CO}_2\text{Et})]$ (L. Carlucci, G. Ciani, D.W. V. Gudenberg and G. D'Alfonso), 233
- Reactions of rhodium chloro complexes containing secondary phosphines with metal carbonyls $[\text{M}_3(\text{CO})_{12}]$ (M = Fe, Ru): Synthesis and X-ray crystal structures of the metal clusters $[\text{Ru}_3\text{Rh}(\text{CO})_7(\mu_3\text{-H})(\mu\text{-PBU}_2)_2(\text{Bu}_2\text{PH})(\mu\text{-Cl})_2]$ and $[\text{Ru}_3\text{Rh}(\text{CO})_8(\mu_3\text{-H})(\mu\text{-H})_2(\mu_3\text{-PBU}^1)(\mu\text{-PBU}_2)_2]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 43
- Symmetrization reaction of mercurated ferrocenylienes. X-ray crystal structure of $[\text{Hg}\{(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\eta^5\text{-C}_5\text{H}_3\text{CPh}=\text{NC}_6\text{H}_4\text{-4-Br})\}_2]$ (Y.H. Liu, Y.J. Wu, S.Q. Huo and H.Z. Yuan), 7
- Crystal structure
Homoleptische Alkin–Nickel(0) Komplexe: Kombination von Nickel(0) Zentren mit Alkynylsilanen $\text{R}_n^1\text{Si}(\text{C}\equiv\text{C}-\text{R}^2)_{4-n}$ zu nickelorganischen Analoga von Siloxanen (D. Walther, T. Klettke, H. Görls and W. Imhof), 129
- Cyanide
Novel organotin-functionalized, polymeric transition metal cyanides: from $\text{Me}_3\text{Sn-}$ to $\text{Me}_2\text{Sn}(\text{CH}_2)_3\text{SnMe}_2$ spacers (J.-U. Schütze, R. Eckhardt, R.D. Fischer, D.C. Apperley, N.A. Davies and R.K. Harris), 187
- Cyclic voltammetry
Reduction of ruthenium arenecyclopentadienyl complexes. Reactions induced by electron transfer (O.V. Gusev, M.A. Ievlev, M.G. Peterleitner, S.M. Peregodova, L.I. Denisovich, P.V. Petrovskii and N.A. Ustyniyuk), 57
- Cyclopentadienyl
Cationic mono(pentamethylcyclopentadienyl)(2-methyl) complexes of hafnium (B. Hessen and H. Van der Heijden), 237
- Reduction of ruthenium arenecyclopentadienyl complexes. Reactions induced by electron transfer (O.V. Gusev, M.A. Ievlev, M.G. Peterleitner, S.M. Peregodova, L.I. Denisovich, P.V. Petrovskii and N.A. Ustyniyuk), 57
- Cyclopentadienyls
Organometallic oxides: preparation of the heterometallic (cyclopentadienyl)titanium–molybdenum oxide cluster $[(\eta\text{-C}_5\text{H}_5)\text{Ti}]_2[(\eta\text{-C}_5\text{Me}_5)\text{MoCl}](\mu_2\text{-O})_3(\mu_3\text{-O})$ (F. Bottomley and J.E. McKenzie-Boone), 23
- Cyclopropanation
Synthesis and catalytic properties of *N*-functionalized carbene complexes of rhodium(I) and ruthenium(II) (B. Çetinkaya, I. Özdemir and P.H. Dixneuf), 153
- Diazoalkane
Insertion reactions of diazoalkanes into an Re–H–Re bridge of $[\text{Re}_2(\mu\text{-H})_2(\text{CO})_8]$. Synthesis and characterization of $[\text{Re}_2(\mu\text{-H})(\text{CO})_8(\mu\text{-}\eta^1\text{-N}(\text{H})\text{NCPH}_2)]$ and of $[\text{Re}_2(\mu\text{-H})(\text{CO})_8(\mu\text{-}\eta^2\text{-CH}_2\text{CO}_2\text{Et})]$ (L. Carlucci, G. Ciani, D.W. V. Gudenberg and G. D'Alfonso), 233
- Dienes
Hydroboration of isoprene and 1,4-cyclooctadiene with *N*-azolyboranes (B. Wrackmeyer and B. Schwarze), 207
- 1,2-Di(hypersilyl)ethene
1,2-Di(hypersilyl)-ethylene — the unexpected result of the reaction of tris(trimethylsilyl)silyllithium with formic acid methyl ester (T. Gross, R. Kempe and H. Oehme), 229
- Di(hypersilyl)methanol
1,2-Di(hypersilyl)-ethylene — the unexpected result of the reaction of tris(trimethylsilyl)silyllithium with formic acid methyl ester (T. Gross, R. Kempe and H. Oehme), 229
- Diiron
Diiron acetylide complexes: molecular structures of $[\text{Fe}_2(\text{CO})_4(\mu\text{-C}\equiv\text{CPh})(\mu\text{-PPh}_2)(\mu\text{-dppm})]$ and $[\text{Fe}_2(\text{CO})_3(\text{Ph}_2\text{PC}\equiv\text{CPh})(\mu\text{-C}\equiv\text{CPh})(\mu\text{-PPh}_2)(\mu\text{-dppm})]$ (G. Hogarth and S.P. Redmond), 221
- Dilithiated molecules
A unique Li_{12} -aggregate containing both $-\text{NLi}_2$ and $-\text{CHLi} \sim \text{NLi}$ units (S.C. Ball, J. Cobb, R.P. Davies, P.R. Raithby, G.P. Shields and R. Snaith), 241
- Dimethylsilyl bridge
ansa-Metallocene derivatives XXXVI. Dimethylsilyl-bridged permethyl chromocene carbonyl complexes – syntheses, crystal structures and interconversion reactions (F. Schaper, M. Rentzsch, M.-H. Prosenc, U. Rief, K. Schmidt and H.-H. Brintzinger), 67
- Diphosphastibacyclopentadiene
Half sandwich complexes derived from a 2,4-diphosphastibolyl ring anion (S.J. Black and C. Jones), 89
- Diphosphastibolyl
Half sandwich complexes derived from a 2,4-diphosphastibolyl ring anion (S.J. Black and C. Jones), 89
- Divinyl(dimethyl)silane
The synthesis and characterisation of di- and trinuclear vinylsilicon (tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 139
- Dynes
Synthesis of ferrocene derivatives with π -extended conjugation (J.-G. Rodríguez, M. Gayo and I. Fonseca), 35
- E*- and *Z*-isomers
Synthesis of ferrocene derivatives with π -extended conjugation (J.-G. Rodríguez, M. Gayo and I. Fonseca), 35
- Enantioselectivity
The influence of ligands in Pinhey phenylation reactions using lead(IV) tetracarboxylates (M.G. Moloney, D.R. Paul, S.C. Prottey, R.M. Thompson and E. Wright), 195
- Ferrocene
Symmetrization reaction of mercurated ferrocenylienes. X-ray crystal structure of $[\text{Hg}\{(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\eta^5\text{-C}_5\text{H}_3\text{CPh}=\text{NC}_6\text{H}_4\text{-4-Br})\}_2]$ (Y.H. Liu, Y.J. Wu, S.Q. Huo and H.Z. Yuan), 7
- Ferrocenes
Synthesis of ferrocene derivatives with π -extended conjugation (J.-G. Rodríguez, M. Gayo and I. Fonseca), 35
- Ferrocenyl selenoether
Synthesis of polysiloxane-supported ferrocenyl selenoether platinum complexes and their catalytic behavior in the hydrosilylation of olefins with triethoxysilane (J.-Z. Yao, Y.-Y. Chen and B.-S. Tian), 51

Heterobimetallics

Binuclear complexes containing an iron(I)–mercury(I) bond from oxidation of *trans*-[Fe(CO)₂(CS₂)(Ph₂Ppy-*P*)₂] with HgX₂ (Ph₂Ppy = 2-(diphenylphosphino)pyridine, X = Cl, SCN) (S.-M. Kuang, F. Xue, C.-Y. Duan, T.C.W. Mak and Z.-Z. Zhang), 15

Hexachlorodiphosphazanium ion

Kinetics and mechanism of oligosiloxanol condensation and oligosiloxane rearrangement catalysed with model phosphonitrile chloride catalysts (J. Chojnowski, W. Fortuniak, J. Habimana and R.G. Taylor), 105

Hydride

Five- and six-coordinate ruthenium complexes with the tridentate orthometallated aryl bisphosphine ligand [2,6-(Ph₂PCH₂)₂-C₆H₃][−] (G. Jia, H.M. Lee and I.D. Williams), 173

Insertion reactions of diazoalkanes into an Re–H–Re bridge of [Re₂(μ-H)₂(CO)₈]. Synthesis and characterization of [Re₂(μ-H)(CO)₈(μ-η¹-N(H)NCPPh₂)] and of [Re₂(μ-H)(CO)₈(μ-η²-CH₂CO₂Et)] (L. Carlucci, G. Ciani, D.W. V. Gudenberg and G. D'Alfonso), 233

Reactions of IrXL₂(PR₃) (X = Cl, OTf; L₂ = TFB, 2CO) with HSnR₃ (R = Ph, ⁿBu) (W. Chen, M.A. Esteruelas, M. Martín, M. Oliván and L.A. Oro), 95

Hydroboration

Hydroboration of isoprene and 1,4-cyclooctadiene with N-azolyboranes (B. Wrackmeyer and B. Schwarze), 207

Synthesis of bicyclic N-pyrrolylboranes via hydroboration of 2-vinyl and 2-allylpyrrole (B. Wrackmeyer and B. Schwarze), 181

Hydrogen transfer

ansa-Metallocene derivatives XXXVI. Dimethylsilyl-bridged permethyl chromocene carbonyl complexes – syntheses, crystal structures and interconversion reactions (F. Schaper, M. Rentzsch, M.-H. Proscenc, U. Rief, K. Schmidt and H.-H. Brintzinger), 67

Hydrosilylation

Synthesis of polysiloxane-supported ferrocenyl selenoether platinum complexes and their catalytic behavior in the hydrosilylation of olefins with triethoxysilane (J.-Z. Yao, Y.-Y. Chen and B.-S. Tian), 51

Hypersilyl compounds

1,2-Di(hypersilyl)-ethylene — the unexpected result of the reaction of tris(trimethylsilyl)silyllithium with formic acid methyl ester (T. Gross, R. Kempe and H. Oehme), 229

Imidazole

Synthesis and catalytic properties of *N*-functionalized carbene complexes of rhodium(I) and ruthenium(II) (B. Çetinkaya, I. Özdemir and P.H. Dixneuf), 153

Imide

A unique Li₁₂-aggregate containing both –NLi₂ and –CHLi ~ NLi units (S.C. Ball, J. Cobb, R.P. Davies, P.R. Raithby, G.P. Shields and R. Snaith), 241

Imido complexes

Preparation of imido pentamethylcyclopentadienyl molybdenum(IV) complexes X-ray molecular structure of *cis*-[MoCp*Cl(μ-N^tBu)]₂ · C₆H₆ (T. Pedraz, M.A. Pellinghelli, P. Royo, A. Tiripicchio and A. Vázquez de Miguel), 27

Iridium

Reactions of IrXL₂(PR₃) (X = Cl, OTf; L₂ = TFB, 2CO) with HSnR₃ (R = Ph, ⁿBu) (W. Chen, M.A. Esteruelas, M. Martín, M. Oliván and L.A. Oro), 95

Iron

Symmetrization reaction of mercurated ferrocenylimines. X-ray crystal structure of [Hg{(η⁵-C₅H₅)Fe(η⁵-C₅H₃CPh=NC₆H₄-4-Br)}₂] (Y.H. Liu, Y.J. Wu, S.Q. Huo and H.Z. Yuan), 7

Iron carbonyl

Binuclear complexes containing an iron(I)–mercury(I) bond from oxidation of *trans*-[Fe(CO)₂(CS₂)(Ph₂Ppy-*P*)₂] with HgX₂ (Ph₂Ppy = 2-(diphenylphosphino)pyridine, X = Cl, SCN) (S.-M. Kuang, F. Xue, C.-Y. Duan, T.C.W. Mak and Z.-Z. Zhang), 15

Isomers

Hydroboration of isoprene and 1,4-cyclooctadiene with N-azolyboranes (B. Wrackmeyer and B. Schwarze), 207

Lead(IV)

The influence of ligands in Pinhey phenylation reactions using lead(IV) tetracarboxylates (M.G. Moloney, D.R. Paul, S.C. Prottey, R.M. Thompson and E. Wright), 195

Ligand modification

The influence of ligands in Pinhey phenylation reactions using lead(IV) tetracarboxylates (M.G. Moloney, D.R. Paul, S.C. Prottey, R.M. Thompson and E. Wright), 195

Lithium

A unique Li₁₂-aggregate containing both –NLi₂ and –CHLi ~ NLi units (S.C. Ball, J. Cobb, R.P. Davies, P.R. Raithby, G.P. Shields and R. Snaith), 241

Low coordination

Half sandwich complexes derived from a 2,4-diphosphatibolyl ring anion (S.J. Black and C. Jones), 89

Main group metals

The influence of ligands in Pinhey phenylation reactions using lead(IV) tetracarboxylates (M.G. Moloney, D.R. Paul, S.C. Prottey, R.M. Thompson and E. Wright), 195

Mercury

Symmetrization reaction of mercurated ferrocenylimines. X-ray crystal structure of [Hg{(η⁵-C₅H₅)Fe(η⁵-C₅H₃CPh=NC₆H₄-4-Br)}₂] (Y.H. Liu, Y.J. Wu, S.Q. Huo and H.Z. Yuan), 7

Mercury (I)

Binuclear complexes containing an iron(I)–mercury(I) bond from oxidation of *trans*-[Fe(CO)₂(CS₂)(Ph₂Ppy-*P*)₂] with HgX₂ (Ph₂Ppy = 2-(diphenylphosphino)pyridine, X = Cl, SCN) (S.-M. Kuang, F. Xue, C.-Y. Duan, T.C.W. Mak and Z.-Z. Zhang), 15

Metallocene

ansa-Metallocene derivatives XXXVI. Dimethylsilyl-bridged permethyl chromocene carbonyl complexes – syntheses, crystal structures and interconversion reactions (F. Schaper, M. Rentzsch, M.-H. Proscenc, U. Rief, K. Schmidt and H.-H. Brintzinger), 67

Metalloproty

3-[4-Phenoxyphenyl]pyrazole (Hpz^{pp}) and 3-[4-butoxyphenyl]pyrazole (Hpz^{bp}) in rhodium chemistry. Crystal structures of 3-[4-phenoxyphenyl]pyrazole, [Rh(μ-pz^{pp})(COD)]₂ · ½CH₂Cl₂ and [Rh(μ-pz^{pp})(COD)]₂ (M. Cano, J.V. Heras, M. Maeso, M. Alvaro, R. Fernández, E. Pinilla, J.A. Campo and A. Monge), 159

Molybdenum

Novel organotin-functionalized, polymeric transition metal cyanides: from Me₃Sn- to Me₂Sn(CH₂)₃SnMe₂ spacers (J.-U. Schütze, R. Eckhardt, R.D. Fischer, D.C. Apperley, N.A. Davies and R.K. Harris), 187

Organometallic oxides: preparation of the heterometallic (cyclopentadienyl)titanium–molybdenum oxide cluster [(η-C₅H₅)Ti]₂[(η-C₅Me₅)MoCl](μ₂-O)₃(μ₃-O) (F. Bottomley and J.E. McKenzie-Boone), 23

Preparation of imido pentamethylcyclopentadienyl molybdenum(IV) complexes X-ray molecular structure of *cis*-[MoCp*Cl(μ-N^tBu)]₂ · C₆H₆ (T. Pedraz, M.A. Pellinghelli, P. Royo, A. Tiripicchio and A. Vázquez de Miguel), 27

Nickel

Homoleptische Alkin–Nickel(0) Komplexe: Kombination von Nickel(0) Zentren mit Alkynylsilanen $R_n^1Si(-C\equiv C-R^2)_{4-n}$ zu nickelorganischen Analoga von Siloxanen (D. Walther, T. Kletke, H. Görls und W. Imhof), 129

Nickel(0)

The synthesis and characterisation of di- and trinuclear vinylsilicon-(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 139

NMR

Hydroboration of isoprene and 1,4-cyclooctadiene with N-azolyboranes (B. Wrackmeyer and B. Schwarze), 207

Synthesis of bicyclic N-pyrrolyboranes via hydroboration of 2-vinyl and 2-allylpyrrole (B. Wrackmeyer and B. Schwarze), 181

N-(phenylsulfanyl)iminoesters

Réactivité d'organozinciques α -insaturés vis à vis de N-(phénylsulfanyl)iminoesters Application à la synthèse d' α -aminoacides insaturés, mono- ou disubstitués (M. Aidene, F. Barbot et L. Miginiac), 117

Nuclear magnetic resonance

Novel organotin-functionalized, polymeric transition metal cyanides: from Me_3Sn- to $Me_2Sn(CH_2)_3SnMe_2$ spacers (J.-U. Schütze, R. Eckhardt, R.D. Fischer, D.C. Apperley, N.A. Davies and R.K. Harris), 187

Organobridged dicobaloximes

Organobridged dicobaloximes: synthesis and NMR correlation (B.D. Gupta and K. Qanungo), 213

Organocobaloximes

Organobridged dicobaloximes: synthesis and NMR correlation (B.D. Gupta and K. Qanungo), 213

Oxidation elimination

Binuclear complexes containing an iron(I)–mercury(I) bond from oxidation of *trans*-[Fe(CO)₂(CS₂)(Ph₂Ppy-P)₂] with HgX₂ (Ph₂Ppy = 2-(diphenylphosphino)pyridine, X = Cl, SCN) (S.-M. Kuang, F. Xue, C.-Y. Duan, T.C.W. Mak and Z.-Z. Zhang), 15

Oxidative addition

Reactions of IrXL₂(PR₃) (X = Cl, OTf; L₂ = TFB, 2CO) with HSnR₃ (R = Ph, ⁿBu) (W. Chen, M.A. Esteruelas, M. Martín, M. Oliván and L.A. Oro), 95

Oxide clusters

Organometallic oxides: preparation of the heterometallic (cyclopentadienyl)titanium–molybdenum oxide cluster [(η -C₅H₅)Ti]₂[(η -C₅Me₅)MoCl](μ_2 -O)₃(μ_3 -O) (F. Bottomley and J.E. McKenzie-Boone), 23

Phenylation

The influence of ligands in Pinhey phenylation reactions using lead(IV) tetracarboxylates (M.G. Moloney, D.R. Paul, S.C. Prottey, R.M. Thompson and E. Wright), 195

Phosphazene

Kinetics and mechanism of oligosiloxanol condensation and oligosiloxane rearrangement catalysed with model phosphonitrile chloride catalysts (J. Chojnowski, W. Fortuniak, J. Habimana and R.G. Taylor), 105

Phosphido-bridged

Reactions of rhodium chloro complexes containing secondary phosphines with metal carbonyls [M₃(CO)₁₂] (M = Fe, Ru): Synthesis and X-ray crystal structures of the metal clusters [Ru₃Rh(CO)₇(μ_3 -H)(μ -PBU₂)₂](Bu^t₂PH)(μ -Cl)₂] and [Ru₃Rh(CO)₈(μ_3 -H)(μ -H)₂(μ_3 -PBU^t)(μ -PBU^t)₂] (H.-C. Böttcher, M. Graf and K. Merzweiler), 43

Phosphine

Binuclear complexes containing an iron(I)–mercury(I) bond from oxidation of *trans*-[Fe(CO)₂(CS₂)(Ph₂Ppy-P)₂] with HgX₂

(Ph₂Ppy = 2-(diphenylphosphino)pyridine, X = Cl, SCN) (S.-M. Kuang, F. Xue, C.-Y. Duan, T.C.W. Mak and Z.-Z. Zhang), 15

Five- and six-coordinate ruthenium complexes with the tridentate orthometallated aryl bisphosphine ligand [2,6-(Ph₂PCH₂)₂-C₆H₃]⁻ (G. Jia, H.M. Lee and I.D. Williams), 173

The synthesis and characterisation of di- and trinuclear vinylsilicon-(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 139

Phosphonitrile chlorides

Kinetics and mechanism of oligosiloxanol condensation and oligosiloxane rearrangement catalysed with model phosphonitrile chloride catalysts (J. Chojnowski, W. Fortuniak, J. Habimana and R.G. Taylor), 105

Phosphorus

Half sandwich complexes derived from a 2,4-diphosphastibolyl ring anion (S.J. Black and C. Jones), 89

Platinum(0)

The synthesis and characterisation of di- and trinuclear vinylsilicon-(tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 139

Platinum complex

Synthesis of polysiloxane-supported ferrocenyl selenoether platinum complexes and their catalytic behavior in the hydrosilylation of olefins with triethoxysilane (J.-Z. Yao, Y.-Y. Chen and B.-S. Tian), 51

Polymer

Novel organotin-functionalized, polymeric transition metal cyanides: from Me_3Sn- to $Me_2Sn(CH_2)_3SnMe_2$ spacers (J.-U. Schütze, R. Eckhardt, R.D. Fischer, D.C. Apperley, N.A. Davies and R.K. Harris), 187

Polysiloxane

Synthesis of polysiloxane-supported ferrocenyl selenoether platinum complexes and their catalytic behavior in the hydrosilylation of olefins with triethoxysilane (J.-Z. Yao, Y.-Y. Chen and B.-S. Tian), 51

Polysiloxanes

Kinetics and mechanism of oligosiloxanol condensation and oligosiloxane rearrangement catalysed with model phosphonitrile chloride catalysts (J. Chojnowski, W. Fortuniak, J. Habimana and R.G. Taylor), 105

Propylene polymerization

Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, Me₂X(Cp)(RInd)ZrCl₂ (X = C, Si; R = 2-*p*- or 3-*p*-tolyl) (S.C. Yoon, T.K. Han, B.W. Woo, H. Song, S.I. Woo and J.T. Park), 81

Pyridine

A unique Li₁₂-aggregate containing both -NLi₂ and -CHLi ~ NLi units (S.C. Ball, J. Cobb, R.P. Davies, P.R. Raithby, G.P. Shields and R. Snaith), 241

Pyrrole

Synthesis of bicyclic N-pyrrolyboranes via hydroboration of 2-vinyl and 2-allylpyrrole (B. Wrackmeyer and B. Schwarze), 181

Reaction mechanisms

A unique Li₁₂-aggregate containing both -NLi₂ and -CHLi ~ NLi units (S.C. Ball, J. Cobb, R.P. Davies, P.R. Raithby, G.P. Shields and R. Snaith), 241

Rearrangement

ansa-Metalloocene derivatives XXXVI. Dimethylsilyl-bridged permethyl chromocene carbonyl complexes – syntheses, crystal structures and interconversion reactions (F. Schaper, M. Rentzsch, M.-H. Prosenc, U. Rief, K. Schmidt and H.-H. Brintzinger), 67

Regioselectivity

Réactivité d'organozinciques α -insaturés vis à vis de N-(phénylsulfanyl)iminoesters Application à la synthèse d' α -aminoacides insa-

- turés, mono- ou disubstitués (M. Aidene, F. Barbot et L. Miginiac), 117
- Rhenium**
 Insertion reactions of diazoalkanes into an Re–H–Re bridge of $[\text{Re}_2(\mu\text{-H})_2(\text{CO})_8]$. Synthesis and characterization of $[\text{Re}_2(\mu\text{-H})(\text{CO})_8(\mu\text{-}\eta^1\text{-N}(\text{H})\text{NCPH}_2)]$ and of $[\text{Re}_2(\mu\text{-H})(\text{CO})_8(\mu\text{-}\eta^2\text{-CH}_2\text{CO}_2\text{Et})]$ (L. Carlucci, G. Ciani, D.W. V. Gudenberg and G. D'Alfonso), 233
- Rhodium**
 Reactions of rhodium chloro complexes containing secondary phosphines with metal carbonyls $[\text{M}_3(\text{CO})_{12}]$ (M = Fe, Ru): Synthesis and X-ray crystal structures of the metal clusters $[\text{Ru}_3\text{Rh}(\text{CO})_7(\mu_3\text{-H})(\mu\text{-PBU}_2)_2(\text{Bu}_2\text{PH})(\mu\text{-Cl})_2]$ and $[\text{Ru}_3\text{Rh}(\text{CO})_8(\mu_3\text{-H})(\mu\text{-H})_2(\mu_3\text{-PBU}^t)(\mu\text{-PBU}_2)_2]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 43
 Synthesis and catalytic properties of *N*-functionalized carbene complexes of rhodium(I) and ruthenium(II) (B. Çetinkaya, I. Özdemir and P.H. Dixneuf), 153
- Rhodium–pyrazolate complexes**
 3-[4-Phenoxyphenyl]pyrazole (Hpz^{pp}) and 3-[4-butoxyphenyl]pyrazole (Hpz^{bp}) in rhodium chemistry. Crystal structures of 3-[4-phenoxyphenyl]pyrazole, $[\text{Rh}(\mu\text{-pz}^{\text{pp}})(\text{COD})_2]_2 \cdot \frac{1}{2}\text{CH}_2\text{Cl}_2$ and $[\text{Rh}(\mu\text{-pz}^{\text{bp}})(\text{COD})_2]_2$ (M. Cano, J.V. Heras, M. Maeso, M. Alvaro, R. Fernández, E. Pinilla, J.A. Campo and A. Monge), 159
- Rhodium–pyrazol complexes**
 3-[4-Phenoxyphenyl]pyrazole (Hpz^{pp}) and 3-[4-butoxyphenyl]pyrazole (Hpz^{bp}) in rhodium chemistry. Crystal structures of 3-[4-phenoxyphenyl]pyrazole, $[\text{Rh}(\mu\text{-pz}^{\text{pp}})(\text{COD})_2]_2 \cdot \frac{1}{2}\text{CH}_2\text{Cl}_2$ and $[\text{Rh}(\mu\text{-pz}^{\text{bp}})(\text{COD})_2]_2$ (M. Cano, J.V. Heras, M. Maeso, M. Alvaro, R. Fernández, E. Pinilla, J.A. Campo and A. Monge), 159
- Ruthenium**
 Five- and six-coordinate ruthenium complexes with the tridentate orthometallated aryl bisphosphine ligand $[2,6\text{-}(\text{Ph}_2\text{PCH}_2)_2\text{-C}_6\text{H}_3]^-$ (G. Jia, H.M. Lee and I.D. Williams), 173
 Reactions of rhodium chloro complexes containing secondary phosphines with metal carbonyls $[\text{M}_3(\text{CO})_{12}]$ (M = Fe, Ru): Synthesis and X-ray crystal structures of the metal clusters $[\text{Ru}_3\text{Rh}(\text{CO})_7(\mu_3\text{-H})(\mu\text{-PBU}_2)_2(\text{Bu}_2\text{PH})(\mu\text{-Cl})_2]$ and $[\text{Ru}_3\text{Rh}(\text{CO})_8(\mu_3\text{-H})(\mu\text{-H})_2(\mu_3\text{-PBU}^t)(\mu\text{-PBU}_2)_2]$ (H.-C. Böttcher, M. Graf and K. Merzweiler), 43
 Reduction of ruthenium arenecyclopentadienyl complexes. Reactions induced by electron transfer (O.V. Gusev, M.A. Ievlev, M.G. Peterleitner, S.M. Peregodova, L.I. Denisovich, P.V. Petrovskii and N.A. Ustynyuk), 57
 Synthesis and catalytic properties of *N*-functionalized carbene complexes of rhodium(I) and ruthenium(II) (B. Çetinkaya, I. Özdemir and P.H. Dixneuf), 153
- Silanol polycondensation**
 Kinetics and mechanism of oligosiloxanol condensation and oligosiloxane rearrangement catalysed with model phosphonitrile chloride catalysts (J. Chojnowski, W. Fortuniak, J. Habimana and R.G. Taylor), 105
- Silicon**
 Homoleptische Alkin–Nickel(0) Komplexe: Kombination von Nickel(0) Zentren mit Alkynylsilanen $\text{R}_n^1\text{Si}(\text{-C}\equiv\text{C-R}^2)_{4-n}$ zu nickelorganischen Analoga von Siloxanen (D. Walther, T. Kletke, H. Görls und W. Imhof), 129
- Siloxane rearrangement**
 Kinetics and mechanism of oligosiloxanol condensation and oligosiloxane rearrangement catalysed with model phosphonitrile chloride catalysts (J. Chojnowski, W. Fortuniak, J. Habimana and R.G. Taylor), 105
- Stannyll**
 Reactions of $\text{IrXL}_2(\text{PR}_3)$ (X = Cl, OTf; $\text{L}_2 = \text{TFB}, 2\text{CO}$) with HSnR_3 (R = Ph, ⁿBu) (W. Chen, M.A. Esteruelas, M. Martín, M. Oliván and L.A. Oro), 95
- Sulfane ligand**
 Synthesis and reactivity of 2-(ethylthio)phenylcopper: a stable organocopper compound carrying an intramolecular sulfane ligand (S. Toyota and M. Ōki), 1
- Supported catalysts**
 Synthesis of polysiloxane-supported ferrocenyl selenoether platinum complexes and their catalytic behavior in the hydrosilylation of olefins with triethoxysilane (J.-Z. Yao, Y.-Y. Chen and B.-S. Tian), 51
- Symmetrization**
 Symmetrization reaction of mercurated ferrocenylimines. X-ray crystal structure of $[\text{Hg}(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\eta^5\text{-C}_5\text{H}_3\text{CPh}=\text{NC}_6\text{H}_4\text{-4-Br})_2]$ (Y.H. Liu, Y.J. Wu, S.Q. Huo and H.Z. Yuan), 7
- Tetramethyldivinylsiloxane**
 The synthesis and characterisation of di- and trinuclear vinylsilicon (tertiary phosphine) complexes of platinum(0) and nickel(0) (P.B. Hitchcock, M.F. Lappert, C. MacBeath, F.P.E. Scott and N.J.W. Warhurst), 139
- Tin**
 Novel organotin-functionalized, polymeric transition metal cyanides: from $\text{Me}_3\text{Sn-}$ to $\text{Me}_2\text{Sn}(\text{CH}_2)_3\text{SnMe}_2$ spacers (J.-U. Schütze, R. Eckhardt, R.D. Fischer, D.C. Apperley, N.A. Davies and R.K. Harris), 187
- Titanium**
 Organometallic oxides: preparation of the heterometallic (cyclopentadienyl)titanium–molybdenum oxide cluster $[(\eta\text{-C}_5\text{H}_5)\text{Ti}]_2[(\eta\text{-C}_5\text{Me}_5)\text{MoCl}(\mu_2\text{-O})_3(\mu_3\text{-O})]$ (F. Bottomley and J.E. McKenzie-Boone), 23
- Tolyllindene**
 Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, $\text{Me}_2\text{X}(\text{Cp})(\text{RInd})\text{ZrCl}_2$ (X = C, Si; R = 2-*p*- or 3-*p*-tolyl) (S.C. Yoon, T.K. Han, B.W. Woo, H. Song, S.I. Woo and J.T. Park), 81
- Tris(trimethylsilyl)silyl compounds**
 1,2-Di(hypersilyl)-ethylene — the unexpected result of the reaction of tris(trimethylsilyl)silyllithium with formic acid methyl ester (T. Gross, R. Kempe and H. Oehme), 229
- X-ray crystal structure**
 Diiron acetylide complexes: molecular structures of $[\text{Fe}_2(\text{CO})_4(\mu\text{-C}\equiv\text{CPh})(\mu\text{-PPh}_2)(\mu\text{-dppm})]$ and $[\text{Fe}_2(\text{CO})_3(\text{Ph}_2\text{PC}\equiv\text{CPh})(\mu\text{-C}\equiv\text{CPh})(\mu\text{-PPh}_2)(\mu\text{-dppm})]$ (G. Hogarth and S.P. Redmond), 221
- X-ray structure**
 A unique Li_{12} -aggregate containing both $-\text{NLi}_2$ and $-\text{CHLi} \sim \text{NLi}$ units (S.C. Ball, J. Cobb, R.P. Davies, P.R. Raithby, G.P. Shields and R. Snaith), 241
 Preparation of imido pentamethylcyclopentadienyl molybdenum(IV) complexes: X-ray molecular structure of *cis*- $[\text{MoCp}^*\text{Cl}(\mu\text{-N}^t\text{Bu})_2 \cdot \text{C}_6\text{H}_6]$ (T. Pedraz, M.A. Pellinghelli, P. Royo, A. Tiripicchio and A. Vázquez de Miguel), 27
 Synthesis of ferrocene derivatives with π -extended conjugation (J.-G. Rodríguez, M. Gayo and I. Fonseca), 35
- ansa-Zirconocenes**
 Synthesis, structure, and catalytic properties of *ansa*-zirconocenes, $\text{Me}_2\text{X}(\text{Cp})(\text{RInd})\text{ZrCl}_2$ (X = C, Si; R = 2-*p*- or 3-*p*-tolyl) (S.C. Yoon, T.K. Han, B.W. Woo, H. Song, S.I. Woo and J.T. Park), 81
- Book reviews**
Aqueous Organometallic Chemistry and Catalysis, NATO ASI Partnership Sub-Series 3, High Technology Vol. 5, by I.S. Horvath and E. Joó (eds.) (G.J. Leigh), 247
Gmelin Handbook of Inorganic and Organometallic Chemistry, Eighth Edition, Supplement Volume B3, Au (G.J. Leigh), 247
Gmelin Handbook of Inorganic and Organometallic Chemistry, Eighth Edition, Part B8, Os Organosmium Compounds (G.J. Leigh), 247