

Subject Index of Volume 682

Aggregation

Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172

Alkenes

Novel zwitterionic heterocycles containing hypervalent tin, 188

Alkoxydichloroaluminum

The products formed in the reaction of MeAlCl_2 with alcohols (1:1), 196

Alkynes

Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex $[\text{RuCp}(\text{CH}_3\text{CN})_3]\text{PF}_6$, 204

Aluminum alkoxides

The products formed in the reaction of MeAlCl_2 with alcohols (1:1), 196

Amidinate

Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224

Amidine

Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224

Amino acid complexes

Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143

α -Amino acids

Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143

Arene Complexes

Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex $[\text{RuCp}(\text{CH}_3\text{CN})_3]\text{PF}_6$, 204

2-(Arylazo)imidazole complexes

Synthesis and characterization of *cis*- $\text{Mo}(\text{CO})_4(\text{L}-\text{L}')$ and *cis*- $\text{Mo}(\text{CO})_2(\text{L}-\text{L}')_2$ complexes of *N*(1)-methyl-2-(arylamino)imidazoles ($\text{L}-\text{L}'$). Correlations of spectroscopic data with substituent effects, 248

Asymmetric catalysis

Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of $[(1R, 2S)\text{-(Me}_2\text{Ga-}\mu\text{-OCH}(\text{C}_6\text{H}_5)\text{CH}(\text{CH}_3)\text{-}\mu\text{-NHCH}_3)_2]$, 102

Azobenzene

Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218

Azoimine complexes

Synthesis and characterization of *cis*- $\text{Mo}(\text{CO})_4(\text{L}-\text{L}')$ and *cis*- $\text{Mo}(\text{CO})_2(\text{L}-\text{L}')_2$ complexes of *N*(1)-methyl-2-(arylamino)imidazoles ($\text{L}-\text{L}'$). Correlations of spectroscopic data with substituent effects, 248

Azoles

Novel zwitterionic heterocycles containing hypervalent tin, 188

Benzo-1,3-dithiole-2-ylidene moieties

Synthesis and electrochemical properties of 1,1'-bis(benzo-1,3-dithiole-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49

Bidentate arsine palladium(0) complex

Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes, 20

Bimetallic clusters

Metallation of $\text{PtRu}_5(\text{CO})_{16}(\mu_6\text{-C})$ by using bis(tri-*t*-butyl-phosphine) complexes of platinum and palladium, 113

Bioorganometallic chemistry

Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1'-ferrocenylene unit, 131

Boron

Novel zwitterionic heterocycles containing hypervalent tin, 188
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180

Bridging ligands

Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes, 260

Calamitic Pd(II) complexes

Bridged 3,5-disubstituted pyrazolate ligands as support of metallo-mesogens containing $[\text{Pd}(\eta^3\text{-C}_3\text{H}_5)]^+$ fragments: X-ray crystal structure of $[\text{Pd}(\eta^3\text{-C}_3\text{H}_5)(\mu\text{-pz}^{\text{R}2})]_2 \cdot \text{CH}_2\text{Cl}_2$ ($\text{R}=\text{C}_6\text{H}_4\text{OC}_{12}\text{H}_{25}$). Part III, 26

Carbene complexes

Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes, 260

Carbenes

Novel zwitterionic heterocycles containing hypervalent tin, 188

Carbonyl

Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_8(\eta\text{-C}_5\text{R}_5)$ ($\text{R}=\text{H, Me}$) and $\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2$; X-ray crystal structures of $\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_6(\text{PPh}_3)_2(\eta\text{-C}_5\text{Me}_5)$ and $\text{Mo}_2\text{Ir}_2(\mu_4\text{-}\eta^2\text{-PhC}_2\text{Ph})(\mu\text{-CO})_4(\text{CNBu}^t)(\text{CO})_3(\eta\text{-C}_5\text{H}_5)_2$, 41

Chemical vapor deposition

Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224

Chromium(II)

Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143

Cluster

Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_8(\eta\text{-C}_5\text{R}_5)$ ($\text{R}=\text{H, Me}$) and $\text{Mo}_2\text{Ir}_2(\mu\text{-CO})_3(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2$; X-ray crystal structures of $\text{MoIr}_3(\mu\text{-CO})_3(\text{CO})_6(\text{PPh}_3)_2(\eta\text{-C}_5\text{Me}_5)$ and $\text{Mo}_2\text{Ir}_2(\mu_4\text{-}\eta^2\text{-PhC}_2\text{Ph})(\mu\text{-CO})_4(\text{CNBu}^t)(\text{CO})_3(\eta\text{-C}_5\text{H}_5)_2$, 41

Cobaltocene

Synthesis and reactivity impact from electron-withdrawing substituent on the cyclopentadienyl ligand of cobalt(I)–(III) complexes, 123

CO insertion

CO insertion reaction of zirconacyclopentadienes, 108

Conformational polymorphism

Ferrocene compounds: Part XXXIII. Synthesis and characteriza-

- tion of amino acids containing skeletal 1,1'-ferrocenylene unit, 131
- Coordination
Preparation of carbonyl tungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode, 79
- C-Pyridine
Synthesis of a C-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
- Cross-coupling
Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
- Crystal structure
Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of [(1*R*, 2*S*)-(Me₂Ga-μ-OCH(C₆H₅)CH(CH₃)-μ-NHCH₃)₂], 102
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from [ReH₂(O)(Cytpp)]⁺ (Cytpp=PhP(CH₂CH₂CH₂PCy₂)₂), 85
- Crystal structures
Synthesis and reactivity impact from electron-withdrawing substituent on the cyclopentadienyl ligand of cobalt(I)–(III) complexes, 123
- Cyclic voltammetry
Synthesis and electrochemical properties of 1,1'-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
- Cyclopentadienyl
Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224
- Cyclopentadienyls
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
- Cyclopentenone
CO insertion reaction of zirconacyclopentadienes, 108
- Cyclotrimerization
Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex [RuCp(CH₃CN)₃]PF₆, 204
- Density functional calculations
A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene *cis*-[Pt{η³-C₃H₅}{η¹-C(PPh₃)CO₂}₂]⁺, 255
- DFT calculations
Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex [RuCp(CH₃CN)₃]PF₆, 204
- [4+2] Diels–Alder cycloaddition
Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
- Diels–Alder reactions
Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes, 260
- Dienes
Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
- Diiodides
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
- Dimethyl aluminium
Synthesis and structure of four-coordinate dimethyl aluminium complexes incorporating new N,O-chelating arylamido ligands, 240
- Diphenyl carbonate
Synthesis and reactivity of phenoxycarbonyl palladium complex: relevant to the mechanism of oxidative carbonylation of phenol, 66
- 1,1'-Disubstituted
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
- Double helix
Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
- DSC
Solid state isomerisation reactions of some ruthenium complexes, 2
- Dysprosium
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
- Eclipsed conformers
Eclipsed conformers of oligosilane derivatives by intramolecular hypercoordination, 119
- Electrochemical properties
Synthesis and electrochemical properties of 1,1'-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
- Emission
Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains, 267
- Enantiopure
Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
- (–)-Ephedrine derivatives
Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of [(1*R*, 2*S*)-(Me₂Ga-μ-OCH(C₆H₅)CH(CH₃)-μ-NHCH₃)₂], 102
- Ether–pyrazole ligand
Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting κ³*N,N,O* meridional or facial coordination mode, 233
- Ferrocene
Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1'-ferrocenylene unit, 131
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
- Ferrocene-dialdehydes
Synthesis and electrochemical properties of 1,1'-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
- Ferrocenes
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
- [1]Ferrocenophanes
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
- Formate complex
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from [ReH₂(O)(Cytpp)]⁺ (Cytpp=PhP(CH₂CH₂CH₂PCy₂)₂), 85
- Hemilabile substituent
Synthesis and reactivity impact from electron-withdrawing substituent on the cyclopentadienyl ligand of cobalt(I)–(III) complexes, 123
- 2*H*-1,3,2-Diazaphosphole
Synthesis of a C-pyridine-substituted 2*H*-1,3,2-diazaphosphole

- complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
- Heck arylation
Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes, 20
- Hemilabile ligand
Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting $\kappa^3 N,N,O$ meridional or facial coordination mode, 233
- Heterometallic
Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear [Pt₂(PP)₂(μ-S)₂] (PP=2PPh₃, dppf), 73
- Hydration of nitriles
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from [ReH₂(O)(Cyttp)]⁺ (Cyttp=PhP(CH₂CH₂CH₂PCy₂)₂), 85
- Hydrido-oxo complexes
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from [ReH₂(O)(Cyttp)]⁺ (Cyttp=PhP(CH₂CH₂CH₂PCy₂)₂), 85
- Indanone
CO insertion reaction of zirconacyclopentadienes, 108
- Indenone
CO insertion reaction of zirconacyclopentadienes, 108
- Intramolecular hypercoordination
Eclipsed conformers of oligosilane derivatives by intramolecular hypercoordination, 119
- Ion pairs
Synthesis and structural characterization of unusual amido samarium(III) complexes, 263
- Iridium
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of MoIr₃(μ-CO)₃(CO)₈(η-C₅R₅) (R=H, Me) and Mo₂Ir₂(μ-CO)₃(CO)₇(η-C₅H₅)₂; X-ray crystal structures of MoIr₃(μ-CO)₃(CO)₆(PPh₃)₂(η-C₅Me₅) and Mo₂Ir₂(μ₄-η²-PhC₂Ph)(μ-CO)₄(CNBu^t)(CO)₃(η-C₅H₅)₂, 41
- Iron
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
- ⁵⁷Iron labelled
Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl [⁵⁷Fe]ferrocene., 163
- IR spectra
Mixed metal pentanuclear clusters [MFe₄S₄(CO)₁₂]^{z-} (M=V, Mn and Cr; z=0, 2) and X-ray crystal structures of [VFe₄S₄(CO)₁₂] and [MnFe₄S₄(CO)₁₂]²⁻, 59
- Isocyanide
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of MoIr₃(μ-CO)₃(CO)₈(η-C₅R₅) (R=H, Me) and Mo₂Ir₂(μ-CO)₃(CO)₇(η-C₅H₅)₂; X-ray crystal structures of MoIr₃(μ-CO)₃(CO)₆(PPh₃)₂(η-C₅Me₅) and Mo₂Ir₂(μ₄-η²-PhC₂Ph)(μ-CO)₄(CNBu^t)(CO)₃(η-C₅H₅)₂, 41
- Isomerisation
Solid state isomerisation reactions of some ruthenium complexes, 2
- Isonitrile
Solid state isomerisation reactions of some ruthenium complexes, 2
- Ketenes
A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene *cis*-[Pt{η³-C₃H₅}{η¹-C(PPh₃)CO}₂]⁺, 255
- Ketenylidetriphenylphosphorane
A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene *cis*-[Pt{η³-C₃H₅}{η¹-C(PPh₃)CO}₂]⁺, 255
- Lanthanoid complexes
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
- Lewis
Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
- Long-chained 3,5-disubstituted pyrazoles
Bridged 3,5-disubstituted pyrazolate ligands as support of metallo-mesogens containing [Pd(η³-C₃H₅)⁺ fragments: X-ray crystal structure of [Pd(η³-C₃H₅)(μ-pz^{R2})₂·CH₂Cl₂ (R=C₆H₄OC₁₂H₂₅). Part III, 26
- Magnesium
Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224
- Manganese
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
- Mesomorphic behaviour
Bridged 3,5-disubstituted pyrazolate ligands as support of metallo-mesogens containing [Pd(η³-C₃H₅)⁺ fragments: X-ray crystal structure of [Pd(η³-C₃H₅)(μ-pz^{R2})₂·CH₂Cl₂ (R=C₆H₄OC₁₂H₂₅). Part III, 26
- Molybdenum
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of MoIr₃(μ-CO)₃(CO)₈(η-C₅R₅) (R=H, Me) and Mo₂Ir₂(μ-CO)₃(CO)₇(η-C₅H₅)₂; X-ray crystal structures of MoIr₃(μ-CO)₃(CO)₆(PPh₃)₂(η-C₅Me₅) and Mo₂Ir₂(μ₄-η²-PhC₂Ph)(μ-CO)₄(CNBu^t)(CO)₃(η-C₅H₅)₂, 41
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
- Molybdenum(0) complexes
Synthesis and characterization of *cis*-Mo(CO)₄(L-L') and *cis*-Mo(CO)₂(L-L')₂ complexes of *N*(1)-methyl-2-(arylo)imidazoles (L-L'). Correlations of spectroscopic data with substituent effects, 248
- Monocyclopentadienyl
Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
- Mössbauer spectroscopy
Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl [⁵⁷Fe]ferrocene., 163
- M(V, Mn, Cr)-Fe-S cluster compounds
Mixed metal pentanuclear clusters [MFe₄S₄(CO)₁₂]^{z-} (M=V, Mn and Cr; z=0, 2) and X-ray crystal structures of [VFe₄S₄(CO)₁₂] and [MnFe₄S₄(CO)₁₂]²⁻, 59
- Neodymium
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
- N-H oxidative addition
Rhodium pincer complexes of 2,2'-bis(diphenylphosphino)diphenylamine, 149
- N ligands
Synthesis and structural characterization of unusual amido samarium(III) complexes, 263
- NMR
Novel zwitterionic heterocycles containing hypervalent tin, 188
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
The products formed in the reaction of MeAlCl₂ with alcohols (1:1), 196
- N,O-Chelating arylamido ligands
Synthesis and structure of four-coordinate dimethyl aluminium complexes incorporating new N,O-chelating arylamido ligands, 240

- Nuclear magnetic resonance
 Synthesis and characterization of *cis*-Mo(CO)₄(L–L') and *cis*-Mo(CO)₂(L–L')₂ complexes of *N*(1)-methyl-2-(arylozo)imidazoles (L–L'). Correlations of spectroscopic data with substituent effects, 248
- Octamethylferrocene derivatives
 Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl [⁵⁷Fe]ferrocene., 163
- O2H-ataphorphirene
 Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
- Oligosilane derivatives
 Eclipsed conformers of oligosilane derivatives by intramolecular hypercoordination, 119
- Organic conductors
 Synthesis and electrochemical properties of 1,1'-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
- Organogallium
 Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of [(1*R*, 2*S*)-(Me₂Ga-μ-OCH(C₆H₅)CH(CH₃)-μ-NHCH₃)₂], 102
- Organoindium
 Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of [(1*R*, 2*S*)-(Me₂Ga-μ-OCH(C₆H₅)CH(CH₃)-μ-NHCH₃)₂], 102
- Organolithium
 Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
- Organosilicon polymer
 Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains, 267
- Oxidation
 Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
- Oxidative carbonylation of phenol
 Synthesis and reactivity of phenoxy carbonyl palladium complex: relevant to the mechanism of oxidative carbonylation of phenol, 66
- Oxime reduction
 Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143
- Palladium
 Metallation of PtRu₅(CO)₁₆(μ₆-C) by using bis(tri-*t*-butylphosphine) complexes of platinum and palladium, 113
 Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
- Palladium–pyrazolate complexes
 Bridged 3,5-disubstituted pyrazolate ligands as support of metallo-mesogens containing [Pd(η³-C₃H₅)⁺ fragments: X-ray crystal structure of [Pd(η³-C₃H₅)(μ-pz^{R2})₂·CH₂Cl₂ (R=C₆H₄OC₁₂H₂₅). Part III, 26
- Pentamethylcyclopentadienyl
 Mixed-metal cluster chemistry 25: Mixed ligand derivatives of MoIr₃(μ-CO)₃(CO)₈(η-C₅R₅) (R=H, Me) and Mo₂Ir₂(μ-CO)₃(CO)₇(η-C₅H₅)₂; X-ray crystal structures of MoIr₃(μ-CO)₃(CO)₆(PPh₃)₂(η-C₅Me₅) and Mo₂Ir₂(μ₄-η²-PhC₂Ph)(μ-CO)₄(CNBu^t)(CO)₃(η-C₅H₅)₂, 41
- Pentaphenylcyclopentadienyl
 Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
- Phenoxy carbonyl palladium complex
 Synthesis and reactivity of phenoxy carbonyl palladium complex: relevant to the mechanism of oxidative carbonylation of phenol, 66
- Phosphaallyl
 Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
- Phosphine
 Mixed-metal cluster chemistry 25: Mixed ligand derivatives of MoIr₃(μ-CO)₃(CO)₈(η-C₅R₅) (R=H, Me) and Mo₂Ir₂(μ-CO)₃(CO)₇(η-C₅H₅)₂; X-ray crystal structures of MoIr₃(μ-CO)₃(CO)₆(PPh₃)₂(η-C₅Me₅) and Mo₂Ir₂(μ₄-η²-PhC₂Ph)(μ-CO)₄(CNBu^t)(CO)₃(η-C₅H₅)₂, 41
- Phosphine oxide
 Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
- Phosphonates
 Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
- Platinum
 Metallation of PtRu₅(CO)₁₆(μ₆-C) by using bis(tri-*t*-butylphosphine) complexes of platinum and palladium, 113
- Platinum, Gold
 Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear [Pt₂(PP)₂(μ-S)₂] (PP=2PPh₃, dppf), 73
- PNP pincer ligand
 Rhodium pincer complexes of 2,2'-bis(diphenylphosphino)diphenylamine, 149
- Pt complexes
 A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene *cis*-[Pt{η³-C₃H₅}{η¹-C(PPh₃)CO}₂]⁺, 255
- P^V-selenide
 Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
- P^V-sulfide
 Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
- 2-Pyridylphosphines
 Preparation of carbonyltungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode, 79
- Quantum chemical calculations
 Rhodium pincer complexes of 2,2'-bis(diphenylphosphino)diphenylamine, 149
- Rhenium complexes
 Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from [ReH₂(O)(Cytpp)]⁺ (Cytpp=PhP(CH₂CH₂CH₂PCy₂)₂), 85
- Rhodium complexes
 Rhodium pincer complexes of 2,2'-bis(diphenylphosphino)diphenylamine, 149
- Rhodium(I) complexes
 Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting κ³*N,N,O* meridional or facial coordination mode, 233
- Ruthenium
 Metallation of PtRu₅(CO)₁₆(μ₆-C) by using bis(tri-*t*-butylphosphine) complexes of platinum and palladium, 113
 Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazo-

- lyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
- Ruthenium-mediated cyclootrimerization of alkynes utilizing the cationic complex $[\text{RuCp}(\text{CH}_3\text{CN})_3]\text{PF}_6$, 204
- Solid state isomerisation reactions of some ruthenium complexes, 2
- Samarium**
- Synthesis and structural characterization of unusual amido samarium(III) complexes, 263
- Silicon**
- 1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
- Silver**
- Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[\text{Pt}_2(\text{PP})_2(\mu\text{-S})_2]$ (PP=2PPh₃, dppf), 73
- Solid state**
- Solid state isomerisation reactions of some ruthenium complexes, 2
- Solvatochromism**
- Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains, 267
- Stereoselective synthesis**
- Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes, 20
- Structures**
- Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[\text{Pt}_2(\text{PP})_2(\mu\text{-S})_2]$ (PP=2PPh₃, dppf), 73
- Sugar**
- Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
- Sulfide**
- Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[\text{Pt}_2(\text{PP})_2(\mu\text{-S})_2]$ (PP=2PPh₃, dppf), 73
- Supported palladium catalyst**
- Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes, 20
- Synthesis**
- Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143
- Synthesis and structure of four-coordinate dimethyl aluminium complexes incorporating new N,O-chelating arylamido ligands, 240
- Synthesis and structures**
- Mixed metal pentanuclear clusters $[\text{MFe}_4\text{S}_4(\text{CO})_{12}]^{z-}$ (M=V, Mn and Cr; z=0, 2) and X-ray crystal structures of $[\text{VFe}_4\text{S}_4(\text{CO})_{12}]$ and $[\text{MnFe}_4\text{S}_4(\text{CO})_{12}]^{2-}$, 59
- Tellurium**
- Stereospecific synthesis of phosphono-(1Z,3E)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
- Thienylene polymer**
- Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains, 267
- Thulium**
- Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
- Tin**
- Novel zwitterionic heterocycles containing hypervalent tin, 188
- Titanium**
- Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
- Transfer of oxygen and hydrogen**
- Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from $[\text{ReH}_2(\text{O})(\text{Cytpp})]^+$ (Cytpp=PhP(CH₂CH₂CH₂PCy₂)₂), 85
- Tridentate ligand**
- Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting $\kappa^3\text{N,N,O}$ meridional or facial coordination mode, 233
- Tris(pyrazolyl)borate**
- Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
- Tris(pyrazolyl)methane**
- Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
- Tungsten**
- Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes, 260
- Preparation of carbonyltungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode, 79
- Unnatural amino acids**
- Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1'-ferrocenylene unit, 131
- Wittig–Horner reaction**
- Synthesis and electrochemical properties of 1,1'-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
- X-ray**
- Novel zwitterionic heterocycles containing hypervalent tin, 188
- 1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
- X-ray crystallography**
- Preparation of carbonyltungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode, 79
- X-ray diffraction**
- Synthesis and structural characterization of unusual amido samarium(III) complexes, 263
- The products formed in the reaction of MeAlCl₂ with alcohols (1:1), 196
- X-ray single crystal analysis**
- Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1'-ferrocenylene unit, 131
- X-ray single-crystal crystallography**
- Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[\text{Pt}_2(\text{PP})_2(\mu\text{-S})_2]$ (PP=2PPh₃, dppf), 73
- X-ray structure**
- Bridged 3,5-disubstituted pyrazolate ligands as support of metallo-mesogens containing $[\text{Pd}(\eta^3\text{-C}_3\text{H}_5)]^+$ fragments: X-ray crystal structure of $[\text{Pd}(\eta^3\text{-C}_3\text{H}_5)(\mu\text{-pz}^{\text{R}2})]_2 \cdot \text{C}_6\text{H}_4\text{OC}_2\text{H}_5$ (R=C₆H₄OC₁₂H₂₅). Part III, 26
- Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
- X-ray structures**
- Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl $[\text{Fe}^{\text{I}}]$ ferrocene., 163
- Zirconacyclopentadiene**
- CO insertion reaction of zirconacyclopentadienes, 108
- Zirconaindene**
- CO insertion reaction of zirconacyclopentadienes, 108
- Zirconocene**
- Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
- Zwitterions**
- Synthesis and structural characterization of unusual amido samarium(III) complexes, 263