



Contents of Volume 682

| | |
|--|-----|
| Publisher's note | 1 |
| Regular Papers | |
| Solid state isomerisation reactions of some ruthenium complexes F.M. Naretsile, O.P.M. Horwood, D.G. Billing, D.C. Levendis, N.J. Coville | 2 |
| Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl- <i>m</i> -tolyl cyclopentadienyl ligands D.L. Greene, A. Chau, M. Montreal, C. Mendez, I. Cruz, T. Wenj, W. Tikkainen, B. Schick, K. Kantardjieff | 8 |
| Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron A.C. Fernandes, C.C. Romão, B. Royo | 14 |
| Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes M. Cai, Y. Huang, H. Zhao, C. Song | 20 |
| Bridged 3,5-disubstituted pyrazolate ligands as support of metallomesogens containing $[Pd(\eta^3-C_3H_5)]^+$ fragments: X-ray crystal structure of $[Pd(\eta^3-C_3H_5)(\mu-pz^{R2})]_2 \cdot CH_2Cl_2$ ($R = C_6H_4OC_{12}H_{25}$). Part III M.C. Torralba, M. Cano, S. Gómez, J.A. Campo, J.V. Heras, J. Perles, C. Ruiz-Valero | 26 |
| Stereospecific synthesis of phosphono-(1 <i>Z</i> ,3 <i>E</i>)-dienyl compounds from β -phenyltelluro-vinylphosphonates and -vinylphosphine oxides A.L. Braga, C.R.B. Rhoden, G. Zeni, C.C. Silveira, L.H. Andrade | 35 |
| Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $MoIr_3(\mu-CO)_3(CO)_8(\eta-C_5R_5)$ ($R = H, Me$) and $Mo_2Ir_2(\mu-CO)_3(CO)_7(\eta-C_5H_5)_2$; X-ray crystal structures of $MoIr_3(\mu-CO)_3(CO)_6(PPh_3)_2(\eta-C_5Me_5)$ and $Mo_2Ir_2(\mu_4-\eta^2-PhC_2Ph)(\mu-CO)_4(CNBu')_2(CO)_3(\eta-C_5H_5)_2$ A.J. Usher, M.G. Humphrey, A.C. Willis | 41 |
| Synthesis and electrochemical properties of 1,1'-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds A. El-Wareth Sarhan, T. Kijima, T. Izumi | 49 |
| Mixed metal pentanuclear clusters $[MFe_4S_4(CO)_{12}]^{z-}$ ($M = V, Mn$ and $Cr; z=0, 2$) and X-ray crystal structures of $[VFe_4S_4(CO)_{12}]$ and $[MnFe_4S_4(CO)_{12}]^{2-}$ B. Zhuang, J. Chen, L. He, H. Sun, Z. Zhou, C. Lin, K. Wu, Z. Huang | 59 |
| Synthesis and reactivity of phenoxy carbonyl palladium complex: relevant to the mechanism of oxidative carbonylation of phenol H. Yasuda, N. Maki, J.-C. Choi, T. Sakakura | 66 |
| Heterometallic multinuclear PtM ($M = Au, Ag$) structural assemblies from dinuclear $[Pt_2(PP)_2(\mu-S)_2]$ ($PP = 2PPh_3, dppf$) Z. Li, K.F. Mok, T.S. Andy Hor | 73 |
| Preparation of carbonyltungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode K. Nishide, S. Ito, M. Yoshifuji | 79 |
| Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from $[ReH_2(O)(CyttP)]^+$ ($CyttP = PhP(CH_2CH_2CH_2PCy_2)_2$) Y. Kim, D.E. Rende, J.C. Gallucci, A. Wojcicki | 85 |
| Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of $[(1R, 2S)-(Me_2Ga-\mu-OCH(C_6H_5)CH(CH_3)-\mu-NHCH_3)]_2$ F. Yuan, C. Zhu, J. Sun, Y. Liu, Y. Pan | 102 |
| CO insertion reaction of zirconacyclopentadienes Z. Xi, H.-T. Fan, S. Mito, T. Takahashi | 108 |

| | |
|--|-----|
| Metallation of PtRu ₅ (CO) ₁₆ (μ ₆ -C) by using bis(<i>tri-t</i> -butyl-phosphine) complexes of platinum and palladium R.D. Adams, B. Captain, W. Fu, M.D. Smith | 113 |
| Eclipsed conformers of oligosilane derivatives by intramolecular hypercoordination S. Ohashi, Y. Naruse, S. Inagaki | 119 |
| Synthesis and reactivity impact from electron-withdrawing substituent on the cyclopentadienyl ligand of cobalt(I)–(III) complexes C.-Z. Tang, Y.-F. Xu, Z. Pang, X.-F. Hou | 123 |
| Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1'-ferrocenylene unit L. Barišić, V. Rapić, H. Pritzkow, G. Pavlović, I. Nemet | 131 |
| Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids K. Micskei, O. Holczknecht, C. Hajdu, T. Patonay, V. Marchis, M. Meo, C. Zucchi, G. Pályi | 143 |
| Rhodium pincer complexes of 2,2'-bis(diphenylphosphino)diphenylamine A.M. Winter, K. Eichele, H.-G. Mack, S. Potuznik, H.A. Mayer, W.C. Kaska | 149 |
| Synthese von [<i>cis</i> -(bipy)Pt(CCPh) ₂]AgBF ₄ und dessen Reaktionsverhalten gegenüber Lewis-Basen; die Festkörperstruktur von <i>cis</i> -(bipy)Pt(CCPh) ₂ und [(bipy)Pt(CCPh)(PPh ₃)]BF ₄ H. Lang, A. del Villar, B. Walfort, G. Rheinwald | 155 |
| Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl [⁵⁷ Fe]ferrocene. R.H. Herber, I. Nowik, H. Schottenberger, K. Wurst, N. Schuler, A.G. Mueller | 163 |
| Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates M. Vestergren, J. Eriksson, G. Hilmersson, M. Häkansson | 172 |
| 1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides B. Wrackmeyer, A. Ayazi, W. Milius, M. Herberhold | 180 |
| Novel zwitterionic heterocycles containing hypervalent tin B. Wrackmeyer, W. Milius, S. Ali | 188 |
| The products formed in the reaction of MeAlCl ₂ with alcohols (1:1) S. Szumacher, A.R. Kunicki, I. Madura, J. Zachara | 196 |
| Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex [RuCp(CH ₃ CN) ₃]PF ₆ E. Rüba, R. Schmid, K. Kirchner, M.J. Calhorda | 204 |
| Synthesis of a <i>C</i> -pyridine-substituted 2 <i>H</i> -1,3,2-diazaphosphole complex and subsequent oxidation to its P ^V -sulfide and P ^V -selenide derivatives A. Ali Khan, C. Neumann, C. Wismach, P.G. Jones, R. Streubel | 212 |
| Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides M.A. Katkova, G.K. Fukin, A.A. Fagin, M.N. Bochkarev | 218 |
| Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets A. Xia, H.M. El-Kaderi, M. Jane Heeg, C.H. Winter | 224 |
| Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting κ ³ <i>N,N,O</i> meridional or facial coordination mode A. Boixassa, J. Pons, J. Ros, R. Mathieu, N. Lughan | 233 |
| Synthesis and structure of four-coordinate dimethyl aluminium complexes incorporating new N,O-chelating arylamido ligands P. Haquette, S. Dagorne, R. Welter, G. Jaouen | 240 |
| Synthesis and characterization of <i>cis</i> -Mo(CO) ₄ (L–L') and <i>cis</i> -Mo(CO) ₂ (L–L') ₂ complexes of <i>N</i> (1)-methyl-2-(arylazo)imidazoles (L–L'). Correlations of spectroscopic data with substituent effects M.N. Ackermann, M.P. Robinson, I.A. Maher, E.B. LeBlanc, R.V. Raz | 248 |
| A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene <i>cis</i> -[Pt{η ³ -C ₃ H ₅ } {η ¹ -C(PPh ₃)CO}] ₂ ⁺ M. Casarin, L. Pandolfo | 255 |

| | |
|---|-----|
| Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes K. Ulrich, V. Guerchais, K.H. Dötz, H. Le Bozec..... | 260 |
| Synthesis and structural characterization of unusual amido samarium(III) complexes B. Martin-Vaca, A. Dumitrescu, H. Gornitzka, D. Bourissou, G. Bertrand | 263 |
| Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains J. Ohshita, M. Hashimoto, K.-H. Lee, H. Yoshida, A. Kunai | 267 |
| Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole D.C. Wilson, J.H. Nelson..... | 272 |
| Author Index of Volume 682 | 291 |
| Subject Index of Volume 682 | 293 |
| Contents of Volume 682 | 299 |