



ELSEVIER

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

SCIENCE @ DIRECT®

Journal of Organometallic Chemistry 683 (2003) 443–445

Journal  
of Organo  
metallic  
Chemistry[www.elsevier.com/locate/jorganchem](http://www.elsevier.com/locate/jorganchem)

## Contents of Volume 683

## Special Issue: Recent Developments in Reactivity of Metal Allyl and Alkyl Complexes

## Preface

M. Bochmann . . . . . 1

## Regular Papers

A counterintuitive, yet efficient synthesis of bis(indenyl)zirconium dihalides

D. Balboni, I. Camurati, A.C. Ingurgio, S. Guidotti, F. Focante, L. Resconi . . . . . 2

Group 4 metallocene complexes incorporating vinyl or allyl substituted *ansa* ligands. X-Ray crystal structures of  $[\text{Zr}\{\text{Me}(\text{CH}_2\text{CH})\text{Si}(\eta^5\text{-C}_5\text{Me}_4)_2\}\text{Cl}_2]$ ,  $[\text{Zr}\{\text{Me}(\text{CH}_2\text{CHCH}_2)\text{Si}(\eta^5\text{-C}_5\text{H}_4)_2\}\text{Cl}_2]$  and  $[\text{Zr}\{\text{Me}(\text{CH}_2\text{CHCH}_2)\text{Si}(\eta^5\text{-C}_5\text{Me}_4)(\eta^5\text{-C}_5\text{H}_4)\}\text{Cl}_2]$ 

A. Antiñolo, M. Fajardo, S. Gómez-Ruiz, I. López-Solera, A. Otero, S. Prashar, A.M. Rodríguez . . . . . 11

<sup>13</sup>C-NMR study of Ti(IV) species formed by Cp\*TiMe<sub>3</sub> and Cp\*TiCl<sub>3</sub> activation with methylaluminoxane (MAO)

K.P. Bryliakov, N.V. Semikolenova, V.A. Zakharov, E.P. Talsi . . . . . 23

Synthesis and characterization of cationic and zwitterionic allyl zirconium complexes derived from trimethylenemethane (TMM) cyclopentadienylzirconium acetamidates

D.A. Kissounko, J.C. Fettingner, L.R. Sita . . . . . 29

Reactions of L<sub>2</sub>Zr(NMe<sub>2</sub>)<sub>2</sub> with Me<sub>3</sub>Al and PhCCH: synthesis and structural characterization of new zirconium carborane complexes [L<sub>2</sub> = Me<sub>2</sub>Si(C<sub>9</sub>H<sub>6</sub>)(C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>) and Me<sub>2</sub>C(C<sub>5</sub>H<sub>4</sub>)(C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>)]

Y. Wang, H. Wang, H. Wang, H.-S. Chan, Z. Xie . . . . . 39

Neodymium alk(aryl)oxides–dialkylmagnesium systems for butadiene polymerization and copolymerization with styrene and glycidyl methacrylate

J. Gromada, L. le Pichon, A. Mortreux, F. Leising, J.-F. Carpentier . . . . . 44

α-Methyl-benzylcalcium complexes: syntheses, structures and reactivity

F. Feil, C. Müller, S. Harder . . . . . 56

Synthesis and structure of the edge-bridged open zirconocene, Zr(6,6-dmch)<sub>2</sub>(PMe<sub>3</sub>)<sub>2</sub> (dmch = dimethylcyclohexadienyl), and its imine coupling product

R. Basta, R.D. Ernst, A.M. Arif . . . . . 64

Titanium and zirconium chloro, oxo and alkyl derivatives containing silyl-cyclopentadienyl ligands. Synthesis and characterisation

O. Buitrago, G. Jiménez, T. Cuenca . . . . . 70

Preparation, structure, and dynamics of a nickel π-allyl cyanide complex

N.M. Brunkan, W.D. Jones . . . . . 77

Synthesis and structures of crystalline lithium 1-azaallyls and a 1,3-diazaallyl derived from Li{CH(SiMe<sub>3</sub>)(SiMe<sub>3-n</sub>(OMe)<sub>n</sub>)} (n=1 or 2) and Li{CH(SiMe<sub>2</sub>OMe)<sub>2</sub>} and RCN (R=’ Bu, Ph, 2,5-Me<sub>2</sub>C<sub>6</sub>H<sub>3</sub>, or Ad)

P.B. Hitchcock, M.F. Lappert, X.-H. Wei . . . . . 83

<sup>1</sup>H-, <sup>13</sup>C-NMR and ethylene polymerization studies of zirconocene/MAO catalysts: effect of the ligand structure on the formation of active intermediates and polymerization kinetics

K.P. Bryliakov, N.V. Semikolenova, D.V. Yudaev, V.A. Zakharov, H.H. Brintzinger, M. Ystenes, E. Rytter, E.P. Talsi . . . . . 92

Biaryl-bridged Schiff base complexes of zirconium alkyls: synthesis structure and stability

P.D. Knight, P.N. O’Shaughnessy, I.J. Munslow, B.S. Kimberley, P. Scott . . . . . 103

The synthesis and X-ray structure of *trans*-NiCl<sub>2</sub>(1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene)<sub>2</sub>; attempts to polymerize olefins utilizing a nickel(II) complex of a sterically demanding *N*-heterocyclic carbene

A.L. MacKinnon, M.C. Baird . . . . . 114

Elsevier B.V.

doi:10.1016/S0022-328X(03)00934-3

Organometallic and related imidotitanium compounds containing a pendant arm functionalised benzamidinate ligand A.C.R. Croft, C.L. Boyd, A.R. Cowley, P. Mountford . . . . .	120
Synthesis, structure and reactivity of new yttrium bis(dimethylsilyl)amido and bis(trimethylsilyl)methyl complexes of a tetradentate bis(phenoxide) ligand C.-X. Cai, L. Toupet, C.W. Lehmann, J.-F. Carpentier . . . . .	131
Structure and reactivity of mono- and dinuclear diiminate zinc alkyl complexes S.D. Allen, D.R. Moore, E.B. Lobkovsky, G.W. Coates . . . . .	137
Monomeric f-element chemistry with sterically encumbered allyl ligands C.J. Kuehl, C.K. Simpson, K.D. John, A.P. Sattelberger, C.N. Carlson, T.P. Hanusa . . . . .	149
Hydro- and chloro-substituted silyl- and silyl- $\eta^1$ -amido- $\eta^5$ -tetramethylcyclopentadienyl titanium complexes A.B. Vázquez, P. Royo, E. Herdtweck . . . . .	155
$\beta$ -Diketiminato complexes of Group 4: active complexes for the isomerization of $\alpha$ -olefins and the polymerization of propylene towards elastomeric polypropylene E. Shaviv, M. Botoshansky, M.S. Eisen . . . . .	165
Theoretical exploration of structure–reactivity relationships in organometallic chemistry: butadiene insertion into the organyltransition-metal bond and conversion of the allyltransition-metal fragment in the $[\text{Ni}^{\text{II}}(\eta^5\text{-Cp})(\eta^1\text{-phenyl})(\eta^2\text{-butadiene})]$ complex S. Tobisch, R. Taube . . . . .	181
Homoleptic allyl complexes of chromium with trimethylsilylated ligands. Formation and molecular structure of $\{[1\text{-}(\text{SiMe}_3)\text{C}_3\text{H}_4]_2\text{Cr}\}_2$ , $[1,3\text{-}(\text{SiMe}_3)_2\text{C}_3\text{H}_3]_2\text{Cr}$ , and $[1,1',3\text{-}(\text{SiMe}_3)_3\text{C}_3\text{H}_2]_2\text{Cr}$ C.N. Carlson, J.D. Smith, T.P. Hanusa, W.W. Brennessel, V.G. Young Jr. . . . .	191
Coordination chemistry of the activation of $[(\text{triazacyclohexane})\text{CrCl}_3]$ with $[\text{PhNMe}_2\text{H}][\text{B}(\text{C}_6\text{F}_5)_4]$ and $\text{AlR}_3$ R.D. Köhn, D. Smith, M.F. Mahon, M. Prinz, S. Mihan, G. Kociok-Köhn . . . . .	200
Propylene bulk phase oligomerization with bisiminepyridine iron complexes in a calorimeter: mechanistic investigation of 1,2 versus 2,1 propylene insertion S.T. Babik, G. Fink . . . . .	209
Synthesis of dialkyl, diaryl and metallacyclic complexes of Ni and Pd containing pyridine, $\alpha$ -diimines and other nitrogen ligands: Crystal structures of the complexes <i>cis</i> - $\text{NiR}_2\text{py}_2$ (R=benzyl, mesityl) J. Cámpora, M. del Mar Conejo, K. Mereiter, P. Palma, C. Pérez, M.L. Reyes, C. Ruiz . . . . .	220
Photochemical synthesis of a palladium dichloromethyl complex, $\{(\text{hexyl})\text{HC}(\text{N-methyl-imidazol-2-yl})_2\}\text{Pd}(\text{CHCl}_2)\text{Cl}$ . X-ray molecular structures of $\{(\text{hexyl})\text{HC}(\text{N-methylimidazolyl-2-yl})_2\}\text{Pd}(\text{X})\text{Cl}$ , X=Cl, and $\text{CHCl}_2$ C.T. Burns, H. Shen, R.F. Jordan . . . . .	240
Preparation of chelate bis(imine)nickel allyl systems by reaction of their corresponding butadiene complexes with electrophiles J.W. Strauch, G. Kehr, G. Erker . . . . .	249
The molecular structure of $\text{Cr}[(\text{CH}_2)_2\text{PMe}_2]_3$ : dimethylphosphonium-bis-methylide chromium compounds as inner-phosphonium-alkyl-ate- or 2-phospha-allyl-complexes? A. Spannenberg, P. Arndt, W. Baumann, U. Rosenthal . . . . .	261
<b>Special Issue: Carbon-Rich Organometallic Compounds</b>	
<b>Foreword</b> . . . . .	267
<b>Reviews</b>	
New carbon-rich organometallic architectures based on cyclobutadienecyclopentadienylcobalt and ferrocene modules U.H.F. Bunz . . . . .	269
Organometallic chemistry at the edge of polycyclic aromatic hydrocarbons P.R. Sharp . . . . .	288
<b>Regular Papers</b>	
Synthesis and catalytic activity of rhodium diene complexes bearing indenyl-type fullerene $\eta^5$ -ligand M. Toganoh, Y. Matsuo, E. Nakamura . . . . .	295

A new method for the preparation of <i>N</i> -stabilized allenylidene complexes of chromium and tungsten H. Fischer, N. Szesni, G. Roth, N. Burzlaff, B. Weibert . . . . .	301
Molecular rearrangements of diynes coordinated to triosmium carbonyl clusters: the synthesis and structural characterisation of $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-Ph(C)C}_9\text{H}_6\}]$ , $[\text{Os}_3(\mu\text{-H})(\text{CO})_9\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-Ph(C)C}_9\text{H}_6\}]$ and $[\text{Os}_3(\mu\text{-H})(\text{CO})_8(\text{MeCN})\{\mu_3\text{-}\eta^1\text{:}\eta^3\text{:}\eta^1\text{-Ph(C)C}_9\text{H}_6\}]$ L.P. Clarke, J.E. Davies, D.V. Krupenya, P.R. Raithby, G.P. Shields, G.L. Starova, S.P. Tunik . . . . .	313
Tetrahydrofuran-mediated radical processes: stereoselective synthesis of <i>D,L</i> -hexestrol G.G. Melikyan, S. Sepanian, B. Riahi, F. Villena, J. Jerome, B. Ahrens, R. McClain, J. Matchett, S. Scanlon, E. Abrenica, K. Paulsen, K.I. Hardcastle . . . . .	324
Synthesis of $[\text{TpRu}(\text{CO})(\text{PPh}_3)_2](\mu\text{-CHCHCHCHC}_6\text{H}_4\text{CHCHCHCH})$ from Wittig reactions S.H. Liu, H. Xia, K.L. Wan, R.C.Y. Yeung, Q.Y. Hu, G. Jia . . . . .	331
Expanding the scope of solvent-free synthesis: entrapment of thermally unstable species E.V. Dikarev, N.S. Goroff, M.A. Petrukhina . . . . .	337
Carbon-rich organometallic materials derived from 4-ethynylphenylferrocene W.-Y. Wong, K.-Y. Ho, S.-L. Ho, Z. Lin . . . . .	341
Synthesis, structure, electronic properties and thermal behavior of butadiynyl substituted phenyl $\text{Cr}(\text{CO})_3$ -complexes T.J.J. Müller, J. Blümel . . . . .	354
Chemistry of the 1,3,5,7-octatetraynediyl carbon rod end-capped by two electron-rich $(\eta^5\text{-C}_5\text{Me}_5)(\eta^2\text{-dppe})\text{Fe}$ groups F. Coat, F. Paul, C. Lapinte, L. Toupet, K. Costuas, J.-F. Halet . . . . .	368
Using ligand exchange reactions to control the coordination environment of Pt(II) acetylide complexes: applications to conjugated metallacyclines K. Campbell, R. McDonald, M.J. Ferguson, R.R. Tykwinski . . . . .	379
Further studies of tetrakis( <i>N,N'</i> -dialkylbenzamidinato)diruthenium(III) chloro and alkynyl compounds: molecular engineering of metallayne monomers G.-L. Xu, C.G. Jablonski, T. Ren . . . . .	388
Preparation and molecular structures of some complexes containing $\text{C}_5$ chains M.I. Bruce, B.W. Skelton, A.H. White, N.N. Zaitseva . . . . .	398
Preparation of models and oligomers of metal alkynyls: NMR, GPC and X-ray structural characterization of building blocks for the construction of molecular devices A. La Groia, A. Ricci, M. Bassetti, D. Masi, C. Bianchini, C. Lo Sterzo . . . . .	406
The activation and transformations of acenaphthylene by osmium carbonyl cluster complexes R.D. Adams, B. Captain, J.L. Smith Jr. . . . .	421
<b>Note</b>	
Synthesis and crystallographic characterization of a 'palladadehydrobenzo[19]annulene' J.J. Pak, O.S. Darwish, T.J.R. Weakley, M.M. Haley . . . . .	430
Author Index of Volume 683 . . . . .	435
Subject Index of Volume 683 . . . . .	437
Contents of Volume 683 . . . . .	443