



ELSEVIER

## Subject Index of Volume 686

### Ab initio calculations

Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257

Comparison of steric hindrance in silylenium and carbenium cations and their complexes: Natural steric analysis, 164

Tertiary trisilyloxonium ion in cationic ring-opening polymerisation of a model cyclic siloxane, octamethyl-1,4-dioxatetrasilacyclohexane, 373

### Acid Catalyst

Acid-catalyzed intramolecular addition of a carboxy group to vinylsilanes, 242

### Activation energy

Compensation effect in trichlorosilane synthesis, 151

### ADMET copolymerization

Synthesis and structural characterization of *trans*-tactic siloxylene-vinylene-*p*-phenylene polymers via ADMET copolymerization and silylative coupling (SC) polycondensation, 228

### Alkenes

Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257

### Allosteric modulators

Synthesis and pharmacological characterization of new silicon-based W84-type allosteric modulators for ligand binding to muscarinic M<sub>2</sub> receptors, 75

### Allylsilane

Cationic rearrangements controlled by the presence of a silyl group, 84

### Aminosiloxanes

Intramolecular rearrangement of organosilyl groups between oxygen and nitrogen in aminosiloxanes: A joint experimental–theoretical study, 16

### Aromatic C–H bonds

The ruthenium-catalyzed silylation of aromatic C–H bonds with triethylsilane, 134

### Azobenzene

Synthesis, crystal structure, and photoreaction of a disiloxane bearing two 2-(phenylazo)phenyl groups, 192

### Base-coordinated silylene

Thermolysis of bis(pentacoordinate) silicon compound bearing two 1-fluorodisilyl units at 4- and 8-positions on 1,5-bis(dimethylamino)naphthalene ring: construction of disilapyrene skeleton and cyclophane-shaped siloxane dimer, 215

### Bicyclosilaoxolanes

Intramolecular cycloadditions of silacarbonyl ylides tethered to unactivated dipolarophiles: a new route to bicyclosilaoxolanes, 368

### Bis-imation reactions

Syntheses of novel *N*-[bis(trimethylsilyl)methyl]-1,2- and 1,3-diamines, 306

### Bis(pentacoordinate) silicon compound

Thermolysis of bis(pentacoordinate) silicon compound bearing two 1-fluorodisilyl units at 4- and 8-positions on 1,5-bis(dimethylamino)naphthalene ring: construction of disilapyrene skeleton and cyclophane-shaped siloxane dimer, 215

### Bis(silacyclopropa)benzenes

Syntheses and structures of silicon analogues of cyclopropabenzene, 118

### $\pi$ -bond energies

Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257

### Boron

*gem*-Silylborylation approach for tri- and tetrametalmethanes: the first synthesis of boryl(germyl)(silyl)(stannyl)methanes, 286

### Caldine

Syntheses of novel *N*-[bis(trimethylsilyl)methyl]-1,2- and 1,3-diamines, 306

### Calorimetry

Compensation effect in trichlorosilane synthesis, 151

### Carbenium ion

Comparison of steric hindrance in silylenium and carbenium cations and their complexes: Natural steric analysis, 164

### Carbenoid

*gem*-Silylborylation approach for tri- and tetrametalmethanes: the first synthesis of boryl(germyl)(silyl)(stannyl)methanes, 286

### Catalysis

GaCl<sub>3</sub>-catalyzed  $\alpha$ -ethynylation reaction of silyl enol ethers, 94

### C–H bond cleavage

The ruthenium-catalyzed silylation of aromatic C–H bonds with triethylsilane, 134

### Chemical shift tensor

The chemical shift tensor of silylenes, 251

### Chloroethyne

GaCl<sub>3</sub>-catalyzed  $\alpha$ -ethynylation reaction of silyl enol ethers, 94

### Chlorosilane

Hydrosilylation in the 2D interlayer space between inorganic layers: reaction between immobilized C=C groups on the interlayer surface of layered perovskite HLaNb<sub>2</sub>O<sub>7</sub>·*x*H<sub>2</sub>O and chlorohydrosilanes, 145

### C–H/SiR<sub>3</sub> coupling

The ruthenium-catalyzed silylation of aromatic C–H bonds with triethylsilane, 134

### Cocondensation

Dihalodimethylsilanes from silicon atoms and methyl halides: a combined matrix-spectroscopic and density functional theory study, 341

### Co-hydrolysis and polycondensation

- Synthesis of multilayered silica-based hybrid films from difunctional organosilanes by co-hydrolysis and polycondensation with tetraalkoxysilane, 223
- Compensation effect  
Compensation effect in trichlorosilane synthesis, 151
- Computational chemistry  
The chemical shift tensor of silylenes, 251
- Copper  
Synthesis and characterisation of bis(amino)silylene–nickel(0),–palladium(II),–platinum(0),–platinum(II) and copper(I) complexes, 321
- Copper reagent  
Selective synthesis of halosilanes from hydrosilanes and utilization for organic synthesis, 3
- Crystallographic structural analysis  
Syntheses and structures of silicon analogues of cyclopropabenzene, 118
- Crystal structure  
Tip-substituted cage and cyclic silanols, 175
- Cyanoethylation reactions  
Syntheses of novel *N*-[bis(trimethylsilyl)methyl]-1,2- and 1,3-diamines, 306
- Cyclic siloxanes  
Tertiary trisilyloxonium ion in cationic ring-opening polymerisation of a model cyclic siloxane, octamethyl-1,4-dioxatetrasilacyclohexane, 373
- Cyclic stannasilanes  
Magnesium and chlorostannanes—building blocks for novel tinmodified silanes, 332
- Cyclization  
Acid-catalyzed intramolecular addition of a carboxy group to vinylsilanes, 242
- Cycloadditions  
 $\alpha,\beta$ -Unsaturated thioacylsilanes as efficient dienes in hetero Diels–Alder reactions, 363
- Cyclobutanes  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- Cyclophane  
Thermolysis of bis(pentacoordinate) silicon compound bearing two 1-fluorodisilyl units at 4- and 8-positions on 1,5-bis(dimethylamino)naphthalene ring: construction of disilapyrene skeleton and cyclophane-shaped siloxane dimer, 215
- 2+2 cycloreversion  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- DFT calculations  
Synthesis and molecular structure of fluoro(tri-phosphanyl)silane and attempts to synthesize a silylidyne–phosphane, 294
- Diaryldilithiosilane  
Syntheses and structures of silicon analogues of cyclopropabenzene, 118
- 1,3-Digermacyclobutanes  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- 1,6-Dihydro-1,6-disilapyrene  
Thermolysis of bis(pentacoordinate) silicon compound bearing two 1-fluorodisilyl units at 4- and 8-positions on 1,5-bis(dimethylamino)naphthalene ring: construction of disilapyrene skeleton and cyclophane-shaped siloxane dimer, 215
- Dimerization  
Relationship between stability and dimerization ability of silylenes, 112
- Dion–Jacobson phase  
Hydrosilylation in the 2D interlayer space between inorganic layers: reaction between immobilized C=C groups on the interlayer surface of layered perovskite  $\text{HLaNb}_2\text{O}_7 \cdot x\text{H}_2\text{O}$  and chlorohydrosilanes, 145
- Diphenylacetylene  
Thermolysis of bis(pentacoordinate) silicon compound bearing two 1-fluorodisilyl units at 4- and 8-positions on 1,5-bis(dimethylamino)naphthalene ring: construction of disilapyrene skeleton and cyclophane-shaped siloxane dimer, 215
- 1,3-Diphosphacyclobutanes  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- 1,3-Dipoles  
Intramolecular cycloadditions of silacarbonyl ylides tethered to unactivated dipolarophiles: a new route to bicyclosilaoxolanes, 368
- Direct reaction  
Compensation effect in trichlorosilane synthesis, 151
- Disilacyclobutane  
Synthesis and characterization of cyano-substituted disilacyclobutane rings and poly(silylenemethylene) polymers, 272
- 1,3-Disilacyclobutanes  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- Disilanes  
Halide induced epimerization of *meso*-1,2-dihalo-1,2-diaryl-1,2-dimethyldisilanes, 66
- Disiloxane  
Synthesis, crystal structure, and photoreaction of a disiloxane bearing two 2-(phenylazo)phenyl groups, 192
- 1,1-Disilylcarbinol  
Cationic rearrangements controlled by the presence of a silyl group, 84
- Divinyldisiloxane  
Synthesis and structural characterization of *trans*-tactic siloxylene-vinylene-*p*-phenylene polymers via ADMET copolymerization and silylative coupling (SC) polycondensation, 228
- Dyotropic rearrangement  
Synthesis, structure and isomerization of  $\text{A}_2\text{Si}=\text{SiB}_2$ -type tetra-kis(trialkylsilyl)disilenes, 105
- Electronic effect  
Electronic and steric effects of silyl groups in silicon-directed Norrish type cleavages, 198
- Epimerization  
Halide induced epimerization of *meso*-1,2-dihalo-1,2-diaryl-1,2-dimethyldisilanes, 66
- $\alpha$ -Ethylation  
 $\text{GaCl}_3$ -catalyzed  $\alpha$ -ethynylation reaction of silyl enol ethers, 94

- Excimer  
Synthesis and photophysical properties of novel fluorescent silicones, 101
- Ferrocenylenesilyl  
Bis-silyl substituted ferrocenylenes, including dicyanovinyl electron-withdrawing groups, as potential non-linear optical materials, 235
- Flash-vacuum-pyrolyses  
Synthesis and molecular structure of fluoro(triphosphanyl)silane and attempts to synthesize a silyldiyne–phosphane, 294
- Fluorescence  
Synthesis and photophysical properties of novel fluorescent silicones, 101
- Fluoride ion  
Novel fluoride ion mediated synthesis of unsymmetrical siloxanes under phase transfer catalysis conditions, 52
- Fluorosilanes  
Synthesis and molecular structure of fluoro(triphosphanyl)silane and attempts to synthesize a silyldiyne–phosphane, 294  
Synthesis and reactivity of a novel oligosilyl anion, 158
- Gallium(III) chloride  
GaCl<sub>3</sub>-catalyzed  $\alpha$ -ethynylation reaction of silyl enol ethers, 94
- gem*-Silylborylation  
*gem*-Silylborylation approach for tri- and tetrametalmethanes: the first synthesis of boryl(germyl)(silyl)(stannyl)methanes, 286
- Germenes  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- Germyl  
Silylgermylstannylmethanes, 379
- Grafting reaction  
Hydrosilylation in the 2D interlayer space between inorganic layers: reaction between immobilized C=C groups on the interlayer surface of layered perovskite HLaNb<sub>2</sub>O<sub>7</sub>·*x*H<sub>2</sub>O and chlorohydrosilanes, 145
- Group 14  
Silylgermylstannylmethanes, 379
- Grubbs catalyst  
Synthesis and structural characterization of *trans*-tactic siloxylene-vinylene-*p*-phenylene polymers via ADMET copolymerization and silylative coupling (SC) polycondensation, 228
- Halogenation  
Halide induced epimerization of *meso*-1,2-dihalo-1,2-diaryl-1,2-dimethyldisilanes, 66
- Halohydrosilane  
Selective synthesis of halosilanes from hydrosilanes and utilization for organic synthesis, 3
- Halomethane  
*gem*-Silylborylation approach for tri- and tetrametalmethanes: the first synthesis of boryl(germyl)(silyl)(stannyl)methanes, 286
- Halosilane  
Selective synthesis of halosilanes from hydrosilanes and utilization for organic synthesis, 3
- Hemilabile ligands  
Reaction of hydrogenosilanes with dimethyl Pt(II) complexes promoted by hemilabile P,N-chelating ligands, 183
- Heterodienes (thiabutadienes)  
 $\alpha,\beta$ -Unsaturated thioacylsilanes as efficient dienes in hetero Diels–Alder reactions, 363
- Hexacoordinate  
Donor-stabilized silyl cations: Part 7: Neutral hexacoordinate and ionic pentacoordinate silicon chelates with *N*-isopropylideneimino-acylimidato ligands, 202
- H-halogen exchange  
Selective synthesis of halosilanes from hydrosilanes and utilization for organic synthesis, 3
- Hybrid material  
Synthesis of multilayered silica-based hybrid films from difunctional organosilanes by co-hydrolysis and polycondensation with tetraalkoxysilane, 223
- Hybrid xerogels  
Synthesis and characterization of alkylene-bridged silsesquicarbodiimide hybrid xerogels, 127
- Hydrogen bonding  
Tip-substituted cage and cyclic silanols, 175
- Hydrosilane  
Selective synthesis of halosilanes from hydrosilanes and utilization for organic synthesis, 3
- Hydrosilylation  
Hydrosilylation in the 2D interlayer space between inorganic layers: reaction between immobilized C=C groups on the interlayer surface of layered perovskite HLaNb<sub>2</sub>O<sub>7</sub>·*x*H<sub>2</sub>O and chlorohydrosilanes, 145
- $\sigma$ – $\pi$  Hyperconjugation  
Electronic and steric effects of silyl groups in silicon-directed Norrish type cleavages, 198
- Interlayer surface modification  
Hydrosilylation in the 2D interlayer space between inorganic layers: reaction between immobilized C=C groups on the interlayer surface of layered perovskite HLaNb<sub>2</sub>O<sub>7</sub>·*x*H<sub>2</sub>O and chlorohydrosilanes, 145
- Intramolecular cycloaddition  
Intramolecular cycloadditions of silacarbonyl ylides tethered to unactivated dipolarophiles: a new route to bicyclosilaoxolanes, 368
- Ionization  
Donor-stabilized silyl cations: Part 7: Neutral hexacoordinate and ionic pentacoordinate silicon chelates with *N*-isopropylideneimino-acylimidato ligands, 202
- Irradiation  
Synthesis, crystal structure, and photoreaction of a disiloxane bearing two 2-(phenylazo)phenyl groups, 192
- Isodesmic reaction energy  
Relationship between stability and dimerization ability of silylenes, 112
- Isomerization  
Intramolecular rearrangement of organosilyl groups between oxygen and nitrogen in aminosiloxanes: A joint experimental–theoretical study, 16  
Synthesis, crystal structure, and photoreaction of a disiloxane bearing two 2-(phenylazo)phenyl groups, 192
- $\gamma$ -lactone  
Acid-catalyzed intramolecular addition of a carboxy group to vinylsilanes, 242
- Layered perovskite  
Hydrosilylation in the 2D interlayer space between inorganic layers: reaction between immobilized C=C groups on the interlayer surface of layered perovskite HLaNb<sub>2</sub>O<sub>7</sub>·*x*H<sub>2</sub>O and chlorohydrosilanes, 145
- Lithium  
Synthesis of the first long-lived bis-silene, 58
- Lithium salts  
Intramolecular rearrangement of organosilyl groups between oxygen and nitrogen in aminosiloxanes: A joint experimental–theoretical study, 16

- Magnesium  
Magnesium and chlorostannanes—building blocks for novel tinmodified silanes, 332
- Matrix isolation  
Dihalodimethylsilanes from silicon atoms and methyl halides: a combined matrix-spectroscopic and density functional theory study, 341
- Metallic nanoparticles  
Synthesis, stabilization, and applications of nanoscopic siloxane–metal particle conjugates, 24
- Metal silyl complexes  
Reaction of hydrogenosilanes with dimethyl Pt(II) complexes promoted by hemilabile P,N-chelating ligands, 183
- Methane  
Silylgermylstannylmethanes, 379
- Methyl/silyl exchange  
Reaction of hydrogenosilanes with dimethyl Pt(II) complexes promoted by hemilabile P,N-chelating ligands, 183
- Mössbauer  
Bis-silyl substituted ferrocenylenes, including dicyanovinyl electron-withdrawing groups, as potential non-linear optical materials, 235
- Muscarinic receptors  
Synthesis and pharmacological characterization of new silicon-based W84-type allosteric modulators for ligand binding to muscarinic M<sub>2</sub> receptors, 75
- Nanomaterials  
Organosilicon chemistry and nanoscience, 32
- Nanosience  
Organosilicon chemistry and nanoscience, 32
- Nano-size aggregate  
Tip-substituted cage and cyclic silanols, 175
- NBO theory  
Comparison of steric hindrance in silylenium and carbenium cations and their complexes: Natural steric analysis, 164
- Nickel  
Synthesis and characterisation of bis(amino)silylene–nickel(0),–palladium(II),–platinum(0),–platinum(II) and copper(I) complexes, 321
- NLO  
Bis-silyl substituted ferrocenylenes, including dicyanovinyl electron-withdrawing groups, as potential non-linear optical materials, 235
- NMR- and IR-spectroscopy  
Phenylsilanetriol — synthesis, stability, and reactivity, 313
- NMR spectroscopy  
Synthesis and characterization of cyano-substituted disilacyclobutane rings and poly(silylenemethylene) polymers, 272  
The chemical shift tensor of silylenes, 251
- Non-ionic bases  
Anionic ring-opening polymerization of cyclic organosiloxanes using phosphorus ylides as strong non-ionic bases, 281
- Norrish type cleavage  
Electronic and steric effects of silyl groups in silicon-directed Norrish type cleavages, 198
- Octamethylcyclotetrasiloxane  
Anionic ring-opening polymerization of cyclic organosiloxanes using phosphorus ylides as strong non-ionic bases, 281
- Octamethyl-1,4-dioxatetrasilacyclohexane  
Tertiary trisilyloxonium ion in cationic ring-opening polymerisation of a model cyclic siloxane, octamethyl-1,4-dioxatetrasilacyclohexane, 373
- OH-functionalized organotrialkoxysilanes  
Poly(silsesquioxanes) derived from the hydrolytic condensation of organotrialkoxysilanes containing hydroxyl groups, 42
- Organoalkoxysilane  
Synthesis of multilayered silica-based hybrid films from difunctional organosilanes by co-hydrolysis and polycondensation with tetraalkoxysilane, 223
- Organosilicon chemistry  
Organosilicon chemistry and nanoscience, 32
- Oxidative addition  
Reaction of hydrogenosilanes with dimethyl Pt(II) complexes promoted by hemilabile P,N-chelating ligands, 183
- Palladium  
Synthesis and characterisation of bis(amino)silylene–nickel(0),–palladium(II),–platinum(0),–platinum(II) and copper(I) complexes, 321
- Pentacoordinate  
Donor-stabilized silyl cations: Part 7: Neutral hexacoordinate and ionic pentacoordinate silicon chelates with *N*-isopropylideneimino-acylimidato ligands, 202
- Phase transfer catalysis  
Novel fluoride ion mediated synthesis of unsymmetrical siloxanes under phase transfer catalysis conditions, 52
- Phenylsilanetriol  
Phenylsilanetriol — synthesis, stability, and reactivity, 313
- Phosphenes  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- Phosphorane  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- Phosphorus ylides  
Anionic ring-opening polymerization of cyclic organosiloxanes using phosphorus ylides as strong non-ionic bases, 281
- Photoisomerizations  
Dihalodimethylsilanes from silicon atoms and methyl halides: a combined matrix-spectroscopic and density functional theory study, 341
- Photolysis  
Electronic and steric effects of silyl groups in silicon-directed Norrish type cleavages, 198
- Platinum  
Synthesis and characterisation of bis(amino)silylene–nickel(0),–palladium(II),–platinum(0),–platinum(II) and copper(I) complexes, 321
- Polyamines  
Syntheses of novel *N*-[bis(trimethylsilyl)methyl]-1,2- and 1,3-diamines, 306
- Polyhedral oligomeric silsesquioxanes (POSS)  
Poly(silsesquioxanes) derived from the hydrolytic condensation of organotrialkoxysilanes containing hydroxyl groups, 42
- Polymer  
Synthesis, stabilization, and applications of nanoscopic siloxane–metal particle conjugates, 24
- Polymerization  
Anionic ring-opening polymerization of cyclic organosiloxanes using phosphorus ylides as strong non-ionic bases, 281
- Polysiloxanes  
Synthesis and photophysical properties of novel fluorescent silicones, 101  
Synthesis, stabilization, and applications of nanoscopic siloxane–

- metal particle conjugates, 24
- Poly(silsesquioxanes)  
Poly(silsesquioxanes) derived from the hydrolytic condensation of organotrialkoxysilanes containing hydroxyl groups, 42
- Poly(silylenemethylene)  
Synthesis and characterization of cyano-substituted disilacyclobutane rings and poly(silylenemethylene) polymers, 272
- Porosity  
Synthesis and characterization of alkylene-bridged silsesquicarbodiimide hybrid xerogels, 127
- Reaction mechanisms  
Dihalodimethylsilanes from silicon atoms and methyl halides: a combined matrix-spectroscopic and density functional theory study, 341
- Reaction rate  
Compensation effect in trichlorosilane synthesis, 151
- Ring-opening polymerisation  
Tertiary trisilyloxonium ion in cationic ring-opening polymerisation of a model cyclic siloxane, octamethyl-1,4-dioxatetrasilacyclohexane, 373
- Rotational barriers  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- Ruthenium catalysts  
The ruthenium-catalyzed silylation of aromatic C–H bonds with triethylsilane, 134
- Ruthenium complex  
Synthesis and structural characterization of *trans*-tactic siloxylene-vinylene-*p*-phenylene polymers via ADMET copolymerization and silylative coupling (SC) polycondensation, 228
- Self-assembly  
Synthesis of multilayered silica-based hybrid films from difunctional organosilanes by co-hydrolysis and polycondensation with tetraalkoxysilane, 223
- Silacarbonyl ylides  
Intramolecular cycloadditions of silacarbonyl ylides tethered to unactivated dipolarophiles: a new route to bicyclosilaoxolanes, 368
- Silacyclopropabenzene  
Syntheses and structures of silicon analogues of cyclopropabenzene, 118
- Silaesterifications  
Synthesis, stabilization, and applications of nanoscopic siloxane–metal particle conjugates, 24
- Silaethenes  
Synthesis of the first long-lived bis-silene, 58
- Silanes  
Dihalodimethylsilanes from silicon atoms and methyl halides: a combined matrix-spectroscopic and density functional theory study, 341  
Synthesis and reactivity of a novel oligosilyl anion, 158  
Synthesis of the first long-lived bis-silene, 58
- Silanol  
Tip-substituted cage and cyclic silanols, 175
- Silenes  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257  
Synthesis of the first long-lived bis-silene, 58
- Silicon  
Donor-stabilized silyl cations: Part 7: Neutral hexacoordinate and ionic pentacoordinate silicon chelates with *N*-isopropylideneimino-acylimidato ligands, 202  
Electronic and steric effects of silyl groups in silicon-directed Norrish type cleavages, 198  
*gem*-Silylborylation approach for tri- and tetrametalmethanes: the first synthesis of boryl(germyl)(silyl)(stannyl)methanes, 286  
Synthesis and pharmacological characterization of new silicon-based W84-type allosteric modulators for ligand binding to muscarinic M<sub>2</sub> receptors, 75  
Synthesis and reactivity of a novel oligosilyl anion, 158  
Synthesis, crystal structure, and photoreaction of a disiloxane bearing two 2-(phenylazo)phenyl groups, 192  
Synthesis of the first long-lived bis-silene, 58  
Synthesis, structure and isomerization of A<sub>2</sub>Si=SiB<sub>2</sub>-type tetrakis(trialkylsilyl)disilenes, 105
- Silicon-based drugs  
Synthesis and pharmacological characterization of new silicon-based W84-type allosteric modulators for ligand binding to muscarinic M<sub>2</sub> receptors, 75
- Silicones  
Synthesis and photophysical properties of novel fluorescent silicones, 101
- Silicon–phosphorus compounds  
Synthesis and molecular structure of fluoro(triphosphanyl)silane and attempts to synthesize a silyldiyne–phosphane, 294
- Silsesquioxane  
Tip-substituted cage and cyclic silanols, 175
- Silver organosols  
Synthesis, stabilization, and applications of nanoscopic siloxane–metal particle conjugates, 24
- Silyl  
Silylgermylstannylmethanes, 379
- $\alpha$ -Silylamines  
Syntheses of novel *N*-[bis(trimethylsilyl)methyl]-1,2- and 1,3-diamines, 306
- Silyl anions  
Synthesis and reactivity of a novel oligosilyl anion, 158
- Silylative coupling  
Synthesis and structural characterization of *trans*-tactic siloxylene-vinylene-*p*-phenylene polymers via ADMET copolymerization and silylative coupling (SC) polycondensation, 228
- Silylborane  
*gem*-Silylborylation approach for tri- and tetrametalmethanes: the first synthesis of boryl(germyl)(silyl)(stannyl)methanes, 286
- $\alpha$ -Silyl carbocation  
Cationic rearrangements controlled by the presence of a silyl group, 84
- $\beta$ -Silyl carbocation  
Cationic rearrangements controlled by the presence of a silyl group, 84
- Silylcarbodiimides  
Synthesis and characterization of alkylene-bridged silsesquicarbodiimide hybrid xerogels, 127
- Silyl cation  
Donor-stabilized silyl cations: Part 7: Neutral hexacoordinate and ionic pentacoordinate silicon chelates with *N*-isopropylideneimino-acylimidato ligands, 202
- Silyl complexes  
Synthesis and characterisation of bis(amino)silylene–nickel(0),–palladium(II),–platinum(0),–platinum(II) and copper(I) complexes, 321
- Silylcyanide  
Synthesis and characterization of cyano-substituted disilacyclobutane rings and poly(silylenemethylene) polymers, 272

- Silylene  
The chemical shift tensor of silylenes, 251
- Silylene complexes  
Synthesis and characterisation of bis(amino)silylene–nickel(0), –palladium(II), –platinum(0), –platinum(II) and copper(I) complexes, 321
- Silylenes  
Relationship between stability and dimerization ability of silylenes, 112
- Silylenium ion  
Comparison of steric hindrance in silylenium and carbenium cations and their complexes: Natural steric analysis, 164
- Silyl enol ether  
GaCl<sub>3</sub>-catalyzed  $\alpha$ -ethynylation reaction of silyl enol ethers, 94
- Silyldiyne–phosphanes  
Synthesis and molecular structure of fluoro(tri-phosphanyl)silane and attempts to synthesize a silyldiyne–phosphane, 294
- <sup>29</sup>SiNMR  
Synthesis, structure and isomerization of A<sub>2</sub>Si=SiB<sub>2</sub>-type tetrakis(trialkylsilyl)disilenes, 105
- <sup>29</sup>Si-NMR  
Tertiary trisilyloxonium ion in cationic ring-opening polymerisation of a model cyclic siloxane, octamethyl-1,4-dioxatetrasilacyclohexane, 373
- Si–O–C bonds  
Poly(silsesquioxanes) derived from the hydrolytic condensation of organotrialkoxysilanes containing hydroxyl groups, 42
- Sol–gel process  
Synthesis of multilayered silica-based hybrid films from difunctional organosilanes by co-hydrolysis and polycondensation with tetraalkoxysilane, 223
- Stability  
Phenylsilylanetriol — synthesis, stability, and reactivity, 313
- Stannyl  
Silylgermylstannylmethanes, 379
- Steric effect  
Comparison of steric hindrance in silylenium and carbenium cations and their complexes: Natural steric analysis, 164
- Strain energies  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- Substituent effect  
Classical planar doubly bonded Si-substituted silenes—a boundary system between olefins and heavier Group 14 analogs: Geometric and electronic structures, rotational barriers about the Si=C double bond, and comparison with the analogs and isoelectronic phosphenes, further evidence against C-ylides of silicon, 257
- Synthesis  
Synthesis and characterization of alkylene-bridged silsesquicarbodiimide hybrid xerogels, 127
- Synthetic utilization  
Selective synthesis of halosilanes from hydrosilanes and utilization for organic synthesis, 3
- Tetrametalmethane  
*gem*-Silylborylation approach for tri- and tetrametalmethanes: the first synthesis of boryl(germyl)(silyl)(stannyl)methanes, 286
- Tetrakis(silyl)disilenes  
Synthesis, structure and isomerization of A<sub>2</sub>Si=SiB<sub>2</sub>-type tetrakis(trialkylsilyl)disilenes, 105
- TGA  
Phenylsilylanetriol — synthesis, stability, and reactivity, 313
- Thioacylsilanes  
 $\alpha,\beta$ -Unsaturated thioacylsilanes as efficient dienes in hetero Diels–Alder reactions, 363
- Thioaldehydes  
 $\alpha,\beta$ -Unsaturated thioacylsilanes as efficient dienes in hetero Diels–Alder reactions, 363
- Three-membered ring  
Syntheses and structures of silicon analogues of cyclopropabenzene, 118
- Transannular interaction  
Thermolysis of bis(pentacoordinate) silicon compound bearing two 1-fluorodisilanyl units at 4- and 8-positions on 1,5-bis(dimethylamino)naphthalene ring: construction of disilapyrene skeleton and cyclophane-shaped siloxane dimer, 215
- Trichlorosilane  
Compensation effect in trichlorosilane synthesis, 151
- Trimethylsilylation  
Phenylsilylanetriol — synthesis, stability, and reactivity, 313
- Triorganosilane  
The ruthenium-catalyzed silylation of aromatic C–H bonds with triethylsilane, 134
- Unsymmetrical siloxanes  
Novel fluoride ion mediated synthesis of unsymmetrical siloxanes under phase transfer catalysis conditions, 52
- UV-MALDI-TOF MS  
Poly(silsesquioxanes) derived from the hydrolytic condensation of organotrialkoxysilanes containing hydroxyl groups, 42
- UV spectroscopy  
The chemical shift tensor of silylenes, 251
- Vinylsilane  
Acid-catalyzed intramolecular addition of a carboxy group to vinylsilanes, 242  
Cationic rearrangements controlled by the presence of a silyl group, 84
- Wagner–Meerwein  
Cationic rearrangements controlled by the presence of a silyl group, 84
- Wide angle X-ray powder diffraction (WAX)  
Phenylsilylanetriol — synthesis, stability, and reactivity, 313
- X-ray crystallographic analysis  
Synthesis, crystal structure, and photoreaction of a disiloxane bearing two 2-(phenylazo)phenyl groups, 192
- X-ray crystallography  
Magnesium and chlorostannanes—building blocks for novel tinmodified silanes, 332
- X-ray structural analysis  
Synthesis, structure and isomerization of A<sub>2</sub>Si=SiB<sub>2</sub>-type tetrakis(trialkylsilyl)disilenes, 105