



ELSEVIER

## Subject Index of Volume 687

## Acetylenes

Pd–Ag catalyzed selective dicoupling of  $\alpha$ -trialkylsilyl  $\alpha,\omega$ -diynes; the first one-pot synthesis of dienediynes, 420

## Addition–elimination

Palladium-catalyzed novel addition–elimination reaction of alkenyltin reagents to norbornene, 567

## Addition to alkynes

Mechanistic study of palladium catalyzed S–S and Se–Se bonds addition to alkynes, 451

## Additive

Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27

## Aldehydes

Three-component bimetallic (Pd/In) mediated cascade allylation of C=X functionality: Part 1. Scope and Class 1 examples with aldehydes and ketones, 483

## Alkoxide-bridged complexes

Preparation and characterization of some structural variants of Cp\*Ti(1,2-propandiolato) complexes, 171

## Alkoxyasilane

The reactions of dialkyl and diarylethoxysilanes with T<sub>6</sub> silsesquioxane cages: X-ray crystallographic studies of the mono-T<sub>6</sub>D<sub>1</sub> and bis-T<sub>6</sub>D<sub>2</sub> insertion ring expansion products, 1

## Alkyl chlorides

First Kumada reaction of alkyl chlorides using *N*-heterocyclic carbene/palladium catalyst systems, 403

 $\alpha$ -Alkyl-substituted styrenes

Pd-catalyzed selective tandem arylation–alkylation of 1,1-dihalo-1-alkenes with aryl- and alkylzinc derivatives to produce  $\alpha$ -alkyl-substituted styrene derivatives, 518

## Alkynes

Palladium-catalyzed reaction of aryl iodides with *tertiary* propargylic amides: Highly substituted allenes through a regioselective carbopalladation/ $\beta$ -Np elimination reaction, 562

Recent developments in the synthesis of heterocyclic derivatives by PdI<sub>2</sub>-catalyzed oxidative carbonylation reactions, 219

## Allenenes

Palladium-catalyzed reaction of aryl iodides with *tertiary* propargylic amides: Highly substituted allenes through a regioselective carbopalladation/ $\beta$ -Np elimination reaction, 562

Palladium-mediated intramolecular C–N bond formation involving allyl substituted pyridines. Application to a novel strategy for the synthesis of the skeleton of berberinium derivatives, 313

## Allyl complex

Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions, 365

## Allyl complexes

Mono- and binuclear bipyridyl derivatives of the Mo( $\eta^3$ -C<sub>3</sub>H<sub>5</sub>)(CO)<sub>2</sub> fragment: structural studies and fluxionality in solution, 57

## Allylic alcohols

A new catalytic method for the synthesis of selectively substituted biphenyls containing an oxoalkyl chain, 473

## Allylic substitution

Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions, 365

## Allyl stannanes

Allyl stannanes as electrophiles or nucleophiles in the palladium-catalyzed reactions with alkynes, 410

## Amino acid

Preparation and characterization of molybdenum and tungsten compounds with diazabutadiene ligands constructed from amino esters and glyoxal: Crystal structures of meso and C<sub>2</sub>-symmetric isomers of Mo(CO)<sub>4</sub>(dab-asp(OMe)-OMe), 178

 $\beta$ -Amino Alcohols

Recent developments in the synthesis of heterocyclic derivatives by PdI<sub>2</sub>-catalyzed oxidative carbonylation reactions, 219

## Annulation

Palladium-catalyzed carbonylative annulation of terminal alkynes: synthesis of coumarins and 2-quinolones, 425

## Aromatic arylation

A new catalytic method for the synthesis of selectively substituted biphenyls containing an oxoalkyl chain, 473

## Aryl- and alkylzinc

Pd-catalyzed selective tandem arylation–alkylation of 1,1-dihalo-1-alkenes with aryl- and alkylzinc derivatives to produce  $\alpha$ -alkyl-substituted styrene derivatives, 518

## Arylation

Palladium-catalyzed intramolecular  $\alpha$ -arylation of sulfoximines, 444

## Arylation–alkylation

Pd-catalyzed selective tandem arylation–alkylation of 1,1-dihalo-1-alkenes with aryl- and alkylzinc derivatives to produce  $\alpha$ -alkyl-substituted styrene derivatives, 518

## Arylboronic acids

Efficient coupling of heteroaryl halides with arylboronic acids in the presence of a palladium–tetrakisphosphine catalyst, 327

## Aryl bromide

Triallyl(aryl)silanes serve as a convenient agent for silicon-based cross-coupling reaction of aryl halides, 570

## Aryl iodide

Double carbonylation of aryl iodides with diethylamine catalyzed by dinuclear palladium complexes, 436

Triallyl(aryl)silanes serve as a convenient agent for silicon-based cross-coupling reaction of aryl halides, 570

## Asymmetric catalysis

<sup>2</sup>H-quadrupolar coupling-based analysis of stereochemical and regiochemical memory in the Pd-catalyzed allylic alkylation of *iso*-cinnamyl type substrates employing the chiral monophosphine ligands ‘MOP’ and ‘MAP’, 525

New chiral diamide ligands containing redox-active hydroquinone groups. Synthesis and results in the palladium(II)-catalyzed 1,4-diacetoxylation of 1,3-dienes, 508

New developments in the Pd-catalyzed cyclisation-coupling reaction of alkene-containing carbonucleophiles with organic halides (and triflates). The first examples of asymmetric catalysis, 466

- Palladium complexes of phosphinamine ligands in the intramolecular asymmetric Heck reaction, 545
- Azobenzenes  
Synthesis and characterisation of Pd(II) complexes with a derivative of aminoazobenzene: Dynamic <sup>1</sup>H-NMR study of cyclopalladation reactions in DMF, 85
- Benzofuran  
Palladium-catalyzed benzylic-like nucleophilic substitution of benzofuran-, benzothiophene- and indole-based substrates by dimethyl malonate anion, 353
- Benzothiophene  
Palladium-catalyzed benzylic-like nucleophilic substitution of benzofuran-, benzothiophene- and indole-based substrates by dimethyl malonate anion, 353
- Benzylic-like nucleophilic substitution  
Palladium-catalyzed benzylic-like nucleophilic substitution of benzofuran-, benzothiophene- and indole-based substrates by dimethyl malonate anion, 353
- Berberiniums  
Palladium-mediated intramolecular C–N bond formation involving allyl substituted pyridines. Application to a novel strategy for the synthesis of the skeleton of berberinium derivatives, 313
- Bimetallic  
Three-component bimetallic (Pd/In) mediated cascade allylation of C=X functionality: Part 1. Scope and Class 1 examples with aldehydes and ketones, 483
- Binuclear complexes  
Mono- and binuclear bipyridyl derivatives of the Mo( $\eta^3$ -C<sub>3</sub>H<sub>5</sub>)(CO)<sub>2</sub> fragment: structural studies and fluxionality in solution, 57
- Biphasic catalysis  
Heck reactions with various types of palladium complex catalysts: application of multiphase catalysis and supercritical carbon dioxide, 211
- Bipyridyl complexes  
Mono- and binuclear bipyridyl derivatives of the Mo( $\eta^3$ -C<sub>3</sub>H<sub>5</sub>)(CO)<sub>2</sub> fragment: structural studies and fluxionality in solution, 57
- Bismetallation  
Further studies on palladium-catalyzed bismetallative cyclization of enynes in the presence of Bu<sub>3</sub>SnSiMe<sub>3</sub>, 392
- Bis(pinacolato)diboron  
Palladium-catalyzed cross-coupling reaction of bis(pinacolato)diboron with vinyl triflates  $\beta$ -substituted by a carbonyl group: efficient synthesis of  $\beta$ -boryl- $\alpha,\beta$ -unsaturated carbonyl compounds and their synthetic utility, 284
- Bis(trialkylstanny)ethyne  
Reactivity of 1-boraadamantanes towards bis(trialkylstanny)ethynes. First examples of 3-boratricyclo[5.3.1.1<sup>3,9</sup>]dodecanes, and the molecular structure of a tetraalkyldiboroxane, 108
- B-nor-estradiol  
Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations, 346
- 1-Boraadamantane  
Reactivity of 1-boraadamantanes towards bis(trialkylstanny)ethynes. First examples of 3-boratricyclo[5.3.1.1<sup>3,9</sup>]dodecanes, and the molecular structure of a tetraalkyldiboroxane, 108
- Bridging ligand  
Nickel(II) complexes of the type [RM(oxam)MR] (oxam: oxalaminidate, R=*n*-butyl, *n*-hexyl): the first binuclear *n*-alkyl nickel complexes, 153
- Cage expansion  
The reactions of dialkyl and diarylethoxysilanes with T<sub>6</sub> silsesquioxane cages: X-ray crystallographic studies of the mono-T<sub>6</sub>D<sub>1</sub> and bis-T<sub>6</sub>D<sub>2</sub> insertion ring expansion products, 1
- Calculations  
The silicon effect on the regioselectivity of the Tsuji-Trost reaction. Experimental and theoretical approaches, 337
- Carbenes  
Phospha-palladacycles and *N*-heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions, 229
- Carbocyclisations  
New developments in the Pd-catalysed cyclisation-coupling reaction of alkene-containing carbonucleophiles with organic halides (and triflates). The first examples of asymmetric catalysis., 466
- Carbohydrate  
Palladium-catalyzed Suzuki cross-coupling of aryl halides with aryl boronic acids in the presence of glucosamine-based phosphines, 384
- Carbon monoxide  
Double carbonylation of aryl iodides with diethylamine catalyzed by dinuclear palladium complexes, 436  
Palladium-catalyzed carbonylative annulation of terminal alkynes: synthesis of coumarins and 2-quinolones, 425
- Carbonylation  
Recent developments in the synthesis of heterocyclic derivatives by PdI<sub>2</sub>-catalyzed oxidative carbonylation reactions, 219
- Carbosilanes  
Novel pentacoordinate silicon compounds bearing [Si-N-C-N-C-N] chelate ring derived from biguanide ligands, 190
- Cascade allylation  
Three-component bimetallic (Pd/In) mediated cascade allylation of C=X functionality: Part 1. Scope and Class 1 examples with aldehydes and ketones, 483
- Cascade reactions  
Palladium-catalyzed cross-coupling reactions and electrocyclizations—efficient combinations for new cascade reactions, 249
- Catalysis  
A new catalytic method for the synthesis of selectively substituted biphenyls containing an oxoalkyl chain, 473  
Palladium-catalyzed intramolecular  $\alpha$ -arylation of sulfoximines, 444  
Phospha-palladacycles and *N*-heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions, 229
- Catalyst activation  
Quinoyl-functionalised Cp–chromium polymerisation catalysts: synthesis and crystal structures of alkylation products, 125
- Catalytic reaction  
Mechanistic study of palladium catalyzed S–S and Se–Se bonds addition to alkynes, 451
- C–C bond formation  
Palladium-catalyzed benzylic-like nucleophilic substitution of benzofuran-, benzothiophene- and indole-based substrates by dimethyl malonate anion, 353
- CC-coupling  
Phospha-palladacycles and *N*-heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions, 229
- Ceramic residue yield  
Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27
- CH activation  
Insertion of Pt into CH and CS bonds of thiophene derivatives. The X-ray crystal structure of a thiaplatinacycle of 3,6-dimethylthieno[3,2-*b*]thiophene, 39
- Characterization  
Preparation and characterization of some structural variants of Cp\*Ti(1,2-propandiolato) complexes, 171
- Chirality  
*trans*-Bis-[(–)ephedrinat]e-palladium<sup>II</sup> complex: synthesis, molecular modeling and use as catalyst, 377

## Chiral ligand

Preparation and characterization of molybdenum and tungsten compounds with diazabutadiene ligands constructed from amino esters and glyoxal: Crystal structures of meso and  $C_2$ -symmetric isomers of  $\text{Mo}(\text{CO})_4(\text{dab-asp}(\text{OMe})\text{-OMe})$ , 178

## Chloride ions

Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions, 365

## Chromium

Quinolylyl-functionalised Cp–chromium polymerisation catalysts: synthesis and crystal structures of alkylation products, 125

## Clusters

Reactions of the triosmium cluster  $\text{Os}_3(\mu\text{-H})(\mu\text{-OH})(\text{CO})_{10}$  with naphthols, 203

## C–N bond formation

Palladium-mediated intramolecular C–N bond formation involving allyl substituted pyridines. Application to a novel strategy for the synthesis of the skeleton of berberinium derivatives, 313

## CN-coupling

Phospha-palladacycles and *N*-heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions, 229

## Combinatorial chemistry

Palladium-catalyzed cross-coupling reactions and electrocyclizations—efficient combinations for new cascade reactions, 249

## Complexes

Novel unsymmetrical PCP' pincer ligands and their palladium(II) complexes, 185

## Copper cluster

Stepwise addition of CuBr at  $[(\text{dtc})_2\text{Mo}_2(\text{S})_2(\mu\text{-S})_2]$  (dtc=diethyldithiocarbamate): syntheses and crystal structures of two Mo/Cu/S clusters  $[(\text{dtc})_2\text{Mo}_2(\mu_3\text{-S})(\mu\text{-S})_3(\text{CuBr})]$  and  $[(\text{dtc})_2\text{Mo}_2(\mu_3\text{-S})_4(\text{CuBr})_2]$ , 197

## Coupling–dimerization

Ruthenium-catalyzed carbon–carbon formation to synthesize tetraarylethanes and tetraarylxylene through dechlorinative dimeric reaction, 12

## Coupling reactions

Palladium-catalyzed coupling reactions of bromo-substituted phenylphosphine oxides: a facile route to functionalized arylphosphine ligands, 301

Pd–Ag catalyzed selective dicoupling of  $\alpha$ -trialkylsilyl  $\alpha,\omega$ -diynes; the first one-pot synthesis of dienediynes, 420

## Cp\*Ti(1,2-propandiolato)

Preparation and characterization of some structural variants of Cp\*Ti(1,2-propandiolato) complexes, 171

## Cross-coupling

Palladium-catalyzed cross-coupling reaction of bis(pinacolato)diboron with vinyl triflates  $\beta$ -substituted by a carbonyl group: efficient synthesis of  $\beta$ -boryl- $\alpha,\beta$ -unsaturated carbonyl compounds and their synthetic utility, 284

## Cross coupling

Palladium-catalyzed cross-coupling reactions and electrocyclizations—efficient combinations for new cascade reactions, 249

## Cross-coupling

Triallyl(aryl)silanes serve as a convenient agent for silicon-based cross-coupling reaction of aryl halides, 570

## Cross-coupling reaction

Stereoselective synthesis of 1,3-dienylstannanes by palladium catalyzed cross-coupling reactions, 462

## Cross-linking

Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27

## Crystal structure

Formation and structural characterization of novel polynuclear

palladium selenolato complexes  $[\text{Pd}_3\text{Se}(\text{SePh})_3(\text{PPh}_3)_3]\text{Cl}$  and  $[\text{Pd}_6\text{Cl}_2\text{Se}_4(\text{SePh})_2(\text{PPh}_3)_6]$ , 538

Insertion of Pt into CH and CS bonds of thiophene derivatives. The X-ray crystal structure of a thiaplatinacycle of 3,6-dimethylthieno[3,2-*b*]thiophene, 39

## Crystal structures

Ligand behaviour of P-functionally substituted organotin halides: palladium(II) and platinum(II) complexes with  $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{SnCl}_3$ , 131

Mono- and binuclear bipyridyl derivatives of the  $\text{Mo}(\eta^3\text{-C}_3\text{H}_5)(\text{CO})_2$  fragment: structural studies and fluxionality in solution, 57

Phenylmercury(II) derivatives of tetraorganodichalcogenoimidodiphosphorus acids. Crystal and molecular structure of  $[\text{PhHg}\{(\text{OPR}_2)(\text{SPPH}_2\text{N})\}_2]$  (R=Me, Ph), 118

Preparation and characterization of molybdenum and tungsten compounds with diazabutadiene ligands constructed from amino esters and glyoxal: Crystal structures of meso and  $C_2$ -symmetric isomers of  $\text{Mo}(\text{CO})_4(\text{dab-asp}(\text{OMe})\text{-OMe})$ , 178

Stepwise addition of CuBr at  $[(\text{dtc})_2\text{Mo}_2(\text{S})_2(\mu\text{-S})_2]$  (dtc=diethyldithiocarbamate): syntheses and crystal structures of two Mo/Cu/S clusters  $[(\text{dtc})_2\text{Mo}_2(\mu_3\text{-S})(\mu\text{-S})_3(\text{CuBr})]$  and  $[(\text{dtc})_2\text{Mo}_2(\mu_3\text{-S})_4(\text{CuBr})_2]$ , 197

## CS activation

Insertion of Pt into CH and CS bonds of thiophene derivatives. The X-ray crystal structure of a thiaplatinacycle of 3,6-dimethylthieno[3,2-*b*]thiophene, 39

## Curing

Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27

## Cyclic voltammetry

Nickel(II) complexes of the type  $[\text{RM}(\text{oxam})\text{MR}]$  (oxam: oxalamidinate, R=*n*-butyl, *n*-hexyl): the first binuclear *n*-alkyl nickel complexes, 153

## Cyclization

Further studies on palladium-catalyzed bimetallic cyclization of enynes in the presence of  $\text{Bu}_3\text{SnSiMe}_3$ , 392

Palladium-catalyzed intramolecular  $\alpha$ -arylation of sulfoximines, 444

## Cyclometallated diiron complexes

Reactions of *N*-(2-thienylmethylidene)-2-thienylmethylamine derivatives with diiron nonacarbonyl: characterization and structures of cyclometallated diiron complexes  $\text{Fe}_2(\text{CO})_6(\text{RC}_4\text{HSC}_2\text{NCH}_2\text{C}_4\text{H}_3\text{S})$  and linear tetrairon clusters  $\text{Fe}_4(\text{CO})_{10}(\text{RC}_4\text{HSC}_2\text{NCH}_2\text{C}_4\text{H}_3\text{S})_2$ , 16

## Cyclopalladated complexes

Palladium-mediated intramolecular C–N bond formation involving allyl substituted pyridines. Application to a novel strategy for the synthesis of the skeleton of berberinium derivatives, 313

## Cyclopalladation

Synthesis and characterisation of Pd(II) complexes with a derivative of aminoazobenzene: Dynamic  $^1\text{H-NMR}$  study of cyclopalladation reactions in DMF, 85

## Dechlorination

Ruthenium-catalyzed carbon–carbon formation to synthesize tetraarylethanes and tetraarylxylene through dechlorinative dimeric reaction, 12

## Dehydrocoupling

Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27

## Density functional theory (DFT)

*trans*-Bis-[(–)ephedrinatyl]-palladium<sup>II</sup> complex: synthesis, molecular modeling and use as catalyst, 377

## Diazabutadienes

Catalytic activity of Pd(II) and Pd(II)/DAB-R systems for the Heck arylation of olefins, 269

## Diene cycloisomerization

Dramatic effect of homoallylic substitution on the rate of palladium-catalyzed diene cycloisomerization, 498

## Dienediynes

Pd–Ag catalyzed selective dicoupling of  $\alpha$ -trialkylsilyl  $\alpha,\omega$ -diynes; the first one-pot synthesis of dienediynes, 420

## Dienes

New chiral diamide ligands containing redox-active hydroquinone groups. Synthesis and results in the palladium(II)-catalyzed 1,4-diacetoxylation of 1,3-dienes, 508

## 1,3-Dienylstannane

Stereoselective synthesis of 1,3-dienylstannanes by palladium catalyzed cross-coupling reactions, 462

## 1,1-Dihalo-1-alkenes

Pd-catalyzed selective tandem arylation–alkylation of 1,1-dihalo-1-alkenes with aryl- and alkylzinc derivatives to produce  $\alpha$ -alkyl-substituted styrene derivatives, 518

## Diimine

Preparation and characterization of molybdenum and tungsten compounds with diazabutadiene ligands constructed from amino esters and glyoxal: Crystal structures of meso and  $C_2$ -symmetric isomers of  $\text{Mo}(\text{CO})_4(\text{dab-asp}(\text{OMe})\text{-OMe})$ , 178

## Diiron nonacarbonyl

Reactions of *N*-(2-thienylmethylidene)-2-thienylmethylamine derivatives with diiron nonacarbonyl: characterization and structures of cyclometallated diiron complexes  $\text{Fe}_2(\text{CO})_6(\text{RC}_4\text{HSCH}_2\text{NCH}_2\text{C}_4\text{H}_3\text{S})$  and linear tetrairon clusters  $\text{Fe}_4(\text{CO})_{10}(\text{RC}_4\text{HSCHNCH}_2\text{C}_4\text{H}_3\text{S})_2$ , 16

## Dinuclear palladium complexes

Double carbonylation of aryl iodides with diethylamine catalyzed by dinuclear palladium complexes, 436

## 1,2-Diones

Three-component bimetallic (Pd/In) mediated cascade allylation of  $\text{C}=\text{X}$  functionality: Part 1. Scope and Class 1 examples with aldehydes and ketones, 483

## Donor-functionalised Cp-ligands

Quinoyl-functionalised Cp–chromium polymerisation catalysts: synthesis and crystal structures of alkylation products, 125

## Double carbonylation

Double carbonylation of aryl iodides with diethylamine catalyzed by dinuclear palladium complexes, 436

## Dynamics

Synthesis and characterisation of Pd(II) complexes with a derivative of aminoazobenzene: Dynamic  $^1\text{H-NMR}$  study of cyclopalladation reactions in DMF, 85

## Electronic communication

Nickel(II) complexes of the type  $[\text{RM}(\text{oxam})\text{MR}]$  (oxam: oxalaminate,  $\text{R} = n$ -butyl,  $n$ -hexyl): the first binuclear  $n$ -alkyl nickel complexes, 153

## Electron transfer

Electron transfer reactions of  $(\text{C}_5\text{R}_5)_2(\text{CO})_2\text{Ti}$  ( $\text{R} = \text{H}$  or  $\text{Me}$ ) with TCNE or TCNQ: Spectroelectrochemical assignment of metal and ligand oxidation states in  $[(\text{C}_5\text{Me}_5)_2(\text{CO})\text{Ti}(\text{TCNX})]^{2-/-1-0/+1}$ , 100

## Electrophiles

Allyl stannanes as electrophiles or nucleophiles in the palladium-catalyzed reactions with alkynes, 410

## Enyne

Further studies on palladium-catalyzed bismetallative cyclization of enynes in the presence of  $\text{Bu}_3\text{SnSiMe}_3$ , 392

## Ephedrine

*trans*-Bis-[(–)ephedrinato]-palladium<sup>II</sup> complex: synthesis, molecular modeling and use as catalyst, 377

## Formation

Formation and structural characterization of novel polynuclear

palladium selenolato complexes  $[\text{Pd}_3\text{Se}(\text{SePh})_3(\text{PPh}_3)_3]\text{Cl}$  and  $[\text{Pd}_6\text{Cl}_2\text{Se}_4(\text{SePh})_2(\text{PPh}_3)_6]$ , 538

## Group IV metallocene

Cyclic organohydroborate complexes of metallocenes: VIII. Triphenylsiloxy derivatives of Group IV organometallic systems,  $\text{Cp}_2\text{M}(\text{OSiPh}_3)\text{X}$  ( $\text{M} = \text{Ti}, \text{Zr}, \text{Hf}$ ;  $\text{X} = \text{Cl}, \{(\mu\text{-H})_2\text{BC}_8\text{H}_{14}\}$ ), 69

## Halide

Palladium-catalyzed novel addition–elimination reaction of alkenyltin reagents to norbornene, 567

## Heck

Ligand-free palladium catalysed Heck reaction of methyl 2-acetamido acrylate and aryl bromides as key step in the synthesis of enantiopure substituted phenylalanines, 494

## Heck coupling

Catalytic activity of Pd(II) and Pd(II)/DAB-R systems for the Heck arylation of olefins, 269

Palladium-catalyzed pseudo-domino cyclizations: An easy entry toward polycondensed pyrrolidone derivatives, 291

## Heck-reaction

Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations, 346

## Heck reaction

A new catalytic method for the synthesis of selectively substituted biphenyls containing an oxoalkyl chain, 473

Heck reactions with various types of palladium complex catalysts: application of multiphase catalysis and supercritical carbon dioxide, 211

Palladium-catalyzed novel addition–elimination reaction of alkenyltin reagents to norbornene, 567

## Heck-type and Ullmann-type reactions

Palladium-catalyzed coupling reactions towards the synthesis of well-defined thiophene-oligomers, 280

## Herrmann–Bellar phosphapalladacycle

Palladium-catalyzed pseudo-domino cyclizations: An easy entry toward polycondensed pyrrolidone derivatives, 291

## Heteroaryl halides

Efficient coupling of heteroaryl halides with arylboronic acids in the presence of a palladium–tetraphosphine catalyst, 327

## Heterocycles

Recent developments in the synthesis of heterocyclic derivatives by PdI<sub>2</sub>-catalyzed oxidative carbonylation reactions, 219

## Heterocycles

Palladium-mediated intramolecular C–N bond formation involving allyl substituted pyridines. Application to a novel strategy for the synthesis of the skeleton of berberinium derivatives, 313

## Hexacoordination

Ligand behaviour of P-functionally substituted organotin halides: palladium(II) and platinum(II) complexes with  $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{SnCl}_3$ , 131

 $^2\text{H-NMR}$ 

$^2\text{H}$ -quadrupolar coupling-based analysis of stereochemical and regiochemical memory in the Pd-catalysed allylic alkylation of *iso*-cinnamyl type substrates employing the chiral monophosphine ligands ‘MOP’ and ‘MAP’, 525

 $^1\text{H-NMR}$  study

Synthesis and characterisation of Pd(II) complexes with a derivative of aminoazobenzene: Dynamic  $^1\text{H-NMR}$  study of cyclopalladation reactions in DMF, 85

## Homoallylic substitution

Dramatic effect of homoallylic substitution on the rate of palladium-catalyzed diene cycloisomerization, 498

## Hydroarylation

Palladium-catalyzed reaction of aryl iodides with *tertiary* propargylic amides: Highly substituted allenes through a regioselective carbopalladation/ $\beta$ -Npd elimination reaction, 562

- Hydrogen-bonded networks  
Hydrogen-bonded networks from  $\eta^5$ -semiquinone complexes of manganese tricarbonyl, 78
- Hypercoordination  
X-ray crystallographic study of some pentacoordinated organogermanium compounds, 33
- Indole  
Palladium-catalyzed benzylic-like nucleophilic substitution of benzofuran-, benzothiophene- and indole-based substrates by dimethyl malonate anion, 353
- Insertion reaction  
The reactions of dialkyl and diarylethoxysilanes with  $T_6$  silsesquioxane cages: X-ray crystallographic studies of the mono- $T_6D_1$  and bis- $T_6D_2$  insertion ring expansion products, 1
- Intramolecular Heck reaction  
Palladium complexes of phosphinamine ligands in the intramolecular asymmetric Heck reaction, 545
- Kinetics  
Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions, 365
- Ligand design  
New chiral diamide ligands containing redox-active hydroquinone groups. Synthesis and results in the palladium(II)-catalyzed 1,4-diacetoxylation of 1,3-dienes, 508
- Ligand-free  
Ligand-free palladium catalysed Heck reaction of methyl 2-acetamido acrylate and aryl bromides as key step in the synthesis of enantiopure substituted phenylalanines, 494
- Linear tetrairon clusters  
Reactions of *N*-(2-thienylmethylidene)-2-thienylmethylamine derivatives with diiron nonacarbonyl: characterization and structures of cyclometallated diiron complexes  $Fe_2(CO)_6(RC_4HSCH_2NCH_2C_4H_3S)$  and linear tetrairon clusters  $Fe_4(CO)_{10}(RC_4HSCHNCH_2C_4H_3S)_2$ , 16
- Liquid crystals  
 $^2H$ -quadrupolar coupling-based analysis of stereochemical and regiochemical memory in the Pd-catalysed allylic alkylation of *iso*-cinnamyl type substrates employing the chiral monophosphine ligands 'MOP' and 'MAP', 525
- Manganese  
Hydrogen-bonded networks from  $\eta^5$ -semiquinone complexes of manganese tricarbonyl, 78
- Mechanism  
Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions, 365
- Memory effects  
 $^2H$ -quadrupolar coupling-based analysis of stereochemical and regiochemical memory in the Pd-catalysed allylic alkylation of *iso*-cinnamyl type substrates employing the chiral monophosphine ligands 'MOP' and 'MAP', 525
- Mesogen  
Organotin compounds bearing mesogenic sidechains: synthesis, X-ray structures and polymerisation chemistry, 46
- Methodology  
Palladium catalyzed thiol cross-coupling of cystein derivatives with aryl and alkenyl halides, 322
- Microwave  
Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations, 346
- Molybdenum  
Mono- and binuclear bipyridyl derivatives of the  $Mo(\eta^3-C_3H_5)(CO)_2$  fragment: structural studies and fluxionality in solution, 57
- Preparation and characterization of molybdenum and tungsten compounds with diazabutadiene ligands constructed from amino esters and glyoxal: Crystal structures of meso and  $C_2$ -symmetric isomers of  $Mo(CO)_4(dab-asp(OMe)-OMe)$ , 178
- Molybdenum cluster  
Stepwise addition of CuBr at  $[(dtc)_2Mo_2(S)_2(\mu-S)_2]$  (*dtc*=diethyl-dithiocarbamate): syntheses and crystal structures of two Mo/Cu/S clusters  $[(dtc)_2Mo_2(\mu_3-S)(\mu-S)_3(CuBr)]$  and  $[(dtc)_2Mo_2(\mu_3-S)_4(CuBr)_2]$ , 197
- Monocyclopentadienyl ligands  
Synthesis and characterization of Zr(IV) and Y(III) complexes with monocyclopentadienyl ligands containing an additional site tethered by a coordinating 2,6-pyridine bridge. X-ray crystal structures of the zirconium complexes, 161
- MonoPhos  
Ligand-free palladium catalysed Heck reaction of methyl 2-acetamido acrylate and aryl bromides as key step in the synthesis of enantiopure substituted phenylalanines, 494
- Mössbauer  
Organotin compounds bearing mesogenic sidechains: synthesis, X-ray structures and polymerisation chemistry, 46
- Naphthol  
Reactions of the trisium cluster  $Os_3(\mu-H)(\mu-OH)(CO)_{10}$  with naphthols, 203
- N-heterocyclic carbene  
Further studies on palladium-catalyzed bimetallic cyclization of enynes in the presence of  $Bu_3SnSiMe_3$ , 392
- N-heterocyclic carbenes  
First Kumada reaction of alkyl chlorides using *N*-heterocyclic carbene/palladium catalyst systems, 403
- Nickel  
Nickel(II) complexes of the type  $[RM(oxam)MR]$  (*oxam*: oxalamidinate,  $R=n$ -butyl, *n*-hexyl): the first binuclear *n*-alkyl nickel complexes, 153
- NMR spectroscopy  
Ligand behaviour of P-functionally substituted organotin halides: palladium(II) and platinum(II) complexes with  $Ph_2PCH_2CH_2SnCl_3$ , 131
- NMR, X-ray  
Reactivity of 1-boraadamantanes towards bis(trialkylstannylo)ethynes. First examples of 3-boratricyclo[5.3.1.1<sup>3,9</sup>]dodecanes, and the molecular structure of a tetraalkyldiboroxane, 108
- Nucleophiles  
Allyl stannanes as electrophiles or nucleophiles in the palladium-catalyzed reactions with alkynes, 410
- Olefin polymerisation  
Quinoyl-functionalised Cp–chromium polymerisation catalysts: synthesis and crystal structures of alkylation products, 125
- 1,1-Organoboration  
Reactivity of 1-boraadamantanes towards bis(trialkylstannylo)ethynes. First examples of 3-boratricyclo[5.3.1.1<sup>3,9</sup>]dodecanes, and the molecular structure of a tetraalkyldiboroxane, 108
- Organogermanium compounds  
X-ray crystallographic study of some pentacoordinated organogermanium compounds, 33
- Organohydroborate  
Cyclic organohydroborate complexes of metallocenes: VIII. Triphenylsiloxy derivatives of Group IV organometallic systems,  $Cp_2M(OSiPh_3)X$  ( $M=Ti, Zr, Hf; X=Cl, \{(\mu-H)_2BC_8H_{14}\}$ ), 69
- Organometallic networks  
Hydrogen-bonded networks from  $\eta^5$ -semiquinone complexes of manganese tricarbonyl, 78
- Organophosphorus ligands  
Phenylmercury(II) derivatives of tetraorganodichalcogenoimidodiphosphorus acids. Crystal and molecular structure of

- [PhHg{(OPR<sub>2</sub>)(SPPPh<sub>2</sub>N)}<sub>2</sub> (R=Me, Ph), 118
- Organotin  
Ligand behaviour of P-functionally substituted organotin halides: palladium(II) and platinum(II) complexes with Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>SnCl<sub>3</sub>, 131
- Organotin reagent  
Palladium-catalyzed novel addition–elimination reaction of alkenyltin reagents to norbornene, 567
- Osmium  
Reactions of the triosmium cluster Os<sub>3</sub>(μ-H)(μ-OH)(CO)<sub>10</sub> with naphthols, 203
- Oxidation  
Insertion of Pt into CH and CS bonds of thiophene derivatives. The X-ray crystal structure of a thiaplatinacycle of 3,6-dimethylthieno[3,2-*b*]thiophene, 39  
New chiral diamide ligands containing redox-active hydroquinone groups. Synthesis and results in the palladium(II)-catalyzed 1,4-diacetoxylation of 1,3-dienes, 508
- Oxidative Carbonylation  
Recent developments in the synthesis of heterocyclic derivatives by PdI<sub>2</sub>-catalyzed oxidative carbonylation reactions, 219
- Palladacycles  
A new catalytic method for the synthesis of selectively substituted biphenyls containing an oxoalkyl chain, 473  
Phospha-palladacycles and *N*-heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions, 229
- Palladium  
Allyl stannanes as electrophiles or nucleophiles in the palladium-catalyzed reactions with alkynes, 410  
A new catalytic method for the synthesis of selectively substituted biphenyls containing an oxoalkyl chain, 473  
Catalytic activity of Pd(II) and Pd(II)/DAB-R systems for the Heck arylation of olefins, 269  
Efficient coupling of heteroaryl halides with arylboronic acids in the presence of a palladium–tetraphosphine catalyst, 327  
Further studies on palladium-catalyzed bimetallic cyclization of enynes in the presence of Bu<sub>3</sub>SnSiMe<sub>3</sub>, 392  
<sup>2</sup>H-quadrupolar coupling-based analysis of stereochemical and regiochemical memory in the Pd-catalyzed allylic alkylation of *iso*-cinnamyl type substrates employing the chiral monophosphine ligands ‘MOP’ and ‘MAP’, 525  
Ligand-free palladium catalyzed Heck reaction of methyl 2-acetamido acrylate and aryl bromides as key step in the synthesis of enantiopure substituted phenylalanines, 494  
New chiral diamide ligands containing redox-active hydroquinone groups. Synthesis and results in the palladium(II)-catalyzed 1,4-diacetoxylation of 1,3-dienes, 508  
New developments in the Pd-catalyzed cyclisation-coupling reaction of alkene-containing carbonucleophiles with organic halides (and triflates). The first examples of asymmetric catalysis., 466  
Nickel(II) complexes of the type [RM(oxam)MR] (oxam: oxalaminidate, R=*n*-butyl, *n*-hexyl): the first binuclear *n*-alkyl nickel complexes, 153  
Novel unsymmetrical PCP’ pincer ligands and their palladium(II) complexes, 185  
Palladium-catalyzed benzylic-like nucleophilic substitution of benzofuran-, benzothiophene- and indole-based substrates by dimethyl malonate anion, 353  
Palladium-catalyzed carbonylative annulation of terminal alkynes: synthesis of coumarins and 2-quinolones, 425  
Palladium-catalyzed intramolecular α-arylation of sulfoximines, 444  
Palladium-catalyzed pseudo-domino cyclizations: An easy entry toward polycondensed pyrrolidone derivatives, 291  
Palladium-catalyzed reaction of aryl iodides with *tertiary* propargylic amides: Highly substituted allenes through a regioselective carbopalladation/β-NPd elimination reaction, 562  
Palladium catalyzed thiol cross-coupling of cystein derivatives with aryl and alkenyl halides, 322  
Palladium complexes of phosphinamine ligands in the intramolecular asymmetric Heck reaction, 545  
Pd–Ag catalyzed selective dicoupling of α-trialkylsilyl α,ω-dienes; the first one-pot synthesis of dienediynes, 420  
Phospha-palladacycles and *N*-heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions, 229  
Recent developments in the synthesis of heterocyclic derivatives by PdI<sub>2</sub>-catalyzed oxidative carbonylation reactions, 219  
Stereoselective synthesis of 1,3-dienylstannanes by palladium catalyzed cross-coupling reactions, 462  
Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions, 365  
Synthesis and characterisation of Pd(II) complexes with a derivative of aminoazobenzene: Dynamic <sup>1</sup>H-NMR study of cyclopalladation reactions in DMF, 85  
Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations, 346  
Triallyl(aryl)silanes serve as a convenient agent for silicon-based cross-coupling reaction of aryl halides, 570
- Palladium acetate  
Palladium-catalyzed coupling reactions towards the synthesis of well-defined thiophene-oligomers, 280
- Palladium catalysis  
Palladium-catalyzed coupling reactions of bromo-substituted phenylphosphine oxides: a facile route to functionalized arylphosphine ligands, 301  
Palladium-catalyzed cross-coupling reactions and electrocyclizations—efficient combinations for new cascade reactions, 249
- Palladium catalyst  
Palladium-catalyzed cross-coupling reaction of bis(pinacolato)diboron with vinyl triflates β-substituted by a carbonyl group: efficient synthesis of β-boryl-α,β-unsaturated carbonyl compounds and their synthetic utility, 284
- Palladium-catalyst  
Palladium-catalyzed novel addition–elimination reaction of alkenyltin reagents to norbornene, 567
- Palladium-catalyzed  
Dramatic effect of homoallylic substitution on the rate of palladium-catalyzed diene cycloisomerization, 498
- Palladium-catalyzed coupling  
First Kumada reaction of alkyl chlorides using *N*-heterocyclic carbene/palladium catalyst systems, 403
- Palladium-catalyzed reactions  
Reactivity control in palladium-catalyzed reactions: a personal account, 256
- Palladium complex  
Mechanistic study of palladium catalyzed S–S and Se–Se bonds addition to alkynes, 451
- Palladium complexes  
*trans*-Bis-[(–)ephedrinat]e-palladium<sup>II</sup> complex: synthesis, molecular modeling and use as catalyst, 377
- Palladium-mediated synthesis  
Palladium-mediated intramolecular C–N bond formation involving allyl substituted pyridines. Application to a novel strategy for the synthesis of the skeleton of berberinium derivatives, 313
- Palladium selenolato complex  
Formation and structural characterization of novel polynuclear palladium selenolato complexes [Pd<sub>3</sub>Se(SePh)<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>]Cl and [Pd<sub>6</sub>Cl<sub>2</sub>Se<sub>4</sub>(SePh)<sub>2</sub>(PPh<sub>3</sub>)<sub>6</sub>], 538
- Pd-Catalyzed tandem cross-coupling  
Pd-catalyzed selective tandem arylation–alkylation of 1,1-dihalo-1-

- alkenes with aryl- and alkylzinc derivatives to produce  $\alpha$ -alkyl-substituted styrene derivatives, 518
- PdN bond**  
*trans*-Bis-[(–)ephedrinat]–palladium<sup>II</sup> complex: synthesis, molecular modeling and use as catalyst, 377
- Pentacoordination**  
 Ligand behaviour of P-functionally substituted organotin halides: palladium(II) and platinum(II) complexes with Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>SnCl<sub>3</sub>, 131  
 Novel pentacoordinate silicon compounds bearing [Si-N-C-N-C-N] chelate ring derived from biguanide ligands, 190
- Phenylmercury(II) derivatives**  
 Phenylmercury(II) derivatives of tetraorganodichalcogenoimidodiphosphorus acids. Crystal and molecular structure of [PhHg{(OPR<sub>2</sub>)(SPPH<sub>2</sub>N)}<sub>2</sub>] (R=Me, Ph), 118
- Phosphinamine ligands**  
 Palladium complexes of phosphinamine ligands in the intramolecular asymmetric Heck reaction, 545
- Phosphine**  
 Palladium-catalyzed Suzuki cross-coupling of aryl halides with aryl boronic acids in the presence of glucosamine-based phosphines, 384
- Phosphine oxides**  
 Palladium-catalyzed coupling reactions of bromo-substituted phenylphosphine oxides: a facile route to functionalized arylphosphine ligands, 301
- Phosphines**  
 Palladium-catalyzed coupling reactions of bromo-substituted phenylphosphine oxides: a facile route to functionalized arylphosphine ligands, 301  
 Phospha-palladacycles and *N*-heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions, 229
- Phosphorus**  
 Novel unsymmetrical PCP' pincer ligands and their palladium(II) complexes, 185
- Pincer**  
 Novel unsymmetrical PCP' pincer ligands and their palladium(II) complexes, 185
- Platinum hydrides**  
 Insertion of Pt into CH and CS bonds of thiophene derivatives. The X-ray crystal structure of a thiaplatinacycle of 3,6-dimethylthieno[3,2-*b*]thiophene, 39
- P ligands**  
 New developments in the Pd-catalysed cyclisation-coupling reaction of alkene-containing carbonucleophiles with organic halides (and triflates). The first examples of asymmetric catalysis., 466
- Polyborazine**  
 Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27
- Polymer**  
 Organotin compounds bearing mesogenic sidechains: synthesis, X-ray structures and polymerisation chemistry, 46
- Polyphenylsilane**  
 Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27
- Polyvinylsilane**  
 Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27
- Preparation**  
 Preparation and characterization of some structural variants of Cp\*Ti(1,2-propandiolato) complexes, 171
- Pseudo-domino cyclizations**  
 Palladium-catalyzed pseudo-domino cyclizations: An easy entry toward polycondensed pyrrolidone derivatives, 291
- Pyrrolidone**  
 Palladium-catalyzed pseudo-domino cyclizations: An easy entry toward polycondensed pyrrolidone derivatives, 291
- Radical reaction**  
 Ruthenium-catalyzed carbon–carbon formation to synthesize tetraarylethanes and tetraarylxylylene through dechlorinative dimeric reaction, 12
- Reactivity control**  
 Reactivity control in palladium-catalyzed reactions: a personal account, 256
- Regioregular oligothiophenes**  
 Palladium-catalyzed coupling reactions towards the synthesis of well-defined thiophene-oligomers, 280
- Regioselectivity**  
 The silicon effect on the regioselectivity of the Tsuji-Trost reaction. Experimental and theoretical approaches, 337
- Ring opening**  
 The reactions of dialkyl and diarylethoxysilanes with T<sub>6</sub> silsesquioxane cages: X-ray crystallographic studies of the mono-T<sub>6</sub>D<sub>1</sub> and bis-T<sub>6</sub>D<sub>2</sub> insertion ring expansion products, 1
- Ruthenium catalyst**  
 Ruthenium-catalyzed carbon–carbon formation to synthesize tetraarylethanes and tetraarylxylylene through dechlorinative dimeric reaction, 12
- Scavenger**  
 Palladium catalyzed thiol cross-coupling of cystein derivatives with aryl and alkenyl halides, 322
- $\eta^5$ -Semiquinone complexes  
 Hydrogen-bonded networks from  $\eta^5$ -semiquinone complexes of manganese tricarbonyl, 78
- <sup>77</sup>Se-NMR  
 Mechanistic study of palladium catalyzed S–S and Se–Se bonds addition to alkynes, 451
- Se–Se bond activation  
 Mechanistic study of palladium catalyzed S–S and Se–Se bonds addition to alkynes, 451
- SiC ceramic  
 Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane, 27
- SiH/NH dehydrocoupling  
 Novel pentacoordinate silicon compounds bearing [Si-N-C-N-C-N] chelate ring derived from biguanide ligands, 190
- Silica model  
 Cyclic organohydroborate complexes of metallocenes: VIII. Triphenylsiloxy derivatives of Group IV organometallic systems, Cp<sub>2</sub>M(OSiPh<sub>3</sub>)X (M=Ti, Zr, Hf; X=Cl, {(μ-H)<sub>2</sub>BC<sub>8</sub>H<sub>14</sub>}), 69
- Silicon effect  
 The silicon effect on the regioselectivity of the Tsuji-Trost reaction. Experimental and theoretical approaches, 337
- Silver  
 Pd–Ag catalyzed selective dicoupling of  $\alpha$ -trialkylsilyl  $\alpha,\omega$ -diynes; the first one-pot synthesis of dienediynes, 420
- Silylbiguanides  
 Novel pentacoordinate silicon compounds bearing [Si-N-C-N-C-N] chelate ring derived from biguanide ligands, 190
- Silylstannane  
 Further studies on palladium-catalyzed bismetallative cyclization of enynes in the presence of Bu<sub>3</sub>SnSiMe<sub>3</sub>, 392
- Small rings  
 Palladium-catalyzed cross-coupling reactions and electrocyclizations—efficient combinations for new cascade reactions, 249
- Spectroelectrochemistry  
 Electron transfer reactions of (C<sub>5</sub>R<sub>5</sub>)<sub>2</sub>(CO)<sub>2</sub>Ti (R=H or Me) with TCNE or TCNQ: Spectroelectrochemical assignment of metal and ligand oxidation states in [(C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>(CO)Ti(TCNX)]<sup>2–l–o/l+</sup>, 100

- S–S bond activation  
Mechanistic study of palladium catalyzed S–S and Se–Se bonds addition to alkynes, 451
- Steroids  
Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations, 346
- Substituted phenylalanines  
Ligand-free palladium catalyzed Heck reaction of methyl 2-acetamido acrylate and aryl bromides as key step in the synthesis of enantiopure substituted phenylalanines, 494
- Sulfide cluster  
Stepwise addition of CuBr at [(dtc)<sub>2</sub>Mo<sub>2</sub>(S)<sub>2</sub>(μ-S)<sub>2</sub>] (dtc=diethyl-dithiocarbamate): syntheses and crystal structures of two Mo/Cu/S clusters [(dtc)<sub>2</sub>Mo<sub>2</sub>(μ<sub>3</sub>-S)(μ-S)<sub>3</sub>(CuBr)] and [(dtc)<sub>2</sub>Mo<sub>2</sub>(μ<sub>3</sub>-S)<sub>4</sub>(CuBr)<sub>2</sub>], 197
- Sulfoximine  
Palladium-catalyzed intramolecular α-arylation of sulfoximines, 444
- Supercritical carbon dioxide  
Heck reactions with various types of palladium complex catalysts: application of multiphase catalysis and supercritical carbon dioxide, 211
- Supported liquid phase catalyst  
Heck reactions with various types of palladium complex catalysts: application of multiphase catalysis and supercritical carbon dioxide, 211
- Suzuki coupling  
Palladium-catalyzed Suzuki cross-coupling of aryl halides with aryl boronic acids in the presence of glucosamine-based phosphines, 384
- Suzuki-coupling  
Efficient coupling of heteroaryl halides with arylboronic acids in the presence of a palladium–tetraphosphine catalyst, 327
- Suzuki-reaction  
Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations, 346
- TCNE  
Electron transfer reactions of (C<sub>5</sub>R<sub>5</sub>)<sub>2</sub>(CO)<sub>2</sub>Ti (R=H or Me) with TCNE or TCNQ: Spectroelectrochemical assignment of metal and ligand oxidation states in [(C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>(CO)Ti(TCNX)]<sup>2–1–1ol</sup> +, 100
- TCNQ  
Electron transfer reactions of (C<sub>5</sub>R<sub>5</sub>)<sub>2</sub>(CO)<sub>2</sub>Ti (R=H or Me) with TCNE or TCNQ: Spectroelectrochemical assignment of metal and ligand oxidation states in [(C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>(CO)Ti(TCNX)]<sup>2–1–1ol</sup> +, 100
- Terminal alkyne  
Palladium-catalyzed carbonylative annulation of terminal alkynes: synthesis of coumarins and 2-quinolones, 425
- Tetraphosphine  
Efficient coupling of heteroaryl halides with arylboronic acids in the presence of a palladium–tetraphosphine catalyst, 327
- Thiapatrinacycles  
Insertion of Pt into CH and CS bonds of thiophene derivatives. The X-ray crystal structure of a thiapatrinacycle of 3,6-dimethylthio[3,2-*b*]thiophene, 39
- Thiol  
Palladium catalyzed thiol cross-coupling of cystein derivatives with aryl and alkenyl halides, 322
- Thiophene  
Palladium-catalyzed coupling reactions towards the synthesis of well-defined thiophene-oligomers, 280
- Tin  
Organotin compounds bearing mesogenic sidechains: synthesis, X-ray structures and polymerisation chemistry, 46
- Titanium compounds  
Electron transfer reactions of (C<sub>5</sub>R<sub>5</sub>)<sub>2</sub>(CO)<sub>2</sub>Ti (R=H or Me) with TCNE or TCNQ: Spectroelectrochemical assignment of metal and ligand oxidation states in [(C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>(CO)Ti(TCNX)]<sup>2–1–1ol</sup> +, 100
- Transition metals  
Reactivity control in palladium-catalyzed reactions: a personal account, 256
- Triallyl(aryl)silane  
Triallyl(aryl)silanes serve as a convenient agent for silicon-based cross-coupling reaction of aryl halides, 570
- Triphenylsiloxy  
Cyclic organohydroborate complexes of metallocenes: VIII. Triphenylsiloxy derivatives of Group IV organometallic systems, Cp<sub>2</sub>M(OSiPh<sub>3</sub>)X (M=Ti, Zr, Hf; X=Cl, {(μ-H)<sub>2</sub>BC<sub>8</sub>H<sub>14</sub>}), 69
- T<sub>6</sub> silsesquioxane cage  
The reactions of dialkyl and diarylethoxysilanes with T<sub>6</sub> silsesquioxane cages: X-ray crystallographic studies of the mono-T<sub>6</sub>D<sub>1</sub> and bis-T<sub>6</sub>D<sub>2</sub> insertion ring expansion products, 1
- Tsuji-Trost reaction  
The silicon effect on the regioselectivity of the Tsuji-Trost reaction. Experimental and theoretical approaches, 337
- Tungsten  
Preparation and characterization of molybdenum and tungsten compounds with diazabutadiene ligands constructed from amino esters and glyoxal: Crystal structures of meso and C<sub>2</sub>-symmetric isomers of Mo(CO)<sub>4</sub>(dab-asp(OMe)-OMe), 178
- Unsymmetrical  
Novel unsymmetrical PCP' pincer ligands and their palladium(II) complexes, 185
- Vinylboronate  
Palladium-catalyzed cross-coupling reaction of bis(pinacolato)di-boron with vinyl triflates β-substituted by a carbonyl group: efficient synthesis of β-boryl-α,β-unsaturated carbonyl compounds and their synthetic utility, 284
- Vinyl triflate  
Palladium-catalyzed cross-coupling reaction of bis(pinacolato)di-boron with vinyl triflates β-substituted by a carbonyl group: efficient synthesis of β-boryl-α,β-unsaturated carbonyl compounds and their synthetic utility, 284
- Vinyl triflates  
Pd–Ag catalyzed selective dicoupling of α-trialkylsilyl α,ω-dienes; the first one-pot synthesis of dienediynes, 420
- Water-soluble  
Palladium-catalyzed Suzuki cross-coupling of aryl halides with aryl boronic acids in the presence of glucosamine-based phosphines, 384
- X-ray  
Organotin compounds bearing mesogenic sidechains: synthesis, X-ray structures and polymerisation chemistry, 46
- X-ray crystallography  
X-ray crystallographic study of some pentacoordinated organogermanium compounds, 33
- X-ray crystal structures  
Synthesis and characterization of Zr(IV) and Y(III) complexes with monocyclopentadienyl ligands containing an additional site tethered by a coordinating 2,6-pyridine bridge. X-ray crystal structures of the zirconium complexes, 161
- X-ray study  
The reactions of dialkyl and diarylethoxysilanes with T<sub>6</sub> silses-



quinoxane cages: X-ray crystallographic studies of the mono- $T_6D_1$  and bis- $T_6D_2$  insertion ring expansion products, 1

Zirconium

Stereoselective synthesis of 1,3-dienylstannanes by palladium catalyzed cross-coupling reactions, 462

Zirconium complexes

Synthesis and characterization of Zr(IV) and Y(III) complexes with monocyclopentadienyl ligands containing an additional site tethered by a coordinating 2,6-pyridine bridge. X-ray crystal structures of the zirconium complexes, 161