

Contents of Volume 687

Regular Papers

The reactions of dialkyl and diarylethoxysilanes with T ₆ silsesquioxane cages: X-ray crystallographic studies of the mono-T ₆ D ₁ and bis-T ₆ D ₂ insertion ring expansion products A.R. Bassindale, Z. Liu, D.J. Parker, P.G. Taylor, P.N. Horton, M.B. Hursthouse, M.E. Light	1
Ruthenium-catalyzed carbon–carbon formation to synthesize tetraarylethanes and tetraarylxylylene through dechlorinative dimeric reaction Y. Li, T. Kijima, T. Izumi	12
Reactions of <i>N</i> -(2-thienylmethylidene)-2-thienylmethylamine derivatives with diiron nonacarbonyl: characterization and structures of cyclometallated diiron complexes Fe ₂ (CO) ₆ (RC ₄ HSCH ₂ NCH ₂ C ₄ H ₃ S) and linear tetrairon clusters Fe ₄ (CO) ₁₀ (RC ₄ HSCHNCH ₂ C ₄ H ₃ S) ₂ Y.-F. Tzeng, C.-Y. Wu, W.-S. Hwang, C.-H. Hung	16
Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane L.-Y. Hong, F. Cao, D.-J. Kim, H.-G. Woo, B.-H. Kim, M.-S. Cho, X.-D. Li, D.-P. Kim	27
X-ray crystallographic study of some pentacoordinated organogermanium compounds Y. Takeuchi, L. Párkányi, A. Kálman, M. Nishikawa, K. Tanaka, W. Mori, M. Kinoshita	33
Insertion of Pt into CH and CS bonds of thiophene derivatives. The X-ray crystal structure of a thiaplatinacycle of 3,6-dimethylthieno[3,2- <i>b</i>]thiophene J. Chantson, H. Görts, S. Lotz	39
Organotin compounds bearing mesogenic sidechains: synthesis, X-ray structures and polymerisation chemistry P.R. Deacon, N. Devylder, M.S. Hill, M.F. Mahon, K.C. Molloy, G.J. Price	46
Mono- and binuclear bipyridyl derivatives of the Mo(η^3 -C ₃ H ₅)(CO) ₂ fragment: structural studies and fluxionality in solution P.M.F.J. Costa, M. Mora, M.J. Calhorda, V. Félix, P. Ferreira, M.G.B. Drew, H. Wadeohl	57
Cyclic organohydroborate complexes of metallocenes: VIII. Triphenylsiloxy derivatives of Group IV organometallic systems, Cp ₂ M(OSiPh ₃)X (M = Ti, Zr, Hf; X = Cl, { μ -H} ₂ BC ₈ H ₁₄) F. Lacroix, C.E. Plecnik, S. Liu, F.-C. Liu, E.A. Meyers, S.G. Shore	69
Hydrogen-bonded networks from η^5 -semiquinone complexes of manganese tricarbonyl M. Oh, J.A. Reingold, G.B. Carpenter, D.A. Sweigart	78
Synthesis and characterisation of Pd(II) complexes with a derivative of aminoazobenzene: Dynamic ¹ H-NMR study of cyclopalladation reactions in DMF M. Ćurić, D. Babić, Ž. Marinić, L. Paša-Tolić, V. Butković, J. Plavec, L. Tušek-Božić	85
Electron transfer reactions of (C ₅ R ₅) ₂ (CO) ₂ Ti (R = H or Me) with TCNE or TCNQ: Spectroelectrochemical assignment of metal and ligand oxidation states in [(C ₅ Me ₅) ₂ (CO)Ti(TCNX)] ^{2-/-/o/+} H. Hartmann, B. Sarkar, W. Kaim, J. Fiedler	100
Reactivity of 1-boraadamantanes towards bis(trialkylstannyl)ethynes. First examples of 3-boratricyclo[5.3.1.1 ^{3,9}]dodecanes, and the molecular structure of a tetraalkyldiboroxane B. Wrackmeyer, E.V. Klimkina, W. Milius, Y.N. Bubnov	108
Phenylmercury(II) derivatives of tetraorganodichalcogenoimidodiphosphorus acids. Crystal and molecular structure of [PhHg{OPR ₂ }(SPPh ₂ N)] ₂ (R = Me, Ph) O. Bumbu, A. Silvestru, C. Silvestru, J.E. Drake, M.B. Hursthouse, M.E. Light	118
Quinolyl-functionalised Cp–chromium polymerisation catalysts: synthesis and crystal structures of alkylation products M. Enders, P. Fernández, S. Mihan, H. Pritzkow	125

Ligand behaviour of P-functionally substituted organotin halides: palladium(II) and platinum(II) complexes with $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{SnCl}_3$ M. Seibert, K. Merzweiler, C. Wagner, H. Weichmann	131
Umsetzungen von ω -Alkenylsubstituierten Zirconocendichloridkomplexen mit <i>n</i> -Alkyllithiumverbindungen in Gegenwart von Alkenen bzw. Alkinen A.I. Licht, H.G. Alt	142
Nickel(II) complexes of the type [RM(oxam)MR] (oxam: oxalamidinate, R = <i>n</i> -butyl, <i>n</i> -hexyl): the first binuclear <i>n</i> -alkyl nickel complexes M. Stollenz, M. Rudolph, H. Görts, D. Walther	153
Synthesis and characterization of Zr(IV) and Y(III) complexes with monocyclopentadienyl ligands containing an additional site tethered by a coordinating 2,6-pyridine bridge. X-ray crystal structures of the zirconium complexes G. Paolucci, M. Vignola, L. Coletto, B. Pitteri, F. Benetollo	161
Preparation and characterization of some structural variants of $\text{Cp}^*\text{Ti}(1,2\text{-propandiolato})$ complexes A. Snell, G. Kehr, O. Kataeva, R. Fröhlich, G. Erker	171
Preparation and characterization of molybdenum and tungsten compounds with diazabutadiene ligands constructed from amino esters and glyoxal: Crystal structures of meso and C_2 -symmetric isomers of $\text{Mo}(\text{CO})_4(\text{dab-asp}(\text{OMe})\text{-OMe})$ R.S. Herrick, C.J. Ziegler, H. Bohan, M. Corey, M. Eskander, J. Giguere, N. McMicken, I.E. Wrona	178
Novel unsymmetrical PCP' pincer ligands and their palladium(II) complexes M.R. Eberhard, S. Matsukawa, Y. Yamamoto, C.M. Jensen	185
Novel pentacoordinate silicon compounds bearing [Si-N-C-N-C-N] chelate ring derived from biguanide ligands P. Kumar, R. Shankar	190
Stepwise addition of CuBr at $[(\text{dtc})_2\text{Mo}_2(\text{S})_2(\mu\text{-S})_2]$ (dtc = diethyldithiocarbamate): syntheses and crystal structures of two Mo/Cu/S clusters $[(\text{dtc})_2\text{Mo}_2(\mu_3\text{-S})(\mu\text{-S})_3(\text{CuBr})]$ and $[(\text{dtc})_2\text{Mo}_2(\mu_3\text{-S})_4(\text{CuBr})_2]$ Z.-H. Wei, Q.-F. Xu, H.-X. Li, J.-X. Chen, J.-P. Lang	197
Reactions of the triosmium cluster $\text{Os}_3(\mu\text{-H})(\mu\text{-OH})(\text{CO})_{10}$ with naphthols M.W. Lum, W.K. Leong	203
Special Issue: Palladium Chemistry in 2003: Recent Developments	
Preface	209
Heck reactions with various types of palladium complex catalysts: application of multiphase catalysis and supercritical carbon dioxide B.M. Bhanage, S.-i. Fujita, M. Arai	211
Accounts	
Recent developments in the synthesis of heterocyclic derivatives by PdI_2 -catalyzed oxidative carbonylation reactions B. Gabriele, G. Salerno, M. Costa, G.P. Chiusoli	219
Phospha-palladacycles and <i>N</i> -heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions W.A. Herrmann, K. Öfele, D. v. Preysing, S.K. Schneider	229
Palladium-catalyzed cross-coupling reactions and electrocyclizations—efficient combinations for new cascade reactions A. de Meijere, M. Schelper, M. Knoke, B. Yucel, H.W. Sünnemann, R.P. Scheurich, L. Arve	249
Reactivity control in palladium-catalyzed reactions: a personal account P. Kočovský	256
Catalytic activity of Pd(II) and Pd(II)/DAB-R systems for the Heck arylation of olefins G.A. Grasa, R. Singh, E.D. Stevens, S.P. Nolan	269
Palladium-catalyzed coupling reactions towards the synthesis of well-defined thiophene-oligomers J. Hassan, C. Gozzi, E. Schulz, M. Lemaire	280
Regular Papers	
Palladium-catalyzed cross-coupling reaction of bis(pinacolato)diboron with vinyl triflates β -substituted by a carbonyl group: efficient synthesis of β -boryl- α,β -unsaturated carbonyl compounds and their synthetic utility T. Ishiyama, J. Takagi, A. Kamon, N. Miyaura	284

Palladium-catalyzed pseudo-domino cyclizations: An easy entry toward polycondensed pyrrolidone derivatives S. Lemaire, G. Prestat, G. Giambastiani, D. Madec, B. Pacini, G. Poli	291
Palladium-catalyzed coupling reactions of bromo-substituted phenylphosphine oxides: a facile route to functionalized arylphosphine ligands L. Xu, J. Mo, C. Baillie, J. Xiao	301
Palladium-mediated intramolecular C–N bond formation involving allyl substituted pyridines. Application to a novel strategy for the synthesis of the skeleton of berberinium derivatives J. Chengebroyen, M. Linke, M. Robitzer, C. Sirlin, M. Pfeffer	313
Palladium catalyzed thiol cross-coupling of cysteine derivatives with aryl and alkenyl halides X. Moreau, J.-M. Campagne	322
Efficient coupling of heteroaryl halides with arylboronic acids in the presence of a palladium–tetraphosphine catalyst M. Feuerstein, H. Doucet, M. Santelli	327
The silicon effect on the regioselectivity of the Tsuji–Trost reaction. Experimental and theoretical approaches V. Branchadell, M. Moreno-Mañas, R. Pleixats, S. Thorimbert, C. Commandeur, C. Boglio, M. Malacria	337
Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations L.F. Tietze, J. Matthias Wiegand, C. Vock	346
Palladium-catalyzed benzylic-like nucleophilic substitution of benzofuran-, benzothiophene- and indole-based substrates by dimethyl malonate anion G. Primault, J.-Y. Legros, J.-C. Fiaud	353
Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions T. Cantat, E. Génin, C. Giroud, G. Meyer, A. Jutand	365
<i>trans</i> -Bis-[(-)-ephedrinate]-palladium ^{II} complex: synthesis, molecular modeling and use as catalyst S. Bouquillon, S. Humbel, U. Létinois-Halbes, F. Hénin, J. Muzart	377
Palladium-catalyzed Suzuki cross-coupling of aryl halides with aryl boronic acids in the presence of glucosamine-based phosphines R. Kolodziuk, A. Penciu, M. Tollabi, E. Framery, C. Goux-Henry, A. Iourtchenko, D. Sinou	384
Further studies on palladium-catalyzed bismetallative cyclization of enynes in the presence of Bu ₃ SnSiMe ₃ Y. Sato, N. Imakuni, T. Hirose, H. Wakamatsu, M. Mori	392
First Kumada reaction of alkyl chlorides using <i>N</i> -heterocyclic carbene/palladium catalyst systems A.C. Frisch, F. Rataboul, A. Zapf, M. Beller	403
Allyl stannanes as electrophiles or nucleophiles in the palladium-catalyzed reactions with alkynes B. Martín-Matute, E. Buñuel, M. Méndez, C. Nieto-Oberhuber, D.J. Cárdenas, A.M. Echavarren	410
Pd–Ag catalyzed selective dicoupling of α -trialkylsilyl α,ω -diynes; the first one-pot synthesis of dienediynes U. Halbes-Létinois, P. Pale	420
Palladium-catalyzed carbonylative annulation of terminal alkynes: synthesis of coumarins and 2-quinolones D.V. Kadnikov, R.C. Larock	425
Double carbonylation of aryl iodides with diethylamine catalyzed by dinuclear palladium complexes N. Tsukada, Y. Ohba, Y. Inoue	436
Palladium-catalyzed intramolecular α -arylation of sulfoximines C. Bolm, H. Okamura, M. Verrucci	444
Mechanistic study of palladium catalyzed S–S and Se–Se bonds addition to alkynes V.P. Ananikov, M.A. Kabeshov, I.P. Beletskaya, G.G. Aleksandrov, I.L. Eremenko	451
Stereoselective synthesis of 1,3-dienylstannanes by palladium catalyzed cross-coupling reactions M. Cai, H. Ye, H. Zhao, C. Song	462
New developments in the Pd-catalysed cyclisation-coupling reaction of alkene-containing carbonucleophiles with organic halides (and triflates). The first examples of asymmetric catalysis. D. Bruyère, N. Monteiro, D. Bouyssi, G. Balme	466

A new catalytic method for the synthesis of selectively substituted biphenyls containing an oxoalkyl chain M. Catellani, S. Deledda, B. Ganegui, F. Hénin, E. Motti, J. Muzart	473
Three-component bimetallic (Pd/In) mediated cascade allylation of C=X functionality: Part 1. Scope and Class 1 examples with aldehydes and ketones L.A.T. Cleghorn, I.R. Cooper, C.W.G. Fishwick, R. Grigg, W.S. MacLachlan, M. Rasparini, V. Sridharan	483
Ligand-free palladium catalysed Heck reaction of methyl 2-acetamido acrylate and aryl bromides as key step in the synthesis of enantiopure substituted phenylalanines C.E. Willans, J.M.C.A. Mulders, J.G. de Vries, A.H.M. de Vries	494
Dramatic effect of homoallylic substitution on the rate of palladium-catalyzed diene cycloisomerization L.A. Goj, G.A. Cisneros, W. Yang, R.A. Widenhoefer	498
New chiral diamide ligands containing redox-active hydroquinone groups. Synthesis and results in the palladium(II)-catalyzed 1,4-diacetoxylation of 1,3-dienes R.C. Verboom, B.J. Plietker, J.-E. Bäckvall	508
Pd-catalyzed selective tandem arylation–alkylation of 1,1-dihalo-1-alkenes with aryl- and alkylzinc derivatives to produce α -alkyl-substituted styrene derivatives J.-c. Shi, E.-i. Negishi	518
² H-quadrupolar coupling-based analysis of stereochemical and regiochemical memory in the Pd-catalysed allylic alkylation of <i>iso</i> -cinnamyl type substrates employing the chiral monophosphine ligands ‘MOP’ and ‘MAP’ L. Gouriou, G.C. Lloyd-Jones, Š. Vyskočil, P. Kočovský	525
Formation and structural characterization of novel polynuclear palladium selenolato complexes [Pd ₃ Se(SePh) ₃ (PPh ₃) ₃]Cl and [Pd ₆ Cl ₂ Se ₄ -(SePh) ₂ (PPh ₃) ₆] M.S. Hannu-Kuure, K. Palda'n, R. Oilunkaniemi, R.S. Laitinen, M. Ahlgrén	538
Palladium complexes of phosphinamine ligands in the intramolecular asymmetric Heck reaction D. Kiely, P.J. Guiry	545
Notes	
Palladium-catalyzed reaction of aryl iodides with <i>tertiary</i> propargylic amides: Highly substituted allenes through a regioselective carbopalladation/ β -NPd elimination reaction A. Arcadi, S. Cacchi, G. Fabrizi, F. Marinelli, L.M. Parisi	562
Palladium-catalyzed novel addition–elimination reaction of alkenyltin reagents to norbornene K. Fugami, Y. Hirunuma, T. Nishikata, D. Koyama, M. Kameyama, M. Kosugi	567
Triallyl(aryl)silanes serve as a convenient agent for silicon-based cross-coupling reaction of aryl halides Y. Nakao, T. Oda, A. K. Sahoo, T. Hiyama	570
Author Index of Volume 687	575
Subject Index of Volume 687	577
Contents of Volume 687	587