



ELSEVIER

Subject Index of Volume 688

Aldehyde

Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36

Alkali metals

C₂-Symmetric ytterbium(II) complexes with a novel, chiral *P,N*-donor ligand, 92

Alkyne-bridged dicobalt-complex

Preparations of cobalt-containing phosphines and reactions toward dicobalt octacarbonyl, 161

Aluminium

Binuclear alkylmetallane diolates ^tBu₄M₂(diol-(H))₂ (M = Al, Ga) and their reactions with aluminium- and gallium trialkyls, 246

Aminophosphine

Half-sandwich ruthenium(II) complexes of aminophosphines: synthesis, structures and catalytic applications in C–C coupling reactions between styrenes and diphenyldiazomethane, 227

Antimalarial activity

Synthesis and antimalarial activity in vitro of new heterobimetallic complexes: Rh and Au derivatives of chloroquine and a series of ferrocenyl-4-amino-7-chloroquinolines, 144

arachno Cluster

Preparations of cobalt-containing phosphines and reactions toward dicobalt octacarbonyl, 161

Arene complexation

Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49

Asymmetric metallocenes

Novel C₁ symmetric zirconocenes containing substituted indenyl moieties for the stereoregular polymerization of propylene, 153

Bent metallocene

Synthesis and reactivity of a tethered diene cyclopentadiene, (C₅Me₄H)SiMe₂(CH₂CH=CHCH=CH₂), and its alkali metal salts, 200

Beta-diketonate ligands

Reactivity of rhodium-β-diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β-diketonate and P-donor ligands, 216

Bimodal polyethylene

CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254

1,1'-Bis(diphenylphosphino)ferrocene (dppf)

Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1'-bis(diphenylphosphino)ferrocene (dppf), 100

Bis{2-(pyrrolidine-*N*-yl)ethyl}telluride

Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20

bis(trimethylsilyl)ethyne

Reaction of pentacarbonyl(η²-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-

tricyclohexylphosphinetungsten(0), 68

Borane clusters

Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-(PPh₃)₂(CO)OsB₅H₉ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82

Borazine

Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125

Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27

Boron hydrides

Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-(PPh₃)₂(CO)OsB₅H₉ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82

Bridging ligands

Cyclometallated nitrogen heterocycles, 112

Carbene complexes

Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5

Carbonyl

Pentacarbonyl(η²-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62

Reaction of pentacarbonyl(η²-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68

Carbonyl complex

A crystallographic and spectroscopic investigation of the stereochemistry of [MBr(CO)₃L₂] (M = Mn, Re) complexes: crystal and molecular structures of [MBr(CO)₃L₂] {M = Mn, L = P(C₆H₄C1-4)₃, 1/2 d p p e, 1/2 d p p f; M = Re, L = P(C₆H₄OMe-4)₃, 1/2 d p p f}, 174

Carboxylate

Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1'-bis(diphenylphosphino)ferrocene (dppf), 100

Catalysis

CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254

C–Cl bond activation

Photochemical C–Cl bond activation of trichloroarenes by the rhenium complex (η⁵-C₅Me₅)Re(CO)₃. X-ray structure of *trans*-(η⁵-C₅Me₅)Re(CO)₂(2-methoxy-4,5-dichlorophenyl)chloride, 168

Ceramic yield

Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125

Chirality

C₂-Symmetric ytterbium(II) complexes with a novel, chiral *P,N*-donor ligand, 92

Chloroarenes

Photochemical C–Cl bond activation of trichloroarenes by the

- rhenium complex ($\eta^5\text{-C}_5\text{Me}_5\text{Re}(\text{CO})_3$. X-ray structure of *trans*-($\eta^5\text{-C}_5\text{Me}_5\text{Re}(\text{CO})_2(2\text{-methoxy-4,5-dichlorophenyl})\text{chloride}$, 168
- Chloroquine**
 Synthesis and antimalarial activity in vitro of new heterobimetallic complexes: Rh and Au derivatives of chloroquine and a series of ferrocenyl-4-amino-7-chloroquinolines, 144
- Chromium**
 Pentacarbonyl(η^2 -vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
 Synthesis of tricarbonyl η^6 - and η^5 -[(3-thiophenyl)organo]chromium and -manganese complexes, 273
- Chromium complexes**
 Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5
- Codeposition**
 Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49
- Complexes**
 Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
- σ - π Conjugation**
 Spin-spin interaction between phenoxyl radicals through σ - π system, 192
- Crystal structure**
 Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
 Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
 Reaction of pentacarbonyl(η^2 -bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
- Crystal structures**
 Half-sandwich ruthenium(II) complexes of aminophosphines: synthesis, structures and catalytic applications in C-C coupling reactions between styrenes and diphenyldiazomethane, 227
- C_2 -symmetric**
 C_2 -Symmetric ytterbium(II) complexes with a novel, chiral *P,N*-donor ligand, 92
- Curing**
 Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125
- Cyanohydrin**
 An improved synthesis of cyanohydrins in the presence of solid LiClO_4 under solvent-free conditions, 283
- Cyclic voltammetry**
 Electrochemical behavior of the $\text{Cp}^*(\text{dithiolato})\text{Co}(\text{III})$ complex $[(\eta^5\text{-Cp}^*)\text{Co}(1,2\text{-S}_2\text{C}_2\text{B}_{10}\text{H}_{10}\text{-S,S}')]$ and its derivatives: the effect of the ligand on half-sandwich cobalt(III) complexes, 236
- Cyclometallation**
 Cyclometallated nitrogen heterocycles, 112
- Cyclopentadienyl**
 Synthesis and reactivity of a tethered diene cyclopentadiene, ($\text{C}_5\text{Me}_4\text{H})\text{SiMe}_2(\text{CH}_2\text{CH}=\text{CHCH}=\text{CH}_2)$, and its alkali metal salts, 200
 Synthesis, characterization and reactivity of iron-olefin complexes of the type $[\text{CpFe}(\text{CO})_2(\eta^2\text{-CH}_2=\text{CHR})]^+ \text{X}^-$ ($\text{Cp} = \eta^5\text{-C}_5\text{H}_5$; $\text{R} = \text{CH}_3$ to *n*- $\text{C}_{14}\text{H}_{29}$; $\text{X} = \text{PF}_6$ or BF_4), 181
- Cyclopropanation**
 Half-sandwich ruthenium(II) complexes of aminophosphines: synthesis, structures and catalytic applications in C-C coupling reactions between styrenes and diphenyldiazomethane, 227
- Diene**
 Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
- 1,2-Di(hydroxymethyl)benzene
 Binuclear alkylmetallane diolates ${}^t\text{Bu}_4\text{M}_2(\text{diol}-(\text{H}))_2$ ($\text{M} = \text{Al}, \text{Ga}$) and their reactions with aluminium- and gallium trialkyls, 246
- Dinuclear palladium hydrides**
 Synthesis and spectroscopy of binuclear phosphine bridged palladium hydrides: $\text{Pd}_2\text{HX}_3[\text{dppm}]_2$ ($\text{X} = \text{Br}, \text{I}$; $\text{dppm} = \text{bis}[\text{di-bis}(\text{diphenylphosphino})\text{methane}]$), 206
- Diols**
 Binuclear alkylmetallane diolates ${}^t\text{Bu}_4\text{M}_2(\text{diol}-(\text{H}))_2$ ($\text{M} = \text{Al}, \text{Ga}$) and their reactions with aluminium- and gallium trialkyls, 246
- Dithiocarbamate**
 Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1'-bis(diphenylphosphino)ferrocene (dppf), 100
- Dithiolatocobalt**
 Electrochemical behavior of the $\text{Cp}^*(\text{dithiolato})\text{Co}(\text{III})$ complex $[(\eta^5\text{-Cp}^*)\text{Co}(1,2\text{-S}_2\text{C}_2\text{B}_{10}\text{H}_{10}\text{-S,S}')]$ and its derivatives: the effect of the ligand on half-sandwich cobalt(III) complexes, 236
- Dynamic NMR spectroscopy**
 Synthesis and spectroscopy of binuclear phosphine bridged palladium hydrides: $\text{Pd}_2\text{HX}_3[\text{dppm}]_2$ ($\text{X} = \text{Br}, \text{I}$; $\text{dppm} = \text{bis}[\text{di-bis}(\text{diphenylphosphino})\text{methane}]$), 206
- 18-Electron dithiolate**
 Electrochemical behavior of the $\text{Cp}^*(\text{dithiolato})\text{Co}(\text{III})$ complex $[(\eta^5\text{-Cp}^*)\text{Co}(1,2\text{-S}_2\text{C}_2\text{B}_{10}\text{H}_{10}\text{-S,S}')]$ and its derivatives: the effect of the ligand on half-sandwich cobalt(III) complexes, 236
- Enantiomeric resolution**
 Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
- Ether group**
 Synthesis and structure of an ether-bridged double ladder compound: potential in host-guest chemistry, 56
- Ethylene-linked bis(phenol) ligands**
 Ethylene-linked bis(phenol) ligands: efficient synthesis, Ti(IV) coordination chemistry, and Lewis acid catalysis, 121
- Ethylene polymerization**
 CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254
- Ferrocene derivatives**
 Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
- Ferrocenyl(alkyl)azoles**
 Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
- Ferrocenyl borazine**
 Bonding, motional anisotropy, and metal atom dynamics of iron in two ferrocene substituted boron ring compounds, 11
- Ferrocenyl boroxine**
 Bonding, motional anisotropy, and metal atom dynamics of iron in two ferrocene substituted boron ring compounds, 11
- Gallium**
 Binuclear alkylmetallane diolates ${}^t\text{Bu}_4\text{M}_2(\text{diol}-(\text{H}))_2$ ($\text{M} = \text{Al}, \text{Ga}$) and their reactions with aluminium- and gallium trialkyls, 246
- Heterobimetallic complexes**
 Synthesis and antimalarial activity in vitro of new heterobimetallic complexes: Rh and Au derivatives of chloroquine and a series of ferrocenyl-4-amino-7-chloroquinolines, 144
- Hexacarbonylmetal**
 Pentacarbonyl(η^2 -vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62

- Host–guest chemistry
 Synthesis and structure of an ether-bridged double ladder compound: potential in host–guest chemistry, 56
- HPLC
 Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
- Hybrid organotellurium ligand
 Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
- Hydroboration
 Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27
- Indenyl ligand
 Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
- Infrared spectroscopy
 Unusual behavior in the 308 nm flash photolysis of Vaska's complex, 1
- Iron
 Synthesis, characterization and reactivity of iron–olefin complexes of the type $[\text{CpFe}(\text{CO})_2(\eta^2\text{-CH}_2=\text{CHR})]^+ \text{X}^-$ (Cp = $\eta^5\text{-C}_5\text{H}_5$; R = CH₃ to *n*-C₁₄H₂₉; X = PF₆ or BF₄), 181
- Iron atom dynamics
 Bonding, motional anisotropy, and metal atom dynamics of iron in two ferrocene substituted boron ring compounds, 11
- Isotactic polypropylene
 Novel C₁ symmetric zirconocenes containing substituted indenyl moieties for the stereoregular polymerization of propylene, 153
- kinetics
 Unusual behavior in the 308 nm flash photolysis of Vaska's complex, 1
- Lanthanide
 Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49
- Lewis acid catalysis
 Ethylene-linked bis(phenol) ligands: efficient synthesis, Ti(IV) coordination chemistry, and Lewis acid catalysis, 121
- Lithium perchlorate
 An improved synthesis of cyanohydrins in the presence of solid LiClO₄ under solvent-free conditions, 283
- Manganese
 A crystallographic and spectroscopic investigation of the stereochemistry of $[\text{MBr}(\text{CO})_3\text{L}_2]$ (M = Mn, Re) complexes: crystal and molecular structures of $[\text{MBr}(\text{CO})_3\text{L}_2]$ {M = Mn, L = P(C₆H₄C1-4)₃, 1/2 d p p e, 1/2 d p p f; M = Re, L = P(C₆H₄OMe-4)₃, 1/2 d p p f}, 174
- Mechanism
 Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125
- Mercury
 Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
- Metal-containing phosphine
 Preparations of cobalt-containing phosphines and reactions toward dicobalt octacarbonyl, 161
- Metallaboranes
 Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-(PPh₃)₂(CO)OsB₅H₉ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82
- Metallacycle
 Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
- Metallacycles
 CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254
- Metal vapour synthetic techniques
 Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49
- Molecular structure
 Reaction of pentacarbonyl(η^2 -bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
- Molybdenum
 Pentacarbonyl(η^2 -vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
- Mössbauer spectroscopy
 Bonding, motional anisotropy, and metal atom dynamics of iron in two ferrocene substituted boron ring compounds, 11
- MS, IR and NMR data
 Reaction of pentacarbonyl(η^2 -bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68
- Nickel
 Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
- Nickelacycle
 Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36
- Nickel complex
 Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
- Nitrogen heterocycles
 Cyclometallated nitrogen heterocycles, 112
- N*-{2-(4-Methoxyphenyltelluro)ethyl}pyrrolidine
 Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
- NMR spectroscopy
 Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-(PPh₃)₂(CO)OsB₅H₉ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82
- N,N'*-Thionylidimidazole
 Synthesis and enantiomeric resolution of ferrocenyl(alkyl)azoles, 138
- Olefin
 Synthesis, characterization and reactivity of iron–olefin complexes of the type $[\text{CpFe}(\text{CO})_2(\eta^2\text{-CH}_2=\text{CHR})]^+ \text{X}^-$ (Cp = $\eta^5\text{-C}_5\text{H}_5$; R = CH₃ to *n*-C₁₄H₂₉; X = PF₆ or BF₄), 181
- Olefin polymerization
 Novel C₁ symmetric zirconocenes containing substituted indenyl moieties for the stereoregular polymerization of propylene, 153
- Organometallic monosaccharides
 Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5
- Organophosphine ligands
 A crystallographic and spectroscopic investigation of the stereochemistry of $[\text{MBr}(\text{CO})_3\text{L}_2]$ (M = Mn, Re) complexes: crystal and molecular structures of $[\text{MBr}(\text{CO})_3\text{L}_2]$ {M = Mn, L = P(C₆H₄C1-4)₃, 1/2 d p p e, 1/2 d p p f; M = Re, L = P(C₆H₄OMe-4)₃, 1/2 d p p f}, 174
- Organotin double ladder
 Synthesis and structure of an ether-bridged double ladder compound: potential in host–guest chemistry, 56
- Oxidative addition

- Reactivity of rhodium- β -diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β -diketonate and P-donor ligands, 216
- Synthesis and spectroscopy of binuclear phosphine bridged palladium hydrides: Pd₂HX₃[dppm]₂ (X = Br, I; dppm = bis[diphenylphosphino]methane), 206
- Palladium**
- Hybrid (Te, N) and (N, Te, N) ligands having pyrrolidine ring and their palladium(II) and mercury(II) complexes: synthesis and crystal structures, 20
- Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
- P-donor ligands**
- Reactivity of rhodium- β -diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β -diketonate and P-donor ligands, 216
- Pentamethylcyclopentadienyl**
- Photochemical C–Cl bond activation of trichloroarenes by the rhenium complex (η^5 -C₅Me₅)Re(CO)₃. X-ray structure of *trans*-(η^5 -C₅Me₅)Re(CO)₂(2-methoxy-4,5-dichlorophenyl)chloride, 168
- Synthesis, characterization and reactivity of iron-olefin complexes of the type [CpFe(CO)₂(η^2 -CH₂=CHR)]⁺X⁻ (Cp = η^5 -C₅H₅; R = CH₃ to *n*-C₁₄H₂₉; X = PF₆ or BF₄), 181
- Phenoxyl radical**
- Spin-spin interaction between phenoxyl radicals through σ - π system, 192
- phosphine**
- Catalytic air oxidation of tertiary arylphosphines in the presence of tin(IV) iodide, 280
- phosphine oxide**
- Catalytic air oxidation of tertiary arylphosphines in the presence of tin(IV) iodide, 280
- Phosphines**
- Degradation and modification of metallaboranes: Part 3. Reactions of the hexaborane(10) analogue *nido*-(PPh₃)₂(CO)OsB₅H₉ with bidentate phosphines containing a rigid backbone: formation of linked cluster systems, 82
- Phosphine sulfide**
- Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
- Photoluminescence**
- Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
- Photolysis**
- Pentacarbonyl(η^2 -vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62
- Unusual behavior in the 308 nm flash photolysis of Vaska's complex, 1
- Pincer ligand**
- Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
- Platinum**
- Synthesis, molecular structure, and photoluminescence properties of palladium and platinum complexes containing phosphine sulfide-based SCS pincer ligand, 15
- P,N-ligands**
- C₂-Symmetric ytterbium(II) complexes with a novel, chiral P,N-donor ligand, 92
- ³¹P-NMR spectroscopy
- Reactivity of rhodium- β -diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β -diketonate and P-donor ligands, 216
- Polymerization**
- Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132
- Polymer precursor**
- Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27
- Polymethylsilane**
- Efficient curing of polymethylsilane by borazine and reaction mechanism study, 125
- Potassium**
- Synthesis and reactivity of a tethered diene cyclopentadiene, (C₅Me₄H)SiMe₂(CH₂CH=CHCH=CH₂), and its alkali metal salts, 200
- Radicals**
- Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5
- Redox process**
- Electrochemical behavior of the Cp*(dithiolato)Co(III) complex [(η^5 -Cp*)Co(1,2-S₂C₂B₁₀H₁₀-S,S')] and its derivatives: the effect of the ligand on half-sandwich cobalt(III) complexes, 236
- Rhenium**
- A crystallographic and spectroscopic investigation of the stereochemistry of [MBr(CO)₃L₂] (M = Mn, Re) complexes: crystal and molecular structures of [MBr(CO)₃L₂] {M = Mn, L = P(C₆H₄Cl-4)₃, 1/2 d p p e, 1/2 d p p f; M = Re, L = P(C₆H₄OMe-4)₃, 1/2 d p p f}, 174
- Photochemical C–Cl bond activation of trichloroarenes by the rhenium complex (η^5 -C₅Me₅)Re(CO)₃. X-ray structure of *trans*-(η^5 -C₅Me₅)Re(CO)₂(2-methoxy-4,5-dichlorophenyl)chloride, 168
- Rhodium**
- Reactivity of rhodium- β -diketonato cyclooctadiene derivatives with mono- and di-phosphines. Synthesis, structural and spectroscopic characterization of Rh(I) and Rh(III) species containing unsymmetrical β -diketonate and P-donor ligands, 216
- Ruthenium**
- Chiral ruthenium complexes with sulfur ligands; X-ray structure of (R)_{Ru}-Ru(NmCp)(CO)(PPh₃)SCN (NmCp = neomenthylcyclo-neomenthylcyclopentadienyl), 75
- Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1'-bis(diphenylphosphino)ferrocene (dppf), 100
- Synthesis, characterization and reactivity of iron-olefin complexes of the type [CpFe(CO)₂(η^2 -CH₂=CHR)]⁺X⁻ (Cp = η^5 -C₅H₅; R = CH₃ to *n*-C₁₄H₂₉; X = PF₆ or BF₄), 181
- Ruthenium(II) complexes**
- Half-sandwich ruthenium(II) complexes of aminophosphines: synthesis, structures and catalytic applications in C–C coupling reactions between styrenes and diphenyldiazomethane, 227
- SiCBN ceramic**
- Polymer derived Si–C–B–N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27
- Solvent-free, Trimethylsilyl cyanide**
- An improved synthesis of cyanohydrins in the presence of solid LiClO₄ under solvent-free conditions, 283
- Spin state**
- Spin-spin interaction between phenoxyl radicals through σ - π system, 192
- Spirocycloaddition**
- Organotransition metal modified sugars: Part 27. Stereoselective radical spiro-cycloaddition reactions of Fischer carbene complexes, 5

Stereochemistry

Chiral ruthenium complexes with sulfur ligands; X-ray structure of (*R*)_{Ru}-Ru(NmCp)(CO)(PPh₃)SCN (NmCp = neomenthylcyclo-neomenthylcyclopentadienyl), 75

Stille cross-coupling

Synthesis of tricarbonyl η⁶- and η⁵-[(3-thiophenyl)organo]chromium and -manganese complexes, 273

Structural dynamics

Structural dynamics and ligand mobility in carboxylate and dithiocarbamate complexes of Ru(II) containing 1,1'-bis(diphenylphosphino)ferrocene (dppf), 100

Styrene

Indenyl nickel complexes: synthesis, characterization and styrene polymerization catalysis, 132

Sulfide epimerisation

Chiral ruthenium complexes with sulfur ligands; X-ray structure of (*R*)_{Ru}-Ru(NmCp)(CO)(PPh₃)SCN (NmCp = neomenthylcyclo-neomenthylcyclopentadienyl), 75

Tethered diene

Synthesis and reactivity of a tethered diene cyclopentadiene, (C₅Me₄H)SiMe₂(CH₂CH=CHCH=CH₂), and its alkali metal salts, 200

Tetracobalt cluster

Preparations of cobalt-containing phosphines and reactions toward dicobalt octacarbonyl, 161

Tetramethylcyclopentadienyl

Synthesis and reactivity of a tethered diene cyclopentadiene, (C₅Me₄H)SiMe₂(CH₂CH=CHCH=CH₂), and its alkali metal salts, 200

Tetraorganodistannoxane

Synthesis and structure of an ether-bridged double ladder compound: potential in host-guest chemistry, 56

Thiocyanate

Chiral ruthenium complexes with sulfur ligands; X-ray structure of (*R*)_{Ru}-Ru(NmCp)(CO)(PPh₃)SCN (NmCp = neomenthylcyclo-neomenthylcyclopentadienyl), 75

Thiophenyl

Synthesis of tricarbonyl η⁶- and η⁵-[(3-thiophenyl)organo]chromium and -manganese complexes, 273

Ti(IV) coordination chemistry

Ethylene-linked bis(phenol) ligands: efficient synthesis, Ti(IV) coordination chemistry, and Lewis acid catalysis, 121

Tin

Catalytic air oxidation of tertiary arylphosphines in the presence of tin(IV) iodide, 280

Titanium

Synthesis and reactivity of a tethered diene cyclopentadiene, (C₅Me₄H)SiMe₂(CH₂CH=CHCH=CH₂), and its alkali metal salts, 200

Transmetalation

Binuclear alkylmetallane diolates ^tBu₄M₂(diol-(H))₂ (M = Al,

Ga) and their reactions with aluminium- and gallium trialkyls, 246

Further studies on Ni(0)-catalyzed cyclization of a branched 1,3-diene and tethered aldehyde via oxa-nickelacycle intermediate, 36

Tricyclohexylphosphine

Reaction of pentacarbonyl(η²-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68

Trivinylcyclotrisilazane

Polymer derived Si-C-B-N ceramics via hydroboration from borazine derivatives and trivinylcyclotrisilazane, 27

Tungsten

Pentacarbonyl(η²-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62

Reaction of pentacarbonyl(η²-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68

Vaska's complex

Unusual behavior in the 308 nm flash photolysis of Vaska's complex, 1

Vinylferrocene

Pentacarbonyl(η²-vinylferrocene)metal(0) complexes of Group 6 elements: synthesis and characterization, 62

X-ray

Synthesis and structure of an ether-bridged double ladder compound: potential in host-guest chemistry, 56

X-ray diffraction

Reaction of pentacarbonyl(η²-bis(trimethylsilyl)ethyne)tungsten(0) with tricyclohexylphosphine: X-ray structure of pentacarbonyl-tricyclohexylphosphinetungsten(0), 68

X-ray structure

A crystallographic and spectroscopic investigation of the stereochemistry of [MBr(CO)₃L₂] (M = Mn, Re) complexes: crystal and molecular structures of [MBr(CO)₃L₂] {M = Mn, L = P(C₆H₄C1-4)₃, 1/2 d p p e, 1/2 d p p f; M = Re, L = P(C₆H₄OMe-4)₃, 1/2 d p p f}, 174

Ytterbium

C₂-Symmetric ytterbium(II) complexes with a novel, chiral *P,N*-donor ligand, 92

Zero valent

Arene complexation of Sm, Eu, Tm and Yb atoms: a variable temperature spectroscopic investigation, 49

Zirconocene complexes

CH-Aktivierungsreaktionen an unverbrückten und verbrückten Zirconocenkomplexen zur Darstellung von Metallacyclen und deren Verwendung in der katalytischen Ethylenpolymerisation, 254

Zirconocenes

Novel C₁ symmetric zirconocenes containing substituted indenyl moieties for the stereoregular polymerization of propylene, 153