

Subject Index of Volume 690

Ab initio

In search of triplet ground state GeCNX germylenes (X = H, F, Cl, and Br): An ab initio and DFT study, 4692

Kinetic isotope effects of nitrogen and hydrogen in reaction of *N*-*tert*-butyl-*P*-phenylphosphonamidithioic acid with alcohols, 2553

Ab initio calculations

Inclusion complex formation of diferrocenyldimethylsilane with β -cyclodextrin, 4801

Absorption spectra

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LXI. Welche Oxidationszahl hat Cer im tiefvioioletten 1,1',4,4'-Tetrakis(trimethylsilyl)cerocen?, 2238

Acac derivatives

Exploration on Au(S-4-py)PR₃ complexes as a viable building block for constructing hetero-nuclear supramolecules: synthesis and X-ray study on M(acac)₂[Au(S-4-py)PR₃]₂(ClO₄)_x (M = Cr, Cu; acac' = acetylacetonate, hexafluoro-acetylacetonate; x = 0 or 1), 48

Acetals

The Heck-type arylation of allylic alcohols with arenediazonium salts, 3822

Acetic acid

On the behaviour of Ru(I) and Ru(II) carbonyl acetates in the presence of H₂ and/or acetic acid and their role in the catalytic hydrogenation of acetic acid, 371

3-Acetyl-1-allylpyrrole

Domino reaction sequences in the rhodium-catalyzed hydroformylation of 3-acetyl-1-allylpyrrole: a short route to 5,6,7,8-tetrahydroindolizines, 1866

Acetyl complexes

Reactivity of cationic methyl rhodium(III) complexes *cis*-[Rh(β -diket)(PPh₃)₂(CH₃)(CH₃CN)][BPh₄] toward ligands of different character: pyridine, carbon monoxide, and triphenylphosphine, 3397

Acetyl ligands

The reaction of Ru₃(CO)₁₂ with 1,4-dichloro-but-2-yne in basic methanolic solution. Synthesis and crystal structure of (μ -H)₂Ru₃(CO)₉{ μ_3 - η^2 -[H₂C=C(H)C \equiv CC(=O)OCH₃]}, 1594

Acetylenic sulfone

Stereoselective synthesis of vinyl sulfones by carbomagnesiation of acetylenic sulfone in the presence of CuCN, 4058

Acetylide

Evolution of lowest singlet and triplet excited states with transition metals in group 10–12 metallaynes containing biphenyl spacer, 5036

Use of phosphine gold acetylides [(R₃P)AuC \equiv CR] to form phosphine gold derivatives of tetra-iron and penta-iron clusters, 2888

X-ray molecular structures and multinuclear NMR studies of the tetranuclear iridium clusters [Ir₄(CO)₇(μ_4 - η^3 -PhCC(H)CCPh)(μ -PPh₂)₃] and [Ir₄(CO)₇(μ_3 - η^2 -HCCPh)(η^1 -CCPh)(μ -PPh₂)₃], 4611

Acetylide addition

Nitrile ligands activation in dinuclear aminocarbene complexes, 1959

Acetylides

A strikingly fast route to methylmercury acetylides as a new opportunity for monomethylmercury detection, 588

Iron(II) and iron(III) complexes containing ethynyl thiophene fragments, 594

2-acetylpyridine

New mononuclear ruthenium complexes of η^5 -cyclichydrocarbon containing azine ligands: Syntheses, spectral and structural studies, 3720

2-Acetylpyridine

One-pot synthesis of nickel porphyrins with 2-pyridine-acetyl substituents: the unexpected Sonogashira cross-coupling products, 244

Acidic hydrolysis

Acidic hydrolysis of *N*-acyl-1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes, 2783

Synthesis of carborane analogues of γ -aminobutanoic acid, 2761

Acidity

Factors that affect the kinetic and thermodynamic acidities of Fischer carbene complexes: New insights from the study of the cationic (methoxymethylcarbene) dicarbonylpentamethylcyclopentadienyl iron ([Cp*(CO)₂Fe=C(OMe)Me]⁺) in aqueous acetonitrile, 5616

Acoustic cavitation

Sonochemistry and sonoluminescence in ionic liquids, molten salts, and concentrated electrolyte solutions, 3513

Acrolein

Organopalladium complex promoted asymmetric synthesis of a *P*-chiral phosphanorbornene in ionic liquids and in organic solvents, 4933

Acrylate

Improved cross-metathesis of acrylate esters catalyzed by 2nd generation ruthenium carbene complexes, 5863

Acrylonitrile

The salt-free diamido complexes of lanthanide supported by β -diketiminato: Synthesis, characterization, and their catalytic activity for the polymerization of acrylonitrile and ϵ -caprolactone, 4685

Activation strain model

Activation of C–H, C–C and C–I bonds by Pd and *cis*-Pd(CO)₂I₂. Catalyst–substrate adaptation, 2191

Acyclic carbene complexes

Novel acyclic carbene-substituted phosphapalladacycles, 5876

Acyl

Preparation and characterisation of cobalt (I) acyl compounds, 2358

Acyl substitution

Reversible pyranyl complex formation and the mechanism of rearrangement to (η^5 -6-oxocycloheptadienyl)Mn(CO)₃ complexes in the reaction of β -cyclomanganated 1,5-diarylpenta-1,4-dien-3-ones and alkynes; the crystal structure of [2,4-diphenyl-6-(2-phenylethenyl)pyranyl- η^5]tricarbonylmanganese, 3340

Acylation

Friedel-Crafts acylation of W(CO)₅-complexes of azaferrrocenes, 1474

Acylplatinum complexes

Reactivity of the dinuclear platinum- β -diketone $[\text{Pt}_2(\text{COME})_2\text{H}]_2(\mu\text{-Cl})_2$ towards chelating ligands – Bridge cleavage versus formation of acetyl(chloro)platinum(II) complexes, 3229

Acylruthenium chelates

Carbonylation of four-membered ruthenium and osmium metallacycles incorporating an orthometallated phenolic function: New acylruthenium and arylosmium complexes, 3169

Addition

Intramolecular cyanoboration of alkynes via activation of boron–cyanide bonds by transition metal catalysts, 5300

Synthesis of electron-rich platinum centers: Platinum⁰(carbene)-(alkene)₂ complexes, 5804

Addition–elimination

Reversible pyranil complex formation and the mechanism of rearrangement to $(\eta^5\text{-6-oxocycloheptadienyl})\text{Mn}(\text{CO})_3$ complexes in the reaction of β -cyclomanganated 1,5-diarylpenta-1,4-dien-3-ones and alkynes; the crystal structure of $[2,4\text{-diphenyl-6-(2-phenylethenyl)pyranil-}\eta^5\text{-tricarboxylmanganese}]$, 3340

Aggregation

Ethylene polymerization behavior of monometallic complexes and metallodendrimers based on cyclopentadienyl-aryloxy titanium units, 4620

Alane

Synthesis and structure of tetrakis(isopropylimino)bis-[tris-(dimethylamino)silylamino]alane, 1205

Alcohol

Catalytic oxidation of alcohols with polymer-supported ruthenium complex under mild conditions, 6309

Selective functionalization of crown ethers via arene chromium tricarbonyl complexes, 847

Alcohols

Palladium-catalyzed protection of alcohols and cleavage of triethylsilyl ethers, 2372

Alcoholysis

Carbosiloxandendrimere mit terminalen SiH-Bindungen, 751

Aldehyde

Dodecatungstophosphoric acid ($\text{H}_3\text{PW}_{12}\text{O}_{40}$) as a solid green Brnsted acid catalyzes high yielding and efficient trimethylcyanosilylation reactions of aldehydes and ketones by trimethylsilyl cyanide, 1556

Selective functionalization of crown ethers via arene chromium tricarbonyl complexes, 847

Aldimines

Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α -ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976

Alkali metals

Synthesis and structure of $(\eta^5\text{-cyclopentadienyl})(\eta^5\text{-}(1\text{-}(\eta^5\text{-cyclopentadienyl})\text{-2-phenyl-3-methyl-1-nickelindenyl})\text{nickel}$ – the first analogue of nickelocene with a nickelacyclopentadienyl ring, 1523

Alkalimetal cations

Kronenether-funktionalisierte Carbosilandendrimere, 696

Alkaline earth metals

Bis(phosphinimino)methanides as ligands in divalent lanthanide and alkaline earth chemistry – synthesis, structure, and catalysis, 5078

Alkaline metals

A combined experimental and theoretical study of metallic salts of thiapentadienyl, sulfinylpentadienyl and butadienesulfonyls, 1379

Alkanes

Oxidations by the system “hydrogen peroxide– $[\text{Mn}_2\text{L}_2\text{O}_3][\text{PF}_6]_2$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane)–oxalic acid”. Part 6. Oxidation of methane and other alkanes and olefins in water, 4498

Alkene

Copper(I) complexes supported by a heavily fluorinated bis(pyrazolyl)borate: syntheses and characterization of $[\text{H}_2\text{B}(3,5\text{-}(\text{CF}_3)_2\text{Pz})_2]\text{CuL}$ (where L = PPh_3 , $\text{N}\equiv\text{CCH}_3$, $\text{HC}\equiv\text{CPh}$, $\text{H}_2\text{C}=\text{CPh}$) and $\{[\text{H}_2\text{B}(3,5\text{-}(\text{CF}_3)_2\text{Pz})_2]\text{Cu}\}_2(1,5\text{-COD})$, 1913

Olefin uptake as tool for linking platinum(II) and iridium(III) in heterobinuclear complexes: Synthesis and characterization of $[\text{PtI}_2(\text{Me}_2\text{phen})\{(\text{C}_5\text{Me}_4\text{CH}_2\text{CH}_2\text{CH}=\text{CH}_2)\text{Ir}(\text{Me})(\text{CO})(\text{Ph})\}]$, 2097

Synthesis of electron-rich platinum centers: Platinum⁰(carbene)-(alkene)₂ complexes, 5804

Synthetic and structural studies of NHC–Pt(dvtms) complexes and their application as alkene hydrosilylation catalysts (NHC = N-heterocyclic carbene, dvtms = divinyltetramethylsiloxane), 6156

Alkene polymerisation

Radical and migratory insertion reaction mechanisms in Schiff base zirconium alkyls, 5125

Alkenes

Intramolecular double or triple Suzuki coupling reaction of substituted di- or tribromobenzenes. An easy synthesis of fused tri- or tetracycles with a benzene core, 5389

Stereospecific palladium-catalyzed borylation reaction of 1-alkenyl halides with diisopropylaminoborane, 2721

Alkenyl complexes

Reactivity of silyl-substituted heterobimetallic iron–platinum hydride complexes towards unsaturated molecules: Part II. Insertion of trifluoropropyne and hexafluorobutyne into the platinum–hydride bond, 1456

Alkoxide

Dimeric samarium(III) alkoxides bearing N_2O_2 tetradentate Schiff bases and their utility for the catalytic epoxidation of *trans*-chalcone, 1011

Silver alkoxide and amino N-heterocyclic carbenes; syntheses and crystal structures, 5710

Alkoxy-carbonylation

$[\text{Pd}(\text{H})(\text{SnCl}_3)_2\text{L}_2]$: The key active species in the catalyzed alkoxy-carbonylation reaction of terminal alkenes, 2947

Alkoxy-imidazolium salts

Design and synthesis of new bidentate alkoxy-NHC ligands for enantioselective copper-catalyzed conjugate addition, 5237

Alkylation

Diastereoselective synthesis of α,α' -disubstituted β -ketophosphonates derivatives as building blocks for automated syntheses, 2626

Ring-opening of 2,3-epoxy-1-propanol with R_3Al : Unprecedented regiochemical switching simply achieved by changing alkyl substituents of aluminium reagent, 3697

Alkylene-dithiophosphate

Synthesis, spectroscopic characterization of *O,O*-alkylene dithiophosphates of tellurolane and 1-oxa-4-tellurane. Single crystal structures of $\text{C}_4\text{H}_8\text{Te}[\text{S}_2\text{P}(\text{OCH}_2)_2\text{CMe-}^i\text{Pr}]_2$ and $\text{C}_4\text{H}_8\text{OTe}[\text{S}_2\text{P}(\text{OCH}_2)_2\text{CEt}_2]_2$, 2872

Alkyldiene

Hydride addition at μ -vinyliminium ligand obtained from disubstituted alkynes, 837

Transformation of C_2 units on a bimetallic tetranuclear cluster. Reactivity of $[\text{Ru}_3\text{Mo}(\mu_3\text{-}\eta^1\text{-CC})(\mu\text{-CO})_3(\text{CO})_2(\eta\text{-C}_5\text{H}_4\text{R})_3(\eta\text{-C}_5\text{H}_5)]$ (R = H, Me), 3410

Alkyldiene complexes

Synthesis and crystal structures of the first germanium-containing alkyldiene complexes of molybdenum $\text{R}_3\text{Ge-CH=Mo}(\text{NAr})(\text{OR}')_2$ (R = Me, Ph) with direct germanium–carbon bond, 3212

Synthesis and some properties of 14 group element-containing alkyldiene complexes of molybdenum and tungsten, 5720

The effect of substituents at silicon on the cross-metathesis of trisubstituted vinylsilanes with olefins, 5912

Alkyldienecyclopropanes

Divergent reactivity of alk-5-ynylidienecyclopropanes in the presence of the 1st or the 2nd generation Grubbs' catalysts, 5609

Alkyldiylidene clusters

New insights into the reaction of nickelocene with methyl lithium: the isolation and crystal structure of $(\text{NiCp})_3(\mu_3\text{-CH})$, 1192

Alkylphosphonate

Synthesis and herbicidal activities of methyl-1-(2,4-dichlorophenoxy-acetoxy)alkylphosphonate monosalts, 2608

- Alkyne**
 Chiral molecular polygons based on the Pt-alkynyl linkage: Self-assembly, characterization, and functionalization, 5159
 Copper(I) complexes supported by a heavily fluorinated bis(pyrazolyl)-borate: syntheses and characterization of $[\text{H}_2\text{B}(\text{3,5-(CF}_3)_2\text{Pz})_2]\text{CuL}$ (where $\text{L} = \text{PPh}_3, \text{N}\equiv\text{CCH}_3, \text{HC}\equiv\text{CPh}, \text{H}_2\text{C}=\text{CHPh}$) and $\{[\text{H}_2\text{B}(\text{3,5-(CF}_3)_2\text{Pz})_2]\text{Cu}\}_2(1,5\text{-COD})$, 1913
 Electronic structure and electrophilic reactivity of discrete copper diphenylcarbenes, 5989
 Reactivity of silyl-substituted heterobimetallic iron–platinum hydride complexes towards unsaturated molecules: Part II. Insertion of trifluoropropyne and hexafluorobutyne into the platinum–hydride bond, 1456
 Reversible pyranyl complex formation and the mechanism of rearrangement to $(\eta^5\text{-6-oxocycloheptadienyl})\text{Mn}(\text{CO})_3$ complexes in the reaction of β -cyclomanganated 1,5-diarylpenta-1,4-dien-3-ones and alkynes; the crystal structure of $[\text{2,4-diphenyl-6-(2-phenylethenyl)pyranyl-}\eta^5]\text{tricarbonylmanganese}$, 3340
 The photochemical reaction of $\text{Os}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-}\gamma\text{-C}_5\text{H}_3\text{O}_2)$, a triosmium cluster carrying a γ -pyrone ligand, with dimethylacetylenedicarboxylate: formation of isomeric clusters, 322
- Alkyne coupling**
 Indenols, indenones and (arylcyclohexadienyl) $\text{Mn}(\text{CO})_3$ π -complexes from the thermally promoted reactions of alkynes with *ortho*- $\text{Mn}(\text{CO})_4$ aryl ketone, amide, ester and aldehyde derivatives, 3827
- Alkyne dicobalt hexacarbonyl**
 Cyclisation of diferrocenylbutadiyne dicobalt hexacarbonyl mono-adduct to novel ferrocenotropones, 691
- Alkyne insertions**
 Preparation, structural characterization of 1,2-digermacyclobut-3-enes, and their palladium-catalyzed insertion of alkynes, 2967
 Study of the reactivity of palladacycles containing $[\text{C}(\text{sp}^2, \text{ferrocene}), \text{N}, \text{S}]^-$ or $[\text{C}(\text{sp}^3), \text{N}, \text{S}]^-$ terdentate ligands with symmetric alkynes, 228
- Alkyne ligands**
 C–H and C–C bonds activation by iridium clusters: Synthesis and solid state structure of $[\text{Ir}_6(\text{CO})_{14}(\mu_3\text{-}\eta^1\text{:}\eta^2\text{:}\eta^1\text{-C}_7\text{H}_8)]$, 4768
- Alkyne Metathesis**
 A study of molybdenum catalysts in the polymerization of 2,5-didodecyl-1,4-dipropynylbenzene, 825
- Alkyne-bridged dicobalt complex**
 Synthesis of cobalt-containing monodentate phosphine ligand and application toward Suzuki cross-coupling reactions, 1249
- Alkyne-diols**
 Reaction of $\text{Fe}_3(\text{CO})_{12}$ with but-2-yn-1,4-diol, 1,4-dichloro-but-2-yne, propargyl-alcohol and propargyl-chloride. The X-ray structures of $[\text{Fe}_2(\text{CO})_6\{\text{H}_2\text{CCCCH}_2\}]$, $[\text{Fe}_2(\text{CO})_6\{\text{H}_2\text{CCC}(\text{H})\text{C}(\text{OCH}_3)\text{O}\}]$ and $\text{Fe}_3(\text{CO})_{10}\{\text{H}_2\text{CCC}(\text{H})\text{C}(\text{O})\text{C}\{\text{CH}_2(\text{O})\text{CH}_3\}\text{CCH}_2\}$, 3755
- Alkynes**
 1,1-Insertion of substituted alkynes into the Ir–O bond of η^2 -carboxylato iridium complexes, 1306
 Chiral cyclopentadiene-mediated approach to enantioselective heterobimetallic Pauson–Khand reactions, 358
 Orthopalladacycles derived from α -diphenylhydrazonoketene dithioacetals and their reactivity with terminal alkynes, 454
 Regioselectivity in nickel(0)/phosphine catalyzed cycloadditions of alkynes and isocyanates, 5098
- Alkynyl complexes**
 Carbon-rich organometallics: synthesis and characterization of new ferrocenyl end-capped bis(butadiynyl) fluorene derivatives, 177
 The spectra, structures and electrochemistry of $\text{Ni}(\eta^5\text{-C}_5\text{H}_5)(\text{PPh}_3)\text{-C}\equiv\text{C-Ar}$ complexes, and their reactions with $\text{Co}_2(\text{CO})_8$, 4545
- Alkynyl ferrocene**
 Cyclisation of diferrocenylbutadiyne dicobalt hexacarbonyl mono-adduct to novel ferrocenotropones, 691
- Alkynyl ligand**
 Effect of the organic fragment on the mesogenic properties of a series of organogold(I) isocyanide complexes. X-ray crystal structure of $[\text{Au}(\text{C}\equiv\text{CC}_5\text{H}_4\text{N})(\text{CNC}_6\text{H}_4\text{O}(\text{O})\text{CC}_6\text{H}_4\text{OC}_{10}\text{H}_{21})]$, 2200
- Alkynylphosphonates**
 A novel stereoselective synthesis of (*E*)-2-arylvinylphosphonates in $\text{InCl}_3\text{-NaBH}_4\text{-MeCN}$ system, 1705
- Alkynyls**
 Electron-donor/acceptor properties of carbynes, carbenes, vinylidenes, allenylidenes and alkynyls as measured by electrochemical ligand parameters, 6021
- Allenes**
 Synthesis and X-ray structure of an unexpected bidentate allene–aminocarbene complex of tungsten, 3664
- Allenylidene complexes**
 A convenient route to six-membered heterocyclic carbene complexes: Reactions of aminoallenylidene complexes with 1,3-bidentate nucleophiles, 5597
 Bis(amino)allenylidene complexes by displacement of the MeO group in methoxy allenylidene complexes of chromium and tungsten. Synthesis, DFT calculations and solid-state structures of new bis(amino)allenylidene complexes, 3700
- Allenylidenes**
 Electron-donor/acceptor properties of carbynes, carbenes, vinylidenes, allenylidenes and alkynyls as measured by electrochemical ligand parameters, 6021
 Reaction of the $\text{RuTp}(\text{PR}_3)\text{Cl}$ fragment with alkynols: Formation of carbene, vinylidene, allenylidene, and carbyne complexes, 5497
- Allylation**
 α -Diimines as nitrogen ligands for ruthenium-catalyzed allylation reactions and related (pentamethylcyclopentadienyl) ruthenium complexes, 2149
 A new class of nitrogen based chiral ligands: 2*H*-1,3-benzoxazines. Ligand synthesis, X-ray structural studies and asymmetric catalysis, 2027
 N-Heterocyclic carbenes as ligands in palladium-catalyzed Tsuji–Trost allylic substitution, 5753
 Tuning the reactivity of organotin(IV) by LiOH: allylation and propargylation of epoxides via redox transmetalation, 1422
- Allyldiphenylphosphine**
 Preparation, X-ray structure, copolymerization with styrene of $[(\mu\text{-H})\text{Os}_3(\mu\text{-OCNMe}_2)(\text{CO})_5\{\text{P}(\text{CH}_2\text{CH}=\text{CH}_2)\text{Ph}_2\}]$ and catalytic properties of the cluster/styrene copolymer, 4258
- Allylic alcohols**
 Scope, mechanism and diene inhibition of isomerization of allylic alcohols to saturated ketones catalyzed by ruthenium(II)-cyclopentadienyl complexes, 1044
 The Heck-type arylation of allylic alcohols with arenediazonium salts, 3822
- allylic alkylation**
 Chiral “P–N–P” ligands, $(\text{C}_{20}\text{H}_{12}\text{O}_2)\text{PN}(\text{R})\text{PY}_2$ [$\text{R} = \text{CHMe}_2, \text{Y} = \text{C}_6\text{H}_5, \text{OC}_6\text{H}_5, \text{OC}_6\text{H}_4\text{-4-Me}, \text{OC}_6\text{H}_4\text{-4-OMe}$ or $\text{OC}_6\text{H}_4\text{-4-}^t\text{Bu}$] and their allyl palladium complexes, 742
- Allylic amination**
 Cyclopentadienyliron complexes of nitrosobenzene: Preparation, structure and reactivity with olefins, 4727
- Allylic amines**
 Catalytic amination reactions mediated by Co(II) Schiff base complexes, 2142
- η^3 -allyl palladium complexes
 Chiral “P–N–P” ligands, $(\text{C}_{20}\text{H}_{12}\text{O}_2)\text{PN}(\text{R})\text{PY}_2$ [$\text{R} = \text{CHMe}_2, \text{Y} = \text{C}_6\text{H}_5, \text{OC}_6\text{H}_5, \text{OC}_6\text{H}_4\text{-4-Me}, \text{OC}_6\text{H}_4\text{-4-OMe}$ or $\text{OC}_6\text{H}_4\text{-4-}^t\text{Bu}$] and their allyl palladium complexes, 742
- Allylic substitution**
 Allylic substitution reactions with Grignard reagents catalyzed by imidazolium and 4,5-dihydroimidazolium carbene–CuCl complexes, 6001
 Supraphos: A supramolecular strategy to prepare bidentate ligands, 4505
 Synthesis and asymmetric catalytic application of chiral imidazolium–phosphines derived from (1*R*,2*R*)-*trans*-diaminocyclohexane, 5822

Allyltins

Preparation of α -substituted γ -alkoxyallylstannanes from β -tributylstannyl acrolein acetals: scope of the method and primary rationalization of the obtained results, 659

Aluminium

Organometallic compounds of Group 13 elements containing the ligand $C(SiMe_3)_2(SiMe_2C_3H_4N-2)$, 69

Aluminum

Cyclopentadienylaluminum thiolates – synthesis and structure, 1125

Fluoroaryl-substituted ketiminate complexes of aluminum, 1366

Ring-opening of 2,3-epoxy-1-propanol with R_3Al : Unprecedented regiochemical switching simply achieved by changing alkyl substituents of aluminium reagent, 3697

Stereoselective synthesis of enones from the reaction of aldehydes with sterically hindered dimethylaluminum enolates, 3474

Aluminum alkyl

Synthesis, structure and catalytic properties of $[Cp^*Cr-(C_6F_5)(Bn)(THF)]$ toward ethylene in the presence of $AlEt_3$, 5145

Aluminum complexes

Synthesis and characterization of aluminum complexes of 2-pyrazol-1-yl-ethenolate ligands, 4080

AM1

Modeling lanthanide coordination compounds: Sparkle/AM1 parameters for praseodymium (III), 4099

Amide

π (Arene) versus donor ligand complexation in the formation of the heterobimetallic lithium–potassium dianion of (*S*)-*N*-(α -methylbenzyl)allylamine, 4343

Amide ligands

Synthesis and characterization of titanium and tantalum complexes with di(2-pyridyl)amine (dpa): Molecular structures of $Cp^*TaCl_3(dpa)$ and $Ti(NMe_2)_2(dpa)_2$, 4828

Amides

Acidic hydrolysis of *N*-acyl-1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes, 2783

Amidinate

Diazaallyls of group 4 metals based on *trans*-1,2-diaminocyclohexane, 3373

Amidinato(pyridine) complex

The reaction of amidinato(pyridine) complexes of molybdenum and tungsten with triethylborane adduct of *N*-heterocyclic carbene (NHC · BEt_3): Investigation on the reactivity of NHC · BEt_3 as carbene precursor toward transition metal complexes, 5701

Amidines

Synthesis and characterization of the amidine complexes *trans*- $[PtCl(NH_3)\{HN=C(NH_2)R\}_2]Cl$ ($R = Me, Ph, CH_2Ph$) derived from addition of NH_3 to the coordinated nitriles in *trans*- $[PtCl_2(N=CR)_2]$, 2121

Amidino

Activation of 1,3,5-trimethyl-1,3,5-triazacyclohexane by $Os_3(CO)_{12}$ to form amidino $[(MeN)_2CH]$ cluster complexes, 163

Amido donors

Synthesis and reactivity of zirconium and hafnium complexes incorporating chelating diamido-*N*-heterocyclic-carbene ligands, 5788

Amidoimidophosphoranes

Nickel(II) bis(diphenylphosphino)amide: Redox-coupling of dppa ligands in coordination sphere of Ni^{2+} and some other properties, 1814

Amination

Furan- and thiophene-functionalised bis-carbene ligands: Synthesis, silver(I) complexes, and catalysis, 6133

Palladium (II) complexes with mono-oxide 1,1'-bis(diphenylphosphino)metallocene ligands $[Fe(\eta^5-C_5Me_4PPh_2)(\eta^5-C_5Me_4P\{O\}Ph_2)]$ and $[Os(\eta^5-C_5H_4PPh_2)(\eta^5-C_5H_4P\{O\}Ph_2)]$, 1710

Successful application of microstructured continuous reactor in the palladium catalysed aromatic amination, 3627

Amination reactions

Catalytic amination reactions mediated by Co(II) Schiff base complexes, 2142

Aminations

Studies on Pd/imidazolium salt protocols for aminations of aryl bromides and iodides using lithium hexamethyldisilazide (LHMDS), 5841

Amine

Diiron-aminocarbene complexes with amine or imine ligands: C–N coupling between imine and aminocarbene ligands promoted by tolylacetylide addition to $[Fe_2\{\mu-CN(Me)R\}(\mu-CO)(CO)(NH=CPh_2)(Cp)_2][SO_3CF_3]$, 348

Structural characterization and catalytic activities of copper complexes with pyridine-amine-phosphine-oxide ligand, 415

Amine dibromocyanoboranes

Diborane (4) derivatives via coupling of amine monobromocyanoboranes: Study of the bromination of amine cyanoborane and molecular structures of the amine dibromo-cyanoboranes, 4150

Amine monobromocyanoboranes

Diborane (4) derivatives via coupling of amine monobromocyanoboranes: Study of the bromination of amine cyanoborane and molecular structures of the amine dibromo-cyanoboranes, 4150

Amine-oxide

Rhenium carbonyl complexes with monodentate-coordinated diphosphines: activation of terminal phosphino groups towards amine-oxide oxidation, 3765

Aminoacetylenes

Cobalt-mediated oligomerization reactions of amino-substituted acetylene derivatives, 3251

Amino acid

Ferrocenoyl-amino acids: redox response towards di- and trivalent metal ions, 1209

Amino acid esters

Synthesis and structural characterization of *N*-*para*-ferrocenyl benzoyl amino acid ethyl esters and the X-ray crystal structures of the glycol and (\pm)-2-aminobutyric acid derivative $Fc-C_6H_4CONHCH(C_2H_5)CO_2Et$, 383

Amino acids

Inverted piano-stool dimers of half-sandwich Ru(II) complexes with (*R*)-phenylglycine methylester and (*S*)-phenylalanineamide: An X-ray structural study and preliminary catalytic results, 4602

Synthesis of carborane analogues of γ -aminobutanoic acid, 2761

Synthesis of ferrocenoyl amino acid derivatives via homogeneous catalytic aminocarbonylation, 3237

Aminoalkanephosphonic acids

Acyclic and cyclic aminophosphonic acids: asymmetric syntheses mediated by chiral sulfinyl auxiliary, 2488

Aminoboranes

Stereospecific palladium-catalyzed borylation reaction of 1-alkenyl halides with diisopropylaminoborane, 2721

Aminocarbene

Hydride addition at μ -vinyliminium ligand obtained from disubstituted alkynes, 837

Aminocarbene

New bridging ligands from methylation reactions of μ -vinyliminium diiron complexes, 4666

Nitrile ligands activation in dinuclear aminocarbene complexes, 1959

Amino carbene complexes

[6 + 3] Cycloaddition of Fischer aminocarbene complexes: An efficient annulation of fulvenes to indene derivatives, 5696

Aminocarbene complexes

New metal aminocarbene-substituted cyclopentadienyliron half sandwich complexes, 6217

 β -amino carbonyl compound

Ultrasound-irradiated Michael addition of amines to ferrocenylenones under solvent-free and catalyst-free conditions at room temperature, 2989

- Aminocyclopropanephosphonic acids
 Acyclic and cyclic aminophosphonic acids: asymmetric syntheses mediated by chiral sulfinyl auxiliary, 2488
- 3-Amino-1,2-dicarba-*closo*-dodecaboranes
 Acidic hydrolysis of *N*-acyl-1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes, 2783
- 3-Amino-1,2-dicarba-*closo*-dodecaboranes
 NMR determination of enantiomeric composition of 1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes using Eu(hfc)₃, 2766
- β-Aminoenone
 Fluoroaryl-substituted ketiminate complexes of aluminum, 1366
 Lithium perchlorate suspend in methylene chloride, a mild, efficient and reusable catalyst for the synthesis of ferrocene aminonitrile derivatives, 76
- 3-Amino-*o*-carboranes
 Synthesis of carborane analogues of γ-aminobutanoic acid, 2761
- Aminophosphines
 Resolution of β-aminophosphines with chiral cyclopalladated complexes, 1659
- Aminosiloxanes
 Intramolecular rearrangement of organosilyl groups between oxygen and nitrogen in aminosiloxanes – a joint experimental–theoretical study, part II, 1100
- Ammonia
 Synthesis and characterisation of the amidine complexes *trans*-[PtCl(NH₃){HN=C(NH₂)R}₂]Cl (R = Me, Ph, CH₂Ph) derived from addition of NH₃ to the coordinated nitriles in *trans*-[PtCl₂(N≡CR)₂], 2121
- Angular and linear triquinanes
 Some recent applications of Fischer carbenemetal complexes in organic synthesis, 5900
- Anions
 A combined experimental and theoretical study of metallic salts of thiapentadienyl, sulfinylpentadienyl and butadienesulfonyls, 1379
- [6 + 3] Annulation
 [6 + 3] Cycloaddition of Fischer aminocarbene complexes: An efficient annulation of fulvenes to indene derivatives, 5696
- Anodic polymerization
 Anodic polymerization of dithienosilole and electroluminescent properties of the resulting polymer, 3027
- ansa*-Compounds
 Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α-ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976
- ansa*-Metallocene
 Bis(enamino-Cp) Group 4 metal complex chemistry: developing a Mannich-type carbon–carbon coupling reaction at the bent metallocene framework, 14
- Ansa*-zirconocenes
 NMR evidence for B(C₆F₅)₃ attack on the inward position of a highly hindered *meso ansa*-zirconocene, 640
- Anthracene
 Diels–Alder reaction of anthracene on carbosilane dendrimer, 3278
- Anti-cancer drug
 Novel benzyl substituted titanocene anti-cancer drugs, 4537
- Antibacterial activity
 Organotin esterification of (*E*)-3-(3-fluoro-phenyl)-2-(4-chlorophenyl)-2-propenoic acid: synthesis, spectroscopic characterization and in vitro biological activities. Crystal structure of [Ph₃Sn(OC(O)C(4-C₆H₄)=CH(3-FC₆H₄))], 1396
- Antibacterial agents
 Antibacterial activities of ferrocenoyl- and cobaltocenium-peptide bioconjugates, 4564
- Antifungal activity
 Organotin esterification of (*E*)-3-(3-fluoro-phenyl)-2-(4-chlorophenyl)-2-propenoic acid: synthesis, spectroscopic characterization and in vitro biological activities. Crystal structure of [Ph₃Sn(OC(O)C(4-C₆H₄)=CH(3-FC₆H₄))], 1396
- Antifungal agents
 Synthesis of polyacetylenic montiporic acids by means of organosilicon compounds, 3004
- Antimicrobial activity
 Synthesis, characterization, and in vitro antimicrobial activity of organotin(IV) complexes with triazolo-pyrimidine ligands containing exocyclic oxygen atoms, 4773
- Antimony
 Chlorination of *p*-substituted triarylpnictogens by sulfonyl chloride: Difference in the reactivity and spectroscopic characteristics between bismuth and antimony, 4280
 Oxidative addition reaction of *o*-quinones to triphenylantimony: novel triphenylantimony catecholate complexes, 1273
 Palladium-catalyzed cross-coupling reaction of ethynylstibanes with organic halides, 2956
- Antioxidants
 Reactivity of ferrocenium cations with molecular oxygen in polar organic solvents: Decomposition, redox reactions and stabilization, 1829
- Antitumor
 Crystal structure, antitumor activities and DNA-binding properties of the La(III) complex with Phthalazin-1(2H)-one prepared by a novel route, 4557
- Antitumor activity
 Synthesis, crystal structure and in vitro antitumor activity of di-*n*-butyltin 4'-(7-oxabicyclo [2,2,1]-5-heptane-2,3-dicarboximide) benzoates, 2186
 Synthesis, crystal structures and in vitro antitumor activities of some organoantimony arylhydroxamates, 151
- Antitumor agents
 Organotin flufenamates: Synthesis, characterization and antiproliferative activity of organotin flufenamates, 1800
- Antitumor properties
 Synthesis, characterization and antitumor properties of titanocene derivatives with thiophene containing ligands, 117
- Antiviral
 Biolabile constructs for pronucleotide design, 2614
- Antiviral prodrugs
 Cidofovir peptide conjugates as prodrugs, 2673
- Apatite
 Impact of anionic substitutions on apatite structure and properties, 2638
- Aqua complexes
 Cationic arene ruthenium complexes containing chelating 1,10-phenanthroline ligands, 3202
- arachno* Ten-vertex monocarbaboranes
 Polyhedral monocarbaborane chemistry. Reactions of the [6-Ph-*nido*-6-CB₉H₁₁][−] anion with two-electron donors to yield a series of neutral *arachno* and *closo* ten-vertex monocarbaborane derivatives, 2815
- Arduengo carbene
¹Pyridine and phosphine functionalised *N*-heterocyclic carbene complexes of rhodium and iridium, 5948
 Contributions to the chemistry of carbenemetal chemistry, 5467
- Arduengo-carbenes
 Formation of chiral ionic liquids and imidazol-2-ylidene metal complexes from the proteinogenic amino acid L-histidine, 5959
- Arene
 Redox reactions with bis(η⁶-arene) derivatives of early transition metals, 3321
- Arene activation
 Selective functionalization of crown ethers via arene chromium tricarbonyl complexes, 847
- Arene chromium complex
 Stereoselective [3+2+2] cycloaddition utilizing optically active binuclear Fischer carbene complexes with alkynes, 5922
- Arene complexes
 Cationic arene ruthenium complexes containing chelating 1,10-phenanthroline ligands, 3202

- On the coordination chemistry of corannulene, the smallest “buckybowl”, 3440
- Reactions of complex ligands part 106. Heterobimetallic fused arenes: Chromium-templated benzannulation of a ferrocene-type metal carbene, 5892
- Ruthenium-catalyzed reduction of racemic tricarbonyl(η^6 -aryl ketone)-chromium complexes using transfer hydrogenation: A simple alternative to the resolution of planar chiral organometallics, 3176
- Arene derivatives
- Reactivity of bis(η^6 -arene) derivatives of titanium, vanadium and niobium with fulvenes bearing electron-withdrawing substituents, 4844
- Arene ruthenium(II) complexes
- Synthesis and characterisation of new pyrazole–phosphinite ligands and their ruthenium(II) arene complexes, 4072
- Arenediazonium salts
- The Heck-type arylation of allylic alcohols with arenediazonium salts, 3822
- Arenehydrazone–iron complex
- Donor/acceptor organoirron(II) hydrazone chromophores: structural, spectroscopic and electrochemical properties, 1265
- Aromatic diamines
- Nickel(0)/*N*-heterocyclic carbene complexes catalysed arylation of aromatic diamines, 6169
- Aromatic diols
- Reactions of 1,2-catechol with $^i\text{Bu}_3\text{M}$ (M = Ga, In). Structures of intermediate products, 722
- Aromaticity
- A computational study of the arsabenzene: Structure, properties and aromaticity, 4761
- The aromaticity of tungstenacyclobutadiene, $\text{Cl}_3\text{W}(\text{-ButC-CMe-CMe-})$: A DFT/NICS study, 4939
- Arsabenzene
- A computational study of the arsabenzene: Structure, properties and aromaticity, 4761
- Arsine
- Copolymerization of olefins and CO catalyzed by new chiral arsine–oxazoline palladium complexes, 4920
- Artificial metalloenzymes
- Aqueous oxidation of alcohols catalyzed by artificial metalloenzymes based on the biotin–avidin technology, 4488
- Aryl amination reaction
- A stable (amino)(phosphino)carbene as bidentate ligand for palladium and nickel complexes: Synthesis, structure, and catalytic activity, 5541
- Aryl azides
- Reaction of aryl azides with tris(trimethylsilyl)silyllithium: Synthesis of tmeda or thf adducts of $[\text{Li}\{\text{N}(\text{Ar})\text{Si}(\text{SiMe}_3)_3\}]$ and 1,4-trimethylsilyl migration from oxygen to nitrogen, 4252
- 2-(Arylazo) aniline
- Syntheses, characterization, structure and redox properties of new Rh(III) cyclometallates incorporating azoimine ligands, 4816
- 2-(Arylazo)phenols
- Iridium mediated methyl and phenyl C–H activation of 2-(arylazo)phenols. Synthesis, structure, and spectral and electrochemical properties of some organoiridium complexes, 3908
- Aryl bromides
- Selective synthesis of (*E*)-triethyl(2-arylethenyl)silane derivatives by reaction of aryl bromides with triethyl vinylsilane catalysed by a palladium–tetrakisphosphine complex, 3790
- Aryl chlorides
- Efficient Suzuki coupling of aryl chlorides catalyzed by tricyclohexylphosphine adducts of cyclopalladated ferrocenyl-imines, 3963
- Nickel(0)/*N*-heterocyclic carbene complexes catalysed arylation of aromatic diamines, 6169
- Aryl halide
- Palladium-catalyzed cross-coupling reaction of ethynylstibanes with organic halides, 2956
- Aryl halides
- Intramolecular double or triple Suzuki coupling reaction of substituted di- or tribromobenzenes. An easy synthesis of fused tri- or tetracycles with a benzene core, 5389
- Aryl isocyanates
- Reversible double insertion of aryl isocyanates into the Ti–O bond of titanium(IV) isopropoxide, 1282
- Arylamination
- Oxidative addition of aryl chlorides to palladium *N*-heterocyclic carbene complexes and their role in catalytic arylation, 6054
- Arylamine
- Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 2-*N,N*-Diisopropylaminophenylboronate derivatives, 4784
- Arylation
- An efficient and mild protocol for the α -arylation of ketones mediated by an (imidazol-2-ylidene)palladium(acetate) system, 5832
- Novel rhodium-1,3-dialkyl-3,4,5,6-tetrahydropyrimidin-2-ylidene complexes as catalysts for arylation of aromatic aldehydes, 5849
- Study of homo- and cross-coupling competition in the reaction of triarylbismuth(V) dicarboxylates with methyl acrylate in the presence of a palladium catalyst, 3652
- The Heck-type arylation of allylic alcohols with arenediazonium salts, 3822
- Arylazoimidazole ligands
- Syntheses and characterization of η^5 -cyclopentadienyl and η^5 -indenyl ruthenium(II) complexes of arylazoimidazoles: The molecular structure of the complex $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{C}_6\text{H}_5\text{-N=N-C}_3\text{H}_3\text{N}_2)]^+$, 3465
- Arylboranes
- A laser desorption ionization mass spectrometry investigation of triarylboranes and tri-9-anthrylborane photolysis products, 962
- Arylboronate
- Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 2-*N,N*-Diisopropylaminophenylboronate derivatives, 4784
- Arylchlorides
- An efficient and mild protocol for the α -arylation of ketones mediated by an (imidazol-2-ylidene)palladium(acetate) system, 5832
- Aryldifluoroborane
- Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 2-*N,N*-Diisopropylaminophenylboronate derivatives, 4784
- Arylhydroxamic acid
- Synthesis, crystal structures and in vitro antitumor activities of some organoantimony arylhydroxamates, 151
- Aryloxide
- Complexes of tantalum with triaryloxides: Ligand and solvent effects on formation of hydride derivatives, 5333
- Aryloxy
- Ethylene polymerization behavior of monometallic complexes and metalloidendrimers based on cyclopentadienyl-aryloxy titanium units, 4620
- 2-Aryl-pyridine
- Cyclometalated platinum complexes: High-yield synthesis, characterization, and a crystal structure, 4090
- Arylstannanes
- Strategies for the synthesis of bi- and triarylic materials starting from commercially available phenols, 3865
- (*E*)-2-Arylvinylphosphonates
- A novel stereoselective synthesis of (*E*)-2-arylvinyphosphonates in $\text{InCl}_3\text{-NaBH}_4\text{-MeCN}$ system, 1705
- 5-Aryl tetrazolate ligand
- Synthesis and NMR characterization of dinuclear Fe(II) organometallic complexes containing a non-equivalently bridging 5-aryl tetrazolate ligand, 2052

- Asymmetric
 P-chirogenic phosphines. MOP/diPAMP hybrids, their oxide crystal structures, reduction studies and alternative syntheses, 211
- Asymmetric catalysis
 Design and synthesis of new bidentate alkoxy-NHC ligands for enantioselective copper-catalyzed conjugate addition, 5237
 Highly enantioselective catalytic asymmetric ring opening reaction employing the Daniphos ligand, 1166
 Non-metallocene rare earth metal catalysts for the diastereoselective and enantioselective hydroamination of aminoalkenes, 4441
 Synthesis and activity of macrocyclized chiral Mn(III)–Schiff-base epoxidation catalysts, 2163
- Asymmetric cyclopropanation
 Study of the origin of enantioselectivity in cyclopropanation reactions using the chiral iron carbene complex $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe}=\text{CH}[(\eta^6\text{-}o\text{-MeOC}_6\text{H}_4)\text{Cr}(\text{CO})_3]]^+$, 6238
- Asymmetric dihydroxylation
 Osmium catalyzed asymmetric dihydroxylation of methyl *trans*-cinnamate in ionic liquids, followed by supercritical CO₂ product recovery, 3600
- Asymmetric synthesis
 Acyclic and cyclic aminophosphonic acids: asymmetric syntheses mediated by chiral sulfinyl auxiliary, 2488
 Chiral cyclopentadiene-mediated approach to enantioselective heterobimetallic Pauson–Khand reactions, 358
 Organopalladium complex promoted asymmetric synthesis of a P-chiral phosphanorbornene in ionic liquids and in organic solvents, 4933
- Asymmetry
 A new paradigm in *N*-heterocyclic carbenoid ligands, 6210
- Atom economic 3
 Synthesis of Pd(II) and Pt(II) complexes possessing bicyclo[3.2.0]heptanyl phosphinite ligands: Identification of a novel Pd(II) precatalyst for 1,6-diene cycloisomerisation, 4462
- Atom transfer radical polymerization
 Synthesis and application of functional polyethylene graft copolymers by atom transfer radical polymerization, 6300
- Atomic charge
 Computational study of conformations and of sulfinyl oxygen-induced pentacoordination at silicon in 4-chloro-4-silathiacyclohexane 1-oxide and 4,4-dichloro-4-silathiacyclohexane 1-oxide, 4103
- Atropoisomerism
 A new paradigm in *N*-heterocyclic carbenoid ligands, 6210
- ATRP
 Towards understanding monomer coordination in atom transfer radical polymerization: synthesis of $[\text{Cu}^{\text{I}}(\text{PMDETA})(\pi\text{-M})][\text{BPh}_4]$ (M = methyl acrylate, styrene, 1-octene, and methyl methacrylate) and structural studies by FT-IR and ¹H NMR spectroscopy and X-ray crystallography, 916
- Au complex as a ligand
 Exploration on Au(S-4-py)PR₃ complexes as a viable building block for constructing hetero-nuclear supramolecules: synthesis and X-ray study on $\text{M}(\text{acac}')_2[\text{Au}(\text{S-4-py})\text{PR}_3]_2(\text{ClO}_4)_x$ (M = Cr, Cu; acac' = acetylacetonate, hexafluoro-acetylacetonate; x = 0 or 1), 48
- Aufbaureaktion
 Synthesis, structure and catalytic properties of $[\text{Cp}^*\text{Cr}(\text{C}_6\text{F}_5)(\text{Bn})(\text{THF})]$ toward ethylene in the presence of AlEt₃, 5145
- Au–M hetero molecules
 Exploration on Au(S-4-py)PR₃ complexes as a viable building block for constructing hetero-nuclear supramolecules: synthesis and X-ray study on $\text{M}(\text{acac}')_2[\text{Au}(\text{S-4-py})\text{PR}_3]_2(\text{ClO}_4)_x$ (M = Cr, Cu; acac' = acetylacetonate, hexafluoro-acetylacetonate; x = 0 or 1), 48
- Auranofin
 Synthesis and structural characterisation of linear Au(I) *N*-heterocyclic carbene complexes: New analogues of the Au(I) phosphine drug Auranofin, 5625
- Au–π-ring interaction
 Synthesis and molecular structures of the cationic gold(I)–aziridine complexes $[\text{Ph}_3\text{PAuAz}]\text{O}_3\text{SCF}_3$ (Az = C₂H₄NH, CH₂CHMeNH, CH₂CMe₂NH, CH₂CHEtNH, CH₂CHPhNH, C₂H₄NBz, C₂H₄NC₂H₄OH), 1986
- Aurophilic
 Luminescent coordination polymers with extended Au(I)–Ag(I) interactions supported by a pyridyl-substituted NHC ligand, 6041
- Aurophilicity
 Exploration on Au(S-4-py)PR₃ complexes as a viable building block for constructing hetero-nuclear supramolecules: synthesis and X-ray study on $\text{M}(\text{acac}')_2[\text{Au}(\text{S-4-py})\text{PR}_3]_2(\text{ClO}_4)_x$ (M = Cr, Cu; acac' = acetylacetonate, hexafluoro-acetylacetonate; x = 0 or 1), 48
 Organogold(I) complexes: Synthesis, X-ray crystal structures and aurophilicity, 4835
 Synthesis and X-ray structure study on new Au(I) polymer architectures based on multi-sulfur tentacles, 1332
 The effect of carbon chain length of the diphosphine ligand on the aurophilic interaction. Synthesis and X-ray structural study for a series of Au(I) compounds with Ph₂P–R–PPh₂ and *S*-(CH₂)_{*n*}-py ligands, 57
- Au–S-py complexes
 Exploration on Au(S-4-py)PR₃ complexes as a viable building block for constructing hetero-nuclear supramolecules: synthesis and X-ray study on $\text{M}(\text{acac}')_2[\text{Au}(\text{S-4-py})\text{PR}_3]_2(\text{ClO}_4)_x$ (M = Cr, Cu; acac' = acetylacetonate, hexafluoro-acetylacetonate; x = 0 or 1), 48
- Axial chirality
 Synthesis and structure of the chiral palladium–fullerene C₆₀ and C₇₀ complexes with enantiomeric ligand 2,2',5',5'-tetramethyl-4,4'-bis-(diphenylphosphino)-3,3'-bithiophene [(-)tetraMe-BITOP], 4330
- AXS
 Structure and reactivity of bis(iodozincio)methane solution, 5546
- Azaferrocene
 Friedel-Crafts acylation of W(CO)₅-complexes of azaferrocenes, 1474
 Reactions of lithiated 2,5-dimethylazaferrocene with selected electrophiles, 764
- Azetidine
 Azetidines as ligands in the Pd(II) complexes series, 2306
- Azetidines
 Asymmetric synthesis of *cis*-2,4-disubstituted azetidin-3-ones from metal carbene chemistry, 5636
- Azetidin-3-ones
 Asymmetric synthesis of *cis*-2,4-disubstituted azetidin-3-ones from metal carbene chemistry, 5636
- Azide
 Part 1: 1,3-Dipolar addition of activated alkyne towards coordinated azido group in ruthenium(II) complexes containing η⁵-cyclichydrocarbons, 4222
 Syntheses and characterization of η⁶-hexamethyl-benzene-ruthenium(II)-β-diketone complexes: their reactions with mono- and bidentate neutral ligands, 1218
 Syntheses and characterization of $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\mu\text{-N}_3)(\text{X})_2]$ (X = N₃ and Cl) complexes and their reactions towards mono- and bidentate ligands, 885
- Azine
 New mononuclear ruthenium complexes of η⁵-cyclichydrocarbon containing azine ligands: Syntheses, spectral and structural studies, 3720
- Aziridine ligands
 Synthesis and molecular structures of the cationic gold(I)–aziridine complexes $[\text{Ph}_3\text{PAuAz}]\text{O}_3\text{SCF}_3$ (Az = C₂H₄NH, CH₂CHMeNH, CH₂CMe₂NH, CH₂CHEtNH, CH₂CHPhNH, C₂H₄NBz, C₂H₄NC₂H₄OH), 1986
- Azobenzene
 Hydrogenation of single and multiple N–N or N–O bonds by Ru(II) catalysts in homogeneous phase, 3641
 Synthesis and properties of conjugated bimetallic ruthenium complexes with σ,σ-bridging azobenzene chains, 4265
- Azoxybenzene
 Hydrogenation of single and multiple N–N or N–O bonds by Ru(II) catalysts in homogeneous phase, 3641

- Azulenyl**
Novel bridged bis-azulenyl and bis-tetrahydroazulenyl hafnocenes: Synthesis, structure, and propylene polymerization behavior, 2220
- B–B bond formation**
Diborane (4) derivatives via coupling of amine monobromocyanoboranes: Study of the bromination of amine cyanoborane and molecular structures of the amine dibromo-cyanoboranes, 4150
- Back-bonding**
Syntheses and molecular structures of group 8 benzonitrile complexes, 4908
- Backside and frontside ring closure**
Study of the origin of enantioselectivity in cyclopropanation reactions using the chiral iron carbene complex $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe}=\text{CH}[(\eta^6\text{-}o\text{-MeOC}_6\text{H}_4)\text{Cr}(\text{CO})_3]]^+$, 6238
- Benz[*f*]indenyl**
Synthesis of zirconocenes bearing benz[*f*]indenyl ligand and their use as a catalyst in ethylene polymerization, 1822
- Benzene derivatives**
Cobalt-mediated oligomerization reactions of amino-substituted acetylene derivatives, 3251
- 1,4-benzene diboronic acid**
Mono- and diborates derived from tridentate ONO ligands and arylboronic acids, 2351
- Benzimidazolylidene**
A new paradigm in *N*-heterocyclic carbenoid ligands, 6210
Synthesis and oxidation of (benzimidazolylidene)Cr(CO)₅ complexes, 1750
- Benzonitrile derivatives**
Synthesis and electrochemical studies of organometallic cobalt(III) complexes with substituted benzonitrile chromophores: NMR spectroscopic data as a probe on the second-order non-linear optical properties, 4063
- 1,4-Benzoquinone**
Cyclic voltammetry and theoretical calculations of silyl-substituted 1,4-benzoquinones, 1324
- Benzothiazole carbenes ligands**
Pd-benzothiazol-2-ylidene complex in ionic liquids: Efficient catalyst for carbon–carbon coupling reactions, 5458
- (Benzoyloxymethyl)trifluorosilane**
The theoretical research of the medium effect on the vibrational spectrum and the energy of intramolecular coordination $\text{=O} \rightarrow \text{Si}$ in (benzoyloxymethyl)trifluorosilane molecule, 2922
- Benzyl**
Synthesis of $[\text{Ni}(\eta^2\text{-CH}_2\text{C}_6\text{H}_4\text{R-4})\{\text{PPh}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2\}]^+$ (R = H, Me or MeO) and protonation reactions with HCl, 1763
- BiCyclopentadienyl compl.**
Organometallic Mo–O–Bi complexes, 5282
- Biaryl**
Synthesis of crowded triarylphosphines carrying functional sites, 2664
- Biaryls**
Transition metal catalyzed cross-coupling of aryl Grignard reagents with aryl fluorides via Pd- or Ni-activation of the C–F bond: an efficient synthesis of unsymmetrical biaryls – application of microwave technology in ligand and catalyst screening, 932
- Bidentate ligand**
Synthesis and structural characterization of aryloxo-functionalized *N*-heterocyclic carbene complexes of nickel(II), 6227
- Bidentate ligands**
A nonenolizable imino-*N*-heterocyclic carbene ligand and corresponding silver (I) metal complex, 5591
A stable (amino)(phosphino)carbene as bidentate ligand for palladium and nickel complexes: Synthesis, structure, and catalytic activity, 5541
- Bimetallic**
Bimetallic complexes with porphyrins containing a cyclometalated phenylpyridine group, 253
Synthesis and properties of conjugated bimetallic ruthenium complexes with σ,σ -bridging azobenzene chains, 4265
- Bimetallic complexes**
New metal aminocarbene-substituted cyclopentadienyliron half sandwich complexes, 6217
- Binuclear**
Binuclear complexes of rhodium (I) bridged by 1,2-dicarbocloso-dodecaborane-1,2-dichalcogenolato ligands: molecular structures of the complexes $[\text{Rh}_2(\text{COD})_2(\mu_2\text{-E}_2\text{C}_2(\text{B}_{10}\text{H}_{10}))]$ [E = S, Se] and $[\text{Rh}_2(\text{CO})_4(\mu_2\text{-S}_2\text{C}_2(\text{B}_{10}\text{H}_{10}))]$, 910
- Binuclear complexes**
Binuclear dimethylplatinum (II) complexes each containing monodentate phosphine ligands and a bridging diphosphine ligand X(PPh)₂, X = CH₂ or NH. Molecular structure of *cis,cis*-[Me₂(pyPh₂P)Pt(μ-Ph₂PNHPPH₂)Pt(PPh₂py)Me₂] · 2CH₂Cl₂, 1600
Synthesis, characterization and structure of diiron organometallic derivatives of 2,9-dimethyl-1,10-dihydro-dicyclopenta[*a,h*]-naphthalene, 1340
- Binuclear Platinum complexes**
The steric effect of *o*-tolyl ligand on the fluxionality behavior of some binuclear organoplatinum(II) complexes with bis(diphenylphosphino)methane as bridging ligand, 982
- Bioconjugate**
Ferrocenyl-amino acids: redox response towards di- and trivalent metal ions, 1209
- Biological activity**
First synthesis and structural report on selenophen-2-yl containing pnictogens: Biological activities of tris(selenophen-2-yl)stibine, 3286
Synthesis, structure, catalytic transfer hydrogenation and biological activity of cyclometalated ruthenium(III)2-(aryloxo)phenolate complexes, 3937
Triorganotin(IV) derivatives of umbelliferone (7-hydroxycoumarin) and their adducts with 1,10-phenanthroline: synthesis, structural and biological studies, 134
- Bioorganometallic chemistry**
Antibacterial activities of ferrocenyl- and cobaltocenium-peptide bioconjugates, 4564
Synthesis and structural characterization of *N*-para-ferrocenyl benzoyl amino acid ethyl esters and the X-ray crystal structures of the glycyl and (±)-2-aminobutyric acid derivative Fc-C₆H₄CONHCH-(C₂H₅)CO₂Et, 383
- Bio-organometallic chemistry**
Formation of chiral ionic liquids and imidazol-2-ylidene metal complexes from the proteinogenic amino acid L-histidine, 5959
- Bioorganometallics**
Synthesis of hydrophilic Fischer carbene complexes as organometallic marker and PEGylating agent for proteins, 5581
Synthesis, characterization and antitumor properties of titanocene derivatives with thiophene containing ligands, 117
- Bio-organometallics**
Third EuChem Conference on “Nitrogen ligands in organometallic chemistry and homogeneous catalysis”, Camerino, Italy, September 2004. Classical organometallic chemistry and beyond, 1871
- Biotin-avidin technology**
Aqueous oxidation of alcohols catalyzed by artificial metalloenzymes based on the biotin-avidin technology, 4488
- Bioxazoline**
Palladium complexes with *meso*-bioxazoline ligands for alternating styrene/CO copolymerisation: Counterion effect, 2254
- Biphasic**
A biphasic displacement of [60]fullerene from *fac*-(dihapto-[60]fullerene)-(dihapto-1,10-phenanthroline) tricarbonyl molybdenum (0), 3366
- Biphasic catalysis**
Ruthenium-benzocrownether complexes: Synthesis, structures, catalysis and immobilisation in ionic liquids, 5055
Searching for molecular arene hydrogenation catalysis in ionic liquids, 3552

2,2'-Biphenol

Racemic and chiral expanded salen-type complexes derived from biphenol and binaphthol: Salbip and salbin, 3009

Biphenyl

Evolution of lowest singlet and triplet excited states with transition metals in group 10–12 metallaynes containing biphenyl spacer, 5036
Zirconocene complexes with a biphenyl substituted cyclopentadienyl ligand: synthesis, characterization, and olefin polymerization behavior, 1240

Biphenyls

Strategies for the synthesis of bi- and triarylic materials starting from commercially available phenols, 3865

Bipyridine

Synthesis and characterization of scandium complexes with reduced ligands: Crystal structures of Cp*ScI₂, [Cp*ScI(bpy)]₂, and [Cp*ScCl(bpy)]₂, 1689

Birch reduction

Cocondensation reactions of nitrogen-containing heterocycles with lithium atoms at 77 K, 3357

Bis(alkyldihydroxysilyl)methanes

Synthesis and structures of bis(alkyldihydroxysilyl)methanes, 4677

Bis(dichlorosilyl)methanes

Synthesis and structures of bis(alkyldihydroxysilyl)methanes, 4677

Bis(dihydroxysilyl)methanes

Synthesis and structures of bis(alkyldihydroxysilyl)methanes, 4677

Bis(diphenylphosphino)ethylene

Three novel bismetallacyclopropa[60]fullerene complexes formed via intermediate monometallacyclopropa[60]fullerene diphosphine ligands, 1121

1,1'-Bis(diphenylphosphino)metallocene monoxides

Palladium (II) complexes with mono-oxide 1,1'-bis(diphenylphosphino)metallocene ligands [Fe(η⁵-C₅Me₄PPh₂)(η⁵-C₅Me₄P{O}Ph₂)] and [Os(η⁵-C₅H₄PPh₂)(η⁵-C₅H₄P{O}Ph₂)], 1710

Bis(iminophosphorano)methandiide

Novel (η⁶-arene)-ruthenium(II) complexes containing bis(iminophosphorano)methanide and methandiide ligands, 2087

Reaction of isocyanides with iminophosphorane-based carbene ligands: Synthesis of unprecedented ketenimine–ruthenium complexes, 5856

Bis(iminophosphorano)methane

Novel (η⁶-arene)-ruthenium(II) complexes containing bis(iminophosphorano)methanide and methandiide ligands, 2087

Reaction of isocyanides with iminophosphorane-based carbene ligands: Synthesis of unprecedented ketenimine–ruthenium complexes, 5856

Bis(iminophosphorano)methanide

Novel (η⁶-arene)-ruthenium(II) complexes containing bis(iminophosphorano)methanide and methandiide ligands, 2087

Bis(phosphines)

Functional phosphines XV. Ruthenium complexes containing C₅H₈(PR₂)₂ and Ph₂CH₂CR₂'NH₂ ligands (R = Me, Ph, OPh; R' = H, Me): synthesis and application to homogeneous >C=O hydrogenation and transfer hydrogenation, 1

Bis(phosphinimino)methanides

Bis(phosphinimino)methanides as ligands in divalent lanthanide and alkaline earth chemistry – synthesis, structure, and catalysis, 5078

Bis(pyrazolyl)borate

Copper(I) complexes supported by a heavily fluorinated bis(pyrazolyl)borate: syntheses and characterization of [H₂B(3,5-(CF₃)₂Pz)₂]CuL (where L = PPh₃, N≡CCH₃, HC≡CPh, H₂C=CHPh) and {[H₂B(3,5-(CF₃)₂Pz)₂]Cu₂(1,5-COD)}, 1913

Bis(pyrazol-1-yl)borate

Synthesis and structural characterization of ferrocene-based bis(pyrazol-1-yl)borate ligands: FcB(Me)pz₂K, Fc₂Bpz₂K, and 1,1'-fc[B(Me)pz₂]₂K₂ (Fc: ferrocenyl, fc: ferrocenylene, pz: pyrazolyl), 1971

Bis(pyrazolyl)methane ligands

Syntheses and structural characterizations of rhenium carbonyl complexes of a bitopic ferrocene-linked bis(pyrazolyl)methane ligand, 1889

Bis(pyridinylimino) ligand

Bridged bis-pyridinylimino dinickel(II) complexes: Syntheses, characterization, ethylene oligomerization and polymerization, 1739

bis(2-pyridylthio)acetate

Synthesis, characterization and hydrolytic behavior of new bis(2-pyridylthio)acetate ligand and related organotin(IV) complexes, 1994

Bis(trimethylsilyl)hydrazine

Silyl stabilized azanes: reactions of lithiumbis(trimethylsilyl)hydrazine with trialkyltin halides, 1507

Bismuth

Chlorination of *p*-substituted triarylplnctogens by sulfonyl chloride: Difference in the reactivity and spectroscopic characteristics between bismuth and antimony, 4280

Bismuthine

First synthesis and structural report on selenophen-2-yl containing pnictogens: Biological activities of tris(selenophen-2-yl)stibine, 3286

Bismuth(V)

Study of homo- and cross-coupling competition in the reaction of triarylbismuth(V) dicarboxylates with methyl acrylate in the presence of a palladium catalyst, 3652

Bisphosphonate

Copper-mediated displacements of allylic THP ethers on a bisphosphonate template, 2521

Molecular interactions of nitrogen-containing bisphosphonates within farnesyl diphosphate synthase, 2679

Zoledronic acid: pharmacologic profile of a potent bisphosphonate, 2439

Bisphosphonates

A novel mercapto-bisphosphonate as an efficient anticalcification agent for bioprosthetic tissues, 2543

Bite angle

Suzuki and Heck coupling reactions mediated by palladium complexes bearing *trans*-spanning diphosphines, 477

B-lithiation

Diborane (4) derivatives via coupling of amine monobromo-cyanoboranes: Study of the bromination of amine cyanoborane and molecular structures of the amine dibromo-cyanoboranes, 4150

Block copolymer

Bis(pyrrrolide-imine) Ti complexes with MAO: A new family of high performance catalysts for olefin polymerization, 4382

Block copolymers

Fluorinated bis(phenoxy-imine) Ti complexes with MAO: Remarkable catalysts for living ethylene and syndiospecific living propylene polymerization, 4398

BN

Borylborazines as new precursors for boron nitride fibres, 2809

BNCT

Conjugates of polyhedral boron compounds with carbohydrates. 2. Unexpected easy *closo*- to *nido*-transformation of a carborane-carbohydrate conjugate in neutral aqueous solution, 2769

Synthesis of a (B₁₂H₁₁S)²⁻ containing glucuronoside as potential prodrug for BNCT, 2780

Bond activation

Activation of C–H, C–C and C–I bonds by Pd and *cis*-Pd(CO)₂I₂. Catalyst–substrate adaptation, 2191

Bond analysis

Bonding aspects of P-heterocyclic carbene transition metal complexes. A computational assessment, 6068

Bond dissociation enthalpies

Are cyclopentadienyl complexes more stable than their pyrrolyl analogues?, 1840

σ-Bond metal–carbon

EPR study of mono-*o*-iminobenzosemiquinonato nickel(II) complexes with Ni–C σ-bond, 145

σ-Bond metathesis

Intermolecular versus intramolecular C–H activation reaction in the thermolysis of [Ru(Me)Cp*(PM₂Ph)₂] (Cp* = η⁵-C₅Me₅):

- formation and crystallographic characterisation of [Ru(Ph)-Cp*(PMe₂Ph)₂], 605
- Toward the catalytic synthesis of phosphiranes. A computational study, 5517
- Bond strength**
Chemical bonding in transition metal carbene complexes, 6178
- Bonding**
New tripodal N-heterocyclic carbene chelators for small molecule activation, 5474
- η^2 bonding
(Cyclopentadienyl)chromiumtricarbonyl dimers as a source of metal-centered free-radicals to form stable η^2 -bonded spin-adducts with fullerenes, 2333
- Bonding analysis**
Chemical bonding in transition metal carbene complexes, 6178
- 3-Borabicyclo[3.3.1]non-6-ene derivatives**
The first preparation of (1*S*,5*R*)-(-) and (1*R*,5*S*)-(+)-7-phenyl-3-borabicyclo[3.3.1]non-6-enes and their application for synthesis of chiral cyclohexene derivatives, 2840
- Borane**
Ruthenium (II) complexes of the chelating phosphine borane H₂CIB·dppm, 2829
- Borane cluster**
Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701
- Borane clusters**
Metal fragment exchange from a molybdaborane to a tungstaborane, 4203
- Borane complexes**
Density functional theory study on structural isomers and bonding of model complexes M(CO)₅(BH₃·PH₃) (M = Cr, Mo, W) and W(CO)₅(BH₃·AH₃) (A = N, P, As, Sb), 1147
- Boranes**
An interesting metallacarborane cage closure and dismantling reaction including the facile halogenation of a cluster carbon atom: Structure of [1,2-(η^5 -C₅Me₅)₂- μ -1,2-H-*closo*-1,2,3-Rh₂CB₄H₄-3-I], 4967
- Chemistry related to cluster-borane analogues of the cyclopentadienide anion and ferrocene: New developments, 2694
- Metallacarborane chemistry of the *hypho*-[6,7-C₂B₆H₁₃]⁻ anion: Reaction with nickelocene and the formation of three multimetallic nickel-boron clusters, 2835
- New approaches to cluster modification in the 12-vertex metallatricarbollide series, 2853
- Synthesis and characterization of novel intramolecularly base-stabilized BEt₂ and BEt derivatives: molecular structures of 1-Et₂BOCPh₂-2-NMe₂C₆H₄, 1-(CH₃COO)EtBOCCy₂-2-NMe₂C₆H₄ and BEt(1-OCPh₂CH₂-2-NMe₂C₆H₄)₂, 469
- Towards rod-shaped molecules based on the twelve-vertex ferratricarbollides, 2850
- Borates**
B₁₂H₁₁-containing guanidinium derivatives by reaction of carbodiimides with H₃N-B₁₂H₁₁(1-). A new method for connecting boron clusters to organic compounds, 2757
- Boron**
Chemistry related to cluster-borane analogues of the cyclopentadienide anion and ferrocene: New developments, 2694
- Halogen exchange at boron in *nido*-C₂B₂ carboranes, 4531
- Metal complexes with an aminosubstituted tricarbollide ligand, 2775
- Mono- and diborates derived from tridentate ONO ligands and arylboronic acids, 2351
- Synthesis and molecular structure of boron-bridged constrained geometry complexes of zirconium and hafnium, 5000
- Boron cluster**
Synthesis and X-ray structural characterization of the triphenylphosphine derivative of the *closo*-dodecaborate anion, *closo*-[1B₁₂H₁₁P(C₆H₅)₃][N(n-C₄H₉)₄], 2745
- Boron cluster compound**
Macropolyhedral boron-containing cluster chemistry. An unusual 'neonido' ten-vertex subcluster configuration in a [(PPh₃)₂-RuB₁₆H₂₀] species, 2857
- Boron compound**
New method of synthesis of 6-hydroxy-*nido*-decaborane 6-(OH)B₁₀H₁₃ by cage opening of *closo*-[B₁₀H₁₀]²⁻, 2787
- Boron hydrides**
A new look at the *nido*-undecaborate system, 2736
- Metal fragment exchange from a molybdaborane to a tungstaborane, 4203
- Boron neutron capture therapy**
B₁₂H₁₁-containing guanidinium derivatives by reaction of carbodiimides with H₃N-B₁₂H₁₁(1-). A new method for connecting boron clusters to organic compounds, 2757
- Conjugates of polyhedral boron compounds with carbohydrates. 2. Unexpected easy *closo*- to *nido*-transformation of a carborane-carbohydrate conjugate in neutral aqueous solution, 2769
- Boron nitride**
Borylborazines as new precursors for boron nitride fibres, 2809
- Boronalkoxides**
Synthesis and characterization of novel intramolecularly base-stabilized BEt₂ and BEt derivatives: molecular structures of 1-Et₂BOCPh₂-2-NMe₂C₆H₄, 1-(CH₃COO)EtBOCCy₂-2-NMe₂C₆H₄ and BEt(1-OCPh₂CH₂-2-NMe₂C₆H₄)₂, 469
- Boronate**
Imino Diels-Alder reaction of boronates: A new route to 3,4-dihydroquinolines, 2975
- Boronates**
Synthesis and quadratic molecular hyperpolarizabilities of two new chiral boronates: Computational and experimental study, 3737
- Boron-containing cluster compounds**
Polyhedral monocarbaborane chemistry. Reactions of the [6-Ph-*nido*-6-CB₉H₁₁]⁻ anion with two-electron donors to yield a series of neutral *arachno* and *closo* ten-vertex monocarbaborane derivatives, 2815
- Boronic acid**
Synthesis and structure of potential Lewis acid-Lewis base bifunctional catalysts: 2-*N,N*-Diisopropylaminophenylboronate derivatives, 4784
- Borylation**
Intramolecular cyanoboration of alkynes via activation of boron-cyanide bonds by transition metal catalysts, 5300
- Stereospecific palladium-catalyzed borylation reaction of 1-alkenyl halides with diisopropylaminoborane, 2721
- Borylene**
A laser desorption ionization mass spectrometry investigation of triarylboranes and tri-9-anthrylborane photolysis products, 962
- Bowl-shaped molecules**
Syntheses and structures of bowl-shaped triarylphosphines and their palladium(II) complexes, 4175
- Branched monomers**
Accelerated methods of synthesis of phosphorus-containing dendrimers, 2458
- Bridging carbenes**
Phosphorus-substituted carbene complexes: Chelates, pincers and spirocycles, 5485
- Bridging ligands**
Carbene ligands in diiron complexes, 5430
- Syntheses and characterization of η^6 -hexamethyl-benzene-ruthenium(II)- β -diketone complexes: their reactions with mono- and bidentate neutral ligands, 1218
- Bromide**
Synthesis of palladium-biscarbene complexes derived from 1,1'-methylenebis(1,2,4-triazole) functionalized in the methylene bridge, 5654
- BSH**
Interaction of Na₂B₁₂H₁₁SH with liposomes: Influence on zeta potential and particle size, 2732
- Synthesis of a (B₁₂H₁₁S)²⁻ containing glucuronoside as potential prodrug for BNCT, 2780

Bulky phosphine ligand

Synthesis of cobalt-containing monodentate phosphine ligand and application toward Suzuki cross-coupling reactions, 1249

Butadiene polymerization

Synthesis, structure and butadiene polymerization behavior of $\text{CoCl}_2(\text{PR}_x\text{Ph}_{3-x})_2$ (R = methyl, ethyl, propyl, allyl, isopropyl, cyclohexyl; $x = 1, 2$). Influence of the phosphorous ligand on polymerization stereoselectivity, 1845

(Butadiene)zirconocene

The (butadiene)zirconocene route to active homogeneous olefin polymerization catalysts, 6254

Butadiyne

Carbon-rich organometallics: synthesis and characterization of new ferrocenyl end-capped bis(butadiynyl) fluorene derivatives, 177

Butyltin(IV) alkoxometallates

Synthesis of the first examples of stable heterometallic isopropoxides of an organometallic RSn(IV) moiety, 96

Calculation

A topological isomer of ferrocene: Theoretical approach for transition metal complexes with conjugated all *trans* cyclodecapentaene, 4373

Calculations

Kinetic isotope effects of nitrogen and hydrogen in reaction of *N-tert*-butyl-*P*-phenylphosphonamidothioic acid with alcohols, 2553

Theoretical investigations on the mechanism of chalcogens exchange reaction between P(V) and P(III) compounds, 2571

Cantharidin

Synthesis, crystal structure and in vitro antitumor activity of di-*n*-butyltin 4'-(7-oxabicyclo [2,2,1]-5-heptane-2,3-dicarboximide) benzoates, 2186

 ϵ -Caprolactone

The salt-free diamido complexes of lanthanide supported by β -diketiminato: Synthesis, characterization, and their catalytic activity for the polymerization of acrylonitrile and ϵ -caprolactone, 4685

1-carba-*closo*-decaborate

The synthesis of functional derivatives of the $[\text{1-CB}_9\text{H}_{10}]^-$ anion by Brellochs reaction, 2790

Carbene

A new paradigm in *N*-heterocyclic carbenoid ligands, 6210

A new pyridine-bis-*N*-heterocyclic carbene ligand and its coordination to Rh: Synthesis and characterization, 5576

A nonenolizable imino-*N*-heterocyclic carbene ligand and corresponding silver (I) metal complex, 5591

Carbene ligands in diiron complexes, 5430

Electronic structure and electrophilic reactivity of discrete copper diphenylcarbenes, 5989

Fast transfer hydrogenation using a highly active orthometalated heterocyclic carbene ruthenium catalyst, 5570

Improved cross-metathesis of acrylate esters catalyzed by 2nd generation ruthenium carbene complexes, 5863

Luminescent coordination polymers with extended Au(I)–Ag(I) interactions supported by a pyridyl-substituted NHC ligand, 6041

Metal-containing ionic liquids and ionic liquid crystals based on imidazolium moiety, 3498

Oxidative addition of aryl chlorides to palladium *N*-heterocyclic carbene complexes and their role in catalytic arylation, 6054

Oxidative addition of MeI to cationic Rh(I) carbonyl complexes with pyridyl bis(carbene) ligands, 6089

Silver alkoxide and amino *N*-heterocyclic carbenes; syntheses and crystal structures, 5710

Synthesis and characterisation of two novel Rh(I) carbene complexes: Crystal structure of $[\text{Rh}(\text{acac})(\text{CO})(\text{L}_1)]$, 3422

Synthesis of a new bidentate ferrocenyl *N*-heterocyclic carbene ligand precursor and the palladium (II) complex *trans*- $[\text{PdCl}_2(\text{C}^{\wedge}\text{fc}^{\wedge}\text{C})]$, where $(\text{C}^{\wedge}\text{fc}^{\wedge}\text{C}) = 1,1'$ -di-*tert*-butyl-3,3'-(1,1'-dimethyleneferrocenyl)-diimidazol-2-ylidene, 653

Carbene complex

Synthesis and characterization of a free phenylene bis(*N*-heterocyclic carbene) and its di-Rh complex: Catalytic activity of the di-Rh and CCC–NHC Rh pincer complexes in intermolecular hydrosilylation of alkynes, 5938

Synthesis and oxidation of (benzimidazolylidene)Cr(CO)₅ complexes, 1750

Carbene complexes

An ionic liquid-tagged second generation Hoveyda–Grubbs ruthenium carbene complex as highly reactive and recyclable catalyst for ring-closing metathesis of di-, tri- and tetrasubstituted dienes, 3577

Bis(trimethylsilyl)ketene acetals as 1,3-dinucleophiles. Formation of an anhydride from (pentacarbonyl)(phenylethoxy)tungstacarbene, 4087

Excited state properties of $[\text{Pd}^0(\text{NHC})(\text{quinone})]_2$ with NHC = 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-ylidene and quinone = 1,4-naphthoquinone, 6051

Improved approaches and structures of new ferrocenyl carbene complexes of chromium, tungsten, and molybdenum, 2229

Metal–metal bond cleavage of carbene complexes by halogens: The crystal and molecular structures of *ax*- $[\text{Mn}_2(\text{CO})_9\{\text{C}(\text{OEt})_2\text{-thienyl}\}]$, $[\text{Mn}(\text{CO})_4(\text{I})\{\text{C}(\text{OEt})_2\text{-thienyl}\}]$ and *eq*- $[\text{Mn}_2(\text{CO})_9\{\text{C}(\text{NH}_2)_2\text{-thienyl}\}]$, 5929

New metal aminocarbene-substituted cyclopentadienyliron half sandwich complexes, 6217

Novel (η^6 -arene)-ruthenium(II) complexes containing bis(imino-phosphorano)methanide and methandiide ligands, 2087

Reaction of isocyanides with iminophosphorane-based carbene ligands: Synthesis of unprecedented ketenimine–ruthenium complexes, 5856

Reactions of complex ligands part 106. Heterobimetallic fused arenes: Chromium-templated benzannulation of a ferrocene-type metal carbene, 5892

Rhenium and technetium complexes with *N*-heterocyclic carbenes – A review, 5421

Synthesis and X-ray structure of an unexpected bidentate allene–aminocarbene complex of tungsten, 3664

Synthesis of chiral chelating *N*-heterocyclic carbene complexes of ruthenium, 3970

Synthesis of new polymetallic carbene complexes: Uracil analogs, 6096

Carbene ligand

Efficient synthesis of fumaric amides through cross-metathesis of acrylic amides with the NHC Grubbs ruthenium catalyst, 5973

Carbene ligands

Sterically controlled formation of monodentate versus chelating carbene ligands from phenylhydrazine, 6247

Carbene transfer

Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441

Synthesis and characterization of novel Pd(II) and Pt(II) complexes with 5-ring chelating iminoylcarbene ligands, 6125

Carbene/carbyne transformation

Surface organometallic chemistry: Facile μ_2 -carbene to μ_3 -carbyne transformation of organocobalt carbonyls on silica surface, 4740

Carbene–imine ligands

A nonenolizable imino-*N*-heterocyclic carbene ligand and corresponding silver (I) metal complex, 5591

Carbenes

A stable (amino)(phosphino)carbene as bidentate ligand for palladium and nickel complexes: Synthesis, structure, and catalytic activity, 5541

Electron-donor/acceptor properties of carbynes, carbenes, vinylidenes, allenylidenes and alkynyls as measured by electrochemical ligand parameters, 6021

N-heterocyclic carbenes from transition metal coordinated functional isocyanides of the type *o*-(CH₂Y)C₆H₄N≡C (Y = OSiMe₃, OH; N₃; AsR₃+), 5414

Novel rhodium complexes with ferrocene-based *N*-heterocyclic carbenes: Synthesis, structure and catalysis, 5747

- Reaction of the RuTp(PR₃)Cl fragment with alkynols: Formation of carbene, vinylidene, allenylidene, and carbyne complexes, 5497
- Singlet–triplet energy separations in divalent five-membered cyclic conjugated C₃H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- Steric and electronic effects in the bonding of *N*-heterocyclic ligands to transition metals, 5407
- Synthesis of palladium–bis(carbene) complexes derived from 1,1'-methylenebis(1,2,4-triazole) functionalized in the methylene bridge, 5654
- Synthesis, structure and electronic properties of *N*-dialkylamino- and *N*-alkoxy-1,2,4-triazol-3-ylidene ligands, 5979
- Carbenium ion
A facile organolithium route to ferrocene-based triarylmethyl dyes with substantial near IR and NLO properties, 1620
- Carbenoid
Structure and reactivity of derivatives of dihalogenomethyl indium(III) halides, X₂InCHX₂ (X = Cl, Br, I), 925
- Synthesis and molecular structures of dialkylselenium methylidene complexes of indium tribromide, 1294
- The interaction of rhodium carbenoids with carbonyl compounds as a method for the synthesis of tetrahydrofurans, 5533
- Carbodiimide
Synthesis and reactivity of organolanthanide complexes containing phenothiazine ligand toward carbodiimide and isothiocyanate, 4926
- Carbodiimides
B₁₂H₁₁-containing guanidinium derivatives by reaction of carbodiimides with H₃N–B₁₂H₁₁(1–). A new method for connecting boron clusters to organic compounds, 2757
- Carbodiphosphoranes
Phosphorus-substituted carbene complexes: Chelates, pincers and spirocycles, 5485
- Carbomagnesiation
Stereoselective synthesis of vinyl sulfones by carbomagnesiation of acetylenic sulfone in the presence of CuCN, 4058
- Carbonate-
Impact of anionic substitutions on apatite structure and properties, 2638
- Carbon chains
Some complexes containing carbon chains end-capped with tungsten or ruthenium groups and tricobalt carbonyl clusters, 1549
- Carbon dioxide
Development in the green synthesis of cyclic carbonate from carbon dioxide using ionic liquids, 3490
- The C=O and C=S bond cleavage in carbon dioxide and tolyl isothiocyanate by reactions with the Mo(0) tetraphosphine complex [Mo{*meso-o*-C₆H₄(PPhCH₂CH₂PPh₂)₂}(Ph₂PCH₂CH₂PPh₂)], 1140
- Carbon monoxide
Palladium complexes with *meso*-bioxazoline ligands for alternating styrene/CO copolymerisation: Counterion effect, 2254
- Trifluoroethanol: key solvent for palladium-catalyzed polymerization reactions, 2106
- Carbon–carbon bond formation
Structure and reactivity of derivatives of dihalogenomethyl indium(III) halides, X₂InCHX₂ (X = Cl, Br, I), 925
- Carbon–carbon coupling
Bis(enamino-Cp) Group 4 metal complex chemistry: developing a Mannich-type carbon–carbon coupling reaction at the bent metallocene framework, 14
- Carbon-rich
Cluster-containing carbon-rich molecules: Reactions of ruthenium cluster carbonyls with {Au(PR₃)₃}(μ-C≡CC≡C) (R = Ph, tol), 3268
- Carbon-rich compounds
Carbon-rich organometallics: synthesis and characterization of new ferrocenyl end-capped bis(butadiynyl) fluorene derivatives, 177
- Carbonyl
New bromo-, triflato-, and hydridotricarbonylrhenium(I) complexes with diphosphinite ligands: Structural, spectral and protonation studies of various hydrides, 4945
- Oxidative addition of MeI to cationic Rh(I) carbonyl complexes with pyridyl bis(carbene) ligands, 6089
- Rhenium carbonyl complexes with monodentate-coordinated diphosphines: activation of terminal phosphino groups towards amine-oxide oxidation, 3765
- Carbonyl arylation
Rh(1,3-bis(2,4,6-trimethylphenyl)-3,4,5,6-tetrahydropyrimidin-2-ylidene)-(COD) tetrafluoroborate, an unsymmetrical Rh-homoallyl-carbene: synthesis, X-ray structure and reactivity in carbonyl arylation and hydrosilylation reactions, 4433
- Carbonylation
Synthesis of ferrocenyl amino acid derivatives via homogeneous catalytic aminocarbonylation, 3237
- The palladium–phenanthroline catalyzed carbonylation of nitroarenes to diarylureas: Effect of chloride and diphenylphosphinic acid, 4517
- Carbonylative polymerization
The role of phosphine in cobalt-catalyzed carbonylative polymerization of *N*-alkylaziridine, 5150
- Carbonyl carboxylates
On the behaviour of Ru(I) and Ru(II) carbonyl acetates in the presence of H₂ and/or acetic acid and their role in the catalytic hydrogenation of acetic acid, 371
- Carbonyl cluster compounds
C–H and C–C bonds activation by iridium clusters: Synthesis and solid state structure of [Ir₆(CO)₁₄(μ₃-η¹:η²:η¹-C₇H₈)], 4768
- Carbonyl compounds
Synthesis and molecular structure of (η⁵-pentamethyl-cyclopentadienyl) (η²-cyclopentadienyl) hexacarbonyl molybdenum tungsten, 674
- Carbonyl ligand
Controlled nucleophilic activation of different sites in [Mo₂Cp₂L₂(μ-SMe)₂(μ-L')⁺ cations (L = BuⁿNC, xyINC, CO; L' = SMe or PPh₂), 4583
- β-Carbonylsilanes
β-Carbonylsilanes with a silacyclohexane skeleton and additional C-functionalized organyl groups at the silicon atom: synthesis, reactivity, and NMR-spectroscopic characterization, 678
- Carbonyl ylide
The interaction of rhodium carbenoids with carbonyl compounds as a method for the synthesis of tetrahydrofurans, 5533
- Carbonyls
The transition metal carbonyl complexes of 1,3-bis(di-R-stibino)propanes (R = Me or Ph), 1540
- The variation of coordination modes of aromatic imines in iron carbonyl complexes: Is there a correlation between bond lengths in organometallic model compounds and the reactivity of the ligands in catalytic C–C bond formation reactions?, 3886
- Carborane
Halogen exchange at boron in *nido*-C₄B₂ carboranes, 4531
- Rational synthesis of trinuclear (WIr₂) cluster from the 16-electron half-sandwich complex Cp^{*}Ir[Se₂C₂(B₁₀H₁₀)], 249
- Carborane trianion
Another example of carborane based trianionic ligand: Syntheses and catalytic activities of cyclohexylamino tailed *ortho*-carboranyl zirconium and titanium dicarbollides, 6284
- Carboranes
(Tetramethylcyclobutadiene)cobalt complexes with monoanionic carborane ligands [9-L-7,8-C₂B₉H₁₀][−] (L = SMe₂, NMe₃, and py), 4745
- Binuclear complexes of rhodium (I) bridged by 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolato ligands: molecular structures of the complexes [Rh₂(COD)₂(μ₂-E₂C₂(B₁₀H₁₀))] [E = S, Se] and [Rh₂(CO)₄(μ₂-S₂C₂(B₁₀H₁₀))], 910

- Chemistry related to cluster-borane analogues of the cyclopentadienide anion and ferrocene: New developments, 2694
- Metallacarborane chemistry of the *hypho*-[6,7-C₂B₆H₁₃]⁻ anion: Reaction with nickelocene and the formation of three multimetallic nickel–boron clusters, 2835
- New approaches to cluster modification in the 12-vertex metallatricarbollide series, 2853
- Synthesis of distorted molecules based on spatial control with icosahedral carboranes, 2750
- Towards rod-shaped molecules based on the twelve-vertex ferratricarbollides, 2850
- Carbosilane dendrimers
- Kronenether-funktionalisierte Carbosilandendrimere, 696
- Carbosiloxane dendrimers
- Carbosiloxandendrimere mit terminalen SiH-Bindungen, 751
- Metallo-Carbosiloxan-Dendrimere mit Titanocendichlorid-Endgruppen, 1198
- Carboxylates
- Self-assembly of diorganotin(IV) 2-[(*E*)-1-(2-oxyaryl)alkylidene]amino}acetates: An investigation of structures by X-ray diffraction, solution and solid-state tin NMR, and electrospray ionization MS, 3080
- Synthesis and characterization of triphenyltin(IV) 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates. Crystal and molecular structures of Ph₃Sn{O₂CC₆H₃-*p*-OH[NN(C₆H₄-4-CH₃)]} and the 2,2'-bipyridine adduct Ph₃Sn{O₂CC₆H₃-*p*-OH[N=N(C₆H₄-2-CH₃)]}-OH₂ · C₁₀H₈N₂, 613
- Synthesis, characterization and crystal structures of polymeric and dimeric triphenyltin(IV) complexes of 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylidene)amino]aryls, 4232
- Carboxylato
- Mesogens based on palladium orthometallated complexes with carboxylato bridges: tuning and shaping a non-planar molecule, 261
- New reactivity of Cp₂'NbH₃, Cp' = η⁵-C₅H₄SiMe₃. Synthesis, electro-synthesis and reactivity of new carboxylato niobocene complexes, 3134
- Carbyne
- A comparison of Cp*⁻ and Tp-ruthenium carbyne complexes prepared via site selective electrophilic addition to neutral ruthenium vinylidenes, 4640
- Carbene ligands in diiron complexes, 5430
- Carbynes
- Electron-donor/acceptor properties of carbynes, carbenes, vinylidenes, allenylidenes and alkynyls as measured by electrochemical ligand parameters, 6021
- Cascade reactions
- Some recent applications of Fischer carbenometal complexes in organic synthesis, 5900
- Catalysis
- 1'-Carbopalladated-4-ferrocenyl-1,3-oxazolines as catalysts for Heck reactions: Further evidence in support of the Pd(0)/Pd(II) mechanism, 2291
- Alkylidenverbrückte, symmetrische, zweikernige Metallocenkomplexe als Katalysatoren für die Propylenpolymerisation, 2861
- Allylic substitution reactions with Grignard reagents catalyzed by imidazolium and 4,5-dihydroimidazolium carbene–CuCl complexes, 6001
- Bis(phosphinimino)methanides as ligands in divalent lanthanide and alkaline earth chemistry – synthesis, structure, and catalysis, 5078
- Dinuclear ruthenium(I) complexes of the type [Ru₂(CO)₄L₂] with carboxylate or 2-pyridonate ligands: Evaluation as catalysts for olefin cyclopropanation with diazoacetates, 5562
- Domino reaction sequences in the rhodium-catalyzed hydroformylation of 3-acetyl-1-allylpyrrole: a short route to 5,6,7,8-tetrahydroindolizines, 1866
- Efficient synthesis of fumaric amides through cross-metathesis of acrylic amides with the NHC Grubbs ruthenium catalyst, 5973
- Evidence for formation and different evolution of tertiary rhodium alkyl intermediates under rhodium-catalyzed deuterio-(hydro)formylation of 1-(*n*-pyridyl)-1-phenylethenes, 1699
- Homolysis of the Ln–N bond: Synthesis, characterization and catalytic activity of organolanthanide(II) complexes with furfuryl- and tetrahydrofurfuryl-functionalized indenyl ligands, 4139
- Intramolecular hydroamination of 6-aminohex-1-yne catalyzed by Lewis acidic rhenium(I) carbonyl complexes, 3774
- N-heterocyclic carbene–palladium catalysts for the bisdiene cyclization-trapping reaction with sulfonamides under thermal and microwave conditions, 6205
- Novel cyclometallated Pd(II) and Pt(II) complexes with indole derivatives and their use as catalysts in Heck reaction, 2017
- Novel rhodium complexes with ferrocene-based *N*-heterocyclic carbenes: Synthesis, structure and catalysis, 5747
- Palladium complexes containing ligands with hydrogen-bonding functionalities. Reactivity and catalytic studies with CO and olefins, 5113
- Pd–benzothiazol-2-ylidene complex in ionic liquids: Efficient catalyst for carbon–carbon coupling reactions, 5458
- Rhodium (II) compounds with functionalized metalated phosphines as bridging ligands, 4424
- Rhodium *N*-heterocyclic carbene complexes: Synthesis, structure, NMR studies and catalytic activity, 5736
- Ruthenium cationic species for transfer hydrogenation of aldehydes: Synthesis and catalytic properties of [(PPh₃)₂Ru(CH₃CN)₃Cl]⁺[A]⁻ {A = BPh₄ or ClO₄} and structure of [(PPh₃)₂Ru(CH₃CN)₃Cl]⁺-[BPh₄]⁻, 5006
- Structural characterization and catalytic activities of copper complexes with pyridine-amine-phosphine-oxide ligand, 415
- Supraphos: A supramolecular strategy to prepare bidentate ligands, 4505
- Synthesis and asymmetric catalytic application of chiral imidazolium–phosphines derived from (1*R*,2*R*)-*trans*-diaminocyclohexane, 5822
- Synthesis and characterization of phospho-palladacycles and their catalytic properties in the olefination of chloro- and bromoarenes, 3193
- The CO/PC analogy in coordination chemistry and catalysis, 2407
- The role of phosphine in cobalt-catalyzed carbonylative polymerization of *N*-alkylaziridine, 5150
- The synthesis, coordination chemistry and ethylene polymerisation activity of ferrocenediyl nitrogen-substituted ligands and their metal complexes, 6271
- The variation of coordination modes of aromatic imines in iron carbonyl complexes: Is there a correlation between bond lengths in organometallic model compounds and the reactivity of the ligands in catalytic C–C bond formation reactions?, 3886
- Third Euchem Conference on “Nitrogen ligands in organometallic chemistry and homogeneous catalysis”, Camerino, Italy, September 2004. Classical organometallic chemistry and beyond, 1871
- Titanium-catalyzed iminohydrazination of alkynes, 5066
- Toward the catalytic synthesis of phosphiranes. A computational study, 5517
- Trifluoroethanol: key solvent for palladium-catalyzed polymerization reactions, 2106
- Catalysis micro reactor and continuous reactor
- Successful application of microstructured continuous reactor in the palladium catalysed aromatic amination, 3627
- Catalyst
- Dimeric samarium(III) alkoxides bearing N₂O₂ tetradentate Schiff bases and their utility for the catalytic epoxidation of *trans*-chalcone, 1011
- Fe(II) and Co(II) pyridinebisimine complexes bearing different substituents on *ortho*- and *para*-position of imines: synthesis, characterization and behavior of ethylene polymerization, 1233
- Novel process for synthesis of 1,1,3,3-tetrabutyl-1-methoxy-3-isocyanatodistannoxane, 1300

- Regioselectivity in nickel(0)/phosphine catalyzed cycloadditions of alkynes and isocyanates, 5098
- Titanium complexes bearing aromatic-substituted β -enamino-ketonato ligands: Syntheses, structure and olefin polymerization behavior, 3125
- Catalyst design
Activation of C–H, C–C and C–I bonds by Pd and *cis*-Pd(CO)₂I₂. Catalyst–substrate adaptation, 2191
- Catalyst recycling
Palladium-catalyzed hydroesterification of styrene derivatives in the presence of ionic liquids, 3620
- Catalyst reuse
Osmium catalyzed asymmetric dihydroxylation of methyl *trans*-cinnamate in ionic liquids, followed by supercritical CO₂ product recovery, 3600
- Catalytic activity
Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720
- Catalytic epoxidation
Racemic and chiral expanded salen-type complexes derived from biphenol and binaphthol: Salbip and salbin, 3009
- Catalytic oxidation
Catalytic oxidation of alcohols with polymer-supported ruthenium complex under mild conditions, 6309
Preparation, X-ray structure, copolymerization with styrene of [(μ -H)-Os₃(μ -OCNMe₂)(CO)₉{P(CH₂CH=CH₂)Ph₂}] and catalytic properties of the cluster/styrene copolymer, 4258
- Catalytic reactions
1,3-Diphosphapropenes for novel chemistry of metal complexes, 2531
- Catalytic transfer hydrogenation
Synthesis, structure, catalytic transfer hydrogenation and biological activity of cyclometallated ruthenium(III)2-(aryloxy)phenolate complexes, 3937
- Catalysis
 α,β -Unsaturated diimines as substrates in catalytic C–H activation reactions and as ligands in iron carbonyl complexes, 1092
- 1,2-Catechol
Reactions of 1,2-catechol with ¹Bu₃M (M = Ga, In). Structures of intermediate products, 722
- Catecholates
Oxidative addition reaction of *o*-quinones to triphenylantimony: novel triphenylantimony catecholate complexes, 1273
- Catenates
Development of novel and efficient synthesis of group 14 element (Ge and Sn) catenates by use of samarium (II) diiodide, 1588
- Cationic methallyl complexes
Synthesis and X-ray structure of cationic β -diimine palladium complexes containing π -methallyl ligand, 513
- Cations
Synthesis and structural characterization of gallium and indium complexes obtained from redistribution reactions of mixed chalcogen-imidodiphosphinate ligands, 3054
- C–C activation
Mechanistic investigation of the thermal decomposition of Biphen(OP*i*-Pr)PtEt₂: An entrance into C–C single bond activation?, 5215
- C=C cleavage
Copper-catalyzed oxidative cleavage of carbon–carbon double bond of enol ethers with molecular oxygen, 5378
- CC-coupling
Synthesis and characterization of phospho-palladacycles and their catalytic properties in the olefination of chloro- and bromoarenes, 3193
- C–C coupling
Pd–benzothiazol-2-ylidene complex in ionic liquids: Efficient catalyst for carbon–carbon coupling reactions, 5458
Suzuki and Heck coupling reactions mediated by palladium complexes bearing *trans*-spanning diphosphines, 477
- X-ray molecular structures and multinuclear NMR studies of the tetranuclear iridium clusters [Ir₄(CO)₇(μ_4 - η^3 -PhCC(H)CCPh)(μ -PPh₂)₃] and [Ir₄(CO)₇(μ_3 - η^2 -HCCPh)(η^1 -CCPh)(μ -PPh₂)₃], 4611
- C₅H₄
Singlet–triplet energy separations in divalent five-membered cyclic conjugated C₅H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- C–H activation
 α,β -Unsaturated diimines as substrates in catalytic C–H activation reactions and as ligands in iron carbonyl complexes, 1092
Asymmetric C–H insertion of Rh(II) stabilized carbenoids into acetals: A C–H activation protocol as a Claisen condensation equivalent, 6111
C–C coupling of aryl groups and allyl derivatives on Pt(II)-phenanthroline fragments: crystal and molecular structure of the *tbp* [(η^1,η^2 -2-allyl,5-methyl-phenyl)iodo(1,10-phenanthroline)-platinum(II)] complex containing the N–N ligand in axial-equatorial coordination mode, 2035
Intermolecular versus intramolecular C–H activation reaction in the thermolysis of [Ru(Me)Cp*(PMe₂Ph)₂] (Cp* = η^5 -C₅Me₅): formation and crystallographic characterisation of [Ru(Ph)-Cp*(PMe₂Ph)₂], 605
Iridium mediated methyl and phenyl C–H activation of 2-(aryloxy)phenols. Synthesis, structure, and spectral and electrochemical properties of some organoiridium complexes, 3908
Synthesis of electron-rich platinum centers: Platinum⁰(carbene)-(alkene)₂ complexes, 5804
The variation of coordination modes of aromatic imines in iron carbonyl complexes: Is there a correlation between bond lengths in organometallic model compounds and the reactivity of the ligands in catalytic C–C bond formation reactions?, 3886
- C–H Functionalization
Addition of heterocycles to electron deficient olefins and alkynes catalyzed by gold(III), 5049
- C–H functionalization
Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441
- C₄H₄Ge
Singlet–triplet energy separations in divalent five-membered cyclic conjugated C₅H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- C–H Insertion
Asymmetric C–H insertion of Rh(II) stabilized carbenoids into acetals: A C–H activation protocol as a Claisen condensation equivalent, 6111
- C₄H₄Pb
Singlet–triplet energy separations in divalent five-membered cyclic conjugated C₅H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- C₄H₄Si
Singlet–triplet energy separations in divalent five-membered cyclic conjugated C₅H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- C₄H₄Sn
Singlet–triplet energy separations in divalent five-membered cyclic conjugated C₅H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- C–N coupling
Nickel(0)/*N*-heterocyclic carbene complexes catalysed arylation of aromatic diamines, 6169
- C–O bond cleavage
Complexes of tantalum with triaryloxides: Ligand and solvent effects on formation of hydride derivatives, 5333
- Cerium
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LXI. Welche Oxidationszahl hat Cer im tiefvioletten 1,1',4,4'-Tetrakis(trimethylsilyl)cerocen?, 2238

Cesium compounds

Syntheses and crystal structures of three cesium salts: Cesium 5-sulfosalicylate, cesium 3,5-dinitrosalicylate and cesium 2,4-dinitrophenoxide monohydrate, 3118

CH activation

Cocondensation reactions of nitrogen-containing heterocycles with lithium atoms at 77 K, 3357

The cocondensation reaction of lithium atoms and anisole: an experimental and theoretical study of the reaction pathway, 1511

Chalcogen clusters

Chalcogen-capped ruthenium carbonyl clusters derived from diphosphazane mono- and dichalcogenides of the type $X_2P(E)N(R)PX_2$ and $X_2P(E)N(R)P(E)X_2$ (E = S or Se), 4001

Chalcogenapyran

γ -Methylene chalcogenapyrans and benzopyrans as proaromatic donors in “push–pull” Fischer type carbene complexes: Influences of chalcogen atom and chain length on the electronic and N.L.O. properties of these molecules, 4982

Chalcogenide

Synthesis, structure and optical limiting properties of organoruthenium–chalcogenide clusters, 1487

Chalcogenolato ligand

Rational synthesis of trinuclear (WIr_2) cluster from the 16-electron half-sandwich complex $Cp^*Ir[Se_2C_2(B_{10}H_{10})]$, 249

Chalcogens

Synthesis and structural characterization of gallium and indium complexes obtained from redistribution reactions of mixed chalcogen-imidodiphosphinate ligands, 3054

Theoretical investigations on the mechanism of chalcogens exchange reaction between P(V) and P(III) compounds, 2571

Chalcone

N- vs *O*-Coordination in cyclomanganation of 1,5-diaryl-3-(2-pyridyl)pentane-1,5-diones and 3-(2-pyridyl)chalcones; cyclomanganation at saturated carbon and the crystal structure of [1,5-diphenyl- κC^2 -3-(2-pyridyl- κN)pentan-2-yl- κC^2 -1,5-dione- $\kappa O^1 \kappa O^5$]-tetracarbonylmanganesetricarbonylmanganese, 3348

Charge decomposition analysis (CDA)

Chemical bonding in transition metal carbene complexes, 6178

Charge transfer

Density functional theory study on structural isomers and bonding of model complexes $M(CO)_5(BH_3 \cdot PH_3)$ (M = Cr, Mo, W) and $W(CO)_5(BH_3 \cdot AH_3)$ (A = N, P, As, Sb), 1147

Excited state properties of $[Pd^0(NHC(quinone))]_2$ with NHC = 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-ylidene and quinone = 1,4-naphthoquinone, 6051

Charge-transfer

Diiodine complex of diferrocenyl(phenyl)phosphine sulfide: the structural and electrochemical behaviour of $Fc_2(Ph)PS \cdot I_2$, 328

Chelate complexes

The first preparation of (1*S*,5*R*)-(–) and (1*R*,5*S*)-(+)-7-phenyl-3-borabicyclo[3.3.1]non-6-enes and their application for synthesis of chiral cyclohexene derivatives, 2840

Chelates

EPR study of mono-*o*-iminobenzosemiquinonato nickel(II) complexes with Ni–C σ -bond, 145

Chelating ligands

Sterically controlled formation of monodentate versus chelating carbene ligands from phenylhydrazine, 6247

Chelating phosphines

Synthesis, structure, immobilization and solid-state NMR of new dppp- and tripod-type chelate linkers, 3383

Chemical sensors

Kronenether-funktionalisierte Carbosilandendrimer, 696

Chimeric stereoregular oligonucleotides

Chirality at phosphorus: hybrid duplexes of chimeric oligonucleotides containing methylphosphonothioate linkages with complementary DNA and RNA, 2658

Chiral

π (Arene) versus donor ligand complexation in the formation of the heterobimetallic lithium–potassium dianion of (*S*)-*N*-(α -methylbenzyl)allylamine, 4343

Chiral molecular polygons based on the Pt-alkynyl linkage: Self-assembly, characterization, and functionalization, 5159

Copolymerization of olefins and CO catalyzed by new chiral arsine–oxazoline palladium complexes, 4920

Diazaallyls of group 4 metals based on *trans*-1,2-diaminocyclohexane, 3373

Racemic and chiral expanded salen-type complexes derived from biphenol and binaphthol: Salbip and salbin, 3009

Synthesis of chiral chelating *N*-heterocyclic carbene complexes of ruthenium, 3970

Chiral auxiliaries

The first preparation of (1*S*,5*R*)-(–) and (1*R*,5*S*)-(+)-7-phenyl-3-borabicyclo[3.3.1]non-6-enes and their application for synthesis of chiral cyclohexene derivatives, 2840

Chiral auxiliary

Asymmetric Michael addition promoted by (*R,R*)-*trans*-1,2-diaminocyclohexane in ionic liquids, 3535

Chiral azomthine diselenide

Synthesis and characterization of a novel chiral azomethine diselenide, 3142

Chiral benzamidinates

Synthesis, molecular structure and catalytic activity of chiral benzamidinate nickel complexes, 3154

Chiral complex

Piano stool complexes containing the bulky pentaphenylcyclopentadienyl(C_5Ph_5) ligand: Preparation, characterization and X-ray structure of $C_5Ph_5Zr(N(CH_3)_2)_3$ (**I**), 4376

Chiral cyclopentadienes

Chiral cyclopentadiene-mediated approach to enantioselective heterobimetallic Pauson–Khand reactions, 358

Chiral ionic liquid

Formation of chiral ionic liquids and imidazol-2-ylidene metal complexes from the proteinogenic aminoacid *L*-histidine, 5959

Chiral iron carbene

Study of the origin of enantioselectivity in cyclopropanation reactions using the chiral iron carbene complex $[(\eta^5-C_5H_5)(CO)_2Fe=CH[(\eta^6-o-MeOC_6H_4)Cr(CO)_3]]^+$, 6238

Chiral *N*-heterocyclic carbene

Design and synthesis of new bidentate alkoxy-NHC ligands for enantioselective copper-catalyzed conjugate addition, 5237

Chiral *N*-heterocyclic carbenes

Enantioselective copper catalysed 1,4-conjugate addition reactions using chiral *N*-heterocyclic carbenes, 5672

Chiral nickel complexes

Synthesis, molecular structure and catalytic activity of chiral benzamidinate nickel complexes, 3154

Chiral palladium complexes

Resolution of β -aminophosphines with chiral cyclopalladated complexes, 1659

Chiral “P–N–P” ligands

Chiral “P–N–P” ligands, $(C_{20}H_{12}O_2)PN(R)PY_2$ [R = CHMe₂, Y = C₆H₅, OC₆H₅, OC₆H₄-4-Me, OC₆H₄-4-OMe or OC₆H₄-4-^tBu] and their allyl palladium complexes, 742

Chiral shift reagent

NMR determination of enantiomeric composition of 1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes using Eu(hfc)₃, 2766

Chirality

A new paradigm in *N*-heterocyclic carbenoid ligands, 6210

Rhodium (II) compounds with functionalized metalated phosphines as bridging ligands, 4424

Chirogenic

P-chirogenic phosphines. MOP/diPAMP hybrids, their oxide crystal structures, reduction studies and alternative syntheses, 211

- 4-Chlorobenzohydroxamic acid
Synthesis and crystal structure of a mixed-ligand compound di-*n*-butyl(4-chlorobenzoyl)(4-chlorobenzohydroxamato)tin(IV), 3997
- 4-Chlorobenzoic acid
Synthesis and crystal structure of a mixed-ligand compound di-*n*-butyl(4-chlorobenzoyl)(4-chlorobenzohydroxamato)tin(IV), 3997
- Chloro complexes
Cationic arene ruthenium complexes containing chelating 1,10-phenanthroline ligands, 3202
- Chloroacetylferrocene
Ferrocenecarbothioamide and *N*-ethoxycarbonylferrocenecarbothioamide: Synthesis, structure and application in synthesis of 2,4-diferrocenylthiazole, 4302
- Chloroarenes
Synthesis and characterization of phosphapalladacycles and their catalytic properties in the olefination of chloro- and bromoarenes, 3193
- Chlorosilanes
Carbosiloxandrimere mit terminalen SiH-Bindungen, 751
- Chromium
[6 + 3] Cycloaddition of Fischer aminocarbene complexes: An efficient annulation of fulvenes to indene derivatives, 5696
Bis(amino)allenyldiene complexes by displacement of the MeO group in methoxy allenyldiene complexes of chromium and tungsten. Synthesis, DFT calculations and solid-state structures of new bis(amino)allenyldiene complexes, 3700
Chromium imine and amine complexes as homogeneous catalysts for the trimerisation and polymerisation of ethylene, 713
First examples of dipyrido[1,2-*c*:2',1'-*e*]imidazolin-7-ylidenes serving as NHC-ligands: Synthesis, properties and structural features of their chromium and tungsten pentacarbonyl complexes, 5647
On the coordination chemistry of corannulene, the smallest “buckybowl”, 3440
Ruthenium-catalyzed reduction of racemic tricarbonyl(η^6 -aryl ketone)-chromium complexes using transfer hydrogenation: A simple alternative to the resolution of planar chiral organometallics, 3176
Synthesis and characterization of chromium and molybdenum(0) complexes bearing the (pentafluoroethyl)diphenylphosphine (pfep) ligand, 534
The transition metal carbonyl complexes of 1,3-bis(di-*R*-stibino)propanes (R = Me or Ph), 1540
Theoretical study on interaction of different coordination modes of BH₄ ligand with transition metal in [TM(BH₄)(CO)₄]⁻ (TM = Cr, Mo), 84
- Chromium and tungsten hydrazino carbene complexes
The electrochemical activity of heteroatom-stabilized Fischer-type carbene complexes, 5777
- Chromium catalyst
Synthesis, structure and catalytic properties of [Cp*Cr(C₆F₅)(Bn)(THF)] toward ethylene in the presence of AlEt₃, 5145
- Chromium–chromium bond
(Cyclopentadienyl)chromiumtricarbonyl dimers as a source of metal-centered free-radicals to form stable η^2 -bonded spin-adducts with fullerenes, 2333
- Chromium complexes
New metal aminocarbene-substituted cyclopentadienyliron half sandwich complexes, 6217
Reactions of complex ligands part 106. Heterobimetallic fused arenes: Chromium-templated benzannulation of a ferrocene-type metal carbene, 5892
- Chromium tricarbonyl
Selective functionalization of crown ethers via arene chromium tricarbonyl complexes, 847
- Cidofovir
Cidofovir peptide conjugates as prodrugs, 2673
- Circular dichroism
Synthesis and structure of the chiral palladium–fullerene C₆₀ and C₇₀ complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis(diphenylphosphino)-3,3'-bithiophene [(–)tetraMe-BITOP], 4330
- cis*–*trans* Isomer
Pyrazine bridged benzyl dicobaloximes: Competition between π -interaction and steric crowding in crystal structure, 3746
- cis*-Configuration
Alternative cocrystallization of “almost” enantiomers and true enantiomers in some *cis*- β -organocobalt salen-type complexes with α -amino acids, 3815
- cis*-Coordination
Side chain-directed complementary *cis*-coordination of two pyridines on Pd(II): Selective multicomponent assembly of square-, rectangular-, and trigonal prism-shaped molecules, 5383
- cis*-platin
Novel benzyl substituted titanocene anti-cancer drugs, 4537
- Claisen condensation equivalent
Asymmetric C–H insertion of Rh(II) stabilized carbenoids into acetals: A C–H activation protocol as a Claisen condensation equivalent, 6111
- closo*-Decaborate
Synthesis of the 1-hydroxy-*closo*-decaborate anion [1-B₁₀H₉OH]²⁻, 2847
- closo* Ten-vertex monocarbaboranes
Polyhedral monocarbaborane chemistry. Reactions of the [6-Ph-*nido*-6-CB₉H₁₁]⁻ anion with two-electron donors to yield a series of neutral *aracho* and *closo* ten-vertex monocarbaborane derivatives, 2815
- Cluster
[Me₈Pt₄ReS₄]⁻ and related PtMe₂-containing clusters derived from tetrathiorhenate, 193
Activation of 1,3,5-trimethyl-1,3,5-triazacyclohexane by Os₃(CO)₁₂ to form amidino [(MeN)₂CH] cluster complexes, 163
Cluster-containing carbon-rich molecules: Reactions of ruthenium cluster carbonyls with {Au(PR₃)₂}- μ -C \equiv CC \equiv C (R = Ph, tol), 3268
Dinuclear and trinuclear osmium complexes incorporating 1,2-bis(2-pyridyl)ethene as doubly and triply bridging ligands: crystal structures of [Os₂(μ : η^4 -C₁₂H₁₀N₂)(CO)₆], [Os₃(μ -H)₂(μ_3 : η^3 -C₁₂H₁₀N₂)(CO)₈] and [Os₃(μ -H)(μ^3 : η^4 -C₁₂H₉N₂)(CO)₈], 504
Hexanuclear Pt complexes composed of two cyclic triplatinum units connected with 1,4-diphenylene and 1,1'-ferrocenylene spacer, 3957
Os(CO)₂(η^2 -SC₅H₄N(O))(η^2 -SC₅H₄N): structural evidence for the transformation of pyridine-2-thione *N*-oxide to pyridine-2-thiolate in osmium complexes, 441
Searching for molecular arene hydrogenation catalysis in ionic liquids, 3552
Synthesis, structure and optical limiting properties of organoruthenium–chalcogenide clusters, 1487
Transformation of C₂ units on a bimetallic tetranuclear cluster. Reactivity of [Ru₃Mo(μ_3 - η^1 -CC)(μ -CO)₃(CO)₂(η -C₅H₄R)₃(η -C₅H₃)] (R = H, Me), 3410
Two isomeric products [Os₃(μ -H)(C₁₄H₉N₄)(CO)₉] formed by orthometallation of the cluster [Os₃(C₁₄H₁₀N₄)(CO)₁₀] containing the chelating ligand 2,3-bis(2-pyridyl)pyrazine, 622
- Cluster Aufbau
Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701
- Cluster chemistry
Reactivity of C₆F₅S-P(C₆H₅)₂ with [M₃(CO)₁₂] (M = Fe, Ru, Os). The X-ray crystal structures of [Fe₂(μ -SC₆F₅)(μ -PPh₂)(CO)₆], [Ru₄(μ_3 -SPPH₂)₂(μ -SC₆F₅)₂(μ -PPH₂)₂(SC₆F₅)₂(CO)₆] and [Os₃(η^1 -P₂P-SC₆F₅)(CO)₁₁], 2880
- Cluster compounds
A dihydrogen bond between a bridging hydride and the NH proton of a coordinated dimethylamine: solid state, solution and theoretical characterization, 2044
Chalco-gen-capped ruthenium carbonyl clusters derived from diphosphazane mono- and dichalcogenides of the type X₂P(E)N(R)PX₂ and X₂P(E)N(R)P(E)X₂ (E = S or Se), 4001

- Cluster dismantling
Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701
- Cluster dynamics
Chalcogen-capped ruthenium carbonyl clusters derived from diphosphazane mono- and dicalcogenides of the type $X_2P(E)N(R)PX_2$ and $X_2P(E)N(R)P(E)X_2$ (E = S or Se), 4001
- Cluster expansion
Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701
- Clusters
New insights into the reaction of nickelocene with methylolithium: the isolation and crystal structure of $(NiCp)_2(\mu_3-CH)$, 1192
Reaction of the heterometallic cluster $Os_3Ru(\mu-H)_2(CO)_{13}$ with diphenylphosphine: phosphido-bridged tetrahedral and butterfly clusters, 1033
Synthesis and crystal structures of some cobalt halide derivatives containing alkyl or silanolato groups, 944
Synthesis and structure of $(\eta^5\text{-cyclopentadienyl})(\eta^5\text{-}(1\text{-}(\eta^5\text{-cyclopentadienyl})\text{-2-phenyl-3-methyl-1-nickelindenyl})\text{nickel}$ – the first analogue of nickelocene with a nickelacyclopentadienyl ring, 1523
The photochemical reaction of $Os_3(CO)_{10}(\mu-H)(\mu-\gamma\text{-}C_5H_3O_2)$, a triosmium cluster carrying a γ -pyrone ligand, with dimethyl-acetylenedicarboxylate: formation of isomeric clusters, 322
ToF-SIMS analysis of surface-anchored organometallic clusters, 3861
Use of phosphine gold acetylides $[(R_3P)AuC\equiv CR]$ to form phosphine gold derivatives of tetra-iron and penta-iron clusters, 2888
- Cluster-styrene copolymer
Preparation, X-ray structure, copolymerization with styrene of $[(\mu-H)Os_3(\mu-OCNMe_2)(CO)_9\{P(CH_2CH=CH_2)Ph_2\}]$ and catalytic properties of the cluster/styrene copolymer, 4258
- ^{13}C NMR spectroscopy
C–H and C–C bonds activation by iridium clusters: Synthesis and solid state structure of $[Ir_6(CO)_{14}(\mu_3-\eta^1:\eta^2:\eta^1-C_7H_8)]$, 4768
- ^{13}C NMR study
Chlorination of *p*-substituted triarylpnictogens by sulfur chloride: Difference in the reactivity and spectroscopic characteristics between bismuth and antimony, 4280
- CO activation
Synthesis of a Lewis acid bearing cyclopentadienyl ligand and its tricarbonylmanganese(I) complex, 2159
- Cobaloximes
Pyrazine bridged benzyl dicobaloximes: Competition between π -interaction and steric crowding in crystal structure, 3746
- Cobalt
(Tetramethylcyclobutadiene)cobalt complexes with monoanionic carborane ligands $[9-L-7,8-C_2B_9H_{10}]^-$ (L = SMe_2 , NMe_3 and py), 4745
Catalytic amination reactions mediated by Co(II) Schiff base complexes, 2142
Chiral cyclopentadiene-mediated approach to enantioselective heterobimetallic Pauson–Khand reactions, 358
Ligand and solvent effects on cobalt(I)-catalysed reactions: Alkyne dimerisation versus [2+2+2]-cyclootrimerisation versus Diels–Alder reaction versus [4+2+2]-cycloaddition, 5170
Preparation and characterisation of cobalt (I) acyl compounds, 2358
Preparation, structure and ethylene polymerization behavior of mixed-halide nickel(II) complexes and cobalt(II) complex containing imidazolium, 2934
Synthesis and properties of Zr–Co heterodinuclear complexes with a bridging bis(cyclopentadienyl) ligand, 269
- Cobalt carbonyl complexes
Solubility of *trans*- $Co_2(CO)_6$ [3,5-bis(CF_3) $C_6H_3P(i-C_3H_7)_2$] in dense carbon dioxide, 1467
- Cobalt catalysts
Synthesis, structure and butadiene polymerization behavior of $CoCl_2(PR_xPh_{3-x})_2$ (R = methyl, ethyl, propyl, allyl, isopropyl, cyclohexyl; x = 1, 2). Influence of the phosphorous ligand on polymerization stereoselectivity, 1845
- Cobalt cluster
Some complexes containing carbon chains end-capped with tungsten or ruthenium groups and tricobalt carbonyl clusters, 1549
- Cobalt complex
Fe(II) and Co(II) pyridinebisimine complexes bearing different substituents on *ortho*- and *para*-position of imines: synthesis, characterization and behavior of ethylene polymerization, 1233
- Cobalt complexes
Synthesis and electrochemical studies of organometallic cobalt(III) complexes with substituted benzonitrile chromophores: NMR spectroscopic data as a probe on the second-order non-linear optical properties, 4063
The spectra, structures and electrochemistry of $Ni(\eta^5-C_5H_5)(PPh_3)-C\equiv C-Ar$ complexes, and their reactions with $Co_2(CO)_8$, 4545
- Cobalt diyne
A comparison between the reaction of P_2Ph_4 with $[(Co_2(CO)_6)_2(\mu-\eta^2:\mu-\eta^2-HOCH_2C\equiv C-C\equiv CCH_2OH)]$ and the reaction of $[Co_2(\mu-PPh_2)_2(CO)_6]$ with $HOCH_2C\equiv C-C\equiv CCH_2OH$, 2209
- CO ethylene copolymerisation
New cationic palladium (II) and rhodium (I) complexes of $[Ph_2PCH_2C(Ph)=N(2,6-Me_2C_6H_3)]$, 1645
- Cobalt halides
Synthesis and crystal structures of some cobalt halide derivatives containing alkyl or silanolato groups, 944
- Cobalt-carbene complexes
Cobalt-mediated oligomerization reactions of amino-substituted acetylene derivatives, 3251
- Cobalt-containing complex
Synthesis of cobalt-containing monodentate phosphine ligand and application toward Suzuki cross-coupling reactions, 1249
- Cobaltocenium
Antibacterial activities of ferrocenyl- and cobaltocenium-peptide bioconjugates, 4564
- Cocatalyst
Synthesis, structure and ethylene polymerization behavior of titanium phosphinoamide complexes, 2941
- Combinatorial chemistry
Supraphos: A supramolecular strategy to prepare bidentate ligands, 4505
- Complementary complexation
Side chain-directed complementary *cis*-coordination of two pyridines on Pd(II): Selective multicomponent assembly of square-, rectangular-, and trigonal prism-shaped molecules, 5383
- Complex
Titanium and zirconium complexes with novel phenoxy-phosphinimine ligands, 3946
- Complexes
Fluoroaryl-substituted ketiminate complexes of aluminum, 1366
Synthesis, molecular structure and electrochemical properties of the star-shaped dinuclear complexes $[Ru_2(\eta^6\text{-}p\text{-}Me\text{-}C_6H_4\text{-}^iPr)_2(\mu_2\text{-}S\text{-}p\text{-}C_6H_4\text{-}C_4H_3S)_3]^+$ and $[Rh_2(\eta^5\text{-}C_5Me_5)_2(\mu_2\text{-}S\text{-}p\text{-}C_6H_4\text{-}C_4H_3S)_3]^+$, 2365
The CO/PC analogy in coordination chemistry and catalysis, 2407
- π -Complexes
Synthesis and structure of new trichloroplatinum π -complexes: Reactivity of nitrogen lone-pair versus C–C double bond π -electrons in ligands, effect of steric hindrance, 4856
- Computational chemistry
Substituent effect on low coordination phosphorus chemistry, 2597
- Condensation
Synthesis and structures of bis(alkyldihydroxysilyl)methanes, 4677
- Conformation
Synthesis of distorted molecules based on spatial control with icosahedral carboranes, 2750
- Conformational control
Conformational behaviour of dinuclear Rh(I) complexes of the open-chain tetrapyrrolic ligand 2,2'-bidipyrrin (H_2BDP), 5290

- Conformational free energy
 Computational study of conformations and of sulfinyl oxygen-induced pentacoordination at silicon in 4-chloro-4-silathiacyclohexane 1-oxide and 4,4-dichloro-4-silathiacyclohexane 1-oxide, 4103
- Conglomerate
 Chiral diethylzinc complexes with diamine ligands: synthesis, crystal structure and enantioselective solvent-free alkylation, 3846
- Conjugate addition
 Enantioselective copper catalysed 1,4-conjugate addition reactions using chiral *N*-heterocyclic carbenes, 5672
- π -conjugated systems
 Organophosphorus π -conjugated materials: the rise of a new field, 2482
- Constrained geometry complex
 Synthesis and molecular structure of boron-bridged constrained geometry complexes of zirconium and hafnium, 5000
- Coordination
 Syntheses and crystal structures of three cesium salts: Cesium 5-sulfosalicylate, cesium 3,5-dinitrosalicylate and cesium 2,4-dinitrophenoxide monohydrate, 3118
- π -Coordination
 Towards understanding monomer coordination in atom transfer radical polymerization: synthesis of $[\text{Cu}^{\text{I}}(\text{PMDETA})(\pi\text{-M})][\text{BPh}_4]$ (M = methyl acrylate, styrene, 1-octene, and methyl methacrylate) and structural studies by FT-IR and ^1H NMR spectroscopy and X-ray crystallography, 916
- Coordination chemistry
 The new facial tripod ligand 3,3-bis(1-methylimidazol-2-yl)propionic acid and carbonyl complexes thereof containing manganese and rhenium, 2009
- Coordination compounds
 New tripodal *N*-heterocyclic carbene chelators for small molecule activation, 5474
- Coordination energy
 The theoretical research of the medium effect on the vibrational spectrum and the energy of intramolecular coordination $\text{=O} \rightarrow \text{Si}$ in (benzoyloxymethyl)trifluorosilane molecule, 2922
- Coordination modes
 Investigation on coordination modes of organotin(IV) complexes with 6-thiopurine and related ligands, 1560
- Coordination polymer
 Coordination polymers of silver(I) with bis(*N*-heterocyclic carbene): Structural characterization and carbene transfer, 1682
 Luminescent coordination polymers with extended Au(I)–Ag(I) interactions supported by a pyridyl-substituted NHC ligand, 6041
 Preparation and structures of copper(II) and zinc(II) complexes with 5-ferrocenylpyrimidine: Structural variation derived from flexible coordination ability of the ligand and metal ions, 1793
 Syntheses, crystal structures and luminescent properties of two novel lanthanide/4-pya complexes: $[\text{Ln}(4\text{-pya})_3(\text{H}_2\text{O})_2]_2$ (Ln = Eu, La; 4-pya = *trans*-4-pyridylacrylate), 3479
 Synthesis and structural chemistry of oxazolanyl-carbene copper(I) complexes, 5556
- Co-ordinatively unsaturated
 Ruthenium (II) complexes of the chelating phosphine borane $\text{H}_2\text{CIB} \cdot \text{dppm}$, 2829
- Copolymerisation
 Palladium complexes with *meso*-bioxazoline ligands for alternating styrene/CO copolymerisation: Counterion effect, 2254
- Copolymerization
 Copolymerization of ethylene/unsaturated alcohols using nickel catalysts: effect of the ligand on the activity and comonomer incorporation, 895
 Copolymerization of olefins and CO catalyzed by new chiral arsine-oxazoline palladium complexes, 4920
 Synthesis and characterization of some organosilicon derivatives of poly 2-hydroxyethyl methacrylate with cubane as a cross-linking agent, 4755
- Titanium complexes bearing aromatic-substituted β -enaminoketonato ligands: Syntheses, structure and olefin polymerization behavior, 3125
- Copper
 Allylic substitution reactions with Grignard reagents catalyzed by imidazolium and 4,5-dihydroimidazolium carbene–Cu(I) complexes, 6001
 Copper(I) complexes supported by a heavily fluorinated bis(pyrazolyl)-borate: syntheses and characterization of $[\text{H}_2\text{B}(3,5\text{-(CF}_3)_2\text{Pz})_2]\text{CuL}$ (where L = PPh_3 , $\text{N}\equiv\text{CCH}_3$, $\text{HC}\equiv\text{CPh}$, $\text{H}_2\text{C}=\text{CHPh}$) and $\{[\text{H}_2\text{B}(3,5\text{-(CF}_3)_2\text{Pz})_2]\text{Cu}\}_2(1,5\text{-COD})$, 1913
 Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441
 Dicopper(I) oxalate complexes as molecular precursors for the deposition of copper compounds, 5255
 Electronic structure and electrophilic reactivity of discrete copper diphenylcarbenes, 5989
 Structural characterization and catalytic activities of copper complexes with pyridine-amine-phosphine-oxide ligand, 415
 Synthesis and structural chemistry of oxazolanyl-carbene copper(I) complexes, 5556
- Copper carboxylate
 Preparation and structures of copper(II) and zinc(II) complexes with 5-ferrocenylpyrimidine: Structural variation derived from flexible coordination ability of the ligand and metal ions, 1793
- Copper catalysed
 Enantioselective copper catalysed 1,4-conjugate addition reactions using chiral *N*-heterocyclic carbenes, 5672
- Copper catalysts
 Copper-catalyzed oxidative cleavage of carbon–carbon double bond of enol ethers with molecular oxygen, 5378
- Copper cluster
 Formation of new organometallic W/Cu/S clusters from reactions of $\{(\eta^5\text{-C}_5\text{Me}_5\text{WS}_3)_3\text{Cu}_7(\text{MeCN})_9\}(\text{PF}_6)_4$ with donor ligands. Crystal structures and optical limiting properties of $[(\eta^5\text{-C}_5\text{Me}_5\text{WS}_3\text{Cu}_3(\text{Py})_6)(\text{PF}_6)_2]$, $[(\eta^5\text{-C}_5\text{Me}_5\text{WS}_3\text{Cu}_3\text{Br})(\text{PPh}_3)_3](\text{PF}_6)$, and $[(\eta^5\text{-C}_5\text{Me}_5\text{WS}_3\text{Cu}_4(\text{Py})\text{Cl}(\text{dppm})_2)(\text{PF}_6)_2]$, 4027
 Syntheses, crystal structures, and third-order nonlinear optical properties of two novel Mo/Cu/S clusters: $[\text{MoS}_4\text{Cu}_4(\alpha\text{-MePy})_5\text{Br}] \cdot 2(\alpha\text{-MePy})_{0.5}$ and $\{[\text{MoS}_4\text{Cu}_4(\alpha\text{-MePy})_3\text{Br}](\mu\text{-Br}) \cdot (\alpha\text{-MePy})\}_n$ ($\alpha\text{-MePy}$ = α -methylpyridine), 394
- Copper complex
 Electrocatalytic eco-efficient functionalization of white phosphorus, 2416
- Copper complexes
 A new family of pyrazolyl-based anionic bidentate ligands and crystal structure of bis(*N*-phenyl-2-pyrazolyl-1-carboximidothioato)-copper(II), 2128
- Copper cyanocuprates
 Preparation of α -substituted γ -alkoxyallylstannanes from β -tributylstannyl acrolein acetals: scope of the method and primary rationalization of the obtained results, 659
- Copper(I)
 $\text{Me}_3\text{SiC}\equiv\text{C}-\text{CMe}=\text{CH}_2$ copper(I) β -diketonates: Synthesis, solid state structure, and low-temperature chemical vapour deposition, 3878
- Copper(I) complexes
 Towards understanding monomer coordination in atom transfer radical polymerization: synthesis of $[\text{Cu}^{\text{I}}(\text{PMDETA})(\pi\text{-M})][\text{BPh}_4]$ (M = methyl acrylate, styrene, 1-octene, and methyl methacrylate) and structural studies by FT-IR and ^1H NMR spectroscopy and X-ray crystallography, 916
- Corannulene
 On the coordination chemistry of corannulene, the smallest “buckybowl”, 3440
- CO_2 reduction
 Synthesis, structures and electrochemical properties of ruthenium (II) complexes bearing bidentate 1,8-naphthyridine and terpyridine analogous (N,N,C)-tridentate ligands, 4272

Coumarin

Dimethylplatinum (II) complexes with isocyanocoumarin ligands: the crystal structure of *cis*-dimethylbis-(7-diethylamino-3-isocyanocoumarin)platinum(II), 168

Counterion effects

Palladium complexes with *meso*-bioxazoline ligands for alternating styrene/CO copolymerisation: Counterion effect, 2254

Coupling reactions

1,3-Diphosphapropenes for novel chemistry of metal complexes, 2531

Studies on Pd/imidazolium salt protocols for aminations of aryl bromides and iodides using lithium hexamethyldisilazide (LHMDS), 5841

Synthesis of polyacetylenic montiporic acids by means of organosilicon compounds, 3004

Cr(0) complex

Synthesis and oxidation of (benzimidazolylidene)Cr(CO)₅ complexes, 1750

Cross-coupling

Di-*t*-butyl(ferrocenylmethyl)phosphine: air-stability, structural characterization, coordination chemistry, and application to palladium-catalyzed cross-coupling reactions, 1478

Direct functionalization of the cyclometalated 2-(2'-pyridyl)phenyl ligand bound to iridium(III), 2913

One-pot synthesis of nickel porphyrins with 2-pyridine-acetyl substituents: the unexpected Sonogashira cross-coupling products, 244

Palladium (II) complexes with mono-oxide 1,1'-bis(diphenylphosphino)metallocene ligands [Fe(η⁵-C₅Me₄PPh₂)(η⁵-C₅Me₄P{O}Ph₂)] and [Os(η⁵-C₅H₄PPh₂)(η⁵-C₅H₄P{O}Ph₂)], 1710

Palladium-catalyzed cross-coupling reaction of ethynylstibanes with organic halides, 2956

Sequential and domino Sonogashira coupling: Efficient tools for the synthesis of diarylalkynes, 4453

Study of homo- and cross-coupling competition in the reaction of triaryl bismuth(V) dicarboxylates with methyl acrylate in the presence of a palladium catalyst, 3652

Synthesis of Pd(II) and Pt(II) complexes possessing bicyclo[3.2.0]heptanyl phosphinite ligands: Identification of a novel Pd(II) precatalyst for 1,6-diene cycloisomerisation, 4462

Transition metal catalyzed cross-coupling of aryl Grignard reagents with aryl fluorides via Pd- or Ni-activation of the C–F bond: an efficient synthesis of unsymmetrical biaryls – application of microwave technology in ligand and catalyst screening, 932

Cross-coupling reaction

Preparation and properties of palladium(II) complexes of 3-oxo-1-(2,4,6-tri-*t*-butylphenyl)-1,3-diphosphapropenes, 4809

Cross-linking

Synthesis and characterization of some organosilicon derivatives of poly 2-hydroxyethyl methacrylate with cubane as a cross-linking agent, 4755

Cross-metathesis

Improved cross-metathesis of acrylate esters catalyzed by 2nd generation ruthenium carbene complexes, 5863

The effect of substituents at silicon on the cross-metathesis of trisubstituted vinylsilanes with olefins, 5912

Cross-over experiment

The first synthesis of cyclopropanone acetals from the reaction of Fischer carbene complexes with ketene acetals, 6101

Crown ether

Selective functionalization of crown ethers via arene chromium tricarbonyl complexes, 847

Crown ethers

Kronenether-funktionalisierte Carbosilandendrimere, 696

Crownether

Ruthenium–benzocrownether complexes: Synthesis, structures, catalysis and immobilisation in ionic liquids, 5055

Crystal and molecular structure

Polyhedral monocarbaborane chemistry. Reactions of the [6-Ph-*nido*-6-CB₉H₁₁][−] anion with two-electron donors to yield a series of

neutral *arachno* and *closo* ten-vertex monocarbaborane derivatives, 2815

Crystal structure

N- vs *O*-Coordination in cyclomanganation of 1,5-diaryl-3-(2-pyridyl)pentane-1,5-diones and 3-(2-pyridyl)chalcones; cyclomanganation at saturated carbon and the crystal structure of [1,5-diphenyl-κC²-3-(2-pyridyl-κN)pentan-2-yl-κC²-1,5-dione-κO¹κO⁵]-tetracarbonylmanganesetricarbonylmanganese, 3348

¹Pyridine and phosphine functionalised *N*-heterocyclic carbene complexes of rhodium and iridium, 5948

Controlled nucleophilic activation of different sites in [Mo₂Cp₂L₂(μ-SMe)₂(μ-L')]⁺ cations (L = Bu⁺NC, xylNC, CO; L' = SMe or PPh₂), 4583

Cyclisation of diferrocenylbutadiyne dicobalt hexacarbonyl mono-adduct to novel ferrocenotropones, 691

Cyclometalated platinum complexes: High-yield synthesis, characterization, and a crystal structure, 4090

Cyclometallation of phenylhydrazones: Synthesis, reactivity, crystal structure analysis and novel trinuclear palladium(II) cyclometallated compounds with [C, N, N'] terdentate ligands, 3669

Diiron-aminocarbyne complexes with amine or imine ligands: C–N coupling between imine and aminocarbyne ligands promoted by tolylacetylde addition to [Fe₂{μ-CN(Me)R}{μ-CO}(CO)(NH=CPh₂)(Cp)₂][SO₃CF₃], 348

Hydride addition at μ-vinyliminium ligand obtained from disubstituted alkynes, 837

Indenols, indenones and (arylcyclohexadienyl)Mn(CO)₃ π-complexes from the thermally promoted reactions of alkynes with *ortho*-Mn(CO)₄ aryl ketone, amide, ester and aldehyde derivatives, 3827

New bridging ligands from methylation reactions of μ-vinyliminium diiron complexes, 4666

New insights into the reaction of nickelocene with methyl lithium: the isolation and crystal structure of (NiCp)₃(μ₃-CH), 1192

Nitrile ligands activation in dinuclear aminocarbyne complexes, 1959

Organotin flufenamates: Synthesis, characterization and antiproliferative activity of organotin flufenamates, 1800

Os(CO)₂(η²-SC₅H₄N(O))(η²-SC₅H₄N): structural evidence for the transformation of pyridine-2-thione *N*-oxide to pyridine-2-thiolate in osmium complexes, 441

Part 1: 1,3-Dipolar addition of activated alkyne towards coordinated azido group in ruthenium(II) complexes containing η⁵-cyclichydrocarbons, 4222

Preparation, X-ray structure, copolymerization with styrene of [(μ-H)Os₃(μ-OCNMe₂)(CO)₆{P(CH₂CH=CH₂)Ph₂}] and catalytic properties of the cluster/styrene copolymer, 4258

Reaction of Fe₃(CO)₁₂ with but-2-yn-1,4-diol, 1,4-dichloro-but-2-yne, propargyl-alcohol and propargyl-chloride. The X-ray structures of [Fe₂(CO)₆{H₂CCCCH₂}], [Fe₂(CO)₆{H₂CCC(H)C(OCH₃O)}] and Fe₃(CO)₁₀{H₂CCC(H)C(O)C{CH₂(O)CH₃}CCH₂}], 3755

Reactions of Ru₃(CO)₁₂ with 2-pentynal-diethyl-acetal. The crystal structure of Ru₂(CO)₆[μ-η⁴-{EtC₂H(OEt)₂}CO{EtC₂H(OEt)₂}] and its reactivity towards tetraethyl-orthosilicate, 3730

Reversible pyranil complex formation and the mechanism of rearrangement to (η⁵-6-oxocycloheptadienyl)Mn(CO)₃ complexes in the reaction of β-cyclomanganated 1,5-diaryl-penta-1,4-dien-3-ones and alkynes; the crystal structure of [2,4-diphenyl-6-(2-phenylethenyl)pyranil-η⁵]tricarbonylmanganese, 3340

Ruthenium–benzocrownether complexes: Synthesis, structures, catalysis and immobilisation in ionic liquids, 5055

Self-assembly of diorganotin(IV) 2-{[(*E*)-1-(2-oxyaryl)alkylidene]-amino}acetates: An investigation of structures by X-ray diffraction, solution and solid-state tin NMR, and electrospray ionization MS, 3080

Stabilisation of high oxidation-state niobium using 'electron-rich' bicyclic-guanidines, 2278

Stereoselective synthesis of enones from the reaction of aldehydes with sterically hindered dimethylaluminum enolates, 3474

- Structure and reactivity of derivatives of dihalogenomethyl indium(III) halides, X_2InCHX_2 ($X = Cl, Br, I$), 925
- Studies of the reaction of dimethyltin dichloride with mercaptoacetic acid in the presence of amines and crystal structure of $[(n-Pr)_3NH][Me_2Sn(\mu^2-SCH_2COO)Cl]$, 3405
- Syntheses and crystal structures of three cesium salts: Cesium 5-sulfosalicylate, cesium 3,5-dinitrosalicylate and cesium 2,4-dinitrophenoxide monohydrate, 3118
- Syntheses, crystal structures and luminescent properties of two novel lanthanide/4-pya complexes: $[Ln(4-pya)_3(H_2O)_2]$ ($Ln = Eu, La$; 4-pya = *trans*-4-pyridylacrylate), 3479
- Syntheses, structures, and properties of phenyltrihydroborate complexes of zirconocene and titanocene, 291
- Synthesis and characterization of ionic organotin compounds $[R_2SnCl_2(2-quin)]^-(HNEt_3)^+$ and crystal structures of $[(2,4-Cl_2-C_6H_3CH_2)_2SnCl_2(2-quin)]^-(HNEt_3)^+$, 831
- Synthesis and characterization of novel intramolecularly base-stabilized BEt_2 and BEt derivatives: molecular structures of 1- $Et_2BOCPh_2-2-NMe_2C_6H_4$, 1-(CH_3COO) $EtBOCCy_2-2-NMe_2C_6H_4$ and $BEt(1-OCPh_2CH_2-2-NMe_2C_6H_4)_2$, 469
- Synthesis and characterization of novel Pd(II) and Pt(II) complexes with 5-ring chelating iminoylcarbene ligands, 6125
- Synthesis and characterization of triphenyltin(IV) 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates. Crystal and molecular structures of $Ph_3Sn\{O_2CC_6H_3-p-OH[NN(C_6H_4-4-CH_3)]\}$ and the 2,2'-bipyridine adduct $Ph_3Sn\{O_2CC_6H_3-p-OH[N=N(C_6H_4-2-CH_3)]\}-OH_2 \cdot C_{10}H_8N_2$, 613
- Synthesis and crystal structure of a mixed-ligand compound di-*n*-butyl(4-chlorobenzoyl)(4-chlorobenzohydroxamate)tin(IV), 3997
- Synthesis and molecular structures of dialkylselenium methylide complexes of indium tribromide, 1294
- Synthesis and spectroscopic properties of [*N*-(4-carboxyphenyl)salicylideneiminato] di- and tri-organotin (IV) complexes and crystal structures of $\{[{}^nBu_2Sn(2-OHC_6H_4CH=NC_6H_4COO)]_2O\}_2$ and $Ph_3Sn(2-OHC_6H_4CH=NC_6H_4COO)$, 435
- Synthesis and spectroscopic properties of diorganotin(IV) complexes of 2-quinolate and crystal structures of (4- $FC_6H_4CH_2$) $_2Sn(2-quin)_2 \cdot 2CH_3CN$ and $\{(2-ClC_6H_4CH_2)_2SnCl(2-quin)_2 \cdot CH_3OH\}_n$, 3111
- Synthesis and structural characterization of *rac*-2-[(diphenylphosphino)methyl]ferrocenecarboxylic acid, its selected derivatives and some rhodium complexes, 4285
- Synthesis and structural characterization of diorganotin(IV) esters with pyruvic acid isonicotinyl hydrazone and pyruvic acid salicylhydrazone Schiff bases, 1669
- Synthesis of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and its *N,N'*-dimetallated complexes (lithium, sodium and potassium): X-ray crystal structures of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and the polymeric tetrahydrofuran adduct of the dilithiated complex, 220
- Synthesis of a cyclic dinuclear organotin carboxylate via simultaneous debenzoylation and decarbonylation reactions: X-ray crystal structure of $[(PhCH_2)_2\{O_2CC_6H_4\{N(H)-N=(C_6H_3-4(=O)-5-O)\}-o\}Sn)_2$, 1581
- Synthesis, characterization and crystal structures of polymeric and dimeric triphenyltin(IV) complexes of 4-[(*E*)-1-[2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl]methylideneamino]aryls, 4232
- Synthesis, characterization and hydrolytic behavior of new bis(2-pyridylthio)acetate ligand and related organotin(IV) complexes, 1994
- Synthesis, crystal structure and in vitro antitumor activity of di-*n*-butyltin 4'-(7-oxabicyclo [2,2,1]-5-heptane-2,3-dicarboximide)benzoates, 2186
- Synthesis, spectroscopic characterization of *O,O*-alkylene dithiophosphates of tellurolane and 1-oxa-4-tellurane. Single crystal structures of $C_4H_8Te[S_2P(OCH_2)_2CMe-{}^nPr]_2$ and $C_4H_8OTe[S_2P(OCH_2)_2CET_2]_2$, 2872
- Synthesis, structure, catalytic transfer hydrogenation and biological activity of cyclometallated ruthenium(III)-2-(aryloxy)phenolate complexes, 3937
- The synthesis and crystallographic characterisation of the complexes $[RuX(CO)(\eta^2-C,N-C_6H_5C(H)=NC_6H_4-4Me)(PPh_3)_2] \cdot CHCl_3$ ($X = Cl, Br, I, F$): Evidence for competing $Ru-X \cdots Cl-CHCl_2$ and $Ru-X \cdots HCCl_3$ interactions in the solid state, 3390
- Crystal structures
- A new class of nitrogen based chiral ligands: 2*H*-1,3-benzoxazines. Ligand synthesis, X-ray structural studies and asymmetric catalysis, 2027
- A new look at the *nido*-undecaborate system, 2736
- Diborane (4) derivatives via coupling of amine monobromocyanoboranes: Study of the bromination of amine cyanoborane and molecular structures of the amine dibromo-cyanoboranes, 4150
- Dinuclear and trinuclear osmium complexes incorporating 1,2-bis(2-pyridyl)ethene as doubly and triply bridging ligands: crystal structures of $[Os_2(\mu:\eta^4-C_{12}H_{10}N_2)(CO)_6]$, $[Os_3(\mu-H)_2(\mu^3:\eta^3-C_{12}H_{10}N_2)(CO)_8]$ and $[Os_3(\mu-H)(\mu^3:\eta^4-C_{12}H_9N_2)(CO)_8]$, 504
- Evolution of lowest singlet and triplet excited states with transition metals in group 10–12 metallaynes containing biphenyl spacer, 5036
- Formation of new organometallic W/Cu/S clusters from reactions of $\{[(\eta^5-C_5Me_5)WS_3]_3Cu_7(MeCN)_9\}(PF_6)_4$ with donor ligands. Crystal structures and optical limiting properties of $\{[(\eta^5-C_5Me_5)WS_3Cu_3(Py)_6\}(PF_6)_2$, $\{[(\eta^5-C_5Me_5)WS_3Cu_3Br(PPh_3)_3\}(PF_6)_6$ and $\{[(\eta^5-C_5Me_5)WS_3Cu_4(Py)Cl(dppm)_2\}(PF_6)_2$, 4027
- Crystal Structures
- Luminescent coordination polymers with extended Au(I)–Ag(I) interactions supported by a pyridyl-substituted NHC ligand, 6041
- Crystal structures
- Organoselenium(II) and selenium(IV) compounds containing 2-(Me_2NCH_2) C_6H_4 moieties: solution behavior and solid state structure, 3217
- Preparation and structures of 6- and 7-coordinate salen-type zirconium complexes and their catalytic properties for oligomerization of ethylene, 3929
- Reactivity of $C_6F_5S-P(C_6H_5)_2$ with $[M_3(CO)_{12}]$ ($M = Fe, Ru, Os$). The X-ray crystal structures of $[Fe_2(\mu-SC_6F_5)(\mu-PPh_2)(CO)_6]$, $[Ru_4(\mu_3-SPPPh_2)_2(\mu-SC_6F_5)_2(\mu-PPh_2)_2(SC_6F_5)_2(CO)_6]$ and $[Os_3(\eta^1-Ph_2P-SC_6F_5)(CO)_{11}]$, 2880
- Structural chemistry of mononuclear, tetranuclear and hexanuclear organotin(IV) carboxylates from the reaction of di-*n*-butyltin oxide or diphenyltin oxide with rhodanine-*N*-acetic acid, 4366
- Syntheses, crystal structures and coordination modes of tri- and di-organotin derivatives with 2-mercapto-4-methylpyrimidine, 519
- Syntheses, crystal structures, and third-order nonlinear optical properties of two novel Mo/Cu/S clusters: $[MoS_4Cu_4(\alpha-MePy)_5Br_2] \cdot 2(\alpha-MePy)_{0.5}$ and $\{[MoS_4Cu_4(\alpha-MePy)_3Br](\mu-Br) \cdot (\alpha-MePy)\}_n$ ($\alpha-MePy = \alpha$ -methylpyridine), 394
- Synthesis and characterisation of the platinum complexes $[PtCl(CCl=PAr)(PPh_3)_2]$ and $[PtCl(CCl=PAr')(PPh_3)_2]$ as potential intermediates in the preparation of phosphalkynes, 3630
- Synthesis and characterization of the first diorganotin(IV) complexes containing mixed arylazobenzoic acids and having skew trapezoidal bipyramidal geometry, 1413
- Synthesis and characterization of wire-like $Ru_2(ap)_4$ -[σ -oligo-(phenylene ethynyl)] compounds, 4734
- Synthesis and electrochemical properties of bis(bipyridine)-ruthenium(II) complexes bearing pyridinyl- and pyridinylidene ligands induced by cyclometalation of *N'*-methylated bipyridinium analogs, 1258
- Synthesis, characterization and structural studies of diorganotin(IV) complexes with Schiff base ligand salicylaldehyde isonicotinylhydrazone, 3714
- Synthesis, crystal structures and in vitro antitumor activities of some organoantimony arylhydroxamates, 151

- Tertiary phosphine abstraction from a platinum(II) coordination complex with SeCN^- : Crystal and molecular structures of Se=PTA and $[\text{Se=PTA-Me}] \cdot \text{CH}_3\text{OH}$, 4337
- Triphenylphosphine-substituted selenido and sulfido clusters of osmium derived from $\text{Ph}_3\text{P=Se}$ or $\text{Ph}_3\text{P=S}$, 4628
- Two isomeric products $[\text{Os}_3(\mu\text{-H})(\text{C}_{14}\text{H}_9\text{N}_4)(\text{CO})_9]$ formed by orthometallation of the cluster $[\text{Os}_3(\text{C}_{14}\text{H}_{10}\text{N}_4)(\text{CO})_{10}]$ containing the chelating ligand 2,3-bis(2-pyridyl)pyrazine, 622
- Two noncentrosymmetric complexes: $[\text{W}(\text{CO})_4(\text{bipy})]$ and $[\text{W}(\text{CO})_4(\text{phen})]$ (bipy = 2,2'-bipyridine, phen = 1,10-phenanthroline) obtained through solvothermal synthesis and their optical properties, 286
- Unprecedented ligand anti-bis-benzoylation upon thermolytic treatment of 2,3-diphenylbenzo[g]quinoxaline with (η^1 -benzyl) pentacarbonylmanganese, 4822
- Crystallographic analysis
Syntheses and structures of bowl-shaped triarylphosphines and their palladium(II) complexes, 4175
- Crystallography
Synthesis and characterisation of two novel Rh(I) carbene complexes: Crystal structure of $[\text{Rh}(\text{acac})(\text{CO})(\text{L}_1)]$, 3422
- CT-adducts
Reactions of pyridyl donors with halogens and interhalogens: an X-ray diffraction and FT-Raman investigation, 1923
- Cubane
Synthesis and characterization of some organosilicon derivatives of poly 2-hydroxyethyl methacrylate with cubane as a cross-linking agent, 4755
- Cubanes
 $\text{CpCr}(\text{CO})_3$ -initiated N–N bond cleavage in a thiotetrazole ligand in a cyclopentadienylchromium complex, 1157
- Cuprate
Pauson–Khand reaction of 2-ethynyl aniline: Synthesis of fused ring indoles by organocuprate conjugate addition followed by spontaneous dehydration, 1861
- Cuprous bis-phenanthroline
A theoretical investigation of the photo-induced intramolecular charge transfer excitation of cuprous (I) bis-phenanthroline by density functional theory, 187
- CV
Pyrazine bridged benzyl dicobaloximes: Competition between π -interaction and steric crowding in crystal structure, 3746
- CVD
 $\text{Me}_3\text{SiC}\equiv\text{C-CMe=CH}_2$ copper(I) β -diketonates: Synthesis, solid state structure, and low-temperature chemical vapour deposition, 3878
- Cyanation
Intramolecular cyanoboration of alkynes via activation of boron–cyanide bonds by transition metal catalysts, 5300
- CYANEX extractants
Solvent extraction in hydrometallurgy: the role of organophosphorus extractants, 2426
- Cyano-bridged complexes
Syntheses and characterization of cyano-bridged homo and hetero bimetallic complexes containing η^5 and η^6 -cyclic hydrocarbons, 3990
- Cyanoborane
Intramolecular cyanoboration of alkynes via activation of boron–cyanide bonds by transition metal catalysts, 5300
Novel functionalised P-ligands: advances and application, 2559
- 1-(4-cyanophenyl)-imidazole
Rhodium(III) pentamethyl cyclopentadienyl complexes incorporating 1-(4-cyanophenyl)-imidazole: role of solvent in ligand substitution reactions, 647
- Cyanotrimethylsilyl ethers
Dodecatungstophosphoric acid ($\text{H}_3\text{PW}_{12}\text{O}_{40}$) as a solid green Brnsted acid catalyzes high yielding and efficient trimethylcyanosilylation reactions of aldehydes and ketones by trimethylsilyl cyanide, 1556
- Cyclic and acyclic phosphine oxides
Novel functionalised P-ligands: advances and application, 2559
- Cyclic carbonate
Development in the green synthesis of cyclic carbonate from carbon dioxide using ionic liquids, 3490
- Cyclic phosphine oxides
Rhodium(III) and palladium(II) complexes of some P-heterocycles; synthesis and X-ray structures, 704
- Cyclic phosphines
Novel functionalised P-ligands: advances and application, 2559
Rhodium(III) and palladium(II) complexes of some P-heterocycles; synthesis and X-ray structures, 704
- Cyclic phosphite- and phosphinite ligands
Novel α -fluorinated cyclic phosphite and phosphinite ligands and their Rh-complexes as suitable catalysts in hydroformylation, 3456
- Cyclic voltammetry
Copolymerization of ethylene/unsaturated alcohols using nickel catalysts: effect of the ligand on the activity and comonomer incorporation, 895
- Cyclic voltammetry and theoretical calculations of silyl-substituted 1,4-benzoquinones, 1324
- Pentamethylcyclopentadienylselenium derivatives VI: Synthesis and characterisation of ferrocenyl(pentamethylcyclopentadienyl)selenium, 3099
- Probing delocalisation across highly ethynylated mono and dinuclear Pt(II) tethers containing nitrogroups and organic models as redox active probes: X-ray crystal structure of *trans*- $[\text{Pt}(\text{C}\equiv\text{C-C}_6\text{H}_4\text{NO}_2)_2(\text{PPh}_3)_2]$, 2376
- Synthesis and electrochemical properties of bis(bipyridine)-ruthenium(II) complexes bearing pyridinyl- and pyridinylidene ligands induced by cyclometalation of *N*-methylated bipyridinium analogs, 1258
- Synthesis and electrochemical studies of organometallic cobalt(III) complexes with substituted benzonitrile chromophores: NMR spectroscopic data as a probe on the second-order non-linear optical properties, 4063
- Synthesis and electrochemistry of novel heteronuclear Fe–Ru bi- and quatermetalloenes, conjugatively connected by ethene and thiophene bridges, 811
- Synthesis and structure of the chiral palladium–fullerene C_{60} and C_{70} complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis-(diphenylphosphino)-3,3'-bithiophene $[(-)\text{tetraMe-BITOP}]$, 4330
- Synthesis of crowded triarylphosphines carrying functional sites, 2664
- Synthesis, structures and spectroelectrochemistry of methyl-substituted bis(η^5 -indenyl)iron(II) complexes, 3018
- Cyclization
A convenient route to six-membered heterocyclic carbene complexes: Reactions of aminoallenylidene complexes with 1,3-bidentate nucleophiles, 5597
- Palladium-catalyzed Sonogashira coupling reaction followed by isomerization and cyclization, 4094
- Cycloaddition
Development in the green synthesis of cyclic carbonate from carbon dioxide using ionic liquids, 3490
- Divergent reactivity of alk-5-ynylidene cyclopropanes in the presence of the 1st or the 2nd generation Grubbs' catalysts, 5609
- Reactivity and electrochemical behavior of ruthenium dithiolene complexes with coordinatively unsaturated metal centers: cycloaddition and dimerization reactions, 1627
- Regioselectivity in nickel(0)/phosphine catalyzed cycloadditions of alkynes and isocyanates, 5098
- Stereoselective [3+2+2] cycloaddition utilizing optically active binuclear Fischer carbene complexes with alkynes, 5922
- Synthesis of new polymetallic carbene complexes: Uracil analogs, 6096
- (Cyclobutadiene)cobalt complexes
Cobalt-mediated oligomerization reactions of amino-substituted acetylene derivatives, 3251

Cyclobutadiene complexes

(Tetramethylcyclobutadiene)cobalt complexes with monoanionic carborane ligands $[9\text{-L-7,8-C}_2\text{B}_9\text{H}_{10}]^-$ (L = SMe_2 , NMe_3 and py), 4745

Cyclodecapentaene

A topological isomer of ferrocene: Theoretical approach for transition metal complexes with conjugated all *trans* cyclodecapentaene, 4373

 β -Cyclodextrin

Inclusion complex formation of diferrocenyldimethylsilane with β -cyclodextrin, 4801

Cyclodextrins

Inclusion of molybdenocene dichloride (Cp_2MoCl_2) in 2-hydroxypropyl- and trimethyl- β -cyclodextrin: Structural and biological properties, 2905

Cyclohexadienyl complex

Indenols, indenones and (arylcyclohexadienyl) $\text{Mn}(\text{CO})_3$ π -complexes from the thermally promoted reactions of alkynes with *ortho*- $\text{Mn}(\text{CO})_4$ aryl ketone, amide, ester and aldehyde derivatives, 3827

Cycloisomerization

Development of novel reactions using ruthenium carbene catalyst and its application to novel methods for preparing nitrogen-containing heterocycles, 5398

Palladium catalyzed cycloisomerization of 2,2-diallylmalonates in imidazolium ionic liquids, 3529

Cyclometalated

Bimetallic complexes with porphyrins containing a cyclometalated phenylpyridine group, 253

Cyclometalated ligand

Direct functionalization of the cyclometalated 2-(2'-pyridyl)phenyl ligand bound to iridium(III), 2913

Synthesis and electrochemical properties of bis(bipyridine)-ruthenium(II) complexes bearing pyridinyl- and pyridinylidene ligands induced by cyclometalation of *N'*-methylated bipyridinium analogs, 1258

Cyclometalated metal complexes

Cyclometalated platinum complexes: High-yield synthesis, characterization, and a crystal structure, 4090

Cyclometallation

N- vs *O*-Coordination in cyclomanganation of 1,5-diaryl-3-(2-pyridyl)pentane-1,5-diones and 3-(2-pyridyl)chalcones; cyclomanganation at saturated carbon and the crystal structure of $[\text{1,5-diphenyl-}\kappa\text{C}^2\text{-3-(2-pyridyl-}\kappa\text{N)pentan-2-yl-}\kappa\text{C}^2\text{-1,5-dione-}\kappa\text{O}^1\kappa\text{O}^5\text{-tetracarbonylmanganesetricarbonylmanganese}]$, 3348

Cyclometallation of phenylhydrazones: Synthesis, reactivity, crystal structure analysis and novel trinuclear palladium(II) cyclometallated compounds with [C, N, N'] terdentate ligands, 3669

Reversible pyranil complex formation and the mechanism of rearrangement to $(\eta^5\text{-6-oxocycloheptadienyl})\text{Mn}(\text{CO})_3$ complexes in the reaction of β -cyclomanganated 1,5-diaryl-penta-1,4-dien-3-ones and alkynes; the crystal structure of $[\text{2,4-diphenyl-6-(2-phenylethenyl)pyranil-}\eta^5\text{]tricarbonylmanganese}]$, 3340

Syntheses, characterization, structure and redox properties of new Rh(III) cyclometallates incorporating azoimine ligands, 4816

Synthesis and reactivity of cyclometallated platinum (II) compounds containing [C,N,N'] terdentate ligands: Crystal structures of $[\text{PtCl}\{(\text{CH}_3)_2\text{N}(\text{CH}_2)_3\text{NCH}(4\text{-ClC}_6\text{H}_3)\}]$, $[\text{PtCl}\{(\text{CH}_3)_2\text{N}(\text{CH}_2)_3\text{NCH}(2\text{-ClC}_6\text{H}_3)\}]$ and $[\text{PtCl}\{(\text{CH}_3)_2\text{N}(\text{CH}_2)_3\text{NCH}(3\text{-(CH}_3\text{-C}_6\text{H}_3)\}]$, 4309

Synthesis, structure, catalytic transfer hydrogenation and biological activity of cyclometallated ruthenium(III)2-(aryloxy)phenolate complexes, 3937

The cyclometallation of bis(di-*p*-methylbenzylphosphino)methane, 3638

The cyclopalladation reaction of 2-phenylaniline revisited, 422

The synthesis and crystallographic characterisation of the complexes $[\text{RuX}(\text{CO})(\eta^2\text{-C,N-C}_6\text{H}_5\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{-4Me})(\text{PPh}_3)_2] \cdot \text{CHCl}_3$ (X = Cl, Br, I, F): Evidence for competing $\text{Ru-X} \cdots \text{Cl-CHCl}_2$ and $\text{Ru-X} \cdots \text{HCCl}_3$ interactions in the solid state, 3390

Cyclooctene

Methyltrioxorhenium heterogenized on commercially available supporting materials as cyclooctene metathesis catalyst, 4712

Cyclopalladated complexes

Organometallic emitting dyes: Palladium(II) Nile red complexes, 857

Cyclopalladated ferrocenylimines

Efficient Suzuki coupling of aryl chlorides catalyzed by tricyclohexylphosphine adducts of cyclopalladated ferrocenylimines, 3963

Cyclopalladation

Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α -ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976

Cyclopentadiene

Controlled nucleophilic activation of different sites in $[\text{Mo}_2\text{Cp}_2\text{L}_2(\mu\text{-SMe})_2(\mu\text{-L}')^+]$ cations (L = Bu^iNC , xy^iNC , CO; L' = SMe or PPh_2), 4583

Syntheses and characterization of cyano-bridged homo and hetero bimetallic complexes containing η^5 and η^6 -cyclic hydrocarbons, 3990

Cyclopentadienyl

Are cyclopentadienyl complexes more stable than their pyrrolyl analogues?, 1840

Constrained geometry complexes of titanium (IV) and zirconium (IV) involving cyclopentadienyl fused to thiophene ring, 4213

Controlled nucleophilic activation of different sites in $[\text{Mo}_2\text{Cp}_2\text{L}_2(\mu\text{-SMe})_2(\mu\text{-L}')^+]$ cations (L = Bu^iNC , xy^iNC , CO; L' = SMe or PPh_2), 4583

Cyclopentadienylaluminum thiolates – synthesis and structure, 1125

New insights into the reaction of nickelocene with methylolithium: the isolation and crystal structure of $(\text{NiCp})_3(\mu_3\text{-CH})$, 1192

Olefin uptake as tool for linking platinum(II) and iridium(III) in heterobinuclear complexes: Synthesis and characterization of $[\text{PtI}_2(\text{Me}_2\text{phen})\{(\text{C}_5\text{Me}_4\text{CH}_2\text{CH}_2\text{CH}=\text{CH}_2)\text{Ir}(\text{Me})(\text{CO})(\text{Ph})\}]$, 2097

Pentamethylcyclopentadienylselenium derivatives VI: Synthesis and characterisation of ferrocenyl(pentamethylcyclopentadienyl)selenium, 3099

Reactions of α,ω -dithiolate ligands with bis(cyclopentadienyl)molybdenum dichloride; crystal structures of $\text{Mo}(\eta\text{-C}_5\text{H}_5)_2\{\text{S}(\text{CH}_2)_n\text{S}\}$ ($n = 2, 3$) and a layered hydrate, $\text{Mo}(\eta\text{-C}_5\text{H}_5)_2(\text{SCH}_2\text{CH}_2\text{O}) \cdot 4.5\text{H}_2\text{O}$, 126

Reactivity of bis(η^6 -arene) derivatives of titanium, vanadium and niobium with fulvenes bearing electron-withdrawing substituents, 4844

Scope, mechanism and diene inhibition of isomerization of allylic alcohols to saturated ketones catalyzed by ruthenium(II)-cyclopentadienyl complexes, 1044

Syntheses and characterization of η^5 -cyclopentadienyl and η^5 -indenyl ruthenium(II) complexes of arylazoimidazoles: The molecular structure of the complex $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{C}_6\text{H}_5\text{-N}=\text{N-C}_3\text{H}_3\text{N}_2)]^+$, 3465

Synthesis and characterization of methyl-phenyl-substituted cyclopentadienyl zirconium complexes, 952

Synthesis and crystal structures of cyclodiazastannoxides fused cyclopentadienyl M-Sn (M = Mo, W) bonded organometallic heterocycle, 4124

Synthesis and reactivity of mixed-ring indenyl complexes of molybdenocene, 1718

Synthesis and structural characterization of unsymmetrical osmocenes containing the pentamethylcyclopentadienyl ligand, 4356

Synthesis and structure of $(\eta^5\text{-cyclopentadienyl})(\eta^5\text{-}(1\text{-}(\eta^5\text{-cyclopentadienyl})\text{-2-phenyl-3-methyl-1-nickelindenyl})\text{nickel}$ – the first analogue of nickelocene with a nickelacyclopentadienyl ring, 1523

Synthesis and structures of dinuclear iron, molybdenum and tungsten complexes derived from (PhCHCHPh)-coupled bis(cyclopentadiene), 5309

Synthesis of zirconocenes bearing benz[*f*]indenyl ligand and their use as a catalyst in ethylene polymerization, 1822

Cyclopentadienylchromium

CpCr(CO)₃-initiated N–N bond cleavage in a thiotetrazole ligand in a cyclopentadienylchromium complex, 1157

Reactivity of [CpCr(CO)₃]₂ towards thione (C=S) moieties in some sulfur-containing substrates, 2323

Cyclopentadienylchromiumcarbonyl dimers

(Cyclopentadienyl)chromiumtricarbonyl dimers as a source of metal-centered free-radicals to form stable η²-bonded spin-adducts with fullerenes, 2333

Cyclopentadienyl complexes

Syntheses and structures of missing links among polybromocyclopentadienyl rhenium and manganese tricarbonyl complexes, 493

Cyclopentadienyl functionalities

Cyclopentadienyl-functionalised polyhedral silsesquioxanes as building blocks for new nanostructured materials, 463

Cyclopentadienyl–iron complex

Donor/acceptor organotriiron(II) hydrazone chromophores: structural, spectroscopic and electrochemical properties, 1265

Cyclopentadienyl ligands

Mono- and bis-[2-(*P,P*-dimethylphosphanyl)ethyl]tetramethylcyclopentadienyl zirconium(IV) complexes: Synthesis and structural studies in crystalline state and in solutions, 4036

One-pot synthesis of the new dianionic ligand [Na]₂[C₅H₄CO₂(CH₂)₂NTs]; preparation and structures of two rhodium derivatives, 818

Reduction of 2-(*N,N*-dimethylamino)ethyl substituted zirconocene dichlorides: Intramolecular activation of NCH₂–H bond. The crystal structures of [η⁵:η²(*C,N*)-C₅(CH₃)₄CH₂CH₂N(CH₃)CH₂]-[η⁵-C₅(CH₃)₅]ZrX (X = Cl, H), 3243

Synthesis of a Lewis acid bearing cyclopentadienyl ligand and its tricarbonylmanganese(I) complex, 2159

Cyclopropanation

Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441

Dinuclear ruthenium(I) complexes of the type [Ru₂(CO)₄L₂] with carboxylate or 2-pyridonate ligands: Evaluation as catalysts for olefin cyclopropanation with diazoacetates, 5562

Electronic structure and electrophilic reactivity of discrete copper diphenylcarbenes, 5989

Ruthenium titanocene and ruthenium titanium half-sandwich bimetallic complexes in catalytic cyclopropanation, 301

Stereoselectivity in metal carbene and Lewis acid-catalyzed reactions from diastereomeric dirhodium(II) carboxamidates: Menthyl *N*-acetyl-2-oxoimidazolidine-4(*S*)-carboxylates, 5525

Cyclopropane ring opening

Reaction of cyclopropylcarbene–metal complexes with nucleophiles, halogens and HX, 5759

Cyclopropanone acetals

The first synthesis of cyclopropanone acetals from the reaction of Fischer carbene complexes with ketene acetals, 6101

Cyclotrimerisation

Ligand and solvent effects on cobalt(I)-catalysed reactions: Alkyne dimerisation versus [2+2+2]-cyclotrimerisation versus Diels–Alder reaction versus [4+2+2]-cycloaddition, 5170

Cyclotriphosphazene

Accelerated methods of synthesis of phosphorus-containing dendrimers, 2458

Cytotoxicity

Inclusion of molybdenocene dichloride (Cp₂MoCl₂) in 2-hydroxypropyl- and trimethyl-β-cyclodextrin: Structural and biological properties, 2905

Database analysis

Synthesis and structural characterization of *N*-*para*-ferrocenyl benzoyl amino acid ethyl esters and the X-ray crystal structures of the glycol and (±)-2-aminobutyric acid derivative Fc-C₆H₄CONHCH(C₂H₅)CO₂Et, 383

Debenzylation

Synthesis of a cyclic dinuclear organotin carboxylate via simultaneous debenzoylation and decarbonylation reactions: X-ray crystal structure of [(PhCH₂)₂{O₂CC₆H₄{N(H)–N=(C₆H₃-4(=O)-5-O)}-o}Sn]₂, 1581

Deboronation

Acidic hydrolysis of *N*-acyl-1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes, 2783

Conjugates of polyhedral boron compounds with carbohydrates. 2. Unexpected easy *closo*- to *nido*-transformation of a carborane–carbohydrate conjugate in neutral aqueous solution, 2769

Decaborane

New method of synthesis of 6-hydroxy-*nido*-decaborane 6-(OH)B₁₀H₁₃ by cage opening of *closo*-[B₁₀H₁₀]²⁻, 2787

Decaborate

New method of synthesis of 6-hydroxy-*nido*-decaborane 6-(OH)B₁₀H₁₃ by cage opening of *closo*-[B₁₀H₁₀]²⁻, 2787

Decarbonylation

Synthesis of a cyclic dinuclear organotin carboxylate via simultaneous debenzoylation and decarbonylation reactions: X-ray crystal structure of [(PhCH₂)₂{O₂CC₆H₄{N(H)–N=(C₆H₃-4(=O)-5-O)}-o}Sn]₂, 1581

Dehydration and dehydroxylation reactions

Reaction of Fe₃(CO)₁₂ with but-2-yn-1,4-diol, 1,4-dichloro-but-2-yne, propargyl-alcohol and propargyl-chloride. The X-ray structures of [Fe₂(CO)₆{H₂CCCCH₂}], [Fe₂(CO)₆{H₂CCC(H)C(OCH₃O)}] and Fe₃(CO)₁₀{H₂CCC(H)C(O)C{CH₂(O)CH₃}CCH₂}, 3755

Dendrimer

Diels–Alder reaction of anthracene on carbosilane dendrimer, 3278

Ethylene polymerization behavior of monometallic complexes and metallodendrimers based on cyclopentadienyl-aryloxy titanium units, 4620

Dendrimers

Accelerated methods of synthesis of phosphorus-containing dendrimers, 2458

Dendritic β-diketiminato titanium and zirconium complexes: synthesis and ethylene polymerisation, 939

Preparation and Diels–Alder reaction of carbosilane dendrimer with conjugated diene, 4794

Synthesis and characterization of poly(amidoamine)-platinum(II) complexes. Detailed speciation by Matrix-Assisted Laser Desorption Ionization Mass Spectrometry, 1978

Synthesis and X-ray structure study on new Au(I) polymer architectures based on multi-sulfur tentacles, 1332

Density function theory

A computational study of the arsabenzene: Structure, properties and aromaticity, 4761

Density functional

Density functional study on the role of electron donors in propylene polymerization using Ziegler–Natta catalyst, 1356

Density functional calculations

A dihydrogen bond between a bridging hydride and the NH proton of a coordinated dimethylamine: solid state, solution and theoretical characterization, 2044

Activation of C–H, C–C and C–I bonds by Pd and *cis*-Pd(CO)₂I₂. Catalyst–substrate adaptation, 2191

Density functional theory study on structural isomers and bonding of model complexes M(CO)₅(BH₃·PH₃) (M = Cr, Mo, W) and W(CO)₅(BH₃·AH₃) (A = N, P, As, Sb), 1147

On the ligand properties of the P- versus the N-heterocyclic carbene for a Grubbs catalyst in olefin metathesis, 6079

Density functional theory

A theoretical investigation of the photo-induced intramolecular charge transfer excitation of cuprous (I) bis-phenanthroline by density functional theory, 187

Catalytic hydrogenolysis of alkyl halides by sulfido-bridged molybdenum clusters: A density functional study, 5206

- Theoretical studies on the ground states in $M(\text{terpyridine})_2^{2+}$ and $M(\text{n-butyl-phenylterpyridine})_2^{2+}$ ($M = \text{Fe, Ru, Os}$) and excited states in $\text{Ru}(\text{terpyridine})_2^{2+}$ using density functional theory, 338
- Density-functional calculations
- Bonding aspects of P-heterocyclic carbene transition metal complexes. A computational assessment, 6068
- Deoxygenation
- Novel functionalised P-ligands: advances and application, 2559
 - Rhodium(III) and palladium(II) complexes of some P-heterocycles; synthesis and X-ray structures, 704
- Deprotection
- Palladium-catalyzed protection of alcohols and cleavage of triethylsilyl ethers, 2372
 - Synthesis of carborane analogues of γ -aminobutanoic acid, 2761
- Derivatives
- The synthesis of functional derivatives of the $[\text{I-CB}_9\text{H}_{10}]^-$ anion by Brellochs reaction, 2790
- Derivatives of 2,3-diferrocenylacrylic acid
- Diferrocenylcyclopropenyl cations. Synthesis, structures, and some chemical properties, 3333
- Derivatization
- Synthesis of the 1-hydroxy-*closo*-decaborate anion $[\text{I-B}_{10}\text{H}_9\text{OH}]^{2-}$, 2847
- Desymmetrisation
- Desymmetrisation of a diallyl system by intramolecular Heck reaction, 1409
- Deuterioformylation
- Evidence for formation and different evolution of tertiary rhodium alkyl intermediates under rhodium-catalyzed deuterio-(hydro)formylation of 1-(*n*-pyridyl)-1-phenylethenes, 1699
- Deuterium
- Kinetic isotope effects of nitrogen and hydrogen in reaction of *N*-tert-butyl-*P*-phenylphosphoramidothioic acid with alcohols, 2553
- Dewar–Chatt–Duncanson model
- Chemical bonding in transition metal carbene complexes, 6178
- DFT
- A topological isomer of ferrocene: Theoretical approach for transition metal complexes with conjugated all *trans* cyclodecapentaene, 4373
 - Are cyclopentadienyl complexes more stable than their pyrrolyl analogues?, 1840
 - In search of triplet ground state GeCNX germynes ($X = \text{H, F, Cl, and Br}$): An ab initio and DFT study, 4692
 - Oxidative addition of aryl chlorides to palladium N-heterocyclic carbene complexes and their role in catalytic arylamination, 6054
 - The cocondensation reaction of lithium atoms and anisole: an experimental and theoretical study of the reaction pathway, 1511
- DFT and semi-empirical calculations
- Synthesis and quadratic molecular hyperpolarizabilities of two new chiral boronates: Computational and experimental study, 3737
- DFT calculation
- Theoretical study on interaction of different coordination modes of BH_4 ligand with transition metal in $[\text{TM}(\text{BH}_4)(\text{CO})_4]^-$ ($\text{TM} = \text{Cr, Mo}$), 84
- DFT calculations
- Cocondensation reactions of nitrogen-containing heterocycles with lithium atoms at 77 K, 3357
 - Replacement of N-heterocyclic carbenes by N-heterocyclic silylenes at a Pd(0) center: Experiment and theory, 3292
 - Synthesis, characterization and Schlenk equilibrium studies of methylmagnesium compounds with *O*- and *N*-donor ligands – the unexpected behavior of $[\text{MgMeBr}(\text{pmdta})]$ ($\text{pmdta} = N,N,N',N'',N'''$ -pentamethyldiethylenetriamine), 1178
 - Synthesis, characterization, and in vitro antimicrobial activity of organotin(IV) complexes with triazolo-pyrimidine ligands containing exocyclic oxygen atoms, 4773
 - The new facial tripod ligand 3,3-bis(1-methylimidazol-2-yl)propionic acid and carbonyl complexes thereof containing manganese and rhenium, 2009
 - Toward the catalytic synthesis of phosphiranes. A computational study, 5517
- DFT-PBE calculations
- (Cyclopentadienyl)chromiumtricarbonyl dimers as a source of metal-centered free-radicals to form stable η^2 -bonded spin-adducts with fullerenes, 2333
- β -(Dimethyltelluronium)cyclohexenal perchlorate
- Synthesis and structure of *N*-arylimines of β -tellurocyclohexenals with the intramolecular coordination $\text{N} \rightarrow \text{Te}$ bonds, 103
- Diamido ligands
- C_2 - and C_s -symmetric diamidodichlorotitanium complexes: Syntheses, structures and 1-hexene polymerization catalysis, 2078
- Diamine
- Azetidines as ligands in the Pd(II) complexes series, 2306
- Diaminocarbene
- Diiron-aminocarbene complexes with amine or imine ligands: C–N coupling between imine and aminocarbene ligands promoted by tolylacetylide addition to $[\text{Fe}_2\{\mu\text{-CN}(\text{Me})\text{R}\}(\mu\text{-CO})(\text{CO})\text{-}(\text{NH}=\text{CPh}_2)(\text{Cp})_2][\text{SO}_3\text{CF}_3]$, 348
- Diamond-anvil cell
- Effect of high external pressures on the vibrational spectra of Zeise's complexes, $\text{K}[\text{Pt}(\eta^2\text{-C}_2\text{H}_4)\text{Cl}_3]$ and $[\text{Pt}(\eta^2\text{-C}_2\text{H}_4)\text{Cl}_2]_2$, 3165
 - Pressure-tuning vibrational spectra of the heterobimetallic complexes, $\text{Ph}_3\text{MCo}(\text{CO})_4$ ($M = \text{Sn, Pb}$), 4719
- Diarylalkynes
- Sequential and domino Sonogashira coupling: Efficient tools for the synthesis of diarylalkynes, 4453
- Diastereomeric purity
- The first preparation of (1*S*,5*R*)-(–) and (1*R*,5*S*)-(+)-7-phenyl-3-borabicyclo[3.3.1]non-6-enes and their application for synthesis of chiral cyclohexene derivatives, 2840
- Diastereomers
- Polymerization of MMA by oscillating zirconocene catalysts, diastereomeric zirconocene mixtures, and diastereospecific metallocene pairs, 6263
- Diastereomers cocrystallization
- Alternative cocrystallization of “almost” enantiomers and true enantiomers in some *cis*- β -organocobalt salen-type complexes with α -amino acids, 3815
- Diastereoselection
- Diastereoselective synthesis of α,α' -disubstituted β -ketophosphonates derivatives as building blocks for automated syntheses, 2626
- Diastereoselectivity
- Alkyl-rhodium transition state stabilities as a tool to predict regio- and stereoselectivity in the hydroformylation of chiral substrates, 2339
- Diazene
- Syntheses and properties of Re(III) complexes derived from hydrotris(1-pyrazolyl)methanes: molecular structure of $[\text{ReCl}_2(\text{HCpz}_3)(\text{PPh}_3)][\text{BF}_4]$, 1947
- Diazo compounds
- Dinuclear ruthenium(I) complexes of the type $[\text{Ru}_2(\text{CO})_4\text{L}_2]$ with carboxylate or 2-pyridonate ligands: Evaluation as catalysts for olefin cyclopropanation with diazoacetates, 5562
 - Syntheses and structures of missing links among polybromocyclopentadienyl rhenium and manganese tricarbonyl complexes, 493
- Diazoketone
- The interaction of rhodium carbenoids with carbonyl compounds as a method for the synthesis of tetrahydrofurans, 5533
- Diazoketones
- Asymmetric synthesis of *cis*-2,4-disubstituted azetidins-3-ones from metal carbene chemistry, 5636
- Diazonium derivative
- Synthesis of the 1-hydroxy-*closo*-decaborate anion $[\text{I-B}_{10}\text{H}_9\text{OH}]^{2-}$, 2847
- Dibenzyltin
- Synthesis of a cyclic dinuclear organotin carboxylate via simultaneous debenzoylation and decarbonylation reactions: X-ray crystal structure of $[(\text{PhCH}_2)_2\{\text{O}_2\text{CC}_6\text{H}_4\{\text{N}(\text{H})\text{-N}(\text{C}_6\text{H}_5\text{-4}(\text{=O})\text{-5-O})\}\text{-o}\}\text{Sn}]_2$, 1581

Diboron (4) compounds

Diborane (4) derivatives via coupling of amine monobromocyanoboranes: Study of the bromination of amine cyanoborane and molecular structures of the amine dibromo-cyanoboranes, 4150

Dibutyltin(IV)

Synthesis and crystal structure of a mixed-ligand compound di-*n*-butyl(4-chlorobenoxy)(4-chlorobenzohydroxamato)tin(IV), 3997

1,2-Dicarba-*closo*-dodecaborane–lactose conjugate

Conjugates of polyhedral boron compounds with carbohydrates. 2. Unexpected easy *closo*- to *nido*-transformation of a carborane–carbohydrate conjugate in neutral aqueous solution, 2769

1,2-Dicarba-*nido*-undecaborane–lactose conjugate

Conjugates of polyhedral boron compounds with carbohydrates. 2. Unexpected easy *closo*- to *nido*-transformation of a carborane–carbohydrate conjugate in neutral aqueous solution, 2769

Dicarbonyl arylosmium complexes

Carbonylation of four-membered ruthenium and osmium metallacycles incorporating an orthometallated phenolic function: New acylruthenium and arylosmium complexes, 3169

dichalcogenolato ligands

Binuclear complexes of rhodium (I) bridged by 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolato ligands: molecular structures of the complexes $[\text{Rh}_2(\text{COD})_2(\mu_2\text{-E}_2\text{C}_2(\text{B}_{10}\text{H}_{10}))]$ [E = S, Se] and $[\text{Rh}_2(\text{CO})_4(\mu_2\text{-S}_2\text{C}_2(\text{B}_{10}\text{H}_{10}))]$, 910

(1,4-Dichlorobenzene)iron(II) complexes

An organoiron approach to thyroid hormone analogues, 1784

Dicobaloximes

Pyrazine bridged benzyl dicobaloximes: Competition between π -interaction and steric crowding in crystal structure, 3746

Dicopper

Electronic structure and electrophilic reactivity of discrete copper diphenylcarbenes, 5989

Dicyclopentanaphthalene

Synthesis, characterization and structure of diiron organometallic derivatives of 2,9-dimethyl-1,10-dihydro-dicyclopenta[*a,h*]-naphthalene, 1340

Diels–Alder

Diels–Alder reaction of anthracene on carbosilane dendrimer, 3278

Ligand and solvent effects on cobalt(I)-catalysed reactions: Alkyne dimerisation versus [2+2+2]-cyclootrimerisation versus Diels–Alder reaction versus [4+2+2]-cycloaddition, 5170

Diels–Alder cycloaddition

Non-degenerate 1,2-silyl shift in silyl substituted alkyltrimethylcyclopentadienes, 731

Diels–Alder polymers

Preparation and Diels–Alder reaction of carbosilane dendrimer with conjugated diene, 4794

Diene

Metalloporphyrin as a ligand in organometallic complexes: Synthesis and characterization of a nickel(II) porphyrin complex of 1,5-cyclooctadienedichlororuthenium(II), 4978

Diene inhibition

Scope, mechanism and diene inhibition of isomerization of allylic alcohols to saturated ketones catalyzed by ruthenium(II)-cyclopentadienyl complexes, 1044

1,3-Dienes

Tandem dienyne ring-closing metathesis of alkynyl silaketals for the formation of bicyclic siloxanes, 5508

Dienes

Synthesis of Pd(II) and Pt(II) complexes possessing bicyclo[3.2.0]heptanyl phosphinite ligands: Identification of a novel Pd(II) precatalyst for 1,6-diene cycloisomerisation, 4462

Diethylzinc

Chiral diethylzinc complexes with diamine ligands: synthesis, crystal structure and enantioselective solvent-free alkylation, 3846

Diethylzinc addition

A new class of nitrogen based chiral ligands: 2*H*-1,3-benzoxazines. Ligand synthesis, X-ray structural studies and asymmetric catalysis, 2027

Diferrocenylcyclopropenes

Diferrocenylcyclopropenyl cations. Synthesis, structures, and some chemical properties, 3333

Diferrocenylcyclopropenyl tetrafluoroborates

Diferrocenylcyclopropenyl cations. Synthesis, structures, and some chemical properties, 3333

1,2-Digermacyclobut-3-enes

Preparation, structural characterization of 1,2-digermacyclobut-3-enes, and their palladium-catalyzed insertion of alkynes, 2967

1,3-Dihydro-1,1,3,3-tetramethyl-7,8-diazacyclopenta[1]phenanthren-2-one Highly electrochemiluminescent Ru(II) complexes containing 1,3-dihydro-1,1,3,3-tetramethyl-7,8-diazacyclopenta[1]phenanthren-2-one ligand, 2002

Dihydrogen

Synthesis and reactivity of hydride and dihydrogen complexes of ruthenium with tris(pyrazolyl)borate and phosphite ligands, 1726

Dihydrogen compounds

New bromo-, triflato-, and hydridotricarbonylrhenium(I) complexes with diphosphinite ligands: Structural, spectral and protonation studies of various hydrides, 4945

Dihydroquinoline

Imino Diels–Alder reaction of boronates: A new route to 3,4-dihydroquinolines, 2975

Dihydroxylation

Osmium-catalyzed dihydroxylation of alkenes by H₂O₂ in room temperature ionic liquid co-catalyzed by VO(acac)₂ or MeReO₃, 3614

 α -Diimine nickel complex

Highly active new α -diimine nickel catalyst for the polymerization of α -olefins, 1314

 β -diimine ligands

Synthesis and X-ray structure of cationic β -diimine palladium complexes containing π -methallyl ligand, 513

Diindolylmethanes

Deprotonated diindolylmethanes as dianionic analogues of scorpionate bis(pyrazolyl)borate ligands: synthesis and structural characterization of representative titanocene and zirconocene complexes, 157

Diiodine

Diiodine complex of diferrocenyl(phenyl)phosphine sulfide: the structural and electrochemical behaviour of Fc₂(Ph)PS · I₂, 328

Diiron complexes

Carbene ligands in diiron complexes, 5430

Diiron-aminocarbyne complexes with amine or imine ligands: C–N coupling between imine and aminocarbyne ligands promoted by tolylacetylide addition to $[\text{Fe}_2\{\mu\text{-CN}(\text{Me})\text{R}\}(\mu\text{-CO})(\text{CO})(\text{NH}=\text{CPh}_2)(\text{Cp})_2][\text{SO}_3\text{CF}_3]$, 348

Hydride addition at μ -vinyliminium ligand obtained from disubstituted alkynes, 837

New bridging ligands from methylation reactions of μ -vinyliminium diiron complexes, 4666

Nitrile ligands activation in dinuclear aminocarbyne complexes, 1959

 β -Diketonate

Me₃SiC≡C–CMe=CH₂ copper(I) β -diketonates: Synthesis, solid state structure, and low-temperature chemical vapour deposition, 3878

 β -diketones

Syntheses and characterization of η^6 -hexamethyl-benzene-ruthenium(II)- β -diketone complexes: their reactions with mono- and bidentate neutral ligands, 1218

 β -Diketiminato ligand

The salt-free diamido complexes of lanthanide supported by β -diketiminato: Synthesis, characterization, and their catalytic activity for the polymerization of acrylonitrile and ϵ -caprolactone, 4685

Diketiminates

Retro-Brook rearrangement induces the formation of an octahedral nickel(benzamidinate) complex; synthesis, structure and catalytic activity, 2297

 β -Diketiminato complexes

Rare earth metal complexes based on β -diketiminato and novel linked bis(β -diketiminato) ligands: Synthesis, structural characterization and catalytic application in epoxide/ CO_2 -copolymerization, 5182

Diketiminato ligands

Dendritic β -diketiminato titanium and zirconium complexes: synthesis and ethylene polymerisation, 939

2,5-Dimercapto-1,3,4-thiadiazole

Reactivity of $[\text{CpCr}(\text{CO})_3]_2$ towards thione ($\text{C}=\text{S}$) moieties in some sulfur-containing substrates, 2323

Dimeric palladium

Isolation and characterization of an iodide bridged dimeric palladium complex in carbonylation of methanol, 1677

Dimerisation

Ligand and solvent effects on cobalt(I)-catalysed reactions: Alkyne dimerisation versus [2+2]-cyclootrimerisation versus Diels–Alder reaction versus [4+2+2]-cycloaddition, 5170

Dimerization

Reactivity and electrochemical behavior of ruthenium dithiolene complexes with coordinatively unsaturated metal centers: cycloaddition and dimerization reactions, 1627

Dimetal

Structure and reactivity of bis(iodozincio)methane solution, 5546

Dimethyl carbonate

Novel process for synthesis of 1,1,3,3-tetrabutyl-1-methoxy-3-isocyanatodistannoxane, 1300

Dimethylacetylenedicarboxylate

Part 1: 1,3-Dipolar addition of activated alkyne towards coordinated azido group in ruthenium(II) complexes containing η^5 -cyclichydrocarbons, 4222

Dimethylamido

Piano stool complexes containing the bulky pentaphenylcyclopentadienyl(C_5Ph_5) ligand: Preparation, characterization and X-ray structure of $\text{C}_5\text{Ph}_5\text{Zr}(\text{N}(\text{CH}_3)_2)_3$ (**I**), 4376

Dimethylamino

Synthesis and structure of tetrakis(isopropylimino)bis-[tris-(dimethylamino)silylamino]alane, 1205

 β -Dimethylaminoethoxy-ligand

New stable germynes, stannylenes, and related compounds. 6. Heteroleptic germanium(II) and tin(II) compounds $[(\text{SiMe}_3)_2\text{N}-\text{E}^{14}-\text{OCH}_2\text{CH}_2\text{NMe}_2]_n$ ($\text{E}^{14} = \text{Ge}, n = 1; \text{Sn}, n = 2$): synthesis and structure, 1172

New stable germynes, stannylenes, and related compounds. 5. Germanium(II) and tin(II) azides $[\text{N}_3-\text{E}^{14}-\text{OCH}_2\text{CH}_2\text{NMe}_2]_2$ ($\text{E}^{14} = \text{Ge}, \text{Sn}$): synthesis and structure, 1056

Dimethylmagnesium

Synthesis, characterization and Schlenk equilibrium studies of methylmagnesium compounds with *O*- and *N*-donor ligands – the unexpected behavior of $[\text{MgMeBr}(\text{pmdta})]$ ($\text{pmdta} = N,N,N',N'',N'''$ -pentamethyldiethylenetriamine), 1178

Dimolybdenum complexes

Controlled nucleophilic activation of different sites in $[\text{Mo}_2\text{Cp}_2\text{L}_2(\mu\text{-SMe})_2(\mu\text{-L})]^+$ cations ($\text{L} = \text{Bu}^+\text{NC}, \text{xy}^+\text{INC}, \text{CO}$; $\text{L}' = \text{SMe}$ or PPh_2), 4583

Dinuclear cobalt complexes

Cobalt-mediated oligomerization reactions of amino-substituted acetylene derivatives, 3251

Dinuclear complexes

Dicopper(I) oxalate complexes as molecular precursors for the deposition of copper compounds, 5255

Synthesis and NMR characterization of dinuclear Fe(II) organometallic complexes containing a non-equivalently bridging 5-aryl tetrazolate ligand, 2052

Dinuclear metal carbonyls

The effect of titanium alkoxides in the synthesis of heterobimetallic complexes by titanocene(III) alkoxide-induced metal–metal bond cleavage of metal carbonyl dimers, 276

Dinuclear metallocene complexes

Alkylidenverbrückte, symmetrische, zweikernige Metallocenkomplexe als Katalysatoren für die Propylenpolymerisation, 2861

Dinucleophiles

Bis(trimethylsilyl)ketene acetals as 1,3-dinucleophiles. Formation of an anhydride from (pentacarbonyl)(phenylethoxy)tungstacarbene, 4087

Diorganoditelluride

Synthesis and characterization of [2-(2-phenyl-5,6-dihydro-4*H*-1,3-oxaziny)] tellurenyl chloride, 3149

Diorganotellurium dihalides

The interplay of secondary $\text{Te}\cdots\text{N}$, $\text{Te}\cdots\text{O}$, $\text{Te}\cdots\text{I}$ and $\text{I}\cdots\text{I}$ interactions, $\text{Te}\cdots\pi$ contacts and π -stacking in the supramolecular structures of $\{[2-(4\text{-nitrobenzylideneamino})-5\text{-methyl}]\text{-phenyl}\}_4$ (4-methoxyphenyl)tellurium dihalides, 1350

Diorganotin

Self-assembly of diorganotin(IV) 2- $\{[(E)\text{-1-(2-oxyaryl)alkylidene}\}\text{-amino}\}$ acetates: An investigation of structures by X-ray diffraction, solution and solid-state tin NMR, and electrospray ionization MS, 3080

Synthesis and characterization of the first diorganotin(IV) complexes containing mixed arylazobenzoic acids and having skew trapezoidal bipyramidal geometry, 1413

Synthesis and structural characterization of diorganotin(IV) esters with pyruvic acid isonicotinyl hydrazone and pyruvic acid salicylhydrazone Schiff bases, 1669

Diorganotin flufenamates

Organotin flufenamates: Synthesis, characterization and antiproliferative activity of organotin flufenamates, 1800

Diorganotin(IV) complex

Synthesis, characterization and structural studies of diorganotin(IV) complexes with Schiff base ligand salicylaldehyde isonicotinylhydrazone, 3714

1,1-Diphenyl-3,4-bis(trimethylsilylmethylene)-1-silacyclopentane

Thermal and photochemical isomerization of exocyclic 1,3-dienes: 1,1-diphenyl-3,4-bis(trimethylsilylmethylene)-1-silacyclopentane *s-cis*(E,E), 1028

Diphenylhydrazine

Hydrogenation of single and multiple N–N or N–O bonds by Ru(II) catalysts in homogeneous phase, 3641

1,3-Diphosphacyclobutane-2,4-diyl

Syntheses and reactivity of novel unsaturated cyclic compounds containing phosphorus atoms, 2515

Diphosphapropenes

1,3-Diphosphapropenes for novel chemistry of metal complexes, 2531

Diphosphine

Suzuki and Heck coupling reactions mediated by palladium complexes bearing *trans*-spanning diphosphines, 477

Synthesis and X-ray crystal structure of [2-(phosphinomethyl)-ferrocenyl]diphenylphosphine, 2285

Synthesis of palladium and platinum donor complexes and study of their participation in self-assembly reactions. X-ray crystal structure of $[\text{Pt}(\text{C}_6\text{H}_4\text{C}=\text{CC}_3\text{H}_4\text{N})_2(\text{dppp})]$ ($\text{dppp} = 1,3\text{-bis}(\text{diphenylphosphino})\text{propane}$), 1612

The effect of carbon chain length of the diphosphine ligand on the aurophilic interaction. Synthesis and X-ray structural study for a series of Au(I) compounds with $\text{Ph}_2\text{P-R-PPh}_2$ and *S*-(CH_2) $_n$ -py ligands, 57

Diphosphine fluxional behavior

Ligand substitution in the mixed-metal cluster $\text{PhCCO}_2\text{Ni}(\text{CO})_6\text{Cp}$ by 2,3-bis(diphenylphosphino)maleic anhydride (bma): An intimate picture involving the stepwise conversion of the trinuclear cluster $\text{PhCCO}_2\text{Ni}(\text{CO})_4(\eta^2\text{-bma})\text{Cp}$ to the mononuclear compound $\text{CpNi}[\text{PPh}_2\text{CPhC}=\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{OC}(\text{O})]$, 3067

Diphosphine ligand

Reversible aryl C–H bond activation in the reaction between $\text{HRu}_3(\text{CO})_{9,10}(\mu\text{-PPh}_2)$ and the diphosphine ligand 4,5-bis(diphenyl-phosphino)-4-cyclopenten-1,3-dione (bpcd): X-ray diffraction structures of $\text{H}_2\text{Ru}_3(\text{CO})_7(\text{bpcd})[\mu, \sigma\text{-PPh}(\text{C}_6\text{H}_4)]$ and $\text{Ru}_3(\text{CO})_6(\mu\text{-CO})(\mu\text{-PPh}_2)[\mu, \eta^2, \eta^1\text{-PPhC}=\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, 3838

Diphosphine ligands

Binuclear dimethylplatinum (II) complexes each containing monodentate phosphine ligands and a bridging diphosphine ligand $\text{X}(\text{PPh}_2)_2$, $\text{X} = \text{CH}_2$ or NH . Molecular structure of *cis,cis*- $[\text{Me}_2(\text{pyPh}_2\text{P})\text{Pt}(\mu\text{-Ph}_2\text{PNHPPH}_2)\text{Pt}(\text{PPh}_2\text{py})\text{Me}_2] \cdot 2\text{CH}_2\text{Cl}_2$, 1600

Diphosphines

Highly enantioselective catalytic asymmetric ring opening reaction employing the Daniphos ligand, 1166

Dipolar-cycloaddition

The interaction of rhodium carbenoids with carbonyl compounds as a method for the synthesis of tetrahydrofurans, 5533

1,3-dipole

The interaction of rhodium carbenoids with carbonyl compounds as a method for the synthesis of tetrahydrofurans, 5533

Dipole moment

The theoretical research of the medium effect on the vibrational spectrum and the energy of intramolecular coordination $\text{=O} \rightarrow \text{Si}$ in (benzoyloxymethyl)trifluorosilane molecule, 2922

Dipyridoimidazolynilidene

First examples of dipyrido[1,2-c:2',1'-e]imidazolin-7-ylidenes serving as NHC-ligands: Synthesis, properties and structural features of their chromium and tungsten pentacarbonyl complexes, 5647

Direct MO dynamics

A DFT and direct MO dynamics study on the structures and electronic states of phenyl-capped terthiophene, 2895

Dirhodium(II)

Stereoselectivity in metal carbene and Lewis acid-catalyzed reactions from diastereomeric dirhodium(II) carboxamidates: Menthyl *N*-acetyl-2-oxoimidazolidine-4(*S*)-carboxylates, 5525

Diruthenium

Synthesis and characterization of wire-like $\text{Ru}_2(\text{ap})_4\text{-}[\sigma\text{-oligo}(\text{phenylene ethynyl})]$ compounds, 4734

Disilacyclobutane derivatives

Cross-coupling of vinylsilacyclobutane with olefins catalyzed by $[\text{RuH}(\text{Cl})(\text{CO})(\text{PCy}_3)_2]$, 4492

Disilacyclopentene

Ruthenium-catalyzed cycloisomerization of 1,1,2,2-tetramethyl-1,2-divinylsilane: Selective formation of a five-membered silacycle, 3451

Displacement

Copper-mediated displacements of allylic THP ethers on a bisphosphonate template, 2521

Disproportionation

Silyl stabilized azanes: reactions of lithiumbis(trimethylsilyl)hydrazine with trialkyltin halides, 1507

Distannanes

New distannanes containing the chiral 2-(4-isopropyl-2-oxazolynyl)-5-phenyl ligand, 3690

Distibacyclobutane

The first evidence for a transient stibaallene $\text{ArSb}=\text{C}=\text{CR}_2$, 307

Distorted trigonal bipyramid

Synthesis and crystal structure of a mixed-ligand compound di-*n*-butyl(4-chlorobenzoxy)(4-chlorobenzohydroxamato)tin(IV), 3997

2,2-Disubstituted 3-borabicyclo[3.3.1]nonanes

The first preparation of (1*S*,5*R*)-(–) and (1*R*,5*S*)-(+)-7-phenyl-3-borabicyclo[3.3.1]non-6-enes and their application for synthesis of chiral cyclohexene derivatives, 2840

Dithienosilole

Synthesis of oligomers having a pendant dithienosilole unit and their applications to EL device materials, 333

Dithiolene

Reactivity and electrochemical behavior of ruthenium dithiolene complexes with coordinatively unsaturated metal centers: cycloaddition and dimerization reactions, 1627

DNA binding

Crystal structure, antitumor activities and DNA-binding properties of the La(III) complex with Phthalazin-1(2H)-one prepared by a novel route, 4557

DNA binding constant

Helical racemate architecture based on osmium(II)-polypyridyl complexes: Synthesis and structural characterisation, 3105

Docking

Molecular interactions of nitrogen-containing bisphosphonates within farnesyl diphosphate synthase, 2679

Dodecahydro-*closo*-dodecaborate

Synthesis and X-ray structural characterization of the triphenylphosphine derivative of the *closo*-dodecaborate anion, *closo*- $[\text{B}_{12}\text{H}_{11}\text{P}(\text{C}_6\text{H}_5)_3][\text{N}(\text{n-C}_4\text{H}_9)_4]$, 2745

Dodecatungestophosphoric acid

Dodecatungestophosphoric acid ($\text{H}_3\text{PW}_{12}\text{O}_{40}$) as a solid green Brnsted acid catalyzes high yielding and efficient trimethylcyanosilylation reactions of aldehydes and ketones by trimethylsilyl cyanide, 1556

dpp

Synthetic, spectral and structural studies of some homo and hetero binuclear arene ruthenium (II) polypyridyl complexes, 4243

Dual site inhibition

Molecular interactions of nitrogen-containing bisphosphonates within farnesyl diphosphate synthase, 2679

Dynamic behavior

Mono- and bis-[2-(*P,P*-dimethylphosphanyl)ethyl]tetramethylcyclopentadienyl zirconium(IV) complexes: Synthesis and structural studies in crystalline state and in solutions, 4036

Dynamic NMR spectroscopy

Non-degenerate 1,2-silyl shift in silyl substituted alkyltrimethylcyclopentadienes, 731

Dynamics

NMR evidence for $\text{B}(\text{C}_6\text{F}_5)_3$ attack on the inward position of a highly hindered *meso ansa*-zirconocene, 640

Early transition elements

Redox reactions with bis(η^6 -arene) derivatives of early transition metals, 3321

5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acid

Synthesis and characterization of the first diorganotin(IV) complexes containing mixed arylazobenzoic acids and having skew trapezoidal bipyramidal geometry, 1413

5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acids

Synthesis and characterization of triphenyltin(IV) 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates. Crystal and molecular structures of $\text{Ph}_3\text{Sn}\{\text{O}_2\text{CC}_6\text{H}_3\text{-}p\text{-OH}[\text{N}=\text{N}(\text{C}_6\text{H}_4\text{-}4\text{-CH}_3)]\}$ and the 2,2'-bipyridine adduct $\text{Ph}_3\text{Sn}\{\text{O}_2\text{CC}_6\text{H}_3\text{-}p\text{-OH}[\text{N}=\text{N}(\text{C}_6\text{H}_4\text{-}2\text{-CH}_3)]\}\cdot\text{OH}_2 \cdot \text{C}_{10}\text{H}_8\text{N}_2$, 613

EDX

$\text{Me}_3\text{SiC}\equiv\text{C-CMe}=\text{CH}_2$ copper(I) β -diketonates: Synthesis, solid state structure, and low-temperature chemical vapour deposition, 3878

2-[(*E*)-2-(3-formyl-4-hydroxyphenyl)-1-diazenyl]benzoic acid

Synthesis of a cyclic dinuclear organotin carboxylate via simultaneous debenzoylation and decarbonylation reactions: X-ray crystal structure of $[(\text{PhCH}_2)_2\{\text{O}_2\text{CC}_6\text{H}_4\{\text{N}(\text{H})-\text{N}(\text{C}_6\text{H}_3\text{-}4(\text{=O})\text{-}5\text{-O})\}\text{-}o\}\text{Sn}]_2$, 1581

EL device

Anodic polymerization of dithienosilole and electroluminescent properties of the resulting polymer, 3027

Sonogashira coupling of diethynylsilane and dibromoarene in wet solvent for the formation of poly[(ethynylenearenylene)-*co*-(diethynylenesilylenearenylene)], 3951

Electrochemical activity of Fischer-type carbene complexes

The electrochemical activity of heteroatom-stabilized Fischer-type carbene complexes, 5777

Electrochemical ligand parameters

Electron-donor/acceptor properties of carbynes, carbenes, vinylidenes, allenylidenes and alkynyls as measured by electrochemical ligand parameters, 6021

Electrochemically active probe molecules for biosensors

The electrochemical activity of heteroatom-stabilized Fischer-type carbene complexes, 5777

Electrochemiluminescent

Highly electrochemiluminescent Ru(II) complexes containing 1,3-dihydro-1,1,3,3-tetramethyl-7,8-diazacyclopenta[1]phenanthren-2-one ligand, 2002

Electrochemistry

(Tetramethylcyclobutadiene)cobalt complexes with monoanionic carbene ligands [9-L-7,8-C₂B₉H₁₀][−] (L = SM₂, NMe₃ and py), 4745

Diiodine complex of diferrocenyl(phenyl)phosphine sulfide: the structural and electrochemical behaviour of Fc₂(Ph)PS · I₂, 328

Donor/acceptor organotriiron(II) hydrazone chromophores: structural, spectroscopic and electrochemical properties, 1265

Electroactive poly zinc, cadmium, manganese ferrocenylphenylphosphinates, 363

Ferrocenyl-amino acids: redox response towards di- and trivalent metal ions, 1209

Reactivity and electrochemical behavior of ruthenium dithiolene complexes with coordinatively unsaturated metal centers: cycloaddition and dimerization reactions, 1627

Syntheses and properties of Re(III) complexes derived from hydrotris(1-pyrazolyl)methanes: molecular structure of [ReCl₂(HCpz₃)(PPh₃)] [BF₄], 1947

Synthesis and electrochemical properties of bis(bipyridine)-ruthenium(II) complexes bearing pyridinyl- and pyridinylidene ligands induced by cyclometalation of *N'*-methylated bipyridinium analogs, 1258

Synthesis and properties of conjugated bimetallic ruthenium complexes with σ, σ -bridging azobenzene chains, 4265

Synthesis and structure of *N*-heterocyclic carbene complexes of rhodium and iridium derived from an imidazolium-linked cyclophane, 2312

Synthesis, molecular structure and electrochemical properties of the star-shaped dinuclear complexes [Ru₂(η^6 -*p*-Me-C₆H₄-¹Pr)₂(μ_2 -*S-p*-C₆H₄-C₄H₃S)₃]⁺ and [Rh₂(η^5 -C₅Me₅)₂(μ_2 -*S-p*-C₆H₄-C₄H₃S)₃]⁺, 2365

Synthesis, structure, catalytic transfer hydrogenation and biological activity of cyclometallated ruthenium(III)2-(aryloxy)phenolate complexes, 3937

Synthesis, structure, electrochemistry and ROMP-activity of new ferrocenyl analog of Grubbs' metathesis catalyst, 1018

Synthesis, structures and electrochemical properties of ruthenium (II) complexes bearing bidentate 1,8-naphthyridine and terpyridine analogous (N,N,C)-tridentate ligands, 4272

The spectra, structures and electrochemistry of Ni(η^5 -C₅H₅)(PPh₃)-C \equiv C-Ar complexes, and their reactions with Co₂(CO)₈, 4545

Electroluminescence

Synthesis of oligomers having a pendant dithienosilole unit and their applications to EL device materials, 333

Electron donors

Density functional study on the role of electron donors in propylene polymerization using Ziegler–Natta catalyst, 1356

Electronegativity

Ligand properties of *N*-heterocyclic and Bertrand carbenes: A density functional study, 5867

Electron-rich olefins

Highly regioselective Heck reactions of heteroaryl halides with electron-rich olefins in ionic liquid, 3546

Electron transfer

Osmium-catalyzed dihydroxylation of alkenes by H₂O₂ in room temperature ionic liquid co-catalyzed by VO(acac)₂ or MeReO₃, 3614

Electronic coupling

Synthesis and electrochemical studies of organometallic cobalt(III) complexes with substituted benzonitrile chromophores: NMR spectroscopic data as a probe on the second-order non-linear optical properties, 4063

Electronic effects

Steric and electronic effects in the bonding of *N*-heterocyclic ligands to transition metals, 5407

Electronic spectra

Excited state properties of [Pd⁰(NHC)(quinone)]₂ with NHC = 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-ylidene and quinone = 1,4-naphthoquinone, 6051

Photochemistry of tris(pyrazolyl)borate titanium(IV) complexes, 2071

Electronic structure

Theoretical studies on the ground states in M(terpyridine)₂²⁺ and M(*n*-butyl-phenylterpyridine)₂²⁺ (M = Fe, Ru, Os) and excited states in Ru(terpyridine)₂²⁺ using density functional theory, 338

Electronically unsaturated

Reactions of the unsaturated triosmium cluster [(μ -H)Os₃(CO)₈(Ph₂PCH₂P(Ph)C₆H₄)] with HX (X = Cl, Br, F, CF₃CO₂, CH₃CO₂): X-ray structures of [(μ -H)Os₃(CO)₇(η^1 -Cl)(μ -Cl)₂(μ -dppm)], [(μ -H)₂Os₃(CO)₈(Ph₂PCH₂P(Ph)C₆H₄)]⁺[CF₃O][−] and the two isomers of [(μ -H)Os₃(CO)₈(μ -Cl)(μ -dppm)], 3044

Electrophilic addition

A comparison of Cp*[−] and Tp-ruthenium carbyne complexes prepared via site selective electrophilic addition to neutral ruthenium vinylidenes, 4640

Electrophilicity

Ligand properties of *N*-heterocyclic and Bertrand carbenes: A density functional study, 5867

Electrospray ionization mass spectrometry

Glucose ferrocenyl-oxazolines: Coordination behavior toward [Pd(η^3 -allyl)Cl]₂ studied by ESI-MS, 3301

Electrospray ionization mass spectroscopy

Synthesis, characterization and hydrolytic behavior of new bis(2-pyridylthio)acetate ligand and related organotin(IV) complexes, 1994

Electrospray mass spectrometry

Thermal stability and photostability of water solutions of sulfo-phthalocyanines of Ru(II), Cu(II), Ni(II), Fe(III) and Co(II), 2133

Electrosynthesis

Electrocatalytic eco-efficient functionalization of white phosphorus, 2416

New reactivity of Cp₂'NbH₃, Cp' = η^5 -C₅H₄SiMe₃. Synthesis, electro-synthesis and reactivity of new carboxylato niobocene complexes, 3134

Emission spectroscopy

Reaction of 2,3-bis(methylthio)pyrrolo[1,2-*a*]benzimidazol-1-one with BrRe(CO)₃(THF)₂: X-ray diffraction structure, redox chemistry, and luminescence behavior of *fac*-BrRe(CO)₃{*N,S*-2,3-bis(methylthio)pyrrolo[1,2-*a*]benzimidazol-1-one}, 4993

Enamines

Bis(enamino-Cp) Group 4 metal complex chemistry: developing a Mannich-type carbon–carbon coupling reaction at the bent metallocene framework, 14

Enaminoalkylidene

New bridging ligands from methylation reactions of μ -vinyliminium diiron complexes, 4666

Enantiomers

NMR determination of enantiomeric composition of 1-substituted 3-amino-1,2-dicarba-*closa*-dodecaboranes using Eu(hfc)₃, 2766

Enantiopure

The coordination chemistry of enantiopure diimines derived from 1-phosphanorbornadiene-2-carboxaldehydes, 1133

Enantioselective

A new class of nitrogen based chiral ligands: 2*H*-1,3-benzoxazines. Ligand synthesis, X-ray structural studies and asymmetric catalysis, 2027

- Enantioselective copper catalysed 1,4-conjugate addition reactions using chiral *N*-heterocyclic carbenes, 5672
- Stereoselectivity in metal carbene and Lewis acid-catalyzed reactions from diastereomeric dirhodium(II) carboxamidates: Menthyl *N*-acetyl-2-oxoimidazolidine-4(*S*)-carboxylates, 5525
- Enantioselectivity
- Asymmetric Michael addition promoted by (*R,R*)-*trans*-1,2-diaminocyclohexane in ionic liquids, 3535
- Rhodium (II) compounds with functionalized metalated phosphines as bridging ligands, 4424
- Stereochemical control of biocatalytic asymmetric reduction of diethyl 2-oxopropylphosphonate employing yeasts, 2593
- Study of the origin of enantioselectivity in cyclopropanation reactions using the chiral iron carbene complex $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe}=\text{CH}[(\eta^6\text{-}o\text{-MeOC}_6\text{H}_4)\text{Cr}(\text{CO})_3]]^+$, 6238
- Enantioselective reaction
- Allylic substitution reactions with Grignard reagents catalyzed by imidazolium and 4,5-dihydroimidazolium carbene–CuCl complexes, 6001
- endo*-Cycloaddition
- Organopalladium complex promoted asymmetric synthesis of a *P*-chiral phosphanorbornene in ionic liquids and in organic solvents, 4933
- Energy decomposition analysis (EDA)
- Chemical bonding in transition metal carbene complexes, 6178
- Ene-yne
- $\text{Me}_3\text{SiC}\equiv\text{C}-\text{CMe}=\text{CH}_2$ copper(I) β -diketonates: Synthesis, solid state structure, and low-temperature chemical vapour deposition, 3878
- Ene-yne ligands
- The reaction of $\text{Ru}_3(\text{CO})_{12}$ with 1,4-dichloro-but-2-yne in basic methanolic solution. Synthesis and crystal structure of $(\mu\text{-H})_2\text{Ru}_3(\text{CO})_9\{\mu_3\text{-}\eta^2\text{-[H}_2\text{C}=\text{C}(\text{H})\text{C}\equiv\text{CC}(\text{=O})\text{OCH}_3]\}$, 1594
- Enolates
- Stereoselective synthesis of enones from the reaction of aldehydes with sterically hindered dimethylaluminum enolates, 3474
- Enolphosphonate
- Preparation of α -ketophosphonates by a [3,3]-sigmatropic shift of enolphosphonates, 2688
- Enones
- Stereoselective synthesis of enones from the reaction of aldehydes with sterically hindered dimethylaluminum enolates, 3474
- Synthesis, IR-, NMR- and X-ray investigations on some novel *N*-heteraryl-dihydro-pyrazolyl ferrocenes. Study on ferrocenes, part 16, 4018
- Enyne metathesis
- Tandem diene ring-closing metathesis of alkynyl silaketals for the formation of bicyclic siloxanes, 5508
- Enzyme kinetics
- Molecular interactions of nitrogen-containing bisphosphonates within farnesyl diphosphate synthase, 2679
- 2- $\{[(E)\text{-}1\text{-}(2\text{-oxyaryl})\text{alkylidene}]\text{amino}\}$ acetic acid
- Self-assembly of diorganotin(IV) 2- $\{[(E)\text{-}1\text{-}(2\text{-oxyaryl})\text{alkylidene}]\text{amino}\}$ acetates: An investigation of structures by X-ray diffraction, solution and solid-state tin NMR, and electrospray ionization MS, 3080
- Epoxidation
- Dimeric samarium(III) alkoxides bearing N_2O_2 tetradentate Schiff bases and their utility for the catalytic epoxidation of *trans*-chalcone, 1011
- Oxidations by the system “hydrogen peroxide– $[\text{Mn}_2\text{L}_2\text{O}_3][\text{PF}_6]_2$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane)–oxalic acid”. Part 6. Oxidation of methane and other alkanes and olefins in water, 4498
- Synthesis and activity of macrocyclized chiral Mn(III)–Schiff-base epoxidation catalysts, 2163
- Epoxide/ CO_2 -copolymerization
- Rare earth metal complexes based on β -diketiminato and novel linked bis(β -diketiminato) ligands: Synthesis, structural characterization and catalytic application in epoxide/ CO_2 -copolymerization, 5182
- Epoxides
- A novel mercapto-bisphosphonate as an efficient anticalcification agent for bioprosthetic tissues, 2543
- Ring-opening of 2,3-epoxy-1-propanol with R_3Al : Unprecedented regiochemical switching simply achieved by changing alkyl substituents of aluminium reagent, 3697
- EPR spectroscopy
- EPR study of mono-*o*-iminobenzosemiquinonato nickel(II) complexes with Ni–C σ -bond, 145
- Equatorial isomer
- Rhenium carbonyl complexes with monodentate-coordinated diphosphines: activation of terminal phosphino groups towards amine-oxide oxidation, 3765
- ERO-carbene
- Contributions to the chemistry of carbenemetal chemistry, 5467
- ESI-MS
- Self-assembly of diorganotin(IV) 2- $\{[(E)\text{-}1\text{-}(2\text{-oxyaryl})\text{alkylidene}]\text{amino}\}$ acetates: An investigation of structures by X-ray diffraction, solution and solid-state tin NMR, and electrospray ionization MS, 3080
- Synthesis and characterization of poly(amidoamine)-platinum(II) complexes. Detailed speciation by Matrix-Assisted Laser Desorption Ionization Mass Spectrometry, 1978
- Synthesis of a cyclic dinuclear organotin carboxylate via simultaneous debenzoylation and decarbonylation reactions: X-ray crystal structure of $[(\text{PhCH}_2)_2\{\text{O}_2\text{CC}_6\text{H}_4\{\text{N}(\text{H})\text{-N}(\text{C}_6\text{H}_3\text{-}4(\text{=O})\text{-}5\text{-O})\}\text{-}o\}\text{Sn}]_2$, 1581
- Synthesis, characterization and crystal structures of polymeric and dimeric triphenyltin(IV) complexes of 4- $\{[(E)\text{-}1\text{-}(2\text{-hydroxy-}5\text{-}[(E)\text{-}2\text{-}(2\text{-carboxyphenyl})\text{-}1\text{-diazanyl}]\text{phenyl}\}\text{methylidene}]\text{amino}\}$ aryls, 4232
- ESR spectroscopy
- (Cyclopentadienyl)chromiumtricarbonyl dimers as a source of metal-centered free-radicals to form stable η^2 -bonded spin-adducts with fullerenes, 2333
- Esterification
- Dimethylmalonyltrialkylphosphoranes: probing the steric effect on phosphorus and its stereochemical consequence in esterification reactions of chiral secondary alcohols, 2548
- Esters of phosphorous acid
- Electrocatalytic eco-efficient functionalization of white phosphorus, 2416
- Ethene
- Synthesis of zirconocenes bearing benz[*f*]indenyl ligand and their use as a catalyst in ethylene polymerization, 1822
- Ethoxysilanes
- Synthesis, structure, immobilization and solid-state NMR of new dppp- and tripod-type chelate linkers, 3383
- Ethylaluminum dichloride
- Efficient synthesis of ferrocenylenones by Friedel–Crafts acylation with $\text{EtAlCl}_2\text{-Me}_3\text{Al}$, 430
- Ethylboranes
- Synthesis and characterization of novel intramolecularly base-stabilized BEt_2 and BEt derivatives: molecular structures of 1- $\text{Et}_2\text{BOCPh}_2\text{-}2\text{-NMe}_2\text{C}_6\text{H}_4$, 1-(CH_3COO) $\text{EtBOCCy}_2\text{-}2\text{-NMe}_2\text{C}_6\text{H}_4$ and $\text{BEt}(1\text{-OCPh}_2\text{CH}_2\text{-}2\text{-NMe}_2\text{C}_6\text{H}_4)_2$, 469
- Ethylene
- A series of new zirconium complexes bearing bis(phenoxyketimine) ligands: Synthesis, characterization and ethylene polymerization, 4184
- Chromium imine and amine complexes as homogeneous catalysts for the trimerisation and polymerisation of ethylene, 713
- Copolymerization of ethylene/unsaturated alcohols using nickel catalysts: effect of the ligand on the activity and comonomer incorporation, 895
- Ethylene polymerization behavior of monometallic complexes and metallodendrimers based on cyclopentadienyl-aryloxy titanium units, 4620

- Half-sandwich cyclopentadienyl rhodium complexes bearing pendant sulfur or oxygen ligands and their catalytic behaviors in ethylene polymerization, 1855
- Synthesis, structure and catalytic properties of $[\text{Cp}^*\text{Cr}-(\text{C}_6\text{F}_5)(\text{Bn})-(\text{THF})]$ toward ethylene in the presence of AlEt_3 , 5145
- Titanium complexes bearing aromatic-substituted β -enamino-ketonato ligands: Syntheses, structure and olefin polymerization behavior, 3125
- Zirconocene complexes with a biphenyl substituted cyclopentadienyl ligand: synthesis, characterization, and olefin polymerization behavior, 1240
- Ethylene oligomerization
- Bridged bis-pyridinylimino dinickel(II) complexes: Syntheses, characterization, ethylene oligomerization and polymerization, 1739
- Nickel (II) complexes bearing 2-ethylcarboxylate-6-iminopyridyl ligands: synthesis, structures and their catalytic behavior for ethylene oligomerization and polymerization, 1570
- Nickel(II) complexes bearing phosphino-oxazoline ligands: Synthesis, structures and their ethylene oligomerization behaviors, 3918
- Preparation and structures of 6- and 7-coordinate salen-type zirconium complexes and their catalytic properties for oligomerization of ethylene, 3929
- Retro-Brook rearrangement induces the formation of an octahedral nickel(benzamidinate) complex; synthesis, structure and catalytic activity, 2297
- Synthesis, molecular structure and catalytic activity of chiral benzamidinate nickel complexes, 3154
- Ethylene polymerisation
- The synthesis, coordination chemistry and ethylene polymerisation activity of ferrocenediyl nitrogen-substituted ligands and their metal complexes, 6271
- Titanium and zirconium ketimide complexes: synthesis and ethylene polymerisation catalysis, 874
- Ethylene polymerization
- Fe(II) and Co(II) pyridinebisimine complexes bearing different substituents on *ortho*- and *para*-position of imines: synthesis, characterization and behavior of ethylene polymerization, 1233
- Highly active new α -diimine nickel catalyst for the polymerization of α -olefins, 1314
- Synthesis, structure and ethylene polymerization behavior of titanium phosphinoamide complexes, 2941
- Ethyne-1,2-diyl
- Transformation of C_2 units on a bimetallic tetranuclear cluster. Reactivity of $[\text{Ru}_3\text{Mo}(\mu_3\text{-}\eta^1\text{-CC})(\mu\text{-CO})_3(\text{CO})_2(\eta\text{-C}_5\text{H}_4\text{R})_3(\eta\text{-C}_3\text{H}_5)]$ (R = H, Me), 3410
- Ethynylated compound
- Probing delocalisation across highly ethynylated mono and dinuclear Pt(II) tethers containing nitrogens and organic models as redox active probes: X-ray crystal structure of *trans*- $[\text{Pt}(\text{C}\equiv\text{C}-\text{C}_6\text{H}_4\text{NO}_2)_2(\text{PPh}_3)_2]$, 2376
- Ethynylstibane
- Palladium-catalyzed cross-coupling reaction of ethynylstibanes with organic halides, 2956
- Ethynylthiophene
- Iron(II) and iron(III) complexes containing ethynyl thiophene fragments, 594
- Exchange
- Theoretical investigations on the mechanism of chalcogens exchange reaction between P(V) and P(III) compounds, 2571
- Excited state
- A theoretical investigation of the photo-induced intramolecular charge transfer excitation of cuprous (I) bis-phenanthroline by density functional theory, 187
- Farnesyl diphosphate synthase
- Molecular interactions of nitrogen-containing bisphosphonates within farnesyl diphosphate synthase, 2679
- Ferrocene
- Antibacterial activities of ferrocenoyl- and cobaltocenium-peptide bioconjugates, 4564
- Carbon-rich organometallics: synthesis and characterization of new ferrocenyl end-capped bis(butadienyl) fluorene derivatives, 177
- Di-*t*-butyl(ferrocenylmethyl)phosphine: air-stability, structural characterization, coordination chemistry, and application to palladium-catalyzed cross-coupling reactions, 1478
- Diferrocenylcyclopropenyl cations. Synthesis, structures, and some chemical properties, 3333
- Diiodine complex of diferrocenyl(phenyl)phosphine sulfide: the structural and electrochemical behaviour of $\text{Fc}_2(\text{Ph})\text{PS} \cdot \text{I}_2$, 328
- Ferrocenecarbothioamide and *N*-ethoxycarbonylferrocenecarbothioamide: Synthesis, structure and application in synthesis of 2,4-diferrocenylthiazole, 4302
- Ferrocenoyl-amino acids: redox response towards di- and trivalent metal ions, 1209
- Glucose ferrocenyl-oxazolines: Coordination behavior toward $[\text{Pd}(\eta^3\text{-allyl})\text{Cl}]_2$ studied by ESI-MS, 3301
- Hexanuclear Pt complexes composed of two cyclic triplatinum units connected with 1,4-diphenylene and 1,1'-ferrocenylene spacer, 3957
- Improved approaches and structures of new ferrocenyl carbene complexes of chromium, tungsten, and molybdenum, 2229
- Inclusion complex formation of diferrocenyl dimethylsilane with β -cyclodextrin, 4801
- Novel rhodium complexes with ferrocene-based *N*-heterocyclic carbenes: Synthesis, structure and catalysis, 5747
- Pentamethylcyclopentadienylselenium derivatives VI: Synthesis and characterisation of ferrocenyl(pentamethylcyclopentadienyl)selenium, 3099
- Reactivity of ferrocenium cations with molecular oxygen in polar organic solvents: Decomposition, redox reactions and stabilization, 1829
- Study of the reactivity of palladacycles containing $[\text{C}(\text{sp}^2, \text{ferrocene}, \text{N}, \text{S})^-]$ or $[\text{C}(\text{sp}^3, \text{N}, \text{S})^-]$ terdentate ligands with symmetric alkynes, 228
- Syntheses and structural characterizations of rhenium carbonyl complexes of a bitopic ferrocene-linked bis(pyrazolyl)methane ligand, 1889
- Synthesis and electrochemistry of novel heteronuclear Fe–Ru bi- and quatermetalocenenes, conjugatively connected by ethene and thiophene bridges, 811
- Synthesis and structural characterization of *N*-*para*-ferrocenyl benzoyl amino acid ethyl esters and the X-ray crystal structures of the glycol and (\pm)-2-aminobutyric acid derivative $\text{Fc}-\text{C}_6\text{H}_4\text{CONHCH}(\text{C}_2\text{H}_5)\text{CO}_2\text{Et}$, 383
- Synthesis and structural characterization of *rac*-2-[(diphenylphosphino)methyl]ferrocenecarboxylic acid, its selected derivatives and some rhodium complexes, 4285
- Synthesis and structural characterization of ferrocene-based bis(pyrazolyl)borate ligands: $\text{FcB}(\text{Me})\text{pz}_2\text{K}$, $\text{Fc}_2\text{Bpz}_2\text{K}$, and 1,1'- $\text{fc}[\text{B}(\text{Me})\text{pz}_2]_2\text{K}_2$ (Fc: ferrocenyl, fc: ferrocenylene, pz: pyrazolyl), 1971
- Synthesis and X-ray structure of an unexpected bidentate allene-aminocarbene complex of tungsten, 3664
- Synthesis of a new bidentate ferrocenyl *N*-heterocyclic carbene ligand precursor and the palladium (II) complex *trans*- $[\text{PdCl}_2(\text{C}^{\wedge}\text{C})]$, where $(\text{C}^{\wedge}\text{C}) = 1,1'$ -di-*tert*-butyl-3,3'-(1,1'-dimethyleneferrocenyl)-diimidazol-2-ylidene, 653
- Synthesis of ferrocenoyl amino acid derivatives via homogeneous catalytic aminocarbonylation, 3237
- Synthesis, NMR, IR spectroscopic and X-ray study of novel [pyridazin-3(2H)-one-6-yl]ferrocenes and related ferrocenophane derivatives. Study on ferrocenes. Part 14, 802
- Synthesis, structure, electrochemistry and ROMP-activity of new ferrocenyl analog of Grubbs' metathesis catalyst, 1018
- Synthesis, structures and biological activity research of novel ferrocenyl-containing 1*H*-1,2,4-triazole derivatives, 1226

- Synthesis, structures and spectroelectrochemistry of methyl-substituted bis(η^5 -indenyl)iron(II) complexes, 3018
- The synthesis, coordination chemistry and ethylene polymerisation activity of ferrocenediyl nitrogen-substituted ligands and their metal complexes, 6271
- Ferrocene, amine
- Ultrasound-irradiated Michael addition of amines to ferrocenylenones under solvent-free and catalyst-free conditions at room temperature, 2989
- Ferrocenecarboxaldehyde
- Lithium perchlorate suspend in methylene chloride, a mild, efficient and reusable catalyst for the synthesis of ferrocene aminonitrile derivatives, 76
- Ferrocene derivative
- Preparation and structures of copper(II) and zinc(II) complexes with 5-ferrocenylpyrimidine: Structural variation derived from flexible coordination ability of the ligand and metal ions, 1793
- Ferrocene derivatives
- Reactions of complex ligands part 106. Heterobimetallic fused arenes: Chromium-templated benzannulation of a ferrocene-type metal carbene, 5892
- Ferrocene isomer
- A topological isomer of ferrocene: Theoretical approach for transition metal complexes with conjugated all *trans* cyclodecapentaene, 4373
- Ferrocenes
- 1'-Carbopalladated-4-ferrocenyl-1,3-oxazolines as catalysts for Heck reactions: Further evidence in support of the Pd(0)/Pd(II) mechanism, 2291
 - Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α -ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976
 - Synthesis, IR-, NMR- and X-ray investigations on some novel *N*-hetaryl-dihydro-pyrazolyl ferrocenes. Study on ferrocenes, part 16, 4018
- Ferrocenium cations
- Reactivity of ferrocenium cations with molecular oxygen in polar organic solvents: Decomposition, redox reactions and stabilization, 1829
- Ferrocenoate amides
- Synthesis of ferrocenoate esters, amides and other ferrocenoyl derivatives using ferrocenoyl fluoride. A comparison of the reactions of ferrocenoyl fluoride in [bmim][BF₄] with the microwave-promoted solvent-free reactions of ferrocenoyl fluoride, 4959
- Ferrocenoate esters
- Synthesis of ferrocenoate esters, amides and other ferrocenoyl derivatives using ferrocenoyl fluoride. A comparison of the reactions of ferrocenoyl fluoride in [bmim][BF₄] with the microwave-promoted solvent-free reactions of ferrocenoyl fluoride, 4959
- Ferrocenoyl fluoride
- Synthesis of ferrocenoate esters, amides and other ferrocenoyl derivatives using ferrocenoyl fluoride. A comparison of the reactions of ferrocenoyl fluoride in [bmim][BF₄] with the microwave-promoted solvent-free reactions of ferrocenoyl fluoride, 4959
- Ferrocenyl
- Inter- and hetero-metallic assembly of palladium sulfide aggregates: crystal and molecular structures of [InPdCl₃(dppf)₂(μ_3 -S)₂] · 3CH₂Cl₂ and [Ag₂Pd₂(NO₃)₂(dppf)₂(μ_3 -S)₂] · 2CH₂Cl₂, 990
- Ferrocenyl derivative
- Synthesis and X-ray crystal structure of [2-(phosphinomethyl)-ferrocenyl]diphenylphosphine, 2285
- Ferrocenylenones
- Efficient synthesis of ferrocenylenones by Friedel–Crafts acylation with EtAlCl₂–Me₃Al, 430
- Ferrocenyl ligands
- Rhodium(I) complexes with 1'-(diphenylphosphino)ferrocenecarboxylic acid as active and recyclable catalysts for 1-hexene hydroformylation, 3260
- Ferrocenylphenylphosphinic acid
- Electroactive poly zinc, cadmium, manganese ferrocenylphenylphosphinates, 363
- FI Catalysts
- Fluorinated bis(phenoxy-imine) Ti complexes with MAO: Remarkable catalysts for living ethylene and syndiospecific living propylene polymerization, 4398
- Fibres
- Borylborazines as new precursors for boron nitride fibres, 2809
- Fischer carbene
- Contributions to the chemistry of carbenometal chemistry, 5467
 - Reaction of cyclopropylcarbene–metal complexes with nucleophiles, halogens and HX, 5759
 - Stereoselective [3+2+2] cycloaddition utilizing optically active binuclear Fischer carbene complexes with alkynes, 5922
- Fischer carbene complexes
- Some recent applications of Fischer carbenometal complexes in organic synthesis, 5900
 - The electrochemical activity of heteroatom-stabilized Fischer-type carbene complexes, 5777
 - The first synthesis of cyclopropanone acetals from the reaction of Fischer carbene complexes with ketene acetals, 6101
 - Transition metal carbene chemistry 5: Kinetic studies on the nucleophilic substitution reactions of (CO)₅M=C(SCH₃)CH₃ (M = Cr and W) with primary amines in aqueous acetonitrile, 4878
- Fischer carbenes
- Factors that affect the kinetic and thermodynamic acidities of Fischer carbene complexes: New insights from the study of the cationic (methoxymethylcarbene) dicarbonylpentamethylcyclopentadienyl iron ([Cp*(CO)₂Fe=C(OMe)Me]⁺) in aqueous acetonitrile, 5616
- Fischer type carbene complexes
- γ -Methylene chalcogenopyrans and benzopyrans as proaromatic donors in “push–pull” Fischer type carbene complexes: Influences of chalcogen atom and chain length on the electronic and N.L.O. properties of these molecules, 4982
- Fischer carbene
- Electronic structure and electrophilic reactivity of discrete copper diphenylcarbenes, 5989
- Five-coordinated platinum complexes
- Olefin uptake as tool for linking platinum(II) and iridium(III) in heterobinuclear complexes: Synthesis and characterization of [PtI₂(Me₂phen){(C₃Me₄CH₂CH₂CH=CH₂)Ir(Me)(CO)(Ph)}], 2097
- Five-coordinated Tin(IV) complex
- Studies of the reaction of dimethyltin dichloride with mercaptoacetic acid in the presence of amines and crystal structure of [(*n*-Pr)₃NH][Me₂Sn(μ^2 -SCH₂COO)Cl], 3405
- Five-coordination
- C–C coupling of aryl groups and allyl derivatives on Pt(II)-phenanthroline fragments: crystal and molecular structure of the *tbp* [(η^1, η^2 -2-allyl,5-methyl-phenyl)iodo(1,10-phenanthroline)-platinum(II)] complex containing the N–N ligand in axial-equatorial coordination mode, 2035
- Flufenamic acid
- Organotin flufenamates: Synthesis, characterization and antiproliferative activity of organotin flufenamates, 1800
- Fluorene
- Carbon-rich organometallics: synthesis and characterization of new ferrocenyl end-capped bis(butadiynyl) fluorene derivatives, 177
 - Perfluorofluorenyl anions and their use as co-catalysts in the zirconocene-promoted polymerization of olefins, 4886
- Fluorenyl
- Synthesis and structural characterization of unsymmetrical osmocenes containing the pentamethylcyclopentadienyl ligand, 4356
- Fluorenyl anion
- Perfluorofluorenyl anions and their use as co-catalysts in the zirconocene-promoted polymerization of olefins, 4886

- Fluorenyl ligand**
 Synthesis and structural characterization of fluorenyltris(pyrazol-1-yl)borate ligands as new examples of cyclopentadienyl/scorpionate hybrid ligands, 1935
- Fluorescence**
 Synthesis, structures, and photophysical properties of silicon and carbon-bridged ladder oligo(*p*-phenylenevinylene)s and related π -electron systems, 5365
- Fluorhydroxy-**
 Impact of anionic substitutions on apatite structure and properties, 2638
- Fluorimetric detection**
 A strikingly fast route to methylmercury acetylides as a new opportunity for monomethylmercury detection, 588
- Fluorinated**
 Copper(I) complexes supported by a heavily fluorinated bis(pyrazolyl)-borate: syntheses and characterization of $[\text{H}_2\text{B}(3,5\text{-}(\text{CF}_3)_2\text{Pz})_2]\text{CuL}$ (where $\text{L} = \text{PPh}_3, \text{N}\equiv\text{CCH}_3, \text{HC}\equiv\text{CPh}, \text{H}_2\text{C}=\text{CHPh}$) and $\{[\text{H}_2\text{B}(3,5\text{-}(\text{CF}_3)_2\text{Pz})_2]\text{Cu}\}_2(1,5\text{-COD})$, 1913
- Fluorinated thiolate complexes**
 Reactivity of $\text{C}_6\text{F}_5\text{S-P}(\text{C}_6\text{H}_5)_2$ with $[\text{M}_3(\text{CO})_{12}]$ ($\text{M} = \text{Fe}, \text{Ru}, \text{Os}$). The X-ray crystal structures of $[\text{Fe}_2(\mu\text{-SC}_6\text{F}_5)(\mu\text{-PPh}_2)(\text{CO})_6]$, $[\text{Ru}_4(\mu_3\text{-SPPH}_2)_2(\mu\text{-SC}_6\text{F}_5)_2(\mu\text{-PPh}_2)_2(\text{SC}_6\text{F}_5)_2(\text{CO})_6]$ and $[\text{Os}_3(\eta^1\text{-Ph}_2\text{P-SC}_6\text{F}_5)(\text{CO})_{11}]$, 2880
- Fluoroalkylphosphine**
 Synthesis and characterization of chromium and molybdenum(0) complexes bearing the (pentafluoroethyl)diphenylphosphine (pfep) ligand, 534
- Fluoroaryl ligand**
 Effect of the organic fragment on the mesogenic properties of a series of organogold(I) isocyanide complexes. X-ray crystal structure of $[\text{Au}(\text{C}\equiv\text{CC}_5\text{H}_4\text{N})(\text{CNC}_6\text{H}_4\text{O}(\text{O})\text{CC}_6\text{H}_4\text{OC}_{10}\text{H}_{21})]$, 2200
- Formyl ligand**
 Controlled nucleophilic activation of different sites in $[\text{Mo}_2\text{Cp}_2\text{L}_2(\mu\text{-SMe})_2(\mu\text{-L}')^+]$ cations ($\text{L} = \text{Bu}'\text{NC}, \text{xy}'\text{INC}, \text{CO}$; $\text{L}' = \text{SMe}$ or PPh_2), 4583
- Free bis-carbene**
 Synthesis and characterization of a free phenylene bis(N-heterocyclic carbene) and its di-Rh complex: Catalytic activity of the di-Rh and CCC-NHC Rh pincer complexes in intermolecular hydrosilylation of alkynes, 5938
- Free radical**
 The reaction of benzothiazole sulfenamide with $(\text{TMS})_3\text{SiH}$: An example of degenerate-branched chain process, 1756
- Friedel–Crafts acylation**
 Efficient synthesis of ferrocenylenones by Friedel–Crafts acylation with $\text{EtAlCl}_2\text{-Me}_3\text{Al}$, 430
- Friedel–Crafts acylation**
 Friedel–Crafts acylation reactions in pyridinium based ionic liquids, 3609
- Friedel–Crafts reaction**
 Ferrocenecarbothioamide and *N*-ethoxycarbonylferrocenecarbothioamide: Synthesis, structure and application in synthesis of 2,4-diferrocenylthiazole, 4302
- Friedel–Crafts reaction**
 Friedel–Crafts acylation of $\text{W}(\text{CO})_5$ -complexes of azaferrocenes, 1474
- FT-IR**
 Preparation and structural characterization of organotin(IV) complexes with ligands containing a hetero {N} atom and a hydroxy group or hydroxy and carboxyl groups, 2243
 Towards understanding monomer coordination in atom transfer radical polymerization: synthesis of $[\text{Cu}^1(\text{PMDETA})(\pi\text{-M})][\text{BPh}_4]$ ($\text{M} = \text{methyl acrylate}, \text{styrene}, 1\text{-octene}, \text{and methyl methacrylate}$) and structural studies by FT-IR and ^1H NMR spectroscopy and X-ray crystallography, 916
- FT-Raman**
 Reactions of pyridyl donors with halogens and interhalogens: an X-ray diffraction and FT-Raman investigation, 1923
- FTIR**
 Impact of anionic substitutions on apatite structure and properties, 2638
- [60]Fullerene**
 A biphasic displacement of [60]fullerene from *fac*-(dihapto-[60]fullerene)(dihapto-1,10-phenanthroline) tricarbonyl molybdenum (0), 3366
- [60]fullerene**
 Synthesis and structure of the chiral palladium–fullerene C_{60} and C_{70} complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis(diphenylphosphino)-3,3'-bithiophene [(-)tetraMe-BITOP], 4330
- [60]Fullerene**
 The synthesis and characterization of $\text{Re}_3(\mu\text{-H})_3(\text{CO})_{9-n}(\text{PMe}_3)_n(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-C}_{60})$ ($n = 2, 3$) complexes, 4704
- [60]fullerene**
 Three novel bismetallacyclopropa[60]fullerene complexes formed via intermediate monometallacyclopropa[60]fullerene diphosphine ligands, 1121
- [70]fullerene**
 Synthesis and structure of the chiral palladium–fullerene C_{60} and C_{70} complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis(diphenylphosphino)-3,3'-bithiophene [(-)tetraMe-BITOP], 4330
- Fullerenes $\text{C}_{60}, \text{C}_{70}$**
 (Cyclopentadienyl)chromiumtricarbonyl dimers as a source of metal-centered free-radicals to form stable η^2 -bonded spin-adducts with fullerenes, 2333
- Fulvene**
 Novel benzyl substituted titanocene anti-cancer drugs, 4537
 Reactivity of bis(η^6 -arene) derivatives of titanium, vanadium and niobium with fulvenes bearing electron-withdrawing substituents, 4844
- Fumaric amides**
 Efficient synthesis of fumaric amides through cross-metathesis of acrylic amides with the NHC Grubbs ruthenium catalyst, 5973
- Functional cyclopentadienyl group**
 Half-sandwich cyclopentadienyl rhodium complexes bearing pendant sulfur or oxygen ligands and their catalytic behaviors in ethylene polymerization, 1855
- Functional isocyanides**
 N-heterocyclic carbenes from transition metal coordinated functional isocyanides of the type *o*-(CH_2Y) $\text{C}_6\text{H}_4\text{N}\equiv\text{C}$ ($\text{Y} = \text{OSiMe}_3, \text{OH}; \text{N}_3; \text{AsR}_3^+$), 5414
- Functionalised**
 Furan- and thiophene-functionalised bis-carbene ligands: Synthesis, silver(I) complexes, and catalysis, 6133
- Functionalised heterocyclic carbene**
 $^1\text{Pyridine}$ and phosphine functionalised *N*-heterocyclic carbene complexes of rhodium and iridium, 5948
- Functionalization**
 Direct functionalization of the cyclometalated 2-(2'-pyridyl)phenyl ligand bound to iridium(III), 2913
 Metallocene-mediated synthesis of chain-end functionalized polypropylene and application in PP/clay nanocomposites, 6292
- Functionalized N-heterocyclic carbene**
 Synthesis and structural characterization of aryloxo-functionalized N-heterocyclic carbene complexes of nickel(II), 6227
- Functionalized organotelluriums**
 Secondary bonding in functionalized organotellurium compounds: preparation and structural characterization of bis(acetamido)-tellurium(IV) diiodide and bis(4-methylbenzoylmethyl)tellurium(II), 313
- Fungicidal activity**
 Synthesis, structures and biological activity research of novel ferrocenyl-containing 1*H*-1,2,4-triazole derivatives, 1226
- Furan**
 Synthesis of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and its *N,N'*-dimetallated complexes (lithium, sodium and potassium): X-ray

- crystal structures of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and the polymeric tetrahydrofuran adduct of the dilithiated complex, 220
- Gallium**
Organometallic compounds of Group 13 elements containing the ligand C(SiMe₃)₂(SiMe₂C₅H₄N-2), 69
Reactions of 1,2-catechol with 'Bu₃M (M = Ga, In). Structures of intermediate products, 722
Synthesis and structural characterization of gallium and indium complexes obtained from redistribution reactions of mixed chalcogen-imidodiphosphinate ligands, 3054
- Gauche* preference
Synthesis and structural characterization of metal complexes based on pyrazole/imidazolium chlorides, 403
- GeCNBr**
In search of triplet ground state GeCNX germylenes (X = H, F, Cl, and Br): An ab initio and DFT study, 4692
- GeCNCl**
In search of triplet ground state GeCNX germylenes (X = H, F, Cl, and Br): An ab initio and DFT study, 4692
- GeCNF**
In search of triplet ground state GeCNX germylenes (X = H, F, Cl, and Br): An ab initio and DFT study, 4692
- GeCNH**
In search of triplet ground state GeCNX germylenes (X = H, F, Cl, and Br): An ab initio and DFT study, 4692
- General base catalysis**
Transition metal carbene chemistry 5: Kinetic studies on the nucleophilic substitution reactions of (CO)₅M=C(SCH₃)CH₃ (M = Cr and W) with primary amines in aqueous acetonitrile, 4878
- Geometry**
The theoretical research of the medium effect on the vibrational spectrum and the energy of intramolecular coordination =O → Si in (benzoyloxymethyl)trifluorosilane molecule, 2922
- Germanium**
Synthesis and crystal structures of the first germanium-containing alkylidene complexes of molybdenum R₃Ge-CH=Mo(NAr)(OR')₂ (R = Me, Ph) with direct germanium-carbene carbon bond, 3212
Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720
- Germanium(II)**
New stable germylenes, stannylenes, and related compounds. 6. Heteroleptic germanium(II) and tin(II) compounds [(SiMe₃)₂N-E¹⁴-OCH₂CH₂NMe₂]_n (E¹⁴ = Ge, n = 1; Sn, n = 2): synthesis and structure, 1172
- Germanium(II) and tin(II) azides**
New stable germylenes, stannylenes, and related compounds. 5. Germanium(II) and tin(II) azides [N₃-E¹⁴-OCH₂CH₂NMe₂]₂ (E¹⁴ = Ge, Sn): synthesis and structure, 1056
- Germylene**
In search of triplet ground state GeCNX germylenes (X = H, F, Cl, and Br): An ab initio and DFT study, 4692
- Germylenes**
Singlet-triplet energy separations in divalent five-membered cyclic conjugated C₃H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- Germylzinc**
Synthesis and oxidation of bis(triphenylgermyl)zinc, 2952
- Glucose**
Glucose ferrocenyl-oxazolines: Coordination behavior toward [Pd(η³-allyl)Cl]₂ studied by ESI-MS, 3301
- Glucuronic acid**
Synthesis of a (B₁₂H₁₁S)²⁻ containing glucuronoside as potential prodrug for BNCT, 2780
- Gold**
Addition of heterocycles to electron deficient olefins and alkynes catalyzed by gold(III), 5049
Cluster-containing carbon-rich molecules: Reactions of ruthenium cluster carbonyls with {Au(PR₃)₂(μ-C≡CC≡C)} (R = Ph, tol), 3268
Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441
Facile syntheses of four-membered aurathietane dioxide [Au-CHR-SO₂-CHR] ring systems, and the first isonitrile insertion reaction into a gold(III)-carbon bond, 4971
Use of phosphine gold acetylides [(R₃P)AuC≡CR] to form phosphine gold derivatives of tetra-iron and penta-iron clusters, 2888
- Gold complexes**
Synthesis and structural characterisation of linear Au(I) N-heterocyclic carbene complexes: New analogues of the Au(I) phosphine drug Auranofin, 5625
- Gold nanoparticles**
Hydrosilylation of 1-hexyne promoted by acetone solvated gold atoms derived catalysts, 1063
- Gold(I) complexes**
Synthesis and molecular structures of the cationic gold(I)-aziridine complexes [Ph₃PAuAz]O₃SCF₃ (Az = C₂H₄NH, CH₂CHMeNH, CH₂CMe₂NH, CH₂CHEtNH, CH₂CHPhNH, C₂H₄NBz, C₂H₄NC₂H₄OH), 1986
- Gr(IV) complexes**
Reactions of 1-alkynylphosphonates with group (IV) complexes, 2504
- Grafting reaction**
Study of the reaction of tetramethyltin with Hβ zeolite, 3187
- Green chemistry**
Heck and Suzuki coupling reactions in water using poly(2-oxazoline)s functionalized with palladium carbene complexes as soluble, amphiphilic polymer supports, 4648
- Grignard compounds**
Synthesis, characterization and Schlenk equilibrium studies of methylmagnesium compounds with *O*- and *N*-donor ligands – the unexpected behavior of [MgMeBr(pmdta)] (pmdta = *N,N,N',N'*, *N''*-pentamethyldiethylenetriamine), 1178
- Grignard reaction**
Formation of phenylmagnesium halides in toluene, 3061
- Grignard reagent**
Allylic substitution reactions with Grignard reagents catalyzed by imidazolium and 4,5-dihydroimidazolium carbene-CuCl complexes, 6001
Copper-mediated displacements of allylic THP ethers on a bisphosphonate template, 2521
- Grignard reagents**
Formation of phenylmagnesium halides in toluene, 3061
- Group 14 elements**
Development of novel and efficient synthesis of group 14 element (Ge and Sn) catenates by use of samarium (II) diiodide, 1588
- Group 15 donor ligands**
Helical racemate architecture based on osmium(II)-polypyridyl complexes: Synthesis and structural characterisation, 3105
- Group 4**
Are cyclopentadienyl complexes more stable than their pyrrolyl analogues?, 1840
- Group 4 metallacarborane**
Syntheses and catalytic activities of Group 4 metal complexes derived from C_(cage)-appended cyclohexyloxocarborane trianion, 2802
- Group 6**
A study of molybdenum catalysts in the polymerization of 2,5-didodecyl-1,4-dipropynylbenzene, 825
- Group transfer**
Electronic structure and electrophilic reactivity of discrete copper diphenylcarbenes, 5989
- Grubbs catalyst**
Improved cross-metathesis of acrylate esters catalyzed by 2nd generation ruthenium carbene complexes, 5863
On the ligand properties of the P- versus the N-heterocyclic carbene for a Grubbs catalyst in olefin metathesis, 6079

- Grubbs catalysts
An ionic liquid-tagged second generation Hoveyda–Grubbs ruthenium carbene complex as highly reactive and recyclable catalyst for ring-closing metathesis of di-, tri- and tetrasubstituted dienes, 3577
- Guanidinate
Stabilisation of high oxidation-state niobium using ‘electron-rich’ bicyclic-guanidates, 2278
- Guanidinium salts
 $B_{12}H_{11}$ -containing guanidinium derivatives by reaction of carbodiimides with $H_3N-B_{12}H_{11}(1-)$. A new method for connecting boron clusters to organic compounds, 2757
- Hafnium
Synthesis and molecular structure of boron-bridged constrained geometry complexes of zirconium and hafnium, 5000
Synthesis and molecular structures of zirconium and hafnium complexes bearing dimethylsilylandyl-bis-2,4,6-trimethylindenyl and dimethylsilylandyl-bis-2-methyl-4,6-diisopropylindenyl ligands, 1067
Synthesis and reactivity of zirconium and hafnium complexes incorporating chelating diamido-N-heterocyclic-carbene ligands, 5788
- Hafnocene
Novel bridged bis-azulenyl and bis-tetrahydroazulenyl hafnocenes: Synthesis, structure, and propylene polymerization behavior, 2220
- Half-sandwich complex
Rational synthesis of trinuclear (WIr_2) cluster from the 16-electron half-sandwich complex $Cp^*Ir[Se_2C_2(B_{10}H_{10})]$, 249
- Half-sandwich metallocarborane
Syntheses and catalytic activities of Group 4 metal complexes derived from $C_{(cage)}$ -appended cyclohexyloxocarborane trianion, 2802
- Half-sandwich metallocarborane
Another example of carborane based trianionic ligand: Syntheses and catalytic activities of cyclohexylamino tailed *ortho*-carboranyl zirconium and titanium dicarbollides, 6284
- Halide abstraction
TR-FTIR absorption spectroscopy of transition metal carbonyl radicals generated by photodissociation of metal–metal bonds, by halogen abstraction or by radical ligand substitution, 4132
- Halides
Reactions of pyridyl donors with halogens and interhalogens: an X-ray diffraction and FT-Raman investigation, 1923
- Halogenation
An interesting metallocarborane cage closure and dismantling reaction including the facile halogenation of a cluster carbon atom: Structure of $[1,2-(\eta^5-C_5Me_5)_2-\mu-1,2-H-closo-1,2,3-Rh_2CB_4H_4-3-I]$, 4967
- Halogen bond
The synthesis and crystallographic characterisation of the complexes $[RuX(CO)(\eta^2-C,N-C_6H_5C(H)=NC_6H_4-4Me)(PPh_3)] \cdot CHCl_3$ ($X = Cl, Br, I, F$): Evidence for competing $Ru-X \cdots Cl-CHCl_2$ and $Ru-X \cdots HCCl_3$ interactions in the solid state, 3390
- Halogen exchange
Halogen exchange at boron in *nido*- C_4B_2 carboranes, 4531
- Halogen–metal exchange
A facile organolithium route to ferrocene-based triarylmethyl dyes with substantial near IR and NLO properties, 1620
- Halogens
Reaction of cyclopropylcarbene–metal complexes with nucleophiles, halogens and HX, 5759
- Hammett equation
Mono- and diboronates derived from tridentate ONO ligands and arylboronic acids, 2351
- Hammett plot
Chlorination of *p*-substituted triarylplnctogens by sulfuryl chloride: Difference in the reactivity and spectroscopic characteristics between bismuth and antimony, 4280
- 1H and ^{13}C NMR
NMR determination of enantiomeric composition of 1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes using $Eu(hfc)_3$, 2766
- Hardness
Ligand properties of *N*-heterocyclic and Bertrand carbenes: A density functional study, 5867
- 2*H*-1,3-benzoxazines
A new class of nitrogen based chiral ligands: 2*H*-1,3-benzoxazines. Ligand synthesis, X-ray structural studies and asymmetric catalysis, 2027
- H-bonding
Silver alkoxide and amino *N*-heterocyclic carbenes; syntheses and crystal structures, 5710
- Heck coupling
Di-*t*-butyl(ferrocenylmethyl)phosphine: air-stability, structural characterization, coordination chemistry, and application to palladium-catalyzed cross-coupling reactions, 1478
Heck and Suzuki coupling reactions in water using poly(2-oxazoline)s functionalized with palladium carbene complexes as soluble, amphiphilic polymer supports, 4648
- Heck coupling reaction
Solvent-controlled selective synthesis of a *trans*-configured benzimidazole-2-ylidene palladium(II) complex and investigations of its Heck-type catalytic activity, 3854
- Heck reaction
1'-Carbopalladated-4-ferrocenyl-1,3-oxazolines as catalysts for Heck reactions: Further evidence in support of the Pd(0)/Pd(II) mechanism, 2291
Desymmetrisation of a diallyl system by intramolecular Heck reaction, 1409
Highly regioselective Heck reactions of heteroaryl halides with electron-rich olefins in ionic liquid, 3546
Kinetic investigation of a $PC(sp^3)P$ pincer palladium (II) complex in the Heck reaction, 4197
Novel cyclometallated Pd(II) and Pt(II) complexes with indole derivatives and their use as catalysts in Heck reaction, 2017
Suzuki and Heck coupling reactions mediated by palladium complexes bearing *trans*-spanning diphosphines, 477
Synthesis and characterization of phospho-palladacycles and their catalytic properties in the olefination of chloro- and bromoarenes, 3193
Synthesis and structural characterization of metal complexes based on pyrazole/imidazolium chlorides, 403
- Heck reactions
New cationic palladium (II) and rhodium (I) complexes of $[Ph_2PCH_2C(Ph)=N(2,6-Me_2C_6H_3)]$, 1645
- Heck-vinylation
Selective synthesis of (*E*)-triethyl(2-arylethenyl)silane derivatives by reaction of aryl bromides with triethyl vinylsilane catalysed by a palladium–tetrakisphosphine complex, 3790
- Helical racemates
Helical racemate architecture based on osmium(II)-polypyridyl complexes: Synthesis and structural characterisation, 3105
- Helical structures
Inverted piano-stool dimers of half-sandwich Ru(II) complexes with (*R*)-phenylglycine methylester and (*S*)-phenylalanineamide: An X-ray structural study and preliminary catalytic results, 4602
Synthesis and X-ray structure study on new Au(I) polymer architectures based on multi-sulfur tentacles, 1332
Unprecedented ligand anti-bis-benzylation upon thermolytic treatment of 2,3-diphenylbenzo[*g*]quinoxaline with (η^1 -benzyl) pentacarbonylmanganese, 4822
- Hemi-labile
Ruthenium (II) complexes of the chelating phosphine borane $H_2ClB \cdot dppm$, 2829
- Herbicide activity
Synthesis and herbicide activities of methyl-1-(2,4-dichlorophenoxy-acetoxy)alkylphosphonate monosalts, 2608
- Hetero bimetallic complexes
Syntheses and characterization of cyano-bridged homo and hetero bimetallic complexes containing η^5 and η^6 -cyclic hydrocarbons, 3990

- Synthesis and molecular structure of (η^5 -pentamethyl-cyclopentadienyl) (η^5 -cyclopentadienyl) hexacarbonyl molybdenum tungsten, 674
- Hetero-Diels–Alder**
Stereoselectivity in metal carbene and Lewis acid-catalyzed reactions from diastereomeric dirhodium(II) carboxamidates: Menthyl *N*-acetyl-2-oxoimidazolidine-4(*S*)-carboxylates, 5525
- Heteroannular bridged ferrocene**
Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α -ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976
- Heterobidentate**
Copolymerization of olefins and CO catalyzed by new chiral arsine–oxazoline palladium complexes, 4920
- Heterobimetallic complexes**
Improved approaches and structures of new ferrocenyl carbene complexes of chromium, tungsten, and molybdenum, 2229
Reactions of complex ligands part 106. Heterobimetallic fused arenes: Chromium-templated benzannulation of a ferrocene-type metal carbene, 5892
Ruthenium titanocene and ruthenium titanium half-sandwich bimetallic complexes in catalytic cyclopropanation, 301
Synthesis and X-ray structure of an unexpected bidentate allene–aminocarbene complex of tungsten, 3664
Synthesis of a Lewis acid bearing cyclopentadienyl ligand and its tricarbonylmanganese(I) complex, 2159
The effect of titanium alkoxides in the synthesis of heterobimetallic complexes by titanocene(III) alkoxide-induced metal–metal bond cleavage of metal carbonyl dimers, 276
- Heterobimetallics**
Reactivity of silyl-substituted heterobimetallic iron–platinum hydride complexes towards unsaturated molecules: Part II. Insertion of trifluoropropyne and hexafluorobutyne into the platinum–hydride bond, 1456
- Heterobinuclear**
Metalloporphyrin as a ligand in organometallic complexes: Synthesis and characterization of a nickel(II) porphyrin complex of 1,5-cyclooctadienedichlororuthenium(II), 4978
- Heterocycle**
Addition of heterocycles to electron deficient olefins and alkynes catalyzed by gold(III), 5049
Synthesis and crystal structures of cyclodiazastannoxides fused cyclopentadienyl M–Sn (M = Mo, W) bonded organometallic heterocycle, 4124
- Heterocycles**
Development of novel reactions using ruthenium carbene catalyst and its application to novel methods for preparing nitrogen-containing heterocycles, 5398
Highly regioselective Heck reactions of heteroaryl halides with electron-rich olefins in ionic liquid, 3546
Reaction of 2,3-bis(methylthio)pyrrolo[1,2-*a*]benzimidazol-1-one with $\text{BrRe}(\text{CO})_3(\text{THF})_2$: X-ray diffraction structure, redox chemistry, and luminescence behavior of *fac*- $\text{BrRe}(\text{CO})_3\{N,S\text{-}2,3\text{-bis(methylthio)pyrrolo[1,2-}a\text{]benzimidazol-1-one}\}$, 4993
Synthesis, structure and electronic properties of *N*-dialkylamino- and *N*-alkoxy-1,2,4-triazol-3-ylidene ligands, 5979
- Heterocyclic carbene**
Synthesis and characterization of novel Pd(II) and Pt(II) complexes with 5-ring chelating iminoylcarbene ligands, 6125
- Heterocyclic carbene complexes**
Synthesis and structure of *N*-heterocyclic carbene complexes of rhodium and iridium derived from an imidazolium-linked cyclophane, 2312
- Heterocyclic carbenes**
Bonding aspects of *P*-heterocyclic carbene transition metal complexes. A computational assessment, 6068
- Heterocyclic stibine**
First synthesis and structural report on selenophen-2-yl containing pnictogens: Biological activities of tris(selenophen-2-yl)stibine, 3286
- Heterodienes**
A combined experimental and theoretical study of metallic salts of thiapentadienyl, sulfinylpentadienyl and butadienesulfonyls, 1379
- Heterodinuclear complex**
Synthesis and properties of Zr–Co heterodinuclear complexes with a bridging bis(cyclopentadienyl) ligand, 269
- Heterogeneous catalysis**
In situ grafting of cyclopentadienyl-molybdenum complexes on mesoporous materials: The reaction of $[\eta^5\text{-CpMo}(\text{CO})_3]^- \text{Na}^+$ with surface fixed iodo-benzyl siloxane, 5105
Kinetic investigation of a $\text{PC}(\text{sp}^3)\text{P}$ pincer palladium (II) complex in the Heck reaction, 4197
Methyltrioxorhenium heterogenized on commercially available supporting materials as cyclooctene metathesis catalyst, 4712
- Heterogenised homogeneous catalysis**
The preparation of silica entrapped homogeneous hydrogenation catalysts by conventional and ionic liquid mediated sol–gel routes, 3518
- Heterometal bonds**
Rational synthesis of trinuclear (WR_2) cluster from the 16-electron half-sandwich complex $\text{Cp}^*\text{Ir}[\text{Se}_2\text{C}_2(\text{B}_{10}\text{H}_{10})]$, 249
- Heterometallic**
Inter- and hetero-metallic assembly of palladium sulfide aggregates: crystal and molecular structures of $[\text{InPd}_2\text{Cl}_3(\text{dppf})_2(\mu\text{-S}_2)] \cdot 3\text{CH}_2\text{Cl}_2$ and $[\text{Ag}_2\text{Pd}_2(\text{NO}_3)_2(\text{dppf})_2(\mu\text{-S}_2)] \cdot 2\text{CH}_2\text{Cl}_2$, 990
- Heterometallic butyltin isopropoxides**
Synthesis of the first examples of stable heterometallic isopropoxides of an organometallic $\text{RSn}(\text{IV})$ moiety, 96
- Heteronuclear**
Reaction of the heterometallic cluster $\text{Os}_3\text{Ru}(\mu\text{-H})_2(\text{CO})_{13}$ with diphenylphosphine: phosphido-bridged tetrahedral and butterfly clusters, 1033
- Heteroscorpionates**
Tin(IV) and organotin(IV) derivatives of bis(pyrazolyl)acetate: Synthesis, spectroscopic characterization and behaviour in solution. X-ray single crystal study of bis(pyrazol-1-yl)acetatotriiodotin(IV) $[\text{SnI}_3(\text{bdmpza})]$, 1878
- Heterobimetallic**
 $\pi(\text{Arene})$ versus donor ligand complexation in the formation of the heterobimetallic lithium–potassium dianion of (*S*)-*N*-(α -methylbenzyl)allylamine, 4343
- Heterocycle**
Constrained geometry complexes of titanium (IV) and zirconium (IV) involving cyclopentadienyl fused to thiophene ring, 4213
- Hexadiene**
Preparation and Diels–Alder reaction of carbosilane dendrimer with conjugated diene, 4794
- 2,4-hexadiyne-1,6-diol**
A comparison between the reaction of P_2Ph_4 with $[\{\text{Co}_2(\text{CO})_6\}_2(\mu\text{-}\eta^2\text{-}\mu\text{-}\eta^2\text{-HOCH}_2\text{C}\equiv\text{C}\text{-C}\equiv\text{CCH}_2\text{OH})]$ and the reaction of $[\text{Co}_2(\mu\text{-PPh}_2)_2(\text{CO})_6]$ with $\text{HOCH}_2\text{C}\equiv\text{C}\text{-C}\equiv\text{CCH}_2\text{OH}$, 2209
- Hexamethylbenzene**
Syntheses and characterization of η^6 -hexamethylbenzene-ruthenium(II)- β -diketone complexes: their reactions with mono- and bidentate neutral ligands, 1218
Syntheses and characterization of $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\mu\text{-N}_3)(\text{X})_2]$ (X = N_3 and Cl) complexes and their reactions towards mono- and bidentate ligands, 885
- 2(5H)-furanone**
A comparison between the reaction of P_2Ph_4 with $[\{\text{Co}_2(\text{CO})_6\}_2(\mu\text{-}\eta^2\text{-}\mu\text{-}\eta^2\text{-HOCH}_2\text{C}\equiv\text{C}\text{-C}\equiv\text{CCH}_2\text{OH})]$ and the reaction of $[\text{Co}_2(\mu\text{-PPh}_2)_2(\text{CO})_6]$ with $\text{HOCH}_2\text{C}\equiv\text{C}\text{-C}\equiv\text{CCH}_2\text{OH}$, 2209
- High pressure**
Effect of high external pressures on the vibrational spectra of Zeise's complexes, $\text{K}[\text{Pt}(\eta^2\text{-C}_2\text{H}_4)\text{Cl}_3]$ and $[\text{Pt}(\eta^2\text{-C}_2\text{H}_4)\text{Cl}_2]_2$, 3165
- High-pressure**
Pressure-tuning vibrational spectra of the heterobimetallic complexes, $\text{Ph}_3\text{MCo}(\text{CO})_4$ (M = Sn, Pb), 4719

4,5-Dihydropyrazole

Synthesis, structures and biological activity research of novel ferrocenyl-containing 1*H*-1,2,4-triazole derivatives, 1226

¹H NMR

Towards understanding monomer coordination in atom transfer radical polymerization: synthesis of [Cu^I(PMDETA)(π-M)] [BPh₄] (M = methyl acrylate, styrene, 1-octene, and methyl methacrylate) and structural studies by FT-IR and ¹H NMR spectroscopy and X-ray crystallography, 916

Hole transport

Sonogashira coupling of diethynylsilane and dibromoarene in wet solvent for the formation of poly[(ethynylenearenylene)-*co*-(diethynylenesilylenearenylene)], 3951

HOMO

In search of triplet ground state GeCNX germynes (X = H, F, Cl, and Br): An ab initio and DFT study, 4692

Homochelate NN ligand

α-Diimines as nitrogen ligands for ruthenium-catalyzed allylation reactions and related (pentamethylcyclopentadienyl) ruthenium complexes, 2149

Homo-coupling

Study of homo- and cross-coupling competition in the reaction of triaryl(bismuth(V) dicarboxylates with methyl acrylate in the presence of a palladium catalyst, 3652

Homogeneous catalysis

Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441

Novel α-fluorinated cyclic phosphite and phosphinite ligands and their Rh-complexes as suitable catalysts in hydroformylation, 3456

Novel functionalised P-ligands: advances and application, 2559

Oxidations by the system “hydrogen peroxide–[Mn₂L₂O₃][PF₆]₂ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane)–oxalic acid”. Part 6. Oxidation of methane and other alkanes and olefins in water, 4498

Solvent-controlled selective synthesis of a *trans*-configured benzimidazole-2-ylidene palladium(II) complex and investigations of its Heck-type catalytic activity, 3854

Synthesis of cobalt-containing monodentate phosphine ligand and application toward Suzuki cross-coupling reactions, 1249

The palladium–phenanthroline catalyzed carbonylation of nitroarenes to diarylureas: Effect of chloride and diphenylphosphinic acid, 4517

Transition metal catalyzed cross-coupling of aryl Grignard reagents with aryl fluorides via Pd- or Ni-activation of the C–F bond: an efficient synthesis of unsymmetrical biaryls – application of microwave technology in ligand and catalyst screening, 932

Tuning of nickel 2-phosphinophenolates – catalysts for oligomerization and polymerization of ethylene, 2449

Homogeneous catalysts

Preparation, structure and ethylene polymerization behavior of mixed-halide nickel(II) complexes and cobalt(II) complex containing imidazolium, 2934

Homo-hetero binuclear

Synthetic, spectral and structural studies of some homo and hetero binuclear arene ruthenium (II) polypyridyl complexes, 4243

HOMO–LUMO orbitals

A quantum chemical study on the reaction of 1-aryl-1,2-dihydrophosphinine oxides with dimethyl acetylenedicarboxylate, 2497

Host–guest chemistry

Inclusion of molybdenocene dichloride (Cp₂MoCl₂) in 2-hydroxypropyl- and trimethyl-β-cyclodextrin: Structural and biological properties, 2905

Host–guest systems

Inclusion complex formation of diferrocenyldimethylsilane with β-cyclodextrin, 4801

H-phosphinic acids

Recent advances in phosphorus–carbon bond formation: synthesis of H-phosphinic acid derivatives from hypophosphorous compounds, 2388

HPLC

A strikingly fast route to methylmercury acetylides as a new opportunity for monomethylmercury detection, 588

Cyclisation of diferrocenylbutadiyne dicobalt hexacarbonyl mono-adduct to novel ferrocenotropones, 691

¹H, ¹²⁵Te NMR spectra

Synthesis and structure of *N*-arylimines of β-tellurocyclohexenals with the intramolecular coordination N → Te bonds, 103

1*H*-1,2,4-triazole

Synthesis, structures and biological activity research of novel ferrocenyl-containing 1*H*-1,2,4-triazole derivatives, 1226

Human adenocarcinoma

Inclusion of molybdenocene dichloride (Cp₂MoCl₂) in 2-hydroxypropyl- and trimethyl-β-cyclodextrin: Structural and biological properties, 2905

Hybrid ligand

Rhodium complexes of PC^{NHC}P: Oxidative addition of dichloromethane and catalytic hydrosilylation of alkynes affording (*E*)-alkenylsilanes, 5662

Hybrid ligands

Synthesis and structural characterization of *rac*-2-[(diphenylphosphino)methyl]ferrocenecarboxylic acid, its selected derivatives and some rhodium complexes, 4285

Hydration

Reactions of α,ω-dithiolate ligands with bis(cyclopentadienyl)molybdenum dichloride; crystal structures of Mo(η-C₅H₅)₂{S(CH₂)_nS} (n = 2, 3) and a layered hydrate, Mo(η-C₅H₅)₂(SCH₂CH₂O) · 4.5H₂O, 126

Hydrazide

Syntheses and properties of Re(III) complexes derived from hydrotris(1-pyrazolyl)methanes: molecular structure of [ReCl₂(HCpz₃)(PPh₃)] [BF₄], 1947

Hydrazoic acid

A quantum chemical study on the mechanism of S-coordinated tetrazole-thiolato formation by the reaction of organic isothiocyanates with metal azido complexes of Pt(II), Pd(II), and Sn, 4319

Hydrazone

Synthesis and structural characterization of diorganotin(IV) esters with pyruvic acid isonicotinyl hydrazone and pyruvic acid salicylhydrazone Schiff bases, 1669

Hydrazones

Synthesis, IR-, NMR- and X-ray investigations on some novel *N*-hetaryl-dihydro-pyrazolyl ferrocenes. Study on ferrocenes, part 16, 4018

Hydride

Complexes of tantalum with triaryloxides: Ligand and solvent effects on formation of hydride derivatives, 5333

Preparation of rhenium hydride complexes with pyrazole and pyrazolato ligands, 4573

Reactivity of silyl-substituted heterobimetallic iron–platinum hydride complexes towards unsaturated molecules: Part II. Insertion of trifluoropropyne and hexafluorobutyne into the platinum–hydride bond, 1456

Synthesis and reactivity of hydride and dihydrogen complexes of ruthenium with tris(pyrazolyl)borate and phosphite ligands, 1726

Hydride ligands

A dihydrogen bond between a bridging hydride and the NH proton of a coordinated dimethylamine: solid state, solution and theoretical characterization, 2044

Synthesis and structural characterisation of rhodium hydride complexes bearing *N*-heterocyclic carbene ligands, 5027

Hydrido compounds

New bromo-, triflato-, and hydridotricarbonylrhenium(I) complexes with diphosphinite ligands: Structural, spectral and protonation studies of various hydrides, 4945

Hyrido-oxo complexes

Mechanistic studies on reaction of $[\text{ReH}_4(\eta^2\text{-H}_2)(\text{Cytpp})]^+$ with ketones to give the hyrido-oxo complex $[\text{ReH}_2(\text{O})(\text{Cytpp})]^+$ (Cytpp = $\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PCy}_2)_2$), 862

Hyridopalladium

$[\text{Pd}(\text{H})(\text{SnCl}_3)_2\text{L}_2]$: The key active species in the catalyzed alkoxy-carbonylation reaction of terminal alkenes, 2947

Hyridotris(pyrazolyl)borate

A comparison of Cp^* - and Tp -ruthenium carbyne complexes prepared via site selective electrophilic addition to neutral ruthenium vinylidenes, 4640

Hydroamination

Bis(phosphinimino)methanides as ligands in divalent lanthanide and alkaline earth chemistry – synthesis, structure, and catalysis, 5078

Intramolecular hydroamination of 6-aminohex-1-yne catalyzed by Lewis acidic rhenium(I) carbonyl complexes, 3774

Non-metallocene rare earth metal catalysts for the diastereoselective and enantioselective hydroamination of aminoalkenes, 4441

Titanium-catalyzed iminohydrazination of alkynes, 5066

Hydroarylation

Addition of heterocycles to electron deficient olefins and alkynes catalyzed by gold(III), 5049

Hydroborate

New method of synthesis of 6-hydroxy-nido-decaborane $6\text{-}(\text{OH})\text{B}_{10}\text{H}_{13}$ by cage opening of $\text{closo-}[\text{B}_{10}\text{H}_{10}]^{2-}$, 2787

Syntheses, structures, and properties of phenyltrihydroborate complexes of zirconocene and titanocene, 291

Hydroboration

Bis(enamino-Cp) Group 4 metal complex chemistry: developing a Mannich-type carbon-carbon coupling reaction at the bent metallocene framework, 14

Intramolecular double or triple Suzuki coupling reaction of substituted di- or tribromobenzenes. An easy synthesis of fused tri- or tetracycles with a benzene core, 5389

Rhodium-catalyzed cascade reactions: A methylenation-hydroboration homologative process, 5198

Hydrocarboxylation

Diphenylphosphino(phenyl pyridin-2-yl methylene)amine palladium(II) complexes: Chemoselective alkene hydrocarboxylation initiators, 5264

Hydrochloric acid

Reaction of $\text{Fe}_3(\text{CO})_{12}$ with but-2-yn-1,4-diol, 1,4-dichloro-but-2-yne, propargyl-alcohol and propargyl-chloride. The X-ray structures of $[\text{Fe}_2(\text{CO})_6\{\text{H}_2\text{CCCCH}_2\}]$, $[\text{Fe}_2(\text{CO})_6\{\text{H}_2\text{CCC}(\text{H})\text{C}(\text{OCH}_3)\text{O}\}]$ and $\text{Fe}_3(\text{CO})_{10}\{\text{H}_2\text{CCC}(\text{H})\text{C}(\text{O})\text{C}\{\text{CH}_2(\text{O})\text{CH}_3\}\text{CCH}_2\}$, 3755

Hydroesterification

Palladium-catalyzed hydroesterification of styrene derivatives in the presence of ionic liquids, 3620

Hydroformylation

Domino reaction sequences in the rhodium-catalyzed hydroformylation of 3-acetyl-1-allylpyrrole: a short route to 5,6,7,8-tetrahydroindolizines, 1866

Evidence for formation and different evolution of tertiary rhodium alkyl intermediates under rhodium-catalyzed deuterio-(hydro)formylation of 1-(*n*-pyridyl)-1-phenylethenes, 1699

Hydroformylation of alkenes with paraformaldehyde catalyzed by rhodium-phosphine complexes, 3095

Mechanistic studies on the formation of Pt(II) hydroformylation catalysts in imidazolium-based ionic liquids, 3567

Novel α -fluorinated cyclic phosphite and phosphinite ligands and their Rh-complexes as suitable catalysts in hydroformylation, 3456

Novel functionalised P-ligands: advances and application, 2559

Rhodium-NHC-complexes as potent catalysts in the hydroformylation of 1-octene, 6233

Rhodium(I) complexes with 1'-(diphenylphosphino)ferrocene-carboxylic acid as active and recyclable catalysts for 1-hexene hydroformylation, 3260

Supraphos: A supramolecular strategy to prepare bidentate ligands, 4505

Synthesis and characterisation of two novel Rh(I) carbene complexes: Crystal structure of $[\text{Rh}(\text{acac})(\text{CO})(\text{L}_1)]$, 3422

Synthesis, characterization, reactivity and theoretical studies of ruthenium carbonyl complexes containing *ortho*-substituted triphenyl phosphanes, 3803

Hydrogen activation

Catalytic hydrogenolysis of alkyl halides by sulfido-bridged molybdenum clusters: A density functional study, 5206

 π -hydrogen bond ab initio calculations rhodium indacene

Molecular conformations and π -hydrogen bonds in *anti*- and *syn*-binuclear Rh(I) complexes of *as*-indacene-diide: a computational study, 482

Hydrogenation

Functional phosphines XV. Ruthenium complexes containing $\text{C}_5\text{H}_8(\text{PR}_2)_2$ and $\text{Ph}_2\text{CH}_2\text{CR}_2'\text{NH}_2$ ligands (R = Me, Ph, OPh; R' = H, Me): synthesis and application to homogeneous $>\text{C}=\text{O}$ hydrogenation and transfer hydrogenation, 1

Hydrogenation of single and multiple N–N or N–O bonds by Ru(II) catalysts in homogeneous phase, 3641

On the behaviour of Ru(I) and Ru(II) carbonyl acetates in the presence of H_2 and/or acetic acid and their role in the catalytic hydrogenation of acetic acid, 371

Rhodium *N*-heterocyclic carbene complexes: Synthesis, structure, NMR studies and catalytic activity, 5736

Searching for molecular arene hydrogenation catalysis in ionic liquids, 3552

The preparation of silica entrapped homogeneous hydrogenation catalysts by conventional and ionic liquid mediated sol-gel routes, 3518

The role of additional solvents in transition metal complex catalyzed asymmetric reductions in ionic liquid containing systems, 3558

Hydrogen bond

The synthesis and crystallographic characterisation of the complexes $[\text{RuX}(\text{CO})(\eta^2\text{-C}_6\text{H}_5\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{-4Me})(\text{PPh}_3)_2] \cdot \text{CHCl}_3$ (X = Cl, Br, I, F): Evidence for competing $\text{Ru-X} \cdots \text{Cl-CHCl}_2$ and $\text{Ru-X} \cdots \text{HCCl}_3$ interactions in the solid state, 3390

Hydrogen bonding

Palladium complexes containing ligands with hydrogen-bonding functionalities. Reactivity and catalytic studies with CO and olefins, 5113

Hydrogen bonds

A dihydrogen bond between a bridging hydride and the NH proton of a coordinated dimethylamine: solid state, solution and theoretical characterization, 2044

Hydrogen peroxide

Osmium-catalyzed dihydroxylation of alkenes by H_2O_2 in room temperature ionic liquid co-catalyzed by $\text{VO}(\text{acac})_2$ or MeReO_3 , 3614

Oxidations by the system “hydrogen peroxide- $[\text{Mn}_2\text{L}_2\text{O}_3][\text{PF}_6]_2$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane)-oxalic acid”. Part 6. Oxidation of methane and other alkanes and olefins in water, 4498

Hydrogen transfer

Inverted piano-stool dimers of half-sandwich Ru(II) complexes with (*R*)-phenylglycine methylester and (*S*)-phenylalanineamide: An X-ray structural study and preliminary catalytic results, 4602

Hydrohydrazination

Titanium-catalyzed iminohydrazination of alkynes, 5066

Hydroindation

A novel stereoselective synthesis of (*E*)-2-arylvinylphosphonates in $\text{InCl}_3\text{-NaBH}_4\text{-MeCN}$ system, 1705

Hydrolysis

One-pot synthesis of nickel porphyrins with 2-pyridine-acetyl substituents: the unexpected Sonogashira cross-coupling products, 244

Synthesis and structures of bis(alkyldihydroxysilyl)methanes, 4677

- Hydrometallurgy
Solvent extraction in hydrometallurgy: the role of organophosphorus extractants, 2426
- Hydrophosphinylation
Recent advances in phosphorus–carbon bond formation: synthesis of H-phosphinic acid derivatives from hypophosphorous compounds, 2388
- Hydroxy phosphonate
Allylic hydroxy phosphonates: versatile chiral building blocks, 2577
- Hydroruthenation
Ruthenium-catalyzed cycloisomerization of 1,1,2,2-tetramethyl-1,2-divinylidene: Selective formation of a five-membered silacycle, 3451
- Hydrosilation
Diels–Alder reaction of anthracene on carbosilane dendrimer, 3278
- Hydrosiloxanes
Catalytic reactions of hydrosiloxanes with allyl chloride, 4478
- Hydrosilylation
A new class of nitrogen based chiral ligands: 2*H*-1,3-benzoxazines. Ligand synthesis, X-ray structural studies and asymmetric catalysis, 2027
Carbosiloxandendrimere mit terminalen SiH-Bindungen, 751
Catalytic reactions of hydrosiloxanes with allyl chloride, 4478
Hydrosilylation of 1-hexyne promoted by acetone solvated gold atoms derived catalysts, 1063
Kronenether-funktionalisierte Carbosilandendrimere, 696
Metallo-Carbosiloxan-Dendrimere mit Titanocendichlorid-Endgruppen, 1198
Rh(1,3-bis(2,4,6-trimethylphenyl)-3,4,5,6-tetrahydropyrimidin-2-ylidene)-(COD) tetrafluoroborate, an unsymmetrical Rh-homoallyl-carbene: synthesis, X-ray structure and reactivity in carbonyl arylation and hydrosilylation reactions, 4433
Rhodium complexes of PC^{NHC}P: Oxidative addition of dichloromethane and catalytic hydrosilylation of alkynes affording (*E*)-alkenylsilanes, 5662
Synthesis and characterization of a free phenylene bis(*N*-heterocyclic carbene) and its di-Rh complex: Catalytic activity of the di-Rh and CCC–NHC Rh pincer complexes in intermolecular hydrosilylation of alkynes, 5938
Synthetic and structural studies of NHC–Pt(dvtms) complexes and their application as alkene hydrosilylation catalysts (NHC = *N*-heterocyclic carbene, dvtms = divinyltetramethylsiloxane), 6156
- Hydrotris(1-pyrazolyl)methane
Syntheses and properties of Re(III) complexes derived from hydrotris(1-pyrazolyl)methanes: molecular structure of [ReCl₂(HCpz₃)(PPh₃)] [BF₄], 1947
- Hydroxide/amine
An organoiron approach to thyroid hormone analogues, 1784
- 1-Hydroxyalkylphosphonate
Synthesis and herbicidal activities of methyl-1-(2,4-dichlorophenoxy-acetoxy)alkylphosphonate monosalts, 2608
- 7-Hydroxycoumarin
Triorganotin(IV) derivatives of umbelliferone (7-hydroxycoumarin) and their adducts with 1,10-phenanthroline: synthesis, structural and biological studies, 134
- Hydroxy derivative
Synthesis of the 1-hydroxy-*closo*-decaborate anion [1-B₁₀H₉OH]²⁻, 2847
- 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylideneamino]aryls
Synthesis, characterization and crystal structures of polymeric and dimeric triphenyltin(IV) complexes of 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylideneamino]aryls, 4232
- Hydroxyl
Synthesis of palladium–biscarbene complexes derived from 1,1'-methylenebis(1,2,4-triazole) functionalized in the methylene bridge, 5654
- 3-Hydroxy-2-pyridinecarboxylic acid
Syntheses and crystal structures of diorganotin (IV) moieties with 3-hydroxy-2-pyridinecarboxylic acid, 4049
- Hyperbranched polymers
Accelerated methods of synthesis of phosphorus-containing dendrimers, 2458
- Hypervalent organoselenium compounds
Organoselenium(II) and selenium(IV) compounds containing 2-(Me₂NCH₂)C₆H₄ moieties: solution behavior and solid state structure, 3217
- Hyphe
Metallacarborane chemistry of the *hypho*-[6,7-C₂B₆H₁₃]⁻ anion: Reaction with nickelocene and the formation of three multimetallic nickel–boron clusters, 2835
- Hβ zeolite
Study of the reaction of tetramethyltin with Hβ zeolite, 3187
- Imidate
Azetidines as ligands in the Pd(II) complexes series, 2306
- Imidazole
Metal-containing ionic liquids and ionic liquid crystals based on imidazolium moiety, 3498
- Imidazolium salts
Enantioselective copper catalysed 1,4-conjugate addition reactions using chiral *N*-heterocyclic carbenes, 5672
- Imidazolium
Metal-containing ionic liquids and ionic liquid crystals based on imidazolium moiety, 3498
- Imidazolium chlorides
Synthesis and structural characterization of metal complexes based on pyrazole/imidazolium chlorides, 403
- Imidazolium-linked cyclophanes
Synthesis and structure of *N*-heterocyclic carbene complexes of rhodium and iridium derived from an imidazolium-linked cyclophane, 2312
- Imidazolium salts
Formation of chiral ionic liquids and imidazol-2-ylidene metal complexes from the proteinogenic amino acid L-histidine, 5959
Furan- and thiophene-functionalised bis-carbene ligands: Synthesis, silver(I) complexes, and catalysis, 6133
Preparation, structure and ethylene polymerization behavior of mixed-halide nickel(II) complexes and cobalt(II) complex containing imidazolium, 2934
Studies on Pd/imidazolium salt protocols for aminations of aryl bromides and iodides using lithium hexamethyldisilazide (LHMDS), 5841
Synthesis and asymmetric catalytic application of chiral imidazolium–phosphines derived from (1*R*,2*R*)-*trans*-diaminocyclohexane, 5822
Synthesis and crystallographic characterization of multi-donor *N*-heterocyclic carbene chelating ligands and their silver complexes: Potential use in pharmaceuticals, 6008
- Imidazolylidene
A new paradigm in *N*-heterocyclic carbenoid ligands, 6210
- Imido acid
B₁₂H₁₁-containing guanidinium derivatives by reaction of carbodiimides with H₃N–B₁₂H₁₁(1-). A new method for connecting boron clusters to organic compounds, 2757
- Imidocarbyne
CpCr(CO)3-initiated N–N bond cleavage in a thiotetrazole ligand in a cyclopentadienylchromium complex, 1157
- Imine
Azetidines as ligands in the Pd(II) complexes series, 2306
Diiron-aminocarbyne complexes with amine or imine ligands: C–N coupling between imine and aminocarbyne ligands promoted by tolylacetylde addition to [Fe₂{μ-CN(Me)R}{μ-CO(CO)-(NH=CPh₂)(Cp)₂}[SO₃CF₃], 348
- Imino–Diels–Alder
Imino Diels–Alder reaction of boronates: A new route to 3,4-dihydroquinolines, 2975

Iminoamination

Titanium-catalyzed iminohydrazination of alkynes, 5066

Iminocarbene

Synthesis and characterization of novel Pd(II) and Pt(II) complexes with 5-ring chelating iminoylcarbene ligands, 6125

Imino-hydrazination

Titanium-catalyzed iminohydrazination of alkynes, 5066

Iminophosphines

New cationic palladium (II) and rhodium (I) complexes of $[\text{Ph}_2\text{PCH}_2\text{C}(\text{Ph})=\text{N}(2,6\text{-Me}_2\text{C}_6\text{H}_3)]$, 1645

Iminopyridine ligand

Nickel (II) complexes bearing 2-ethylcarboxylate-6-iminopyridyl ligands: synthesis, structures and their catalytic behavior for ethylene oligomerization and polymerization, 1570

Iminopyridines

Imino- and bis-imino-pyridines with *N-ter-butyl-N-aminoxyl* group: synthesis, oxidation and use as ligand towards M^{2+} (Mn, Ni, Zn) and Gd^{3+} , 197

Immobilization

Modification of mesoporous silicate SBA-15 with tris[bis-(trimethylsilyl)amido]samarium and its utility in Tishchenko reaction, 3783

Synthesis, structure, immobilization and solid-state NMR of new dppp- and tripod-type chelate linkers, 3383

 $\text{InCl}_3\text{-NaBH}_4\text{-MeCN}$ system

A novel stereoselective synthesis of (*E*)-2-arylvinyolphosphonates in $\text{InCl}_3\text{-NaBH}_4\text{-MeCN}$ system, 1705

Inclusion compounds

Inclusion complex formation of diferrocenyldimethylsilane with β -cyclodextrin, 4801

Indenes

[6 + 3] Cycloaddition of Fischer aminocarbene complexes: An efficient annulation of fulvenes to indene derivatives, 5696

Indenol

Indenols, indenones and (arylcyclohexadienyl) $\text{Mn}(\text{CO})_3$ π -complexes from the thermally promoted reactions of alkynes with *ortho*- $\text{Mn}(\text{CO})_4$ aryl ketone, amide, ester and aldehyde derivatives, 3827

Indenyl

New mononuclear ruthenium complexes of η^5 -cyclichydrocarbon containing azine ligands: Syntheses, spectral and structural studies, 3720

Part 1: 1,3-Dipolar addition of activated alkyne towards coordinated azido group in ruthenium(II) complexes containing η^5 -cyclichydrocarbons, 4222

Syntheses and characterization of η^5 -cyclopentadienyl and η^5 -indenyl ruthenium(II) complexes of arylazoimidazoles: The molecular structure of the complex $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{C}_6\text{H}_5\text{-N}=\text{N-C}_3\text{H}_3\text{N}_2)]^+$, 3465

Synthesis and reactivity of mixed-ring indenyl complexes of molybdenocene, 1718

Synthesis and structural characterization of unsymmetrical osmocenes containing the pentamethylcyclopentadienyl ligand, 4356

Synthesis, structures and spectroelectrochemistry of methyl-substituted bis(η^5 -indenyl)iron(II) complexes, 3018

Indenyl ligands

Homolysis of the Ln–N bond: Synthesis, characterization and catalytic activity of organolanthanide(II) complexes with furfuryl- and tetrahydrofurfuryl-functionalized indenyl ligands, 4139

Indium

Organometallic compounds of Group 13 elements containing the ligand $\text{C}(\text{SiMe}_3)_2(\text{SiMe}_2\text{C}_5\text{H}_4\text{N-2})$, 69

Reactions of 1,2-catechol with tBu_3M (M = Ga, In). Structures of intermediate products, 722

Structure and reactivity of derivatives of dihalogenomethyl indium(III) halides, X_2InCHX_2 (X = Cl, Br, I), 925

Synthesis and molecular structures of dialkylselenium methylide complexes of indium tribromide, 1294

Synthesis and structural characterization of gallium and indium complexes obtained from redistribution reactions of mixed chalcogen-imidodiphosphinate ligands, 3054

The unusual reactions of indium(I) trifluoromethanesulfonate with some first row metallocenes and the structure of “indium(II) cyclopentadienide”, 5090

Indole

Pauson–Khand reaction of 2-ethynyl aniline: Synthesis of fused ring indoles by organocuprate conjugate addition followed by spontaneous dehydration, 1861

Synthesis of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and its *N,N'*-dimetallated complexes (lithium, sodium and potassium): X-ray crystal structures of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and the polymeric tetrahydrofuran adduct of the dilithiated complex, 220

Indole derivatives

Novel cyclometallated Pd(II) and Pt(II) complexes with indole derivatives and their use as catalysts in Heck reaction, 2017

Infinite chains

The effect of carbon chain length of the diphosphine ligand on the aurophilic interaction. Synthesis and X-ray structural study for a series of Au(I) compounds with $\text{Ph}_2\text{P-R-PPh}_2$ and $S\text{-(CH}_2)_n\text{-py}$ ligands, 57

Infrared spectroscopy

Displacement of the heptane solvent from $(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{CO})_2(\text{heptane})$: A flash photolysis study using infrared detection, 4989

Inorganic polymers

Borylborazines as new precursors for boron nitride fibres, 2809

1,1-Insertion

1,1-Insertion of substituted alkynes into the Ir–O bond of η^2 -carboxylato iridium complexes, 1306

Insertion

Reactivity of silyl-substituted heterobimetallic iron–platinum hydride complexes towards unsaturated molecules: Part II. Insertion of trifluoropropyne and hexafluorobutyne into the platinum–hydride bond, 1456

Stereoselectivity in metal carbene and Lewis acid-catalyzed reactions from diastereomeric dirhodium(II) carboxamidates: Menthyl *N*-acetyl-2-oxoimidazolidine-4(*S*)-carboxylates, 5525

Synthesis and reactivity of organolanthanide complexes containing phenothiazine ligand toward carbodiimide and isothiocyanate, 4926

Synthesis of electron-rich platinum centers: Platinum⁰(carbene)-(alkene)₂ complexes, 5804

Insertion reaction

Facile syntheses of four-membered aurathietane dioxide [Au–CHR–SO₂–CHR] ring systems, and the first isonitrile insertion reaction into a gold(III)–carbon bond, 4971

Interannular conjugation

Synthesis and NMR characterization of dinuclear Fe(II) organometallic complexes containing a non-equivalently bridging 5-aryl tetrazolate ligand, 2052

 π – π interaction

Synthesis and characterization of scandium complexes with reduced ligands: Crystal structures of Cp^*ScI_2 , $[\text{Cp}^*\text{ScI}(\text{bpy})]_2$, and $[\text{Cp}^*\text{ScCl}(\text{bpy})]_2$, 1689

 π -interaction

Pyrazine bridged benzyl dicobaloximes: Competition between π -interaction and steric crowding in crystal structure, 3746

Intercalation

Crystal structure, antitumor activities and DNA-binding properties of the La(III) complex with Phthalazin-1(2H)-one prepared by a novel route, 4557

Intermediate

$\text{Os}(\text{CO})_2(\eta^2\text{-SC}_5\text{H}_4\text{N}(\text{O}))(\eta^2\text{-SC}_5\text{H}_4\text{N})$: structural evidence for the transformation of pyridine-2-thione *N*-oxide to pyridine-2-thiolate in osmium complexes, 441

Intermolecular coordination

Palladium-catalyzed cross-coupling reaction of ethynylstibanes with organic halides, 2956

Intraligand excitation

Reaction of 2,3-bis(methylthio)pyrrolo[1,2-*a*]benzimidazol-1-one with $\text{BrRe}(\text{CO})_3(\text{THF})_2$: X-ray diffraction structure, redox chemistry, and luminescence behavior of *fac*- $\text{BrRe}(\text{CO})_3\{N,S-2,3\text{-bis(methylthio)pyrrolo[1,2-}a\text{]benzimidazol-1-one}\}$, 4993

Intramolecular coordination

Mono- and bis-[2-(*P,P*-dimethylphosphanyl)ethyl]tetramethylcyclopentadienyl zirconium(IV) complexes: Synthesis and structural studies in crystalline state and in solutions, 4036

Secondary bonding in functionalized organotellurium compounds: preparation and structural characterization of bis(acetamido)-tellurium(IV) diiodide and bis(4-methylbenzoylmethyl)tellurium(II), 313

The interplay of secondary $\text{Te}\cdots\text{N}$, $\text{Te}\cdots\text{O}$, $\text{Te}\cdots\text{I}$ and $\text{I}\cdots\text{I}$ interactions, $\text{Te}\cdots\pi$ contacts and π -stacking in the supra-molecular structures of [$\{2\text{-}(4\text{-nitrobenzylideneamino})\text{-5-methylphenyl}\}(4\text{-methoxyphenyl})\text{tellurium dihalides}$], 1350

Intramolecular Lewis acid base adduct

Synthesis of a Lewis acid bearing cyclopentadienyl ligand and its tricarbonylmanganese(I) complex, 2159

Intramolecular N \rightarrow Te and O \rightarrow Te coordination

Synthesis and structure of *N*-arylimines of β -tellurocyclohexenals with the intramolecular coordination N \rightarrow Te bonds, 103

Intramolecular reductive cyclization

Synthesis, structures, and photophysical properties of silicon and carbon-bridged ladder oligo(*p*-phenylenevinylene)s and related π -electron systems, 5365

Intrinsic rate constants

Factors that affect the kinetic and thermodynamic acidities of Fischer carbene complexes: New insights from the study of the cationic (methoxymethylcarbene) dicarbonylpentamethylcyclopentadienyl iron ($[\text{Cp}^*(\text{CO})_2\text{Fe}=\text{C}(\text{OMe})\text{Me}]^+$) in aqueous acetonitrile, 5616

Iodosylbenzene

Catalytic oxidation of alcohols with polymer-supported ruthenium complex under mild conditions, 6309

Ion-pair

NMR evidence for $\text{B}(\text{C}_6\text{F}_5)_3$ attack on the inward position of a highly hindered *meso ansa*-zirconocene, 640

Ionic liquid

Development in the green synthesis of cyclic carbonate from carbon dioxide using ionic liquids, 3490

Highly regioselective Heck reactions of heteroaryl halides with electron-rich olefins in ionic liquid, 3546

Kinetic study of the oxidative addition of methyl iodide to Vaska's complex in ionic liquids, 3522

Olefin metathesis in room temperature ionic liquids using imidazolium-tagged ruthenium complexes, 3585

Osmium-catalyzed dihydroxylation of alkenes by H_2O_2 in room temperature ionic liquid co-catalyzed by $\text{VO}(\text{acac})_2$ or MeReO_3 , 3614

Searching for molecular arene hydrogenation catalysis in ionic liquids, 3552

Ionic liquids

An ionic liquid-tagged second generation Hoveyda–Grubbs ruthenium carbene complex as highly reactive and recyclable catalyst for ring-closing metathesis of di-, tri- and tetrasubstituted dienes, 3577

Asymmetric Michael addition promoted by (*R,R*)-*trans*-1,2-diaminocyclohexane in ionic liquids, 3535

Mechanistic studies on the formation of Pt(II) hydroformylation catalysts in imidazolium-based ionic liquids, 3567

Organopalladium complex promoted asymmetric synthesis of a *P*-chiral phosphanorbornene in ionic liquids and in organic solvents, 4933

Osmium catalyzed asymmetric dihydroxylation of methyl *trans*-cinnamate in ionic liquids, followed by supercritical CO_2 product recovery, 3600

Palladium catalyzed cycloisomerization of 2,2-diallylmalonates in imidazolium ionic liquids, 3529

Palladium-catalyzed hydroesterification of styrene derivatives in the presence of ionic liquids, 3620

Pd-benzothiazol-2-ylidene complex in ionic liquids: Efficient catalyst for carbon–carbon coupling reactions, 5458

Promoting effect of ionic liquids on ligand substitution reactions, 3540

Ruthenium–benzocrownether complexes: Synthesis, structures, catalysis and immobilisation in ionic liquids, 5055

Sonochemistry and sonoluminescence in ionic liquids, molten salts, and concentrated electrolyte solutions, 3513

Synthesis of ferrocenoate esters, amides and other ferrocenoyl derivatives using ferrocenoyl fluoride. A comparison of the reactions of ferrocenoyl fluoride in $[\text{bmim}][\text{BF}_4]$ with the microwave-promoted solvent-free reactions of ferrocenoyl fluoride, 4959

Tetraalkylphosphonium-based ionic liquids, 2536

The preparation of silica entrapped homogeneous hydrogenation catalysts by conventional and ionic liquid mediated sol–gel routes, 3518

The role of additional solvents in transition metal complex catalyzed asymmetric reductions in ionic liquid containing systems, 3558

Ionic organotin

Studies of the reaction of dimethyltin dichloride with mercaptoacetic acid in the presence of amines and crystal structure of $[(n\text{-Pr})_3\text{NH}][\text{Me}_2\text{Sn}(\mu^2\text{-SCH}_2\text{COO})\text{Cl}]$, 3405

Ionic organotin compound

Synthesis and characterization of ionic organotin compounds $[\text{R}_2\text{SnCl}_2(2\text{-quin})]^- (\text{HNEt}_3)^+$ and crystal structures of $[(2,4\text{-Cl}_2\text{-C}_6\text{H}_3\text{CH}_2)_2\text{SnCl}_2(2\text{-quin})]^- (\text{HNEt}_3)^+$, 831

IR

Reactivity of cationic methyl rhodium(III) complexes *cis*- $[\text{Rh}(\beta\text{-diket})(\text{PPh}_3)_2(\text{CH}_3)(\text{CH}_3\text{CN})][\text{BPh}_4]$ toward ligands of different character: pyridine, carbon monoxide, and triphenylphosphine, 3397

Synthesis and characterization of chromium and molybdenum(0) complexes bearing the (pentafluoroethyl)diphenylphosphine (pfep) ligand, 534

Ir complexes

Synthesis and structure of *N*-heterocyclic carbene complexes of rhodium and iridium derived from an imidazolium-linked cyclophane, 2312

IR spectroscopy

Isolation and characterization of an iodide bridged dimeric palladium complex in carbonylation of methanol, 1677

Synthesis, structures and electrochemical properties of ruthenium (II) complexes bearing bidentate 1,8-naphthyridine and terpyridine analogous (N,N,C)-tridentate ligands, 4272

Iridaboranes

Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701

Iridathiophene

A 2-iridathiophene from reaction between $\text{IrCl}(\text{CS})(\text{PPh}_3)_2$ and $\text{Hg}(\text{CH}=\text{CHPh})_2$, 972

Iridium

¹Pyridine and phosphine functionalised *N*-heterocyclic carbene complexes of rhodium and iridium, 5948

1,1-Insertion of substituted alkynes into the Ir–O bond of η^2 -carboxylato iridium complexes, 1306

A 2-iridathiophene from reaction between $\text{IrCl}(\text{CS})(\text{PPh}_3)_2$ and $\text{Hg}(\text{CH}=\text{CHPh})_2$, 972

Bimetallic complexes with porphyrins containing a cyclometalated phenylpyridine group, 253

C–H and C–C bonds activation by iridium clusters: Synthesis and solid state structure of $[\text{Ir}_6(\text{CO})_{14}(\mu_3\text{-}\eta^1\text{:}\eta^2\text{-}\eta^1\text{-C}_7\text{H}_8)]$, 4768

Olefin uptake as tool for linking platinum(II) and iridium(III) in heterobinuclear complexes: Synthesis and characterization of $[\text{PtI}_2(\text{Me}_2\text{phen})\{\text{C}_5\text{Me}_4\text{CH}_2\text{CH}_2\text{CH}=\text{CH}_2\}\text{Ir}(\text{Me})(\text{CO})(\text{Ph})]$, 2097

- Polymerization of phenylacetylene by novel Rh (I)-, Ir (I)- and Ru (IV) 1,3-R₂-3,4,5,6-tetrahydropyrimidin-2-ylidenes (R = mesityl, 2-propyl): Influence of structure on activity and polymer structure, 5728
- Rational synthesis of trinuclear (WIr₂) cluster from the 16-electron half-sandwich complex Cp*Ir[Se₂C₂(B₁₀H₁₀)], 249
- Iridium complexes
- Synthetic, structural, spectroscopic, and electrochemical studies of mixed sandwich Rh(III) and Ir(III) complexes involving Cp* and tridentate macrocycles, 629
- Iridium(III)
- Direct functionalization of the cyclometalated 2-(2'-pyridyl)phenyl ligand bound to iridium(III), 2913
- Iron
- Iron(0) and ruthenium(0) complexes with tridentate phosphonite ligands and their potential for ketene formation from methyl iodide, CO and a base, 1429
- On the coordination chemistry of corannulene, the smallest "buckybowl", 3440
- Reactivity of silyl-substituted heterobimetallic iron–platinum hydride complexes towards unsaturated molecules: Part II. Insertion of trifluoropropyne and hexafluorobutyne into the platinum–hydride bond, 1456
- Tertiary phosphine induced migratory carbonyl insertion in cyclopentadienyl complexes of iron(II), 4159
- The transition metal carbonyl complexes of 1,3-bis(di-R-stibino)propanes (R = Me or Ph), 1540
- The variation of coordination modes of aromatic imines in iron carbonyl complexes: Is there a correlation between bond lengths in organometallic model compounds and the reactivity of the ligands in catalytic C–C bond formation reactions?, 3886
- Use of phosphine gold acetylides [(R₃P)AuC≡CR] to form phosphine gold derivatives of tetra-iron and penta-iron clusters, 2888
- Iron carbonyl clusters
- Reaction of Fe₃(CO)₁₂ with but-2-yn-1,4-diol, 1,4-dichloro-but-2-yne, propargyl-alcohol and propargyl-chloride. The X-ray structures of [Fe₂(CO)₆{H₂CCCCH₂}], [Fe₂(CO)₆{H₂CCC(H)C(OCH₃O)}] and Fe₃(CO)₁₀{H₂CCC(H)C(O)C{CH₂(O)CH₃}CCH₂}, 3755
- Iron carbonyls
- α,β-Unsaturated diimines as substrates in catalytic C–H activation reactions and as ligands in iron carbonyl complexes, 1092
- Iron complex
- Fe(II) and Co(II) pyridinebisimine complexes bearing different substituents on *ortho*- and *para*-position of imines: synthesis, characterization and behavior of ethylene polymerization, 1233
- Iron complexes
- New metal aminocarbene-substituted cyclopentadienyliron half sandwich complexes, 6217
- Iron(II)
- Iron(II) and iron(III) complexes containing ethynyl thiophene fragments, 594
- Iron(III)
- Iron(II) and iron(III) complexes containing ethynyl thiophene fragments, 594
- Isocyanates
- Regioselectivity in nickel(0)/phosphine catalyzed cycloadditions of alkynes and isocyanates, 5098
- Isocyanide
- Dimethylplatinum (II) complexes with isocyanocoumarin ligands: the crystal structure of *cis*-dimethylbis-(7-diethylamino-3-isocyanocoumarin)platinum(II), 168
- Effect of the organic fragment on the mesogenic properties of a series of organogold(I) isocyanide complexes. X-ray crystal structure of [Au(C≡CC₅H₄N)(CNC₆H₄O(O)CC₆H₄OC₁₀H₂₁)], 2200
- Isocyanide ligand
- Controlled nucleophilic activation of different sites in [Mo₂Cp₂L₂(μ-SMe)₂(μ-L')]⁺ cations (L = BuⁿNC, xyINC, CO; L' = SME or PPh₂), 4583
- Isomer conversion
- Metallacarborane chemistry of the *hypho*-[6,7-C₂B₆H₁₃]⁻ anion: Reaction with nickelocene and the formation of three multimetallic nickel–boron clusters, 2835
- Isomerization
- Intramolecular rearrangement of organosilyl groups between oxygen and nitrogen in aminosiloxanes – a joint experimental–theoretical study, part II, 1100
- Palladium-catalyzed Sonogashira coupling reaction followed by isomerization and cyclization, 4094
- Ruthenium-catalyzed cycloisomerization of 1,1,2,2-tetramethyl-1,2-divinylsilane: Selective formation of a five-membered silacycle, 3451
- Scope, mechanism and diene inhibition of isomerization of allylic alcohols to saturated ketones catalyzed by ruthenium(II)-cyclopentadienyl complexes, 1044
- Isonitrile
- Facile syntheses of four-membered aurathietane dioxide [Au–CHR–SO₂–CHR] ring systems, and the first isonitrile insertion reaction into a gold(III)–carbon bond, 4971
- Isopropylxanthyl disulfide
- Reactivity of [CpCr(CO)₃]₂ towards thione (C=S) moieties in some sulfur-containing substrates, 2323
- Isothiocyanate
- Synthesis and reactivity of organolanthanide complexes containing phenothiazine ligand toward carbodiimide and isothiocyanate, 4926
- The C=O and C=S bond cleavage in carbon dioxide and tolyl isothiocyanate by reactions with the Mo(0) tetraphosphine complex [Mo{*meso-o*-C₆H₄(PPhCH₂CH₂PPh₂)₂}(Ph₂PCH₂CH₂PPh₂)], 1140
- Isothiocyanates
- A quantum chemical study on the mechanism of S-coordinated tetrazole-thiolato formation by the reaction of organic isothiocyanates with metal azido complexes of Pt(II), Pd(II), and Sn, 4319
- Isotope effect
- Kinetic isotope effects of nitrogen and hydrogen in reaction of *N-tert*-butyl-*P*-phenylphosphonamidothioic acid with alcohols, 2553
- Isotope effects
- Mechanistic studies on reaction of [ReH₄(η²-H₂)(Cyttp)]⁺ with ketones to give the hydrido-oxo complex [ReH₂(O)(Cyttp)]⁺ (Cyttp = PhP(CH₂CH₂CH₂PCy₂)₂), 862
- Karstedt catalyst
- Metallo-Carbosiloxan-Dendrimere mit Titanocendichlorid-Endgruppen, 1198
- Ketene
- Iron(0) and ruthenium(0) complexes with tridentate phosphonite ligands and their potential for ketene formation from methyl iodide, CO and a base, 1429
- Ketene acetals
- Bis(trimethylsilyl)ketene acetals as 1,3-dinucleophiles. Formation of an anhydride from (pentacarbonyl)(phenylethoxy)tungstacarbene, 4087
- The first synthesis of cyclopropanone acetals from the reaction of Fischer carbene complexes with ketene acetals, 6101
- Ketenimine complexes
- Reaction of isocyanides with iminophosphorane-based carbene ligands: Synthesis of unprecedented ketenimine–ruthenium complexes, 5856
- Ketimide complexes
- Titanium and zirconium ketimide complexes: synthesis and ethylene polymerisation catalysis, 874
- Ketimate
- Fluoroaryl-substituted ketimate complexes of aluminum, 1366
- α-Ketoamides
- Synthesis of ferrocenoyl amino acid derivatives via homogeneous catalytic aminocarbonylation, 3237

Ketone

Dodecatungstophosphoric acid ($\text{H}_3\text{PW}_{12}\text{O}_{40}$) as a solid green Brnsted acid catalyzes high yielding and efficient trimethylcyanosilylation reactions of aldehydes and ketones by trimethylsilyl cyanide, 1556

Ketone complexes

Mechanistic studies on reaction of $[\text{ReH}_4(\eta^2\text{-H}_2)(\text{Cytpt})]^+$ with ketones to give the hydrido-oxo complex $[\text{ReH}_2(\text{O})(\text{Cytpt})]^+$ ($\text{Cytpt} = \text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PCy}_2)_2$), 862

Ketones

An efficient and mild protocol for the α -arylation of ketones mediated by an (imidazol-2-ylidene)palladium(acetate) system, 5832

The Heck-type arylation of allylic alcohols with arenediazonium salts, 3822

 β -Ketophosphonamide

Diastereoselective synthesis of α,α' -disubstituted β -ketophosphonates derivatives as building blocks for automated syntheses, 2626

 α -Ketophosphonate

Preparation of α -ketophosphonates by a [3,3]-sigmatropic shift of enolphosphonates, 2688

Kinetic investigations

Mechanistic studies on the formation of Pt(II) hydroformylation catalysts in imidazolium-based ionic liquids, 3567

Kinetic isotope effect

Mechanistic investigation of the thermal decomposition of Biphen(OP*i*-Pr)PtEt₂: An entrance into C–C single bond activation?, 5215

Kinetic resolution

The coordination chemistry of enantiopure diimines derived from 1-phosphanorbornadiene-2-carboxaldehydes, 1133

Kinetics

A biphasic displacement of [60]fullerene from *fac*-(dihapto-[60]fullerene)(dihapto-1,10-phenanthroline) tricarbonyl molybdenum (0), 3366

Formation of phenylmagnesium halides in toluene, 3061

Kinetic investigation of a PC(sp³)P pincer palladium (II) complex in the Heck reaction, 4197

Kinetic study of the oxidative addition of methyl iodide to Vaska's complex in ionic liquids, 3522

Tertiary phosphine induced migratory carbonyl insertion in cyclopentadienyl complexes of iron(II), 4159

The reaction of benzothiazole sulfenamide with (TMS)₃SiH: An example of degenerate-branched chain process, 1756

Lactide

Zinc *N*-heterocyclic carbene complexes and their polymerization of D,L-lactide, 5881

Ladder π -conjugated systems

Synthesis, structures, and photophysical properties of silicon and carbon-bridged ladder oligo(*p*-phenylenevinylene)s and related π -electron systems, 5365

Lanthanide

Modeling lanthanide coordination compounds: Sparkle/AM1 parameters for praseodymium (III), 4099

Syntheses, crystal structures and luminescent properties of two novel lanthanide/4-pya complexes: $[\text{Ln}(4\text{-pya})_3(\text{H}_2\text{O})_2]_2$ (Ln = Eu, La; 4-pya = *trans*-4-pyridylacrylate), 3479

Lanthanides

Bis(phosphinimino)methanides as ligands in divalent lanthanide and alkaline earth chemistry – synthesis, structure, and catalysis, 5078

Laser desorption ionization

A laser desorption ionization mass spectrometry investigation of triarylboranes and tri-9-anthrylborane photolysis products, 962

Late transition-metal

Highly active new α -diimine nickel catalyst for the polymerization of α -olefins, 1314

Layer structure

Reactions of α,ω -dithiolate ligands with bis(cyclopentadienyl)molybdenum dichloride; crystal structures of $\text{Mo}(\eta\text{-C}_5\text{H}_5)_2\{\text{S}(\text{CH}_2)_n\text{S}\}$

($n = 2, 3$) and a layered hydrate, $\text{Mo}(\eta\text{-C}_5\text{H}_5)_2(\text{SCH}_2\text{CH}_2\text{O}) \cdot 4.5\text{H}_2\text{O}$, 126

Lewis acid

Efficient synthesis of ferrocenylenones by Friedel–Crafts acylation with EtAlCl₂–Me₃Al, 430

Intramolecular hydroamination of 6-aminohex-1-yne catalyzed by Lewis acidic rhenium(I) carbonyl complexes, 3774

Ligand

A new class of nitrogen based chiral ligands: 2*H*-1,3-benzoxazines. Ligand synthesis, X-ray structural studies and asymmetric catalysis, 2027

Ligand and solvent effects on cobalt(I)-catalysed reactions: Alkyne dimerisation versus [2+2]-cyclotrimerisation versus Diels–Alder reaction versus [4+2+2]-cycloaddition, 5170

Ligand adducts of monocarbaboranes

Polyhedral monocarbaborane chemistry. Reactions of the [6-Ph-*nido*-6-CB₉H₁₁][−] anion with two-electron donors to yield a series of neutral *arachno* and *closo* ten-vertex monocarbaborane derivatives, 2815

Ligand effect

α -Diimines as nitrogen ligands for ruthenium-catalyzed allylation reactions and related (pentamethylcyclopentadienyl) ruthenium complexes, 2149

Ligand immobilization

Another example of carborane based trianionic ligand: Syntheses and catalytic activities of cyclohexylamino tailed *ortho*-carboranyl zirconium and titanium dicarbollides, 6284

Syntheses and catalytic activities of Group 4 metal complexes derived from C_(cage)-appended cyclohexyloxocarborane trianion, 2802

Ligand substitution

Promoting effect of ionic liquids on ligand substitution reactions, 3540

Ligand substitution kinetics

TR-FTIR absorption spectroscopy of transition metal carbonyl radicals generated by photodissociation of metal–metal bonds, by halogen abstraction or by radical ligand substitution, 4132

Limonene

Palladium catalyzed oxidation of monoterpenes: NMR study of palladium(II)–monoterpene interactions, 2996

Linear metallatricarbollide constructions

Towards rod-shaped molecules based on the twelve-vertex ferratricarbollides, 2850

Linked cyclopentadienyl-amido ligand

Synthesis and molecular structure of boron-bridged constrained geometry complexes of zirconium and hafnium, 5000

Linkers

Synthesis, structure, immobilization and solid-state NMR of new dppp- and tripod-type chelate linkers, 3383

Liposome size

Interaction of Na₂B₁₂H₁₁SH with liposomes: Influence on zeta potential and particle size, 2732

Liposomes

Interaction of Na₂B₁₂H₁₁SH with liposomes: Influence on zeta potential and particle size, 2732

Liquid crystals

Effect of the organic fragment on the mesogenic properties of a series of organogold(I) isocyanide complexes. X-ray crystal structure of $[\text{Au}(\text{C}\equiv\text{CC}_5\text{H}_4\text{N})(\text{CNC}_6\text{H}_4\text{O}(\text{O})\text{CC}_6\text{H}_4\text{OC}_{10}\text{H}_2)_2]$, 2200

Mesogens based on palladium orthometallated complexes with carboxylato bridges: tuning and shaping a non-planar molecule, 261

The effect of polyether terminal chains in the liquid crystalline behavior of *ortho*-palladated complexes, 998

Lithiation

Reactions of lithiated 2,5-dimethylazaferrocene with selected electrophiles, 764

Silyl stabilized azanes: reactions of lithiumbis(trimethylsilyl)hydrazine with trialkyltin halides, 1507

Lithium

- π (Arene) versus donor ligand complexation in the formation of the heterobimetallic lithium–potassium dianion of (*S*)-*N*-(α -methylbenzyl)allylamine, 4343
- Synthesis and characterization of lithium and yttrium complexes containing tridentate pyrrolyl ligands. Single-crystal X-ray structures of $\{\text{Li}[\text{C}_4\text{H}_2\text{N}(\text{CH}_2\text{NMe}_2)_2-2,5]\}_2$ (**1**) and $\{\text{C}_4\text{H}_2\text{N}(\text{CH}_2\text{NMe}_2)_2-2,5\}\text{YCl}_2(\mu\text{-Cl})\cdot\text{Li}(\text{OEt}_2)_2$ (**2**) and ring-opening polymerization of ϵ -caprolactone, 4168
- Synthesis of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and its *N,N'*-dimetallated complexes (lithium, sodium and potassium): X-ray crystal structures of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and the polymeric tetrahydrofuran adduct of the dilithiated complex, 220
- Lithium amides**
Reaction of aryl azides with tris(trimethylsilyl)silyllithium: Synthesis of tmeda or thf adducts of $[\text{Li}\{\text{N}(\text{Ar})\text{Si}(\text{SiMe}_3)_3\}]$ and 1,4-trimethylsilyl migration from oxygen to nitrogen, 4252
- Lithium atoms**
Cocondensation reactions of nitrogen-containing heterocycles with lithium atoms at 77 K, 3357
The cocondensation reaction of lithium atoms and anisole: an experimental and theoretical study of the reaction pathway, 1511
- Lithiumbis(trimethylsilyl)hydrazine**
Silyl stabilized azanes: reactions of lithiumbis(trimethylsilyl)hydrazine with trialkyltin halides, 1507
- Lithium hexamethyldisilazide**
Studies on Pd/imidazolium salt protocols for aminations of aryl bromides and iodides using lithium hexamethyldisilazide (LHMDS), 5841
- Lithium perchlorate**
Lithium perchlorate suspend in methylene chloride, a mild, efficient and reusable catalyst for the synthesis of ferrocene aminonitrile derivatives, 76
- Lithium salts**
Intramolecular rearrangement of organosilyl groups between oxygen and nitrogen in aminosiloxanes – a joint experimental–theoretical study, part II, 1100
- Living polymerization**
Fluorinated bis(phenoxy–imine) Ti complexes with MAO: Remarkable catalysts for living ethylene and syndioselective living propylene polymerization, 4398
Synthesis, structure and catalytic properties of $[\text{Cp}^*\text{Cr}(\text{C}_6\text{F}_5)(\text{Bn})(\text{THF})]$ toward ethylene in the presence of AlEt_3 , 5145
- LLC-PK**
Novel benzyl substituted titanocene anti-cancer drugs, 4537
- Low-carbon α -olefins**
Preparation and structures of 6- and 7-coordinate salen-type zirconium complexes and their catalytic properties for oligomerization of ethylene, 3929
- Low valent**
Synthesis and characterization of scandium complexes with reduced ligands: Crystal structures of Cp^*ScI_2 , $[\text{Cp}^*\text{ScI}(\text{bpy})_2]$, and $[\text{Cp}^*\text{ScCl}(\text{bpy})_2]$, 1689
- Low-valent**
Synthesis of electron-rich platinum centers: Platinum⁰(carbene)-(alkene)₂ complexes, 5804
- Luminescence**
Luminescent coordination polymers with extended Au(I)–Ag(I) interactions supported by a pyridyl-substituted NHC ligand, 6041
Luminescent palladium complexes containing thioamide-based SCS pincer ligands, 4192
Organometallic emitting dyes: Palladium(II) nile red complexes, 857
Syntheses, crystal structures and luminescent properties of two novel lanthanide/4-pya complexes: $[\text{Ln}(4\text{-pya})_3(\text{H}_2\text{O})_2]$ (Ln = Eu, La; 4-pya = *trans*-4-pyridylacrylate), 3479
Two noncentrosymmetric complexes: $[\text{W}(\text{CO})_4(\text{bipy})]$ and $[\text{W}(\text{CO})_4(\text{phen})]$ (bipy = 2,2'-bipyridine, phen = 1,10-phenanthro-line)

- obtained through solvothermal synthesis and their optical properties, 286
- Luminescence spectra**
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LXI. Welche Oxidationszahl hat Cer im tiefvioioletten 1,1',4,4'-Tetrakis(trimethylsilyl)cerocen?, 2238
- LUMO**
In search of triplet ground state GeCNX germynes (X = H, F, Cl, and Br): An ab initio and DFT study, 4692
- LUMO energy**
A DFT and direct MO dynamics study on the structures and electronic states of phenyl-capped terthiophene, 2895
- Macrocycles**
The CO/PC analogy in coordination chemistry and catalysis, 2407
- Macrocyclic ligands**
Synthesis and activity of macrocyclized chiral Mn(III)–Schiff-base epoxidation catalysts, 2163
Synthetic, structural, spectroscopic, and electrochemical studies of mixed sandwich Rh(III) and Ir(III) complexes involving Cp* and tridentate macrocycles, 629
- Macropolyhedral boron-containing cluster compound**
Macropolyhedral boron-containing cluster chemistry. An unusual 'neonido' ten-vertex subcluster configuration in a $[(\text{PPh}_3)_2\text{-RuB}_{16}\text{H}_{20}]$ species, 2857
- Magnetic circular dichroism spectra**
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LXI. Welche Oxidationszahl hat Cer im tiefvioioletten 1,1',4,4'-Tetrakis(trimethylsilyl)cerocen?, 2238
- Magnetic measurements**
Synthesis and crystal structures of some cobalt halide derivatives containing alkyl or silanolato groups, 944
- Main group**
The unusual reactions of indium(I) trifluoromethanesulfonate with some first row metallocenes and the structure of "indium(II) cyclopentadienide", 5090
- Main group metals**
Phosphorus-substituted carbene complexes: Chelates, pincers and spirocycles, 5485
- MALDI**
Preparation and Diels–Alder reaction of carbosilane dendrimer with conjugated diene, 4794
- MALDI-MS**
Synthesis and characterization of poly(amidoamine)-platinum(II) complexes. Detailed speciation by Matrix-Assisted Laser Desorption Ionization Mass Spectrometry, 1978
- Manganese**
N- vs *O*-Coordination in cyclomanganation of 1,5-diaryl-3-(2-pyridyl)pentane-1,5-diones and 3-(2-pyridyl)chalcones; cyclomanganation at saturated carbon and the crystal structure of $[\text{1,5-diphenyl-}\kappa\text{C}^2\text{-3-(2-pyridyl-}\kappa\text{N)pentan-2-yl-}\kappa\text{C}^2\text{-1,5-dione-}\kappa\text{O}^1\kappa\text{O}^5\text{-tetracarbonylmanganesetricarbonylmanganese}]$, 3348
Indenols, indenones and (arylcyclohexadienyl)Mn(CO)₃ π -complexes from the thermally promoted reactions of alkynes with *ortho*-Mn(CO)₄ aryl ketone, amide, ester and aldehyde derivatives, 3827
Metal–metal bond cleavage of carbene complexes by halogens: The crystal and molecular structures of *ax*- $[\text{Mn}_2(\text{CO})_9\{\text{C}(\text{OEt})_2\text{-thienyl}\}]$, $[\text{Mn}(\text{CO})_4(\text{I})\{\text{C}(\text{OEt})_2\text{-thienyl}\}]$ and *eq*- $[\text{Mn}_2(\text{CO})_9\{\text{C}(\text{NH}_2)_2\text{-thienyl}\}]$, 5929
Reversible pyranil complex formation and the mechanism of rearrangement to $(\eta^5\text{-6-oxocycloheptadienyl})\text{Mn}(\text{CO})_3$ complexes in the reaction of β -cyclomanganated 1,5-diaryl-penta-1,4-dien-3-ones and alkynes; the crystal structure of $[\text{2,4-diphenyl-6-(2-phenylethenyl)pyranil-}\eta^5\text{-tricarbonylmanganese}]$, 3340
Syntheses and structures of missing links among polybromocyclopentadienyl rhenium and manganese tricarbonyl complexes, 493
Synthesis and activity of macrocyclized chiral Mn(III)–Schiff-base epoxidation catalysts, 2163

- The new facial tripod ligand 3,3-bis(1-methylimidazol-2-yl)propionic acid and carbonyl complexes thereof containing manganese and rhenium, 2009
- The transition metal carbonyl complexes of 1,3-bis(di-R-stibino)propanes (R = Me or Ph), 1540
- Tricarbonylmanganese(I) derivatives of [Di(pyrazolyl)(2-pyridyl)-methyl]aryl scorpionates, 1901
- Unprecedented ligand anti-bis-benylation upon thermolytic treatment of 2,3-diphenylbenzo[*g*]quinoxaline with (η^1 -benzyl) pentacarbonylmanganese, 4822
- Manganese complexes**
- Oxidations by the system “hydrogen peroxide–[Mn₂L₂O₃][PF₆]₂ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane)–oxalic acid”. Part 6. Oxidation of methane and other alkanes and olefins in water, 4498
- Mannich reaction**
- Bis(enamino-Cp) Group 4 metal complex chemistry: developing a Mannich-type carbon–carbon coupling reaction at the bent metallocene framework, 14
- Mass spectrometry**
- A laser desorption ionization mass spectrometry investigation of triarylboranes and tri-9-anthrylborane photolysis products, 962
- Organotin esterification of (*E*)-3-(3-fluoro-phenyl)-2-(4-chlorophenyl)-2-propenoic acid: synthesis, spectroscopic characterization and in vitro biological activities. Crystal structure of [Ph₃Sn(OC(O)C(4-ClC₆H₄)=CH(3-FC₆H₄))], 1396
- Mechanism**
- Kinetic isotope effects of nitrogen and hydrogen in reaction of *N*-tert-butyl-*P*-phenylphosphonamidithioic acid with alcohols, 2553
- Mechanistic studies on reaction of [ReH₄(η^2 -H₂)(Cytpp)]⁺ with ketones to give the hydrido-oxo complex [ReH₂(O)(Cytpp)]⁺ (Cytpp = PhP(CH₂CH₂CH₂PCy₂)₂), 862
- Oxidative addition of aryl chlorides to palladium N-heterocyclic carbene complexes and their role in catalytic arylamination, 6054
- Reversible pyranil complex formation and the mechanism of rearrangement to (η^5 -6-oxocycloheptadienyl)Mn(CO)₃ complexes in the reaction of β -cyclomanganated 1,5-diarylpenta-1,4-dien-3-ones and alkynes; the crystal structure of [2,4-diphenyl-6-(2-phenylethenyl)pyranil- η^5]tricarbonylmanganese, 3340
- Synthesis of [Ni(η^2 -CH₂C₆H₄R-4)](PPh(CH₂CH₂PPh)₂)⁺ (R = H, Me or MeO) and protonation reactions with HCl, 1763
- Mechanism kinetics**
- Radical and migratory insertion reaction mechanisms in Schiff base zirconium alkyls, 5125
- M–C–O bond formation**
- 1,1-Insertion of substituted alkynes into the Ir–O bond of η^2 -carboxylato iridium complexes, 1306
- Medium effect**
- The theoretical research of the medium effect on the vibrational spectrum and the energy of intramolecular coordination =O → Si in (benzoyloxymethyl)trifluorosilane molecule, 2922
- 2-Mercapto-4-methylpyrimidine**
- Syntheses, crystal structures and coordination modes of tri- and diorganotin derivatives with 2-mercapto-4-methylpyrimidine, 519
- 2-mercaptopyridine**
- Synthesis, characterization and hydrolytic behavior of new bis(2-pyridylthio)acetate ligand and related organotin(IV) complexes, 1994
- Meso-isomers**
- NMR evidence for B(C₆F₅)₃ attack on the inward position of a highly hindered *meso* ansa-zirconocene, 640
- Mesoporous materials**
- In situ grafting of cyclopentadienyl-molybdenum complexes on mesoporous materials: The reaction of [η^5 -CpMo(CO)₃]⁺Na⁺ with surface fixed iodo-benzyl siloxane, 5105
- Metal azido complexes**
- A quantum chemical study on the mechanism of S-coordinated tetrazole-thiolato formation by the reaction of organic isothiocyanates with metal azido complexes of Pt(II), Pd(II), and Sn, 4319
- Metal binding**
- Ferrocenoyl-amino acids: redox response towards di- and trivalent metal ions, 1209
- Metal carbene**
- Stereoselectivity in metal carbene and Lewis acid-catalyzed reactions from diastereomeric dirhodium(II) carboxamidates: Menthyl *N*-acetyl-2-oxoimidazolidine-4(*S*)-carboxylates, 5525
- Metal–carbene intermediates**
- Dinuclear ruthenium(I) complexes of the type [Ru₂(CO)₄L₂] with carboxylate or 2-pyridonate ligands: Evaluation as catalysts for olefin cyclopropanation with diazoacetates, 5562
- Metal carbenes**
- Asymmetric synthesis of *cis*-2,4-disubstituted azetidins-3-ones from metal carbene chemistry, 5636
- Metal carbonyl**
- Synthesis and structures of dinuclear iron, molybdenum and tungsten complexes derived from (PhCHCHPh)-coupled bis(cyclopentadiene), 5309
- Metal carbonyls**
- A biphasic displacement of [60]fullerene from *fac*-(dihapto-[60]fullerene)(dihapto-1,10-phenanthroline) tricarbonyl molybdenum (0), 3366
- Metal–metal bond cleavage of carbene complexes by halogens: The crystal and molecular structures of *ax*-[Mn₂(CO)₉C(OEt)2-thienyl], [Mn(CO)₄(I){C(OEt)2-thienyl}] and *eq*-[Mn₂(CO)₉{C(NH₂)2-thienyl}], 5929
- Metal-centered free radicals**
- (Cyclopentadienyl)chromiumtricarbonyl dimers as a source of metal-centered free-radicals to form stable η^2 -bonded spin-adducts with fullerenes, 2333
- Metal complex solubilities**
- Solubility of *trans*-Co₂(CO)₆ [3,5-bis(CF₃)C₆H₃P(*i*-C₃H₇)₂] in dense carbon dioxide, 1467
- Metal complexes**
- Contributions to the chemistry of carbenometal chemistry, 5467
- Formation of chiral ionic liquids and imidazol-2-ylidene metal complexes from the proteinogenic amino acid L-histidine, 5959
- Metal(II) complexes**
- Imino- and bis-imino-pyridines with *N*-ter-butyl-*N*-aminoxyl group: synthesis, oxidation and use as ligand towards M²⁺ (Mn, Ni, Zn) and Gd³⁺, 197
- Metal-containing ionic liquid crystals**
- Metal-containing ionic liquids and ionic liquid crystals based on imidazolium moiety, 3498
- Metal-containing ionic liquids**
- Metal-containing ionic liquids and ionic liquid crystals based on imidazolium moiety, 3498
- Metal-modified peptide nucleic acids**
- The electrochemical activity of heteroatom-stabilized Fischer-type carbene complexes, 5777
- Metal–metal bond**
- Pressure-tuning vibrational spectra of the heterobimetallic complexes, Ph₃MCo(CO)₄ (M = Sn, Pb), 4719
- Synthesis and structures of dinuclear iron, molybdenum and tungsten complexes derived from (PhCHCHPh)-coupled bis(cyclopentadiene), 5309
- Metal–metal bond dissociation**
- TR-FTIR absorption spectroscopy of transition metal carbonyl radicals generated by photodissociation of metal–metal bonds, by halogen abstraction or by radical ligand substitution, 4132
- Metallaborane**
- Macropolyhedral boron-containing cluster chemistry. An unusual ‘*neonido*’ ten-vertex subcluster configuration in a [(PPh₃)₂-RuB₁₆H₂₀] species, 2857
- Metallaborane reaction chemistry**
- Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701

Metallaboranes

Metal fragment exchange from a molybdoaborane to a tungstaborane, 4203

Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701

Metallacarboranes

(Tetramethylcyclobutadiene)cobalt complexes with monoanionic carborane ligands $[9-L-7,8-C_2B_9H_{10}]^-$ ($L = \text{SMe}_2, \text{NMe}_3$ and py), 4745

An interesting metallacarborane cage closure and dismantling reaction including the facile halogenation of a cluster carbon atom: Structure of $[1,2-(\eta^5-C_5Me_5)_2-\mu-1,2-H-closo-1,2,3-Rh_2CB_4H_4-3-I]$, 4967

Chemistry related to cluster-borane analogues of the cyclopentadienide anion and ferrocene: New developments, 2694

Metal complexes with an aminosubstituted tricarbollide ligand, 2775

Metallacarborane chemistry of the *hypho*- $[6,7-C_2B_6H_{13}]^-$ anion: Reaction with nickelocene and the formation of three multimetallic nickel–boron clusters, 2835

Metallacycle

N- vs *O*-Coordination in cyclomanganation of 1,5-diaryl-3-(2-pyridyl)pentane-1,5-diones and 3-(2-pyridyl)chalcones; cyclomanganation at saturated carbon and the crystal structure of $[1,5\text{-diphenyl-}\kappa^2\text{-3-(2-pyridyl-}\kappa\text{N)pentan-2-yl-}\kappa^2\text{-1,5-dione-}\kappa^1\text{O}^1\text{O}^5]\text{-tetracarboxylmanganesetricarbonylmanganese}$, 3348

Metallacycles

1'-Carbopalladated-4-ferrocenyl-1,3-oxazolines as catalysts for Heck reactions: Further evidence in support of the Pd(0)/Pd(II) mechanism, 2291

Novel cyclometallated Pd(II) and Pt(II) complexes with indole derivatives and their use as catalysts in Heck reaction, 2017

Organometallic compounds of Group 13 elements containing the ligand $C(\text{SiMe}_3)_2(\text{SiMe}_2\text{C}_5\text{H}_4\text{N-2})$, 69

Synthesis of palladium–biscarbene complexes derived from 1,1'-methylenebis(1,2,4-triazole) functionalized in the methylene bridge, 5654

Metallacyclic complex

Metallacyclic complexes with *ortho*-silylated triphenylphosphine ligands, $L_n\text{Os}(\kappa^2(\text{Si},P)\text{-SiMe}_2\text{C}_6\text{H}_4\text{PPh}_2)$, derived from thermal reactions of the coordinatively unsaturated trimethylsilyl, methyl complex, $\text{Os}(\text{SiMe}_3)(\text{Me})(\text{CO})(\text{PPh}_3)_2$, 3309

Metallacyclic complexes with *ortho*-stannylated triphenylphosphine ligands, $L_n\text{Os}(\kappa^2(\text{Sn},P)\text{-SnMe}_2\text{C}_6\text{H}_4\text{PPh}_2)$, derived from thermal reactions of the five-coordinate complex, $\text{Os}(\text{SnMe}_3)\text{Cl}(\text{CO})(\text{PPh}_3)_2$, 4114

Metallacyclic complexes

Facile syntheses of four-membered aurathietane dioxide $[\text{Au-CHR-SO}_2\text{-CHR}]$ ring systems, and the first isonitrile insertion reaction into a gold(III)–carbon bond, 4971

Metallacyclic compounds

Synthesis and structure of $(\eta^5\text{-cyclopentadienyl})(\eta^5\text{-}(1-(\eta^5\text{-cyclopentadienyl})\text{-2-phenyl-3-methyl-1-nickelindenyl})\text{nickel}$ – the first analogue of nickelocene with a nickelacyclopentadienyl ring, 1523

Metallacyclobutadiene

The aromaticity of tungstenacyclobutadiene, $\text{Cl}_3\text{W}(\text{-ButC-CMe-CMe-})$: A DFT/NICS study, 4939

Metallaphosphacarboranes

Chemistry related to cluster-borane analogues of the cyclopentadienide anion and ferrocene: New developments, 2694

Metallation

Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 2-*N,N*-Diisopropylaminophenylboronate derivatives, 4784

Metallatricarbaboranes

New approaches to cluster modification in the 12-vertex metallatricarbollide series, 2853

Metallatricarbollides

New approaches to cluster modification in the 12-vertex metallatricarbollide series, 2853

Metallo dendrimers

Metallo-Carboxiloxan-Dendrimere mit Titanocendichlorid-Endgruppen, 1198

Metalloocene

Metalloocene-mediated synthesis of chain-end functionalized polypropylene and application in PP/clay nanocomposites, 6292

Novel bridged bis-azulenyl and bis-tetrahydroazulenyl hafnocenes: Synthesis, structure, and propylene polymerization behavior, 2220

Synthesis and application of functional polyethylene graft copolymers by atom transfer radical polymerization, 6300

Synthesis and electrochemistry of novel heteronuclear Fe–Ru bi- and quatermetallocenes, conjugatively connected by ethene and thiophene bridges, 811

Zirconocene complexes with a biphenyl substituted cyclopentadienyl ligand: synthesis, characterization, and olefin polymerization behavior, 1240

Metalloocene catalysts

Polymerization of MMA by oscillating zirconocene catalysts, diastereomeric zirconocene mixtures, and diastereospecific metallocene pairs, 6263

The (butadiene)zirconocene route to active homogeneous olefin polymerization catalysts, 6254

Metalloenes

Synthesis and characterization of methyl-phenyl-substituted cyclopentadienyl zirconium complexes, 952

Synthesis and molecular structures of zirconium and hafnium complexes bearing dimethylsilyl-diyl-bis-2,4,6-trimethylindenyl and dimethylsilyl-diyl-bis-2-methyl-4,6-diisopropylindenyl ligands, 1067

The unusual reactions of indium(I) trifluoromethanesulfonate with some first row metallocenes and the structure of “indium(II) cyclopentadienide”, 5090

Metallocycle

Indenols, indenones and (arylcyclohexadienyl)Mn(CO)₃ π-complexes from the thermally promoted reactions of alkynes with *ortho*-Mn(CO)₄ aryl ketone, amide, ester and aldehyde derivatives, 3827

Metallocycles

Chiral molecular polygons based on the Pt-alkynyl linkage: Self-assembly, characterization, and functionalization, 5159

Metallogligand

Inter- and hetero-metallic assembly of palladium sulfide aggregates: crystal and molecular structures of $[\text{InPd}_2\text{Cl}_3(\text{dppf})_2(\mu_3\text{-S})_2] \cdot 3\text{CH}_2\text{Cl}_2$ and $[\text{Ag}_2\text{Pd}_2(\text{NO}_3)_2(\text{dppf})_2(\mu_3\text{-S})_2] \cdot 2\text{CH}_2\text{Cl}_2$, 990

Synthesis of palladium and platinum donor complexes and study of their participation in self-assembly reactions. X-ray crystal structure of $[\text{Pt}(\text{C}_6\text{H}_4\text{C}\equiv\text{CC}_5\text{H}_4\text{N})_2(\text{dppp})]$ (dppp = 1,3-bis(diphenylphosphino)propane), 1612

Metallomesogens

Mesogens based on palladium orthometallated complexes with carboxylato bridges: tuning and shaping a non-planar molecule, 261

The effect of polyether terminal chains in the liquid crystalline behavior of *ortho*-palladated complexes, 998

Metalloporphyrin

Metalloporphyrin as a ligand in organometallic complexes: Synthesis and characterization of a nickel(II) porphyrin complex of 1,5-cyclooctadienedichlororuthenium(II), 4978

Metathesis

Development of novel reactions using ruthenium carbene catalyst and its application to novel methods for preparing nitrogen-containing heterocycles, 5398

Divergent reactivity of alk-5-nylidene cyclopropanes in the presence of the 1st or the 2nd generation Grubbs' catalysts, 5609

Efficient synthesis of fumaric amides through cross-metathesis of acrylic amides with the NHC Grubbs ruthenium catalyst, 5973

Methyltrioxorhenium heterogenized on commercially available supporting materials as cyclooctene metathesis catalyst, 4712

Ruthenium-catalyzed tandem ring closing metathesis (RCM) – atom transfer radical cyclization (ATRC) sequences, 5552

- Synthesis, structure, electrochemistry and ROMP-activity of new ferrocenyl analog of Grubbs' metathesis catalyst, 1018
- Metathiophosphonate
Kinetic isotope effects of nitrogen and hydrogen in reaction of *N*-tert-butyl-*P*-phenylphosphonamidothioic acid with alcohols, 2553
- Metal vapour synthesis
Cocondensation reactions of nitrogen-containing heterocycles with lithium atoms at 77 K, 3357
Hydrosilylation of 1-hexyne promoted by acetone solvated gold atoms derived catalysts, 1063
The cocondensation reaction of lithium atoms and anisole: an experimental and theoretical study of the reaction pathway, 1511
- Methallyloxyphosphonium salts
Synthesis and X-ray structure of cationic β -diimine palladium complexes containing π -methallyl ligand, 513
- Methane
Oxidations by the system "hydrogen peroxide-[Mn₂L₂O₃][PF₆]₂ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane)-oxalic acid". Part 6. Oxidation of methane and other alkanes and olefins in water, 4498
- Methanesulphonate
Synthesis of palladium-biscarbene complexes derived from 1,1'-methylenebis(1,2,4-triazole) functionalized in the methylene bridge, 5654
- Methanol and CO activation
The reaction of Ru₃(CO)₁₂ with 1,4-dichloro-but-2-yne in basic methanolic solution. Synthesis and crystal structure of (μ -H)₂Ru₃(CO)₉{ μ_3 - η^2 -[H₂C=C(H)C≡CC(=O)OCH₃]}, 1594
- Methanol carbonylation
Isolation and characterization of an iodide bridged dimeric palladium complex in carbonylation of methanol, 1677
- Methyl complexes
Metallacyclic complexes with *ortho*-silylated triphenylphosphine ligands, L_nOs(κ^2 (*Si*,*P*)-SiMe₂C₆H₄PPh₂), derived from thermal reactions of the coordinatively unsaturated trimethylsilyl, methyl complex, Os(SiMe₃)(Me)(CO)(PPh₃)₂, 3309
Reactivity of cationic methyl rhodium(III) complexes *cis*-[Rh(β -diket)(PPh₃)₂(CH₃)(CH₃CN)][BPh₄] toward ligands of different character: pyridine, carbon monoxide, and triphenylphosphine, 3397
- Methylenation
Rhodium-catalyzed cascade reactions: A methylenation-hydroboration homologative process, 5198
- Methyl iodide
Oxidative addition of MeI to cationic Rh(I) carbonyl complexes with pyridyl bis(carbene) ligands, 6089
- Methylmagnesium bromide
Synthesis, characterization and Schlenk equilibrium studies of methylmagnesium compounds with *O*- and *N*-donor ligands – the unexpected behavior of [MgMeBr(pmdta)] (pmdta = *N,N,N',N''*, *N'''*-pentamethyldiethylenetriamine), 1178
- Methylphosphonates
Chirality at phosphorus: hybrid duplexes of chimeric oligonucleotides containing methylphosphonothioate linkages with complementary DNA and RNA, 2658
- Methylphosphonoselenoates
Chirality at phosphorus: hybrid duplexes of chimeric oligonucleotides containing methylphosphonothioate linkages with complementary DNA and RNA, 2658
- Methylphosphonothioates
Chirality at phosphorus: hybrid duplexes of chimeric oligonucleotides containing methylphosphonothioate linkages with complementary DNA and RNA, 2658
- Methyltrioxorhenium
Methyltrioxorhenium heterogenized on commercially available supporting materials as cyclooctene metathesis catalyst, 4712
- Michael addition
Ultrasound-irradiated Michael addition of amines to ferrocenylenones under solvent-free and catalyst-free conditions at room temperature, 2989
- Michael additions
Asymmetric Michael addition promoted by (*R,R*)-*trans*-1,2-diaminocyclohexane in ionic liquids, 3535
- Microwave irradiation
N-heterocyclic carbene-palladium catalysts for the bisdiene cyclization-trapping reaction with sulfonamides under thermal and microwave conditions, 6205
- Microwave-promoted synthesis
Synthesis of ferrocenoate esters, amides and other ferrocenoyl derivatives using ferrocenoyl fluoride. A comparison of the reactions of ferrocenoyl fluoride in [bmim][BF₄] with the microwave-promoted solvent-free reactions of ferrocenoyl fluoride, 4959
- Migratory aryl insertion
Carbonylation of four-membered ruthenium and osmium metallacycles incorporating an orthometallated phenolic function: New acylruthenium and arylosmium complexes, 3169
- Migratory carbonyl insertion
Tertiary phosphine induced migratory carbonyl insertion in cyclopentadienyl complexes of iron(II), 4159
- Migratory insertion
C-C coupling of aryl groups and allyl derivatives on Pt(II)-phenanthroline fragments: crystal and molecular structure of the *tbp* [(η^1 , η^2 -2-allyl,5-methyl-phenyl)iodo(1,10-phenanthroline)-platinum(II)] complex containing the N-N ligand in axial-equatorial coordination mode, 2035
Synthesis and reactivity of zirconium and hafnium complexes incorporating chelating diamido-N-heterocyclic-carbene ligands, 5788
- Mixed azocarboxylates
Synthesis and characterization of the first diorganotin(IV) complexes containing mixed arylazobenzoic acids and having skew trapezoidal bipyramidal geometry, 1413
- Mixed donor ligands
Synthesis and crystallographic characterization of multi-donor N-heterocyclic carbene chelating ligands and their silver complexes: Potential use in pharmaceuticals, 6008
- Mixed-ligand
Synthesis and crystal structure of a mixed-ligand compound di-*n*-butyl(4-chlorobenzoyl)(4-chlorobenzohydroxamate)tin(IV), 3997
- Mixed-metal clusters
Ligand substitution in the mixed-metal cluster PhCCo₂Ni(CO)₆Cp by 2,3-bis(diphenylphosphino)maleic anhydride (bma): An intimate picture involving the stepwise conversion of the trinuclear cluster PhCCo₂Ni(CO)₄(η^2 -bma)Cp to the mononuclear compound CpNi[PPPh₂CPhC=C(PPh₂)C(O)OC(O)], 3067
- Mixed-ring indenyl complexes
Synthesis and reactivity of mixed-ring indenyl complexes of molybdenocene, 1718
- Mixed sandwich complexes
Synthetic, structural, spectroscopic, and electrochemical studies of mixed sandwich Rh(III) and Ir(III) complexes involving Cp* and tridentate macrocycles, 629
- Mixed valence
Synthesis, characterization and structure of diiron organometallic derivatives of 2,9-dimethyl-1,10-dihydro-dicyclopenta[*a,h*]-naphthalene, 1340
- MLCT excitation
A theoretical investigation of the photo-induced intramolecular charge transfer excitation of cuprous (I) bis-phenanthroline by density functional theory, 187
- MMA polymerization
Polymerization of MMA by oscillating zirconocene catalysts, diastereomeric zirconocene mixtures, and diastereospecific metallocene pairs, 6263
- MoOrganometallic compd.
Organometallic Mo-O-Bi complexes, 5282

Model compounds

A new family of pyrazolyl-based anionic bidentate ligands and crystal structure of bis(*N*-phenyl-2-pyrazolyl-1-carboximidothioato)-copper(II), 2128

Molecular design

Synthesis of distorted molecules based on spatial control with icosahedral carboranes, 2750

Molecular device

A DFT and direct MO dynamics study on the structures and electronic states of phenyl-capped terthiophene, 2895

Molecular orbital calculations

Are cyclopentadienyl complexes more stable than their pyrrolyl analogues?, 1840

Molecular oxygen

Copper-catalyzed oxidative cleavage of carbon–carbon double bond of enol ethers with molecular oxygen, 5378

Molecular structure

Syntheses and molecular structures of group 8 benzonitrile complexes, 4908

Molecular structures

Binuclear complexes of rhodium (I) bridged by 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolato ligands: molecular structures of the complexes $[\text{Rh}_2(\text{COD})_2(\mu_2\text{-E}_2\text{C}_2(\text{B}_{10}\text{H}_{10}))]$ [E = S, Se] and $[\text{Rh}_2(\text{CO})_4(\mu_2\text{-S}_2\text{C}_2(\text{B}_{10}\text{H}_{10}))]$, 910

Half-sandwich cyclopentadienyl rhodium complexes bearing pendant sulfur or oxygen ligands and their catalytic behaviors in ethylene polymerization, 1855

Molecular switches

Synthesis and NMR characterization of dinuclear Fe(II) organometallic complexes containing a non-equivalently bridging 5-aryl tetrazolate ligand, 2052

Molecular wires

Synthesis and characterization of wire-like $\text{Ru}_2(\text{ap})_4\text{-}[\sigma\text{-oligo}(\text{phenylene ethynyl})]$ compounds, 4734

Molten salt

Tetraalkylphosphonium-based ionic liquids, 2536

Molten salts

Sonochemistry and sonoluminescence in ionic liquids, molten salts, and concentrated electrolyte solutions, 3513

Molybdenocene

Inclusion of molybdenocene dichloride (Cp_2MoCl_2) in 2-hydroxypropyl- and trimethyl- β -cyclodextrin: Structural and biological properties, 2905

Synthesis and reactivity of mixed-ring indenyl complexes of molybdenocene, 1718

Molybdenum

A study of molybdenum catalysts in the polymerization of 2,5-didodecyl-1,4-dipropynylbenzene, 825

Chiral cyclopentadiene-mediated approach to enantioselective heterobimetallic Pauson–Khand reactions, 358

In situ grafting of cyclopentadienyl-molybdenum complexes on mesoporous materials: The reaction of $[\eta^5\text{-CpMo}(\text{CO})_3]^- \text{Na}^+$ with surface fixed iodo-benzyl siloxane, 5105

Metal fragment exchange from a molybdaborane to a tungstaborane, 4203

On the coordination chemistry of corannulene, the smallest “buckybowl”, 3440

Reactions of α,ω -dithiolate ligands with bis(cyclopentadienyl)molybdenum dichloride; crystal structures of $\text{Mo}(\eta\text{-C}_5\text{H}_5)_2\{\text{S}(\text{CH}_2)_n\text{S}\}$ ($n = 2, 3$) and a layered hydrate, $\text{Mo}(\eta\text{-C}_5\text{H}_5)_2(\text{SCH}_2\text{CH}_2\text{O}) \cdot 4.5\text{H}_2\text{O}$, 126

Synthesis and characterization of chromium and molybdenum(0) complexes bearing the (pentafluoroethyl)diphenylphosphine (pfep) ligand, 534

Synthesis and crystal structures of cyclo-diazastannoxides fused cyclopentadienyl M–Sn (M = Mo, W) bonded organometallic heterocycle, 4124

Synthesis and crystal structures of the first germanium-containing alkylidene complexes of molybdenum $\text{R}_3\text{Ge-CH=Mo}(\text{NAr})(\text{OR}')_2$ (R = Me, Ph) with direct germanium–carbene carbon bond, 3212

Synthesis and molecular structure of $(\eta^5\text{-pentamethyl-cyclopentadienyl})(\eta^5\text{-cyclopentadienyl})$ hexacarbonyl molybdenum tungsten, 674

Synthesis and reactivity of mixed-ring indenyl complexes of molybdenocene, 1718

Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720

The reaction of amidinato(pyridine) complexes of molybdenum and tungsten with triethylborane adduct of *N*-heterocyclic carbene (NHC · BEt_3): Investigation on the reactivity of NHC · BEt_3 as carbene precursor toward transition metal complexes, 5701

The transition metal carbonyl complexes of 1,3-bis(di-R-stibino)propanes (R = Me or Ph), 1540

Theoretical study on interaction of different coordination modes of BH_4 ligand with transition metal in $[\text{TM}(\text{BH}_4)(\text{CO})_4]^-$ (TM = Cr, Mo), 84

Transformation of C_2 units on a bimetallic tetranuclear cluster. Reactivity of $[\text{Ru}_3\text{Mo}(\mu_3\text{-}\eta^1\text{-CC})(\mu\text{-CO})_3(\text{CO})_2(\eta\text{-C}_5\text{H}_4\text{R})_3(\eta\text{-C}_5\text{H}_5)]$ (R = H, Me), 3410

Molybdenum cluster

Syntheses, crystal structures, and third-order nonlinear optical properties of two novel Mo/Cu/S clusters: $[\text{MoS}_4\text{Cu}_4(\alpha\text{-MePy})_5\text{Br}_2] \cdot 2(\alpha\text{-MePy})_{0.5}$ and $\{[\text{MoS}_4\text{Cu}_4(\alpha\text{-MePy})_3\text{Br}](\mu\text{-Br}) \cdot (\alpha\text{-MePy})\}_n$ ($\alpha\text{-MePy} = \alpha\text{-methylpyridine}$), 394

Molybdenum complex

The C=O and C=S bond cleavage in carbon dioxide and tolyl isothiocyanate by reactions with the Mo(0) tetraphosphine complex $[\text{Mo}\{\text{meso-}o\text{-C}_6\text{H}_4(\text{PPhCH}_2\text{CH}_2\text{PPh}_2)_2\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$, 1140

Molybdenum imido alkylidene

Reactivity differences between molecular and surface silanols in the preparation of homogeneous and heterogeneous olefin metathesis catalysts, 5014

Monocarboranes

Polyhedral monocarbaborane chemistry. Reactions of the $[\text{6-Ph-nido-6-CB}_9\text{H}_{11}]^-$ anion with two-electron donors to yield a series of neutral *arachno* and *closo* ten-vertex monocarbaborane derivatives, 2815

Monodentate diphosphines

Rhenium carbonyl complexes with monodentate-coordinated diphosphines: activation of terminal phosphino groups towards amine-oxide oxidation, 3765

Monomethylmercury

A strikingly fast route to methylmercury acetylides as a new opportunity for monomethylmercury detection, 588

Mononuclear complexes

Mononuclear ruthenium complexes containing two different phosphines in *trans* position: I. Synthesis and spectroscopic characterization, 4867

Mononucleotide

Biolabile constructs for pronucleotide design, 2614

Monophosphine

P-chirogenic phosphines. MOP/diPAMP hybrids, their oxide crystal structures, reduction studies and alternative syntheses, 211

Monosalt

Synthesis and herbicidal activities of methyl-1-(2,4-dichlorophenoxy-acetoxy)alkylphosphonate monosalts, 2608

Mössbauer

Synthesis and characterization of the first diorganotin(IV) complexes containing mixed arylazobenzoic acids and having skew trapezoidal bipyramidal geometry, 1413

Synthesis, characterization and crystal structures of polymeric and dimeric triphenyltin(IV) complexes of 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazenyl]phenyl}methylidene)amino]aryls, 4232

Synthesis, characterization, and in vitro antimicrobial activity of organotin(IV) complexes with triazolo-pyrimidine ligands containing exocyclic oxygen atoms, 4773

- Mössbauer spectroscopy
Preparation and structural characterization of organotin(IV) complexes with ligands containing a hetero {N} atom and a hydroxy group or hydroxy and carboxyl groups, 2243
- Multi-S ligands
Synthesis and X-ray structure study on new Au(I) polymer architectures based on multi-sulfur tentacles, 1332
- Multicomponent assembly
Side chain-directed complementary *cis*-coordination of two pyridines on Pd(II): Selective multicomponent assembly of square-, rectangular-, and trigonal prism-shaped molecules, 5383
- Multidentate ligand
Complexes of tantalum with triaryloxides: Ligand and solvent effects on formation of hydride derivatives, 5333
- Multinuclear NMR
Organotin esterification of (*E*)-3-(3-fluoro-phenyl)-2-(4-chlorophenyl)-2-propenoic acid: synthesis, spectroscopic characterization and in vitro biological activities. Crystal structure of [Ph₃Sn(OC(O)C(4-ClC₆H₄)=CH(3-FC₆H₄))], 1396
- Multiple insertion
Reversible double insertion of aryl isocyanates into the Ti–O bond of titanium(IV) isopropoxide, 1282
- Myrcene
Palladium catalyzed oxidation of monoterpenes: NMR study of palladium(II)–monoterpene interactions, 2996
- Nanocomposite
Metallocene-mediated synthesis of chain-end functionalized polypropylene and application in PP/clay nanocomposites, 6292
- Nanostructures
Cyclopentadienyl-functionalised polyhedral silsesquioxanes as building blocks for new nanostructured materials, 463
- Natural bond orbital
A computational study of the arsabenzenes: Structure, properties and aromaticity, 4761
- NBS
Syntheses and structures of missing links among polybromocyclopentadienyl rhenium and manganese tricarbonyl complexes, 493
- N*-chirogenic
Chiral diethylzinc complexes with diamine ligands: synthesis, crystal structure and enantioselective solvent-free alkylation, 3846
- NCN
Diazaallyls of group 4 metals based on *trans*-1,2-diaminocyclohexane, 3373
Direct preparation and structure determination of tertiary and secondary amine boranes from primary or secondary amine boranes, 2180
- N*-donor ligands
Oxidative addition to dimethylplatinum (II) compounds containing bulky nitrogen ligands: crystal structures of compounds [PtMe₃I{(Me₂NCH₂CH₂NCH)Ar}] (Ar = phenanthryl or anthryl), 2062
Third EuChem Conference on “Nitrogen ligands in organometallic chemistry and homogeneous catalysis”, Camerino, Italy, September 2004. Classical organometallic chemistry and beyond, 1871
- Near infrared
A facile organolithium route to ferrocene-based triarylmethyl dyes with substantial near IR and NLO properties, 1620
- Neonido ten-vertex cluster type
Macropolyhedral boron-containing cluster chemistry. An unusual ‘neonido’ ten-vertex subcluster configuration in a [(PPh₃)₂-RuB₁₆H₂₀] species, 2857
- Neutral conditions
Conjugates of polyhedral boron compounds with carbohydrates. 2. Unexpected easy *closo*- to *nido*-transformation of a carborane-carbohydrate conjugate in neutral aqueous solution, 2769
- NHC
Furan- and thiophene-functionalised bis-carbene ligands: Synthesis, silver(I) complexes, and catalysis, 6133
- NHC ligands
N-heterocyclic carbenes from transition metal coordinated functional isocyanides of the type *o*-(CH₂Y)C₆H₄N≡C (Y = OSiMe₃, OH; N₃; AsR₃+), 5414
- NHC-ligands
Steric and electronic effects in the bonding of *N*-heterocyclic ligands to transition metals, 5407
- NHC/rhodium catalysts
Rhodium–NHC-complexes as potent catalysts in the hydroformylation of 1-octene, 6233
- N*-heterocyclic
A new pyridine-bis-*N*-heterocyclic carbene ligand and its coordination to Rh: Synthesis and characterization, 5576
- N*-heterocyclic carbene
Development of 7-membered *N*-heterocyclic carbene ligands for transition metals, 6143
N-Heterocyclic carbenes as ligands in palladium-catalyzed Tsuji–Trost allylic substitution, 5753
New tripodal *N*-heterocyclic carbene chelators for small molecule activation, 5474
Novel rhodium-1,3-dialkyl-3,4,5,6-tetrahydropyrimidin-2-ylidene complexes as catalysts for arylation of aromatic aldehydes, 5849
Reactions of (imidazol-2-ylidene)silver(I) chlorides with group 4 metal containing Lewis acids, 5346
Replacement of *N*-heterocyclic carbenes by *N*-heterocyclic silylenes at a Pd(0) center: Experiment and theory, 3292
Rhenium and technetium complexes with *N*-heterocyclic carbenes – A review, 5421
Synthesis and characterization of a free phenylene bis(*N*-heterocyclic carbene) and its di-Rh complex: Catalytic activity of the di-Rh and CCC–NHC Rh pincer complexes in intermolecular hydrosilylation of alkynes, 5938
Synthesis and reactivity of zirconium and hafnium complexes incorporating chelating diamido-*N*-heterocyclic-carbene ligands, 5788
Synthesis of electron-rich platinum centers: Platinum⁰(carbene)-(alkene)₂ complexes, 5804
Synthetic and structural studies of NHC–Pt(dvtms) complexes and their application as alkene hydrosilylation catalysts (NHC = *N*-heterocyclic carbene, dvtms = divinyltetramethylsiloxane), 6156
- N*-heterocyclic carbene
A nonenolizable imino-*N*-heterocyclic carbene ligand and corresponding silver (I) metal complex, 5591
Allylic substitution reactions with Grignard reagents catalyzed by imidazolium and 4,5-dihydroimidazolium carbene–CuCl complexes, 6001
First examples of dipyrido[1,2-*c*:2',1'-*e*]imidazolin-7-ylidenes serving as NHC-ligands: Synthesis, properties and structural features of their chromium and tungsten pentacarbonyl complexes, 5647
Ligand properties of *N*-heterocyclic and Bertrand carbenes: A density functional study, 5867
Rhodium *N*-heterocyclic carbene complexes: Synthesis, structure, NMR studies and catalytic activity, 5736
Rhodium complexes of PC^{NHC}P: Oxidative addition of dichloromethane and catalytic hydrosilylation of alkynes affording (*E*)-alkenylsilanes, 5662
Solvent-controlled selective synthesis of a *trans*-configured benzimidazolin-2-ylidene palladium(II) complex and investigations of its Heck-type catalytic activity, 3854
Synthesis and structural chemistry of oxazolonyl-carbene copper(I) complexes, 5556
Synthesis of a new bidentate ferrocenyl *N*-heterocyclic carbene ligand precursor and the palladium (II) complex *trans*-[PdCl₂(C[^]fc[^]C)], where (C[^]fc[^]C) = 1,1'-di-*tert*-butyl-3,3'-(1,1'-dimethyleneferrocenyl)-diimidazol-2-ylidene, 653
Synthesis, characterization, and catalytic activity of a ruthenium carbene complex coordinated with bidentate 2-pyridine-carboxylato ligands, 5816

- The reaction of amidinato(pyridine) complexes of molybdenum and tungsten with triethylborane adduct of *N*-heterocyclic carbene (NHC · BEt₃): Investigation on the reactivity of NHC · BEt₃ as carbene precursor toward transition metal complexes, 5701
- Toward a general method for CCC *N*-heterocyclic carbene pincer synthesis: Metallation and transmetallation strategies for concurrent activation of three C–H bonds, 5353
- N*-heterocyclic carbene complexes**
- Synthesis and structural characterisation of linear Au(I) *N*-heterocyclic carbene complexes: New analogues of the Au(I) phosphine drug Auranofin, 5625
- N*-heterocyclic carbenes**
- An efficient and mild protocol for the α -arylation of ketones mediated by an (imidazol-2-ylidene)palladium(acetate) system, 5832
- Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441
- Nickel(0)/*N*-heterocyclic carbene complexes catalysed arylation of aromatic diamines, 6169
- Polymerization of phenylacetylene by novel Rh (I)-, Ir (I)- and Ru (IV) 1,3-R₂-3,4,5,6-tetrahydropyrimidin-2-ylidenes (R = mesityl, 2-propyl): Influence of structure on activity and polymer structure, 5728
- Rh(1,3-bis(2,4,6-trimethylphenyl)-3,4,5,6-tetrahydropyrimidin-2-ylidene)-(COD) tetrafluoroborate, an unsymmetrical Rh-homoazallyl-carbene: synthesis, X-ray structure and reactivity in carbonyl arylation and hydrosilylation reactions, 4433
- Studies on Pd/imidazolium salt protocols for aminations of aryl bromides and iodides using lithium hexamethyldisilazide (LHMDS), 5841
- Synthesis and asymmetric catalytic application of chiral imidazolium-phosphines derived from (1*R*,2*R*)-*trans*-diaminocyclohexane, 5822
- Synthesis and structural characterisation of rhodium hydride complexes bearing *N*-heterocyclic carbene ligands, 5027
- Tandem diene ring-closing metathesis of alkynyl silaketals for the formation of bicyclic siloxanes, 5508
- Zinc *N*-heterocyclic carbene complexes and their polymerization of D,L-lactide, 5881
- N*-heterocyclic carbene ligands**
- N*-heterocyclic carbene–palladium catalysts for the bisdiene cyclization-trapping reaction with sulfonamides under thermal and microwave conditions, 6205
- N*-Heterocyclic silylene**
- Replacement of *N*-heterocyclic carbenes by *N*-heterocyclic silylenes at a Pd(0) center: Experiment and theory, 3292
- N*-H insertion**
- Asymmetric synthesis of *cis*-2,4-disubstituted azetidin-3-ones from metal carbene chemistry, 5636
- N*-H interaction**
- The effect of carbon chain length of the diphosphine ligand on the aurophilic interaction. Synthesis and X-ray structural study for a series of Au(I) compounds with Ph₂P–R–PPh₂ and *S*-(CH₂)_{*n*}-py ligands, 57
- Ni catalysts**
- Copolymerization of ethylene/unsaturated alcohols using nickel catalysts: effect of the ligand on the activity and comonomer incorporation, 895
- Nickel**
- Bimetallic complexes with porphyrins containing a cyclometalated phenylpyridine group, 253
- EPR study of mono-*o*-iminobenzosemiquinonato nickel(II) complexes with Ni–C σ -bond, 145
- Intramolecular cyanoboration of alkynes via activation of boron–cyanide bonds by transition metal catalysts, 5300
- Metalloporphyrin as a ligand in organometallic complexes: Synthesis and characterization of a nickel(II) porphyrin complex of 1,5-cyclooctadienedichlororuthenium(II), 4978
- New insights into the reaction of nickelocene with methyl lithium: the isolation and crystal structure of (NiCp)₃(μ_3 -CH), 1192
- Preparation, structure and ethylene polymerization behavior of mixed-halide nickel(II) complexes and cobalt(II) complex containing imidazolium, 2934
- Regioselectivity in nickel(0)/phosphine catalyzed cycloadditions of alkynes and isocyanates, 5098
- Retro-Brook rearrangement induces the formation of an octahedral nickel(benzamidinate) complex; synthesis, structure and catalytic activity, 2297
- Synthesis and structural characterization of aryloxo-functionalized *N*-heterocyclic carbene complexes of nickel(II), 6227
- Synthesis and structure of (η^5 -cyclopentadienyl)(η^5 -(1-(η^5 -cyclopentadienyl)-2-phenyl-3-methyl-1-nickelaindenyl)nickel – the first analogue of nickelocene with a nickelacyclopentadienyl ring, 1523
- Synthesis of [Ni(η^2 -CH₂C₆H₄R-4){PPh(CH₂CH₂PPh₂)₂}]⁺ (R = H, Me or MeO) and protonation reactions with HCl, 1763
- Synthesis, molecular structure and catalytic activity of chiral benzamidinate nickel complexes, 3154
- The spectra, structures and electrochemistry of Ni(η^5 -C₅H₅)(PPh₃)–C≡C–Ar complexes, and their reactions with Co₂(CO)₈, 4545
- The transition metal carbonyl complexes of 1,3-bis(di-*R*-stibino)propanes (R = Me or Ph), 1540
- Transition metal catalyzed cross-coupling of aryl Grignard reagents with aryl fluorides via Pd- or Ni-activation of the C–F bond: an efficient synthesis of unsymmetrical biaryls – application of microwave technology in ligand and catalyst screening, 932
- Nickel catalysis**
- Nickel(0)/*N*-heterocyclic carbene complexes catalysed arylation of aromatic diamines, 6169
- Nickel complex**
- Electrocatalytic eco-efficient functionalization of white phosphorus, 2416
- Nickel(II) complexes bearing phosphinooxazoline ligands: Synthesis, structures and their ethylene oligomerization behaviors, 3918
- Tuning of nickel 2-phosphinophenolates – catalysts for oligomerization and polymerization of ethylene, 2449
- Nickel complexes**
- A stable (amino)(phosphino)carbene as bidentate ligand for palladium and nickel complexes: Synthesis, structure, and catalytic activity, 5541
- Bridged bis-pyridinylimino dinickel(II) complexes: Syntheses, characterization, ethylene oligomerization and polymerization, 1739
- Nickel (II) complexes bearing 2-ethylcarboxylate-6-iminopyridyl ligands: structures and their catalytic behavior for ethylene oligomerization and polymerization, 1570
- Nile red complexes**
- Organometallic emitting dyes: Palladium(II) Nile red complexes, 857
- Niobium**
- Stabilisation of high oxidation-state niobium using ‘electron-rich’ bicyclic-guanidimates, 2278
- Niobocene**
- New reactivity of Cp₂'NbH₃, Cp' = η^5 -C₅H₄SiMe₃. Synthesis, electro-synthesis and reactivity of new carboxylato niobocene complexes, 3134
- Nitrile**
- Nitrile ligands activation in dinuclear aminocarbyne complexes, 1959
- Syntheses and molecular structures of group 8 benzonitrile complexes, 4908
- Nitriles**
- Synthesis and characterisation of the amidine complexes *trans*-[PtCl(NH₃){HN=C(NH₂)R}₂]Cl (R = Me, Ph, CH₂Ph) derived from addition of NH₃ to the coordinated nitriles in *trans*-[PtCl₂(N≡CR)₂], 2121
- Nitroarenes**
- The palladium–phenanthroline catalyzed carbonylation of nitroarenes to diarylureas: Effect of chloride and diphenylphosphinic acid, 4517
- Nitrobenzene**
- Hydrogenation of single and multiple N–N or N–O bonds by Ru(II) catalysts in homogeneous phase, 3641

Nitrogen-donor ligands

Deprotonated diindolylmethanes as dianionic analogues of scorpionate bis(pyrazolyl)borate ligands: synthesis and structural characterization of representative titanocene and zirconocene complexes, 157

Syntheses and structural characterizations of rhenium carbonyl complexes of a bitopic ferrocene-linked bis(pyrazolyl)methane ligand, 1889

Trifluoroethanol: key solvent for palladium-catalyzed polymerization reactions, 2106

Nitrogen ligand

Synthesis and structural characterization of ferrocene-based bis(pyrazol-1-yl)borate ligands: $\text{FcB}(\text{Me})\text{pz}_2\text{K}$, $\text{Fc}_2\text{Bpz}_2\text{K}$, and $1,1'\text{-fc}[\text{B}(\text{Me})\text{pz}_2]_2\text{K}_2$ (Fc: ferrocenyl, fc: ferrocenylene, pz: pyrazolyl), 1971

Nitrogen ligands

Synthesis and characterization of poly(amidoamine)-platinum(II) complexes. Detailed speciation by Matrix-Assisted Laser Desorption Ionization Mass Spectrometry, 1978

Synthesis and reactivity of cyclometallated platinum (II) compounds containing $[\text{C},\text{N},\text{N}']$ terdentate ligands: Crystal structures of $[\text{PtCl}\{(\text{CH}_3)_2\text{N}(\text{CH}_2)_3\text{NCH}(\text{4-Cl-C}_6\text{H}_5)\}]$, $[\text{PtCl}\{(\text{CH}_3)_2\text{N}(\text{CH}_2)_3\text{-NCH}(\text{2-Cl-C}_6\text{H}_5)\}]$ and $[\text{PtCl}\{(\text{CH}_3)_2\text{N}(\text{CH}_2)_3\text{NCH}(\text{3-(CH}_3\text{-C}_6\text{H}_5)\}]$, 4309

Nitrosoarene-iron complex

Cyclopentadienyliron complexes of nitrosobenzene: Preparation, structure and reactivity with olefins, 4727

N-15

Kinetic isotope effects of nitrogen and hydrogen in reaction of *N*-tert-butyl-*P*-phenylphosphoramidothioic acid with alcohols, 2553

N-ligand

Silver alkoxide and amino *N*-heterocyclic carbenes; syntheses and crystal structures, 5710

N ligands

Inverted piano-stool dimers of half-sandwich Ru(II) complexes with (*R*)-phenylglycine methylester and (*S*)-phenylalanineamide: An X-ray structural study and preliminary catalytic results, 4602

Reduction of 2-(*N,N*-dimethylamino)ethyl substituted zirconocene dichlorides: Intramolecular activation of $\text{NCH}_2\text{-H}$ bond. The crystal structures of $[\eta^5\text{-}\eta^2(\text{C},\text{N})\text{-C}_5(\text{CH}_3)_4\text{CH}_2\text{CH}_2\text{N}(\text{CH}_3)\text{CH}_2\text{-}[\eta^5\text{-C}_5(\text{CH}_3)_5]\text{ZrX}$ (X = Cl, H), 3243

Unprecedented ligand anti-bis-benzylation upon thermolytic treatment of 2,3-diphenylbenzo[*g*]quinoxaline with (η^1 -benzyl) pentacarbonylmanganese, 4822

N-ligands

The synthesis, coordination chemistry and ethylene polymerisation activity of ferrocenediyl nitrogen-substituted ligands and their metal complexes, 6271

NLO

Synthesis and quadratic molecular hyperpolarizabilities of two new chiral boronates: Computational and experimental study, 3737

N.L.O. properties

γ -Methylene chalcogenopyrans and benzopyrans as proaromatic donors in "push-pull" Fischer type carbene complexes: Influences of chalcogen atom and chain length on the electronic and N.L.O. properties of these molecules, 4982

NMR

A computational study of the arsabenzenes: Structure, properties and aromaticity, 4761

Imino Diels-Alder reaction of boronates: A new route to 3,4-dihydroquinolines, 2975

NMR evidence for $\text{B}(\text{C}_6\text{F}_5)_3$ attack on the inward position of a highly hindered *meso ansa*-zirconocene, 640

Photochemical synthesis and spectroscopic characteristic of the first vinylsilane carbonyl complexes of tungsten(0), 4656

Reactivity of cationic methyl rhodium(III) complexes *cis*- $[\text{Rh}(\beta\text{-diket})(\text{PPh}_3)_2(\text{CH}_3)(\text{CH}_3\text{CN})][\text{BPh}_4]$ toward ligands of different character: pyridine, carbon monoxide, and triphenylphosphine, 3397

Self-assembly of diorganotin(IV) 2- $\{[(E)\text{-1-(2-oxyaryl)alkylidene]-amino\}$ acetates: An investigation of structures by X-ray diffraction, solution and solid-state tin NMR, and electrospray ionization MS, 3080

Synthesis and characterisation of the platinum complexes $[\text{PtCl}(\text{CCl}=\text{PAr})(\text{PPh}_3)_2]$ and $[\text{PtCl}(\text{CCl}=\text{PAr}')(\text{PPh}_3)_2]$ as potential intermediates in the preparation of phosphalkynes, 3630

Synthesis and characterization of the first diorganotin(IV) complexes containing mixed arylazobenzoic acids and having skew trapezoidal bipyramidal geometry, 1413

Synthesis and structure of potential Lewis acid-Lewis base bifunctional catalysts: 2-*N,N*-Diisopropylaminophenylboronate derivatives, 4784

Synthesis of a cyclic dinuclear organotin carboxylate via simultaneous debenylation and decarbonylation reactions: X-ray crystal structure of $[(\text{PhCH}_2)_2\{\text{O}_2\text{CC}_6\text{H}_4\{\text{N}(\text{H})\text{-N}=(\text{C}_6\text{H}_3\text{-4(=O)-5-O)\}-\text{o}\}\text{Sn}]_2$, 1581

Synthesis, characterization and crystal structures of polymeric and dimeric triphenyltin(IV) complexes of 4- $\{[(E)\text{-1-(2-hydroxy-5-[(E)\text{-2-(2-carboxyphenyl)-1-diazenyl]phenyl)methylidene}amino\}aryl\}$, 4232

NMR and X-ray

Synthesis, IR-, NMR- and X-ray investigations on some novel *N*-hetaryl-dihydro-pyrazolyl ferrocenes. Study on ferrocenes, part 16, 4018

NMR electronic spectroscopy

Synthesis and structure of the chiral palladium-fullerene C_{60} and C_{70} complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis(diphenylphosphino)-3,3'-bithiophene [$(-)$ tetraMe-BITIOIP], 4330

NMR sensitivity enhancement

A new signal processing method to observe weak ^{31}P and ^{17}O NMR peaks, 2644

NMR spectra

Perfluorofluorenyl anions and their use as co-catalysts in the zirconocene-promoted polymerization of olefins, 4886

NMR spectroscopy

A dihydrogen bond between a bridging hydride and the NH proton of a coordinated dimethylamine: solid state, solution and theoretical characterization, 2044

A new look at the *nido*-undecaborate system, 2736

Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α -ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976

Acidic hydrolysis of *N*-acyl-1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes, 2783

Chiral "P-N-P" ligands, $(\text{C}_{20}\text{H}_{12}\text{O}_2)\text{PN}(\text{R})\text{PY}_2$ [R = CHMe_2 , Y = C_6H_5 , OC_6H_5 , $\text{OC}_6\text{H}_4\text{-4-Me}$, $\text{OC}_6\text{H}_4\text{-4-OMe}$ or $\text{OC}_6\text{H}_4\text{-4}^t\text{Bu}$] and their allyl palladium complexes, 742

Metal fragment exchange from a molybdaborane to a tungstaborane, 4203

New distannanes containing the chiral 2-(4-isopropyl-2-oxazoliny)-5-phenyl ligand, 3690

Polyhedral monocarbaborane chemistry. Reactions of the $[\text{6-Ph-}nido\text{-6-CB}_9\text{H}_{11}]^-$ anion with two-electron donors to yield a series of neutral *arachno* and *closo* ten-vertex monocarbaborane derivatives, 2815

Synthesis and NMR characterization of dinuclear Fe(II) organometallic complexes containing a non-equivalently bridging 5-aryl tetrazolate ligand, 2052

NMR studies

Organoselenium(II) and selenium(IV) compounds containing 2-(Me_2NCH_2) C_6H_4 moieties: solution behavior and solid state structure, 3217

N,N,C ligands

Synthesis, structures and electrochemical properties of ruthenium (II) complexes bearing bidentate 1,8-naphthyridine and terpyridine analogous (N,N,C)-tridentate ligands, 4272

Noble metals

Phosphorus-substituted carbene complexes: Chelates, pincers and spirocycles, 5485

N,O ligands

Reactivity of the dinuclear platina- β -diketone [Pt₂{(COMe)₂H}₂(μ -Cl)₂] towards chelating ligands – Bridge cleavage versus formation of acetyl(chloro)platinum(II) complexes, 3229

NOESY

Ruthenium–benzocrownether complexes: Synthesis, structures, catalysis and immobilisation in ionic liquids, 5055

Non-covalent interaction

Synthesis, structure, electrochemistry and ROMP-activity of new ferrocenyl analog of Grubbs' metathesis catalyst, 1018

Non-linear optical properties

Syntheses, crystal structures, and third-order nonlinear optical properties of two novel Mo/Cu/S clusters: [MoS₄Cu₄(α -MePy)₃Br₂] · 2(α -MePy)_{0.5} and {[MoS₄Cu₄(α -MePy)₃Br](μ -Br) · (α -MePy)}_n (α -MePy = α -methylpyridine), 394

Non linear optics

Organophosphorus π -conjugated materials: the rise of a new field, 2482

Non-linear optics

Synthesis and electrochemical studies of organometallic cobalt(III) complexes with substituted benzonitrile chromophores: NMR spectroscopic data as a probe on the second-order non-linear optical properties, 4063

Non-metallocene

Fluorinated bis(phenoxy–imine) Ti complexes with MAO: Remarkable catalysts for living ethylene and syndiospecific living propylene polymerization, 4398

Non-metallocene complexes

Non-metallocene rare earth metal catalysts for the diastereoselective and enantioselective hydroamination of aminoalkenes, 4441

Rare earth metal complexes based on β -diketiminato and novel linked bis(β -diketiminato) ligands: Synthesis, structural characterization and catalytic application in epoxide/CO₂-copolymerization, 5182

Noncentrosymmetric

Two noncentrosymmetric complexes: [W(CO)₄(bipy)] and [W(CO)₄(phen)] (bipy = 2,2'-bipyridine, phen = 1,10-phenanthroline) obtained through solvothermal synthesis and their optical properties, 286

Nonlinear optical materials

A facile organolithium route to ferrocene-based triarylmethyl dyes with substantial near IR and NLO properties, 1620

Norbornene

Titanium complexes bearing aromatic-substituted β -enaminoketonato ligands: Syntheses, structure and olefin polymerization behavior, 3125

NorborneneLiving polymerization

Bis(pyrrrolide-imine) Ti complexes with MAO: A new family of high performance catalysts for olefin polymerization, 4382

Novel route

Crystal structure, antitumor activities and DNA-binding properties of the La(III) complex with Phthalazin-1(2H)-one prepared by a novel route, 4557

N-oxide ligand

Os(CO)₂(η^2 -SC₅H₄N(O))(η^2 -SC₅H₄N): structural evidence for the transformation of pyridine-2-thione *N*-oxide to pyridine-2-thiolate in osmium complexes, 441

N-(*p*-toluensulfonyl)iminophenyliodinane

Catalytic amination reactions mediated by Co(II) Schiff base complexes, 2142

N,S ligands

Reactivity of the dinuclear platina- β -diketone [Pt₂{(COMe)₂H}₂(μ -Cl)₂] towards chelating ligands – Bridge cleavage versus formation of acetyl(chloro)platinum(II) complexes, 3229

Nucleophilic activation

Controlled nucleophilic activation of different sites in [Mo₂Cp₂L₂(μ -SMe)₂(μ -L')]⁺ cations (L = BuⁿNC, xyINC, CO; L' = SMe or PPh₂), 4583

Nucleophilic addition

A novel mercapto-bisphosphonate as an efficient anticalcification agent for bioprosthetic tissues, 2543

Reaction of cyclopropylcarbene–metal complexes with nucleophiles, halogens and HX, 5759

Nucleophilic attack

Synthesis and characterisation of the amidine complexes *trans*-[PtCl(NH₃){HN=C(NH₂)R}₂]Cl (R = Me, Ph, CH₂Ph) derived from addition of NH₃ to the coordinated nitriles in *trans*-[PtCl₂(N≡CR)₂], 2121

Nucleophilic substitution

Transition metal carbene chemistry 5: Kinetic studies on the nucleophilic substitution reactions of (CO)₅M=C(SCH₃)CH₃ (M = Cr and W) with primary amines in aqueous acetonitrile, 4878

Nucleophilicity

Ligand properties of *N*-heterocyclic and Bertrand carbenes: A density functional study, 5867

Nucleotide analogues

Cidofovir peptide conjugates as prodrugs, 2673

Octahedral complexes

Mononuclear ruthenium complexes containing two different phosphines in *trans* position: I. Synthesis and spectroscopic characterization, 4867

o-Iminobenzosemiquinone

EPR study of mono-*o*-iminobenzosemiquinonato nickel(II) complexes with Ni–C σ -bond, 145

Olefin

Addition of heterocycles to electron deficient olefins and alkynes catalyzed by gold(III), 5049

Olefin-CO copolymerization

Palladium complexes containing ligands with hydrogen-bonding functionalities. Reactivity and catalytic studies with CO and olefins, 5113

Olefin epoxidation

In situ grafting of cyclopentadienyl-molybdenum complexes on mesoporous materials: The reaction of [η^5 -CpMo(CO)₃]⁺Na⁺ with surface fixed iodo-benzyl siloxane, 5105

Olefin isomerization

Development of novel reactions using ruthenium carbene catalyst and its application to novel methods for preparing nitrogen-containing heterocycles, 5398

Olefin metathesis

An ionic liquid-tagged second generation Hoveyda–Grubbs ruthenium carbene complex as highly reactive and recyclable catalyst for ring-closing metathesis of di-, tri- and tetrasubstituted dienes, 3577

Olefin metathesis in room temperature ionic liquids using imidazolium-tagged ruthenium complexes, 3585

Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720

Synthesis, characterization, and catalytic activity of a ruthenium carbene complex coordinated with bidentate 2-pyridine-carboxylato ligands, 5816

Olefin metathesis catalyst

Reactivity differences between molecular and surface silanols in the preparation of homogeneous and heterogeneous olefin metathesis catalysts, 5014

Olefin polymerization

Another example of carborane based trianionic ligand: Syntheses and catalytic activities of cyclohexylamino tailed *ortho*-carboranyl zirconium and titanium dicarbollides, 6284

Bis(pyrrrolide-imine) Ti complexes with MAO: A new family of high performance catalysts for olefin polymerization, 4382

Fluorinated bis(phenoxy–imine) Ti complexes with MAO: Remarkable catalysts for living ethylene and syndiospecific living propylene polymerization, 4398

Perfluorofluorenyl anions and their use as co-catalysts in the zirconocene-promoted polymerization of olefins, 4886

- Syntheses and catalytic activities of Group 4 metal complexes derived from $C_{(cage)}$ -appended cyclohexyloxocarborane trianion, 2802
- Synthesis and properties of Zr–Co heterodinuclear complexes with a bridging bis(cyclopentadienyl) ligand, 269
- The (butadiene)zirconocene route to active homogeneous olefin polymerization catalysts, 6254
- Olefins**
- Hydroformylation of alkenes with paraformaldehyde catalyzed by rhodium–phosphine complexes, 3095
- Oxidations by the system “hydrogen peroxide– $[Mn_2L_2O_3][PF_6]_2$ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane)–oxalic acid”. Part 6. Oxidation of methane and other alkanes and olefins in water, 4498
- Trifluoroethanol: key solvent for palladium-catalyzed polymerization reactions, 2106
- Oligo(ferrocenes)**
- Inclusion complex formation of diferrocenyldimethylsilane with β -cyclodextrin, 4801
- Oligomerization**
- Tuning of nickel 2-phosphinophenolates – catalysts for oligomerization and polymerization of ethylene, 2449
- Oligonucleotide**
- Large-scale synthesis of high purity “Phos reagent” useful for oligonucleotide therapeutics, 2603
- Oligo(*p*-phenylenevinylene)**
- Synthesis, structures, and photophysical properties of silicon and carbon-bridged ladder oligo(*p*-phenylenevinylene)s and related π -electron systems, 5365
- Oligopyrroles**
- Conformational behaviour of dinuclear Rh(I) complexes of the open-chain tetrapyrrolic ligand 2,2'-bidipyrin (H_2BDP), 5290
- O,P chelate**
- Tuning of nickel 2-phosphinophenolates – catalysts for oligomerization and polymerization of ethylene, 2449
- OPE complexes**
- Synthesis and characterization of wire-like $Ru_2(ap)_4$ -[σ -oligo(phenylene ethynyl)] compounds, 4734
- Optical activity**
- Synthesis and structure of the chiral palladium–fullerene C_{60} and C_{70} complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis(diphenylphosphino)-3,3'-bithiophene [(–)tetraMe-BITOP], 4330
- Optical limiting properties**
- Formation of new organometallic W/Cu/S clusters from reactions of $\{[(\eta^5-C_5Me_5)WS_3]_3Cu_7(MeCN)_9\}(PF_6)_4$ with donor ligands. Crystal structures and optical limiting properties of $[(\eta^5-C_5Me_5)WS_3Cu_3(Py)_6](PF_6)_2$, $[(\eta^5-C_5Me_5)WS_3Cu_3Br(PPh_3)_3](PF_6)_6$, and $[(\eta^5-C_5Me_5)WS_3Cu_4(Py)Cl(dppm)_2](PF_6)_2$, 4027
- Optical power limiting**
- Synthesis, structure and optical limiting properties of organoruthenium–chalcogenide clusters, 1487
- o*-Quinones**
- Oxidative addition reaction of *o*-quinones to triphenylantimony: novel triphenylantimony catecholate complexes, 1273
- Organic chemistry**
- Successful application of microstructured continuous reactor in the palladium catalysed aromatic amination, 3627
- Organic light emitting diodes**
- Organophosphorus π -conjugated materials: the rise of a new field, 2482
- Organic synthesis**
- Recent advances in phosphorus–carbon bond formation: synthesis of H-phosphinic acid derivatives from hypophosphorous compounds, 2388
- Organoantimony**
- Synthesis, crystal structures and in vitro antitumor activities of some organoantimony arylhydroxamates, 151
- Organocobalt**
- Alternative cocrystallization of “almost” enantiomers and true enantiomers in some *cis*- β -organocobalt salen-type complexes with α -amino acids, 3815
- Organogold compounds**
- Effect of the organic fragment on the mesogenic properties of a series of organogold(I) isocyanide complexes. X-ray crystal structure of $[Au(C\equiv CC_5H_4N)(CNC_6H_4O(O)CC_6H_4OC_{10}H_{21})]$, 2200
- Organogold(I) complexes**
- Organogold(I) complexes: Synthesis, X-ray crystal structures and aurophilicity, 4835
- Organohydroborate**
- Syntheses, structures, and properties of phenyltrihydroborate complexes of zirconocene and titanocene, 291
- Organoiridium**
- Structure and reactivity of derivatives of dihalogenomethyl indium(III) halides, X_2InCHX_2 (X = Cl, Br, I), 925
- Synthesis and molecular structures of dialkylselenonium methylide complexes of indium tribromide, 1294
- Organoiridium complexes**
- Iridium mediated methyl and phenyl C–H activation of 2-(aryloxy)phenols. Synthesis, structure, and spectral and electrochemical properties of some organoiridium complexes, 3908
- Organoiron**
- Iron(II) and iron(III) complexes containing ethynyl thiophene fragments, 594
- Organolanthanide**
- Modification of mesoporous silicate SBA-15 with tris[bis(trimethylsilyl)amido]samarium and its utility in Tishchenko reaction, 3783
- Synthesis and reactivity of organolanthanide complexes containing phenothiazine ligand toward carbodiimide and isothiocyanate, 4926
- Organolanthanide(II) complexes**
- Homolysis of the Ln–N bond: Synthesis, characterization and catalytic activity of organolanthanide(II) complexes with furfuryl- and tetrahydrofurfuryl-functionalized indenyl ligands, 4139
- Organolithium**
- Synthesis and structure of two lithium terphenyls and a “halide rich” terphenyl lithium species, 1638
- Organometallic**
- Pressure-tuning vibrational spectra of the heterobimetallic complexes, $Ph_3MCo(CO)_4$ (M = Sn, Pb), 4719
- ToF-SIMS analysis of surface-anchored organometallic clusters, 3861
- Organopalladium complex**
- Organopalladium complex promoted asymmetric synthesis of a P-chiral phosphanorbornene in ionic liquids and in organic solvents, 4933
- Organophosphorus compounds**
- Recent advances in phosphorus–carbon bond formation: synthesis of H-phosphinic acid derivatives from hypophosphorous compounds, 2388
- Organoplatinum**
- Binuclear dimethylplatinum (II) complexes each containing monodentate phosphine ligands and a bridging diphosphine ligand $X(PPh_2)_2$, X = CH₂ or NH. Molecular structure of *cis,cis*- $[Me_2(py)Ph_2P]Pt(\mu-Ph_2PNHPPH_2)Pt(PPh_2py)Me_2 \cdot 2CH_2Cl_2$, 1600
- Organoplatinum complexes**
- The steric effect of *o*-tolyl ligand on the fluxionality behavior of some binuclear organoplatinum(II) complexes with bis(diphenylphosphino)methane as bridging ligand, 982
- Organosilane**
- Palladium-catalyzed protection of alcohols and cleavage of triethylsilyl ethers, 2372
- Organosilicon**
- Organometallic compounds of Group 13 elements containing the ligand $C(SiMe_3)_2(SiMe_2C_5H_4N-2)$, 69

- Synthesis and crystal structures of some cobalt halide derivatives containing alkyl or silanolato groups, 944
- Synthesis and reactions of [tris(trimethylsilyl)methyl]ethyl dichlorosilane, 1606
- Organosilicon chemistry
- Synthesis and structural characterization of carbon-centered tris(pentafluorophenyl)silyl derivatives, 3680
- Organosilicon compound
- Cyclic voltammetry and theoretical calculations of silyl-substituted 1,4-benzoquinones, 1324
- Organosilicon polymer
- Sonogashira coupling of diethynylsilane and dibromoarene in wet solvent for the formation of poly[(ethynylenearylene)-*co*-(diethynylenesilylenearylene)], 3951
- Organostannanes
- Synthesis of a Lewis acid bearing cyclopentadienyl ligand and its tricarbonylmanganese(I) complex, 2159
- Organotellurenyl chloride
- Synthesis and characterization of [2-(2-phenyl-5,6-dihydro-4*H*-1,3-oxazinyl)] tellurenyl chloride, 3149
- Organotellurium (IV)
- Synthesis, spectroscopic characterization of *O,O*-alkylene dithiophosphates of tellurolane and 1-oxa-4-tellurane. Single crystal structures of $C_4H_8Te[S_2P(OCH_2)_2CMe^nPr]_2$ and $C_4H_8OTe[S_2P(OCH_2)_2CEt_2]_2$, 2872
- Organotin
- Novel process for synthesis of 1,1,3,3-tetrabutyl-1-methoxy-3-isocyanatodistannoxane, 1300
- Structural diversity of di and triorganotin complexes with 4-sulfanylbenzoic acid: Supramolecular structures involving intermolecular Sn···O, O–H···O or C–H···X (X = O or S) interactions, 3033
- Syntheses, crystal structures and coordination modes of tri- and diorganotin derivatives with 2-mercapto-4-methylpyrimidine, 519
- Synthesis, crystal structure and in vitro antitumor activity of di-*n*-butyltin 4'-(7-oxabicyclo [2,2,1]-5-heptane-2,3-dicarboximide) benzoates, 2186
- Organotin complex
- Synthesis and spectroscopic properties of diorganotin(IV) complexes of 2-quinaldol and crystal structures of $(4-FC_6H_4CH_2)_2Sn(2-quin)_2 \cdot 2CH_3CN$ and $\{[(2-C_6H_4CH_2)_2SnCl(2-quin)]_2 \cdot CH_3OH\}_n$, 3111
- Organotin (IV)
- Syntheses and crystal structures of diorganotin (IV) moieties with 3-hydroxy-2-pyridinecarboxylic acid, 4049
- Organotin (IV) complex
- Synthesis and spectroscopic properties of [*N*-(4-carboxyphenyl) salicylideneiminato] di- and tri-organotin (IV) complexes and crystal structures of $\{[Bu_2Sn(2-OHC_6H_4CH=NC_6H_4COO)]_2O\}_2$ and $Ph_3Sn(2-OHC_6H_4CH=NC_6H_4COO)$, 435
- Organotin complexes
- Tin(IV) and organotin(IV) derivatives of bis(pyrazolyl)acetate: Synthesis, spectroscopic characterization and behaviour in solution. X-ray single crystal study of bis(pyrazol-1-yl)acetatotriiodotin(IV) $[SnI_3(bdmpza)]$, 1878
- Organotin(IV)
- Investigation on coordination modes of organotin(IV) complexes with 6-thiopurine and related ligands, 1560
- Preparation and structural characterization of organotin(IV) complexes with ligands containing a hetero {N} atom and a hydroxy group or hydroxy and carboxyl groups, 2243
- Synthesis, characterization and hydrolytic behavior of new bis(2-pyridylthio)acetate ligand and related organotin(IV) complexes, 1994
- Synthesis, characterization, and in vitro antimicrobial activity of organotin(IV) complexes with triazolo-pyrimidine ligands containing exocyclic oxygen atoms, 4773
- Tuning the reactivity of organotin(IV) by LiOH: allylation and propargylation of epoxides via redox transmetalation, 1422
- Organotin(IV) carboxylates
- Structural chemistry of mononuclear, tetranuclear and hexanuclear organotin(IV) carboxylates from the reaction of di-*n*-butyltin oxide or diphenyltin oxide with rhodanine-*N*-acetic acid, 4366
- Organotin(IV) complexes
- Organotin esterification of (*E*)-3-(3-fluoro-phenyl)-2-(4-chlorophenyl)-2-propenoic acid: synthesis, spectroscopic characterization and in vitro biological activities. Crystal structure of $[Ph_3Sn(OC(O)C(4-C_6H_4)=CH(3-FC_6H_4))]$, 1396
- Orthometalated imine
- Mesogens based on palladium orthometalated complexes with carboxylato bridges: tuning and shaping a non-planar molecule, 261
- The effect of polyether terminal chains in the liquid crystalline behavior of *ortho*-palladated complexes, 998
- Orthometallation
- Fast transfer hydrogenation using a highly active orthometalated heterocyclic carbene ruthenium catalyst, 5570
- Reversible aryl C–H bond activation in the reaction between $HRu_3(CO)_{9,10}(\mu-PPh_2)$ and the diphosphine ligand 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd): X-ray diffraction structures of $H_2Ru_3(CO)_7(bpcd)[\mu, \sigma-PPh(C_6H_4)]$ and $Ru_3(CO)_6(\mu-CO)(\mu-PPh_2)[\mu, \eta^2, \eta^1-PPhC=C(PPh_2)C(O)CH_2C(O)]$, 3838
- Orthometallation
- Intermolecular versus intramolecular C–H activation reaction in the thermolysis of $[Ru(Me)Cp^*(PMe_2Ph)_2]$ ($Cp^* = \eta^5-C_5Me_5$): formation and crystallographic characterisation of $[Ru(Ph)Cp^*(PMe_2Ph)_2]$, 605
- Two isomeric products $[Os_3(\mu-H)(C_{14}H_9N_4)(CO)_9]$ formed by orthometallation of the cluster $[Os_3(C_{14}H_{10}N_4)(CO)_{10}]$ containing the chelating ligand 2,3-bis(2-pyridyl)pyrazine, 622
- ortho*-Metallation
- Metallacyclic complexes with *ortho*-silylated triphenylphosphine ligands, $L_nOs(\kappa^2(Si,P)-SiMe_2C_6H_4PPh_2)$, derived from thermal reactions of the coordinatively unsaturated trimethylsilyl, methyl complex, $Os(SiMe_3)(Me)(CO)(PPh_3)_2$, 3309
- ortho*-Silylation
- Metallacyclic complexes with *ortho*-silylated triphenylphosphine ligands, $L_nOs(\kappa^2(Si,P)-SiMe_2C_6H_4PPh_2)$, derived from thermal reactions of the coordinatively unsaturated trimethylsilyl, methyl complex, $Os(SiMe_3)(Me)(CO)(PPh_3)_2$, 3309
- ortho*-Stannylation
- Metallacyclic complexes with *ortho*-stannylated triphenylphosphine ligands, $L_nOs(\kappa^2(Sn,P)-SnMe_2C_6H_4PPh_2)$, derived from thermal reactions of the five-coordinate complex, $Os(SnMe_3)Cl(CO)(PPh_3)_2$, 4114
- Os
- Activation of 1,3,5-trimethyl-1,3,5-triazacyclohexane by $Os_3(CO)_{12}$ to form amidino $[(MeN)_2CH]$ cluster complexes, 163
- Oscillating catalysts
- Polymerization of MMA by oscillating zirconocene catalysts, diastereomeric zirconocene mixtures, and diastereospecific metallocene pairs, 6263
- Osmium
- Dinuclear and trinuclear osmium complexes incorporating 1,2-bis(2-pyridyl)ethene as doubly and triply bridging ligands: crystal structures of $[Os_2(\mu, \eta^4-C_{12}H_{10}N_2)(CO)_6]$, $[Os_3(\mu-H)_2(\mu_3, \eta^3-C_{12}H_{10}N_2)(CO)_8]$ and $[Os_3(\mu-H)(\mu^3, \eta^4-C_{12}H_9N_2)(CO)_8]$, 504
- Metallacyclic complexes with *ortho*-silylated triphenylphosphine ligands, $L_nOs(\kappa^2(Si,P)-SiMe_2C_6H_4PPh_2)$, derived from thermal reactions of the coordinatively unsaturated trimethylsilyl, methyl complex, $Os(SiMe_3)(Me)(CO)(PPh_3)_2$, 3309
- Metallacyclic complexes with *ortho*-stannylated triphenylphosphine ligands, $L_nOs(\kappa^2(Sn,P)-SnMe_2C_6H_4PPh_2)$, derived from thermal reactions of the five-coordinate complex, $Os(SnMe_3)Cl(CO)(PPh_3)_2$, 4114

- Os(CO)₂(η²-SC₅H₄N(O))(η²-SC₅H₄N): structural evidence for the transformation of pyridine-2-thione *N*-oxide to pyridine-2-thiolate in osmium complexes, 441
- Osmium-catalyzed dihydroxylation of alkenes by H₂O₂ in room temperature ionic liquid co-catalyzed by VO(acac)₂ or MeReO₃, 3614
- Reaction of the heterometallic cluster Os₃Ru(μ-H)₂(CO)₁₃ with diphenylphosphine: phosphido-bridged tetrahedral and butterfly clusters, 1033
- Syntheses and characterization of cyano-bridged homo and hetero bimetallic complexes containing η⁵ and η⁶-cyclic hydrocarbons, 3990
- The photochemical reaction of Os₃(CO)₁₀(μ-H)(μ-γ-C₅H₃O₂), a triosmium cluster carrying a γ-pyrone ligand, with dimethylacetylenedicarboxylate: formation of isomeric clusters, 322
- Two isomeric products [Os₃(μ-H)(C₁₄H₉N₄)(CO)₉] formed by orthometallation of the cluster [Os₃(C₁₄H₁₀N₄)(CO)₁₀] containing the chelating ligand 2,3-bis(2-pyridyl)pyrazine, 622
- Osmium carbonyl clusters
- Triphenylphosphine-substituted selenido and sulfido clusters of osmium derived from Ph₃P=Se or Ph₃P=S, 4628
- Osmium cluster
- Preparation, X-ray structure, copolymerization with styrene of [(μ-H)Os₃(μ-OCNMe₂)(CO)₉{P(CH₂CH=CH₂)Ph₂}] and catalytic properties of the cluster/styrene copolymer, 4258
- Osmium contamination
- Osmium catalyzed asymmetric dihydroxylation of methyl *trans*-cinnamate in ionic liquids, followed by supercritical CO₂ product recovery, 3600
- Osmium(II)-polypyridyl complexes
- Helical racemate architecture based on osmium(II)-polypyridyl complexes: Synthesis and structural characterisation, 3105
- Osmocenes
- Synthesis and structural characterization of unsymmetrical osmocenes containing the pentamethylcyclopentadienyl ligand, 4356
- Oxalate complexes
- Dicopper(I) oxalate complexes as molecular precursors for the deposition of copper compounds, 5255
- Oxaphosphates
- A quantum chemical study on the reaction of 1-aryl-1,2-dihydrophosphinine oxides with dimethyl acetylenedicarboxylate, 2497
- 1,3-oxaphosphole
- Synthesis, reactivity and stereochemistry of new phosphorus heterocycles with 5- or 6-membered rings, 2472
- 1,3,2-Oxazaphospholidine
- Diastereoselective synthesis of α,α'-disubstituted β-ketophosphonates derivatives as building blocks for automated syntheses, 2626
- 1,4,2-oxazaphosphinane
- Synthesis, reactivity and stereochemistry of new phosphorus heterocycles with 5- or 6-membered rings, 2472
- Oxazolidin-2-ones
- One-pot synthesis of the new dianionic ligand [Na]₂[C₅H₄CO₂(CH₂)₂NTs]; preparation and structures of two rhodium derivatives, 818
- Oxazoline
- Glucose ferrocenyl-oxazolines: Coordination behavior toward [Pd(η³-allyl)Cl]₂ studied by ESI-MS, 3301
- Synthesis and structural chemistry of oxazoliny-carbene copper(I) complexes, 5556
- Oxazolines
- 1'-Carbopalladated-4-ferrocenyl-1,3-oxazolines as catalysts for Heck reactions: Further evidence in support of the Pd(0)/Pd(II) mechanism, 2291
- Oxidation
- Aqueous oxidation of alcohols catalyzed by artificial metalloenzymes based on the biotin-avidin technology, 4488
- Copper-catalyzed oxidative cleavage of carbon-carbon double bond of enol ethers with molecular oxygen, 5378
- Oxidations by the system "hydrogen peroxide-[Mn₂L₂O₃][PF₆]₂ (L = 1,4,7-trimethyl-1,4,7-triazacyclononane)-oxalic acid". Part 6. Oxidation of methane and other alkanes and olefins in water, 4498
- Palladium catalyzed oxidation of monoterpenes: NMR study of palladium(II)-monoterpene interactions, 2996
- Redox reactions with bis(η⁶-arene) derivatives of early transition metals, 3321
- Structural characterization and catalytic activities of copper complexes with pyridine-amine-phosphine-oxide ligand, 415
- Synthesis and oxidation of (benzimidazolylidene)Cr(CO)₅ complexes, 1750
- Synthesis and oxidation of bis(triphenylgermyl)zinc, 2952
- Oxidative addition
- Activation of C-H, C-C and C-I bonds by Pd and *cis*-Pd(CO)₂I₂. Catalyst-substrate adaptation, 2191
- Dimethylplatinum (II) complexes with isocyanocoumarin ligands: the crystal structure of *cis*-dimethylbis-(7-diethylamino-3-isocyanocoumarin)platinum(II), 168
- Iron(0) and ruthenium(0) complexes with tridentate phosphonite ligands and their potential for ketene formation from methyl iodide, CO and a base, 1429
- Kinetic study of the oxidative addition of methyl iodide to Vaska's complex in ionic liquids, 3522
- Oxidative addition of aryl chlorides to palladium N-heterocyclic carbene complexes and their role in catalytic arylation, 6054
- Oxidative addition of MeI to cationic Rh(I) carbonyl complexes with pyridyl bis(carbene) ligands, 6089
- Oxidative addition reaction of *o*-quinones to triphenylantimony: novel triphenylantimony catecholate complexes, 1273
- Oxidative addition to dimethylplatinum (II) compounds containing bulky nitrogen ligands: crystal structures of compounds [PtMe₃I{(Me₂NCH₂CH₂NCH)Ar}] (Ar = phenanthryl or anthryl), 2062
- Reduction of 2-(*N,N*-dimethylamino)ethyl substituted zirconocene dichlorides: Intramolecular activation of NCH₂-H bond. The crystal structures of [η⁵:η²(*C,N*)-C₅(CH₃)₄CH₂CH₂N(CH₃)CH₂]-[η⁵-C₅(CH₃)₅]ZrX (X = Cl, H), 3243
- Oxidative carboxylation
- Development in the green synthesis of cyclic carbonate from carbon dioxide using ionic liquids, 3490
- Oxidative chlorination
- Chlorination of *p*-substituted triarylpnictogens by sulfuryl chloride: Difference in the reactivity and spectroscopic characteristics between bismuth and antimony, 4280
- Oxides
- Organometallic Mo-O-Bi complexes, 5282
- Oxygen-decomposition
- Reactivity of ferrocenium cations with molecular oxygen in polar organic solvents: Decomposition, redox reactions and stabilization, 1829
- Oxygen-17 NMR
- A new signal processing method to observe weak ³¹P and ¹⁷O NMR peaks, 2644
- Oxygen transfer
- Mechanistic studies on reaction of [ReH₄(η²-H₂)(Cytpp)]⁺ with ketones to give the hydrido-oxo complex [ReH₂(O)(Cytpp)]⁺ (Cytpp = PhP(CH₂CH₂CH₂PCy₂)₂), 862
- Palladacycles
- Study of the reactivity of palladacycles containing [C(sp², ferrocene),N,S]⁻ or [C(sp³),N,S]⁻ terdentate ligands with symmetric alkynes, 228
- Synthesis and characterization of phospho-palladacycles and their catalytic properties in the olefination of chloro- and bromoarenes, 3193
- Palladium
- 1'-Carbopalladated-4-ferrocenyl-1,3-oxazolines as catalysts for Heck reactions: Further evidence in support of the Pd(0)/Pd(II) mechanism, 2291

- Activation of C–H, C–C and C–I bonds by Pd and *cis*-Pd(CO)₂I₂. Catalyst–substrate adaptation, 2191
- An efficient and mild protocol for the α -arylation of ketones mediated by an (imidazol-2-ylidene)palladium(acetate) system, 5832
- Bimetallic complexes with porphyrins containing a cyclometalated phenylpyridine group, 253
- Copolymerization of olefins and CO catalyzed by new chiral arsine–oxazoline palladium complexes, 4920
- Cyclometallation of phenylhydrazones: Synthesis, reactivity, crystal structure analysis and novel trinuclear palladium(II) cyclometalated compounds with [C, N, N'] terdentate ligands, 3669
- Development of 7-membered N-heterocyclic carbene ligands for transition metals, 6143
- Di-*t*-butyl(ferrocenylmethyl)phosphine: air-stability, structural characterization, coordination chemistry, and application to palladium-catalyzed cross-coupling reactions, 1478
- Diphenylphosphino(phenyl pyridin-2-yl methylene)amine palladium(II) complexes: Chemoselective alkene hydrocarboxylation initiators, 5264
- Inter- and hetero-metallic assembly of palladium sulfide aggregates: crystal and molecular structures of [InPd₂Cl₃(dppf)₂(μ_3 -S)₂] · 3CH₂Cl₂ and [Ag₂Pd₂(NO₃)₂(dppf)₂(μ_3 -S)₂] · 2CH₂Cl₂, 990
- Intramolecular cyanoboration of alkynes via activation of boron–cyanide bonds by transition metal catalysts, 5300
- Kinetic investigation of a PC(sp³)P pincer palladium (II) complex in the Heck reaction, 4197
- Luminescent palladium complexes containing thioamide-based SCS pincer ligands, 4192
- Mesogens based on palladium orthometalated complexes with carboxylato bridges: tuning and shaping a non-planar molecule, 261
- N-heterocyclic carbene–palladium catalysts for the bisdiene cyclization-trapping reaction with sulfonamides under thermal and microwave conditions, 6205
- N-Heterocyclic carbenes as ligands in palladium-catalyzed Tsuji–Trost allylic substitution, 5753
- New distannanes containing the chiral 2-(4-isopropyl-2-oxazolonyl)-5-phenyl ligand, 3690
- Novel cyclometalated Pd(II) and Pt(II) complexes with indole derivatives and their use as catalysts in Heck reaction, 2017
- Oxidative addition of aryl chlorides to palladium N-heterocyclic carbene complexes and their role in catalytic arylation, 6054
- Palladium (II) complexes with mono-oxide 1,1'-bis(diphenylphosphino)metallocene ligands [Fe(η^5 -C₅Me₄PPh₂)(η^5 -C₅Me₄P{O}Ph₂)] and [Os(η^5 -C₅H₄PPh₂)(η^5 -C₅H₄P{O}Ph₂)], 1710
- Palladium catalyzed oxidation of monoterpenes: NMR study of palladium(II)–monoterpene interactions, 2996
- Palladium complexes containing ligands with hydrogen-bonding functionalities. Reactivity and catalytic studies with CO and olefins, 5113
- Palladium complexes with *meso*-bioxazoline ligands for alternating styrene/CO copolymerisation: Counterion effect, 2254
- Palladium-catalyzed hydroesterification of styrene derivatives in the presence of ionic liquids, 3620
- Pd–benzothiazol-2-ylidene complex in ionic liquids: Efficient catalyst for carbon–carbon coupling reactions, 5458
- Replacement of N-heterocyclic carbenes by N-heterocyclic silylenes at a Pd(0) center: Experiment and theory, 3292
- Selective synthesis of (*E*)-triethyl(2-arylethenyl)silane derivatives by reaction of aryl bromides with triethyl vinylsilane catalysed by a palladium–tetraphosphine complex, 3790
- Sequential and domino Sonogashira coupling: Efficient tools for the synthesis of diarylalkynes, 4453
- Side chain-directed complementary *cis*-coordination of two pyridines on Pd(II): Selective multicomponent assembly of square-, rectangular-, and trigonal prism-shaped molecules, 5383
- Solvent-controlled selective synthesis of a *trans*-configured benzimidazole-2-ylidene palladium(II) complex and investigations of its Heck-type catalytic activity, 3854
- Stereospecific palladium-catalyzed borylation reaction of 1-alkenyl halides with diisopropylaminoborane, 2721
- Sterically controlled formation of monodentate versus chelating carbene ligands from phenylhydrazine, 6247
- Studies on Pd/imidazolium salt protocols for aminations of aryl bromides and iodides using lithium hexamethyldisilazide (LHMDS), 5841
- Study of homo- and cross-coupling competition in the reaction of triarylbismuth(V) dicarboxylates with methyl acrylate in the presence of a palladium catalyst, 3652
- Successful application of microstructured continuous reactor in the palladium catalysed aromatic amination, 3627
- Supraphos: A supramolecular strategy to prepare bidentate ligands, 4505
- Syntheses and structures of bowl-shaped triarylphosphines and their palladium(II) complexes, 4175
- Synthesis and characterization of novel Pd(II) and Pt(II) complexes with 5-ring chelating iminoylcarbene ligands, 6125
- Synthesis and characterization of phospho-palladacycles and their catalytic properties in the olefination of chloro- and bromoarenes, 3193
- Synthesis and X-ray structure of cationic β -diimine palladium complexes containing π -methallyl ligand, 513
- Synthesis of a new bidentate ferrocenyl N-heterocyclic carbene ligand precursor and the palladium (II) complex *trans*-[PdCl₂(C^{fc}C)], where (C^{fc}C) = 1,1'-di-*tert*-butyl-3,3'-(1,1'-dimethyleneferrocenyl)-diimidazol-2-ylidene, 653
- Synthesis of palladium and platinum donor complexes and study of their participation in self-assembly reactions. X-ray crystal structure of [Pt(C₆H₄C \equiv CC₅H₄N)₂(dppp)] (dppp = 1,3-bis(diphenylphosphino)propane), 1612
- Synthesis of palladium–biscarbene complexes derived from 1,1'-methylenebis(1,2,4-triazole) functionalized in the methylene bridge, 5654
- Synthesis of Pd(II) and Pt(II) complexes possessing bicyclo[3.2.0]heptyl phosphinite ligands: Identification of a novel Pd(II) precatalyst for 1,6-diene cycloisomerisation, 4462
- The cyclometallation of bis(di-*p*-methylbenzylphosphino)methane, 3638
- The cyclopalladation reaction of 2-phenylaniline revisited, 422
- The effect of polyether terminal chains in the liquid crystalline behavior of *ortho*-palladated complexes, 998
- The Heck-type arylation of allylic alcohols with arenediazonium salts, 3822
- The palladium–phenanthroline catalyzed carbonylation of nitroarenes to diarylureas: Effect of chloride and diphenylphosphinic acid, 4517
- Three novel bismetallacyclopropa[60]fullerene complexes formed via intermediate monometallacyclopropa[60]fullerene diphosphine ligands, 1121
- Transition metal catalyzed cross-coupling of aryl Grignard reagents with aryl fluorides via Pd- or Ni-activation of the C–F bond: an efficient synthesis of unsymmetrical biaryls – application of microwave technology in ligand and catalyst screening, 932
- Trifluoroethanol: key solvent for palladium-catalyzed polymerization reactions, 2106
- Palladium catalysis**
- Halogen exchange at boron in *nido*-C₄B₂ carboranes, 4531
- Highly regioselective Heck reactions of heteroaryl halides with electron-rich olefins in ionic liquid, 3546
- Synthesis and X-ray structural characterization of the triphenylphosphine derivative of the *closo*-dodecaborate anion, *closo*-[B₁₂H₁₁P(C₆H₅)₃][N(*n*-C₄H₉)₄], 2745
- Palladium catalyst**
- Isolation and characterization of an iodide bridged dimeric palladium complex in carbonylation of methanol, 1677
- Palladium catalyzed cycloisomerization of 2,2-diallylmalonates in imidazolium ionic liquids, 3529

- Palladium-catalyzed Sonogashira coupling reaction followed by isomerization and cyclization, 4094
- Palladium chemistry
 [Pd(H)(SnCl₃)L₂]: The key active species in the catalyzed alkoxy-carbonylation reaction of terminal alkenes, 2947
- Palladium complex
 Azetidines as ligands in the Pd(II) complexes series, 2306
 Orthopalladacycles derived from α -diphenylhydrazonoketene dithioacetals and their reactivity with terminal alkynes, 454
 Preparation and properties of palladium(II) complexes of 3-oxo-1-(2,4,6-tri-*t*-butylphenyl)-1,3-diphosphapropenes, 4809
 Synthesis and structural characterization of metal complexes based on pyrazole/imidazolium chlorides, 403
 Synthesis of cobalt-containing monodentate phosphine ligand and application toward Suzuki cross-coupling reactions, 1249
- Palladium complexes
 A stable (amino)(phosphino)carbene as bidentate ligand for palladium and nickel complexes: Synthesis, structure, and catalytic activity, 5541
 Excited state properties of [Pd⁰(NHC)(quinone)]₂ with NHC = 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-ylidene and quinone = 1,4-naphthoquinone, 6051
 Preparation, structural characterization of 1,2-digermacyclobut-3-enes, and their palladium-catalyzed insertion of alkynes, 2967
- Palladium cross-coupling
 Recent advances in phosphorus–carbon bond formation: synthesis of H-phosphinic acid derivatives from hypophosphorous compounds, 2388
- Palladium (II) chloride
 Palladium-catalyzed protection of alcohols and cleavage of triethylsilyl ethers, 2372
- Palladium–fullerene complexes
 Synthesis and structure of the chiral palladium–fullerene C₆₀ and C₇₀ complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis(diphenylphosphino)-3,3'-bithiophene [(–)tetraMe-BITOP], 4330
- Palladium NHC complexes
 Coordination polymers of silver(I) with bis(*N*-heterocyclic carbene): Structural characterization and carbene transfer, 1682
- Paraformaldehyde
 Hydroformylation of alkenes with paraformaldehyde catalyzed by rhodium–phosphine complexes, 3095
- Parallel alkynes
 The reaction of Ru₃(CO)₁₂ with 1,4-dichloro-but-2-yne in basic methanolic solution. Synthesis and crystal structure of (μ -H)₂Ru₃(CO)₉{ μ_3 - η^2 -[H₂C=C(H)C≡CC(=O)OCH₃]}, 1594
- Pauson Khand
 Pauson–Khand reaction of 2-ethynyl aniline: Synthesis of fused ring indoles by organocuprate conjugate addition followed by spontaneous dehydration, 1861
- Pauson–Khand reactions
 Chiral cyclopentadiene-mediated approach to enantioselective heterobimetallic Pauson–Khand reactions, 358
- p*-Cymene
 Syntheses and characterization of cyano-bridged homo and hetero bimetallic complexes containing η^5 and η^6 -cyclic hydrocarbons, 3990
- Pd catalyst
 Synthesis, structure, immobilization and solid-state NMR of new dppp- and tripod-type chelate linkers, 3383
- Pd complex
 Glucose ferrocenyl-oxazolines: Coordination behavior toward [Pd(η^3 -allyl)Cl]₂ studied by ESI-MS, 3301
- P–C bond cleavage
 Ligand substitution in the mixed-metal cluster PhCCO₂Ni(CO)₆Cp by 2,3-bis(diphenylphosphino)maleic anhydride (bma): An intimate picture involving the stepwise conversion of the trinuclear cluster PhCCO₂Ni(CO)₄(η^2 -bma)Cp to the mononuclear compound CpNi[PPh₂CPhC=C(PPh₂)C(O)OC(O)], 3067
- P-Chiral phosphanorbornene
 Organopalladium complex promoted asymmetric synthesis of a P-chiral phosphanorbornene in ionic liquids and in organic solvents, 4933
- P-chirality
 Chirality at phosphorus: hybrid duplexes of chimeric oligonucleotides containing methylphosphonothioate linkages with complementary DNA and RNA, 2658
- Pd(II)-allyl
 New cationic palladium (II) and rhodium (I) complexes of [Ph₂PCH₂C(Ph)=N(2,6-Me₂C₆H₃)], 1645
- Pd, Rh, Ru complexes
 The coordination chemistry of enantiopure diimines derived from 1-phosphanorbornadiene-2-carboxaldehydes, 1133
- Pd-catalysts
 Synthesis of ferrocenyl amino acid derivatives via homogeneous catalytic aminocarbonylation, 3237
- PDC
 Borylborazines as new precursors for boron nitride fibres, 2809
- PEGylation
 Synthesis of hydrophilic Fischer carbene complexes as organometallic marker and PEGylating agent for proteins, 5581
- Pentacarbonyl complexes
 First examples of dipyrido[1,2-*c*:2',1'-*e*]imidazolin-7-ylidenes serving as NHC-ligands: Synthesis, properties and structural features of their chromium and tungsten pentacarbonyl complexes, 5647
- Pentacoordinate silicon atom
 The theoretical research of the medium effect on the vibrational spectrum and the energy of intramolecular coordination =O → Si in (benzoyloxymethyl)trifluorosilane molecule, 2922
- Pentacoordinated (trigonal bipyramidal) silicon
 Computational study of conformations and of sulfinyl oxygen-induced pentacoordination at silicon in 4-chloro-4-silathiacyclohexane 1-oxide and 4,4-dichloro-4-silathiacyclohexane 1-oxide, 4103
- Pentafluorophenyl
 Stable phosphinous acids, 2382
- Pentafulvenes
 [6 + 3] Cycloaddition of Fischer aminocarbene complexes: An efficient annulation of fulvenes to indene derivatives, 5696
- Pentamethyl cyclopentadienyl
 Rhodium(III) pentamethyl cyclopentadienyl complexes incorporating 1-(4-cyanophenyl)-imidazole: role of solvent in ligand substitution reactions, 647
- Pentamethylcyclopentadienide complexes
 Synthetic, structural, spectroscopic, and electrochemical studies of mixed sandwich Rh(III) and Ir(III) complexes involving Cp* and tridentate macrocycles, 629
- Pentamethylcyclopentadienyl
 A comparison of Cp*- and Tp-ruthenium carbyne complexes prepared via site selective electrophilic addition to neutral ruthenium vinylidenes, 4640
 New mononuclear ruthenium complexes of η^5 -cyclichydrocarbon containing azine ligands: Syntheses, spectral and structural studies, 3720
 Part I: 1,3-Dipolar addition of activated alkyne towards coordinated azido group in ruthenium(II) complexes containing η^5 -cyclichydrocarbons, 4222
- Pentaphenylcyclopentadienyl
 Piano stool complexes containing the bulky pentaphenylcyclopentadienyl(C₅Ph₅) ligand: Preparation, characterization and X-ray structure of C₅Ph₅Zr(N(CH₃)₂)₃ (I), 4376
- Peptides
 Antibacterial activities of ferrocenyl- and cobaltocenium-peptide bioconjugates, 4564
- Perfluoroarylboranes
 NMR evidence for B(C₆F₅)₃ attack on the inward position of a highly hindered *meso ansa*-zirconocene, 640

- pfep
Synthesis and characterization of chromium and molybdenum(0) complexes bearing the (pentafluoroethyl)diphenylphosphine (pfep) ligand, 534
- Pharmaceuticals
Synthesis and crystallographic characterization of multi-donor *N*-heterocyclic carbene chelating ligands and their silver complexes: Potential use in pharmaceuticals, 6008
- Pharmacology
Zoledronic acid: pharmacologic profile of a potent bisphosphonate, 2439
- Phase transfer reaction
Synthesis, NMR, IR spectroscopic and X-ray study of novel [pyridazin-3(2H)-one-6-yl]ferrocenes and related ferrocenophane derivatives. Study on ferrocenes. Part 14, 802
- 1,10-Phenanthroline
Triorganotin(IV) derivatives of umbelliferone (7-hydroxycoumarin) and their adducts with 1,10-phenanthroline: synthesis, structural and biological studies, 134
- Phenanthroline complexes
Cationic arene ruthenium complexes containing chelating 1,10-phenanthroline ligands, 3202
- Phenol Co-catalyst
A study of molybdenum catalysts in the polymerization of 2,5-didodecyl-1,4-dipropynylbenzene, 825
- Phenothiazine
Synthesis and reactivity of organolanthanide complexes containing phenothiazine ligand toward carbodiimide and isothiocyanate, 4926
- Phenoxide/thiophenoxide
An organoiron approach to thyroid hormone analogues, 1784
- Phenoxy
Titanium and zirconium complexes with novel phenoxy-phosphinimine ligands, 3946
- Phenoxyketimine
A series of new zirconium complexes bearing bis(phenoxyketimine) ligands: Synthesis, characterization and ethylene polymerization, 4184
- 2-Phenylaniline
The cyclopalladation reaction of 2-phenylaniline revisited, 422
- Phenyl-capped thiophene
A DFT and direct MO dynamics study on the structures and electronic states of phenyl-capped terthiophene, 2895
- Phenylboronic acid
Efficient Suzuki coupling of aryl chlorides catalyzed by tricyclohexylphosphine adducts of cyclopalladated ferrocenyl-imines, 3963
- Phenylhydrazones
Cyclometallation of phenylhydrazones: Synthesis, reactivity, crystal structure analysis and novel trinuclear palladium(II) cyclometallated compounds with [C, N, N'] terdentate ligands, 3669
- Phenylimido
CpCr(CO)3-initiated N–N bond cleavage in a thiotetrazole ligand in a cyclopentadienylchromium complex, 1157
- 2-Phenyl-2-oxazine
Synthesis and characterization of [2-(2-phenyl-5,6-dihydro-4*H*-1,3-oxazinyl)] tellurenyl chloride, 3149
- Phenyltriazenido
CpCr(CO)3-initiated N–N bond cleavage in a thiotetrazole ligand in a cyclopentadienylchromium complex, 1157
- Phenyltrihydroborate
Syntheses, structures, and properties of phenyltrihydroborate complexes of zirconocene and titanocene, 291
- P-heterocycles
A quantum chemical study on the reaction of 1-aryl-1,2-dihydro-phosphinine oxides with dimethyl acetylenedicarboxylate, 2497
- Phosphaalkyne
Preparation and properties of palladium(II) complexes of 3-oxo-1-(2,4,6-tri-*t*-butylphenyl)-1,3-diphosphapropenes, 4809
- Phosphaalkyne
Syntheses and reactivity of novel unsaturated cyclic compounds containing phosphorus atoms, 2515
- Phosphacarboranes
Chemistry related to cluster-borane analogues of the cyclopentadienide anion and ferrocene: New developments, 2694
- 1-phosphanorbornadienes
The coordination chemistry of enantiopure diimines derived from 1-phosphanorbornadiene-2-carboxaldehydes, 1133
- Phosphane oxide
Stable phosphinous acids, 2382
- Phosphanes
Synthesis, characterization, reactivity and theoretical studies of ruthenium carbonyl complexes containing *ortho*-substituted triphenyl phosphanes, 3803
- Phospha-palladacycle
Novel acyclic carbene-substituted phospha-palladacycles, 5876
- Phosphazanes
Nickel(II) bis(diphenylphosphino)amide: Redox-coupling of dppa ligands in coordination sphere of Ni²⁺ and some other properties, 1814
- Phosphide
Addition of primary phosphines to the unsaturated triosmium cluster [(μ-H)Os₃(CO)₈{Ph₂PCH₂P(Ph)₂C₆H₄}]: Synthesis of triosmium clusters bearing dppm, phosphide and phosphinidene ligands via P–H bond activation, 4206
- Phosphido
Hexanuclear Pt complexes composed of two cyclic triplatinum units connected with 1,4-diphenylene and 1,1'-ferrocenylenes spacer, 3957
- Reaction of the heterometallic cluster Os₃Ru(μ-H)₂(CO)₁₃ with diphenylphosphine: phosphido-bridged tetrahedral and butterfly clusters, 1033
- Phosphido compounds
Reversible aryl C–H bond activation in the reaction between HRu₃(CO)_{9,10}(μ-PPh₂) and the diphosphine ligand 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd): X-ray diffraction structures of H₂Ru₃(CO)₇(bpcd)[μ,σ-PPh(C₆H₄)] and Ru₃(CO)₆(μ-CO)(μ-PPh₂)[μ,η²,η¹-PPHC=C(PPh₂)C(O)CH₂C(O)], 3838
- Phosphine
Di-*t*-butyl(ferrocenylmethyl)phosphine: air-stability, structural characterization, coordination chemistry, and application to palladium-catalyzed cross-coupling reactions, 1478
- Diiodine complex of diferrocenyl(phenyl)phosphine sulfide: the structural and electrochemical behaviour of Fc₂(Ph)PS · I₂, 328
- Hydroformylation of alkenes with paraformaldehyde catalyzed by rhodium–phosphine complexes, 3095
- Inter- and hetero-metallic assembly of palladium sulfide aggregates: crystal and molecular structures of [InPd₂Cl₃(dppf)₂(μ₃-S)₂] · 3CH₂Cl₂ and [Ag₂Pd₂(NO₃)₂(dppf)₂(μ₃-S)₂] · 2CH₂Cl₂, 990
- Preparation and characterisation of cobalt (I) acyl compounds, 2358
- Regioselectivity in nickel(0)/phosphine catalyzed cycloadditions of alkynes and isocyanates, 5098
- Rhodium complexes of PC^{NHC}P: Oxidative addition of dichloromethane and catalytic hydrosilylation of alkynes affording (*E*)-alkenylsilanes, 5662
- Use of phosphine gold acetylides [(R₃P)AuC≡CR] to form phosphine gold derivatives of tetra-iron and penta-iron clusters, 2888
- Phosphine cobalt complexes
Synthesis, structure and butadiene polymerization behavior of CoCl₂(PR_xPh_{3-x})₂ (R = methyl, ethyl, propyl, allyl, isopropyl, cyclohexyl; x = 1, 2). Influence of the phosphorous ligand on polymerization stereoselectivity, 1845
- Phosphine derivative
Synthesis and X-ray structural characterization of the triphenylphosphine derivative of the *closo*-dodecaborate anion, *closo*-[1B₁₂H₁₁P(C₆H₅)₃][N(*n*-C₄H₉)₄], 2745

- Phosphine exchange
Rhodium *N*-heterocyclic carbene complexes: Synthesis, structure, NMR studies and catalytic activity, 5736
- Phosphine ligands
Syntheses and structures of bowl-shaped triarylphosphines and their palladium(II) complexes, 4175
- Phosphine selenides
Tertiary phosphine abstraction from a platinum(II) coordination complex with SeCN^- : Crystal and molecular structures of Se=PTA and $[\text{Se=PTA-Me}]\text{I} \cdot \text{CH}_3\text{OH}$, 4337
- Phosphine-oxide
Structural characterization and catalytic activities of copper complexes with pyridine-amine-phosphine-oxide ligand, 415
- Phosphine-oxide complexes
Rhenium carbonyl complexes with monodentate-coordinated diphosphines: activation of terminal phosphino groups towards amine-oxide oxidation, 3765
- Phosphine–phosphine oxide ligand
The C=O and C=S bond cleavage in carbon dioxide and tolyl isothiocyanate by reactions with the Mo(0) tetraphosphine complex $[\text{Mo}\{\text{meso-}o\text{-C}_6\text{H}_4(\text{PPhCH}_2\text{CH}_2\text{PPh}_2)_2\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$, 1140
- Phosphine–phosphine sulfide ligand
The C=O and C=S bond cleavage in carbon dioxide and tolyl isothiocyanate by reactions with the Mo(0) tetraphosphine complex $[\text{Mo}\{\text{meso-}o\text{-C}_6\text{H}_4(\text{PPhCH}_2\text{CH}_2\text{PPh}_2)_2\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)]$, 1140
- Phosphines
A novel mercapto-bisphosphonate as an efficient anticalcification agent for bioprosthetic tissues, 2543
Cyclometallation of phenylhydrazones: Synthesis, reactivity, crystal structure analysis and novel trinuclear palladium(II) cyclometallated compounds with [C, N, N'] terdentate ligands, 3669
Syntheses and characterization of η^6 -hexamethyl-benzene-ruthenium(II)- β -diketone complexes: their reactions with mono- and bidentate neutral ligands, 1218
Syntheses and characterization of $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\mu\text{-N}_3)(\text{X})_2]$ (X = N₃ and Cl) complexes and their reactions towards mono- and bidentate ligands, 885
Synthesis and structural characterization of *rac*-2-[(diphenylphosphino)methyl]ferrocenecarboxylic acid, its selected derivatives and some rhodium complexes, 4285
The cyclometallation of bis(di-*p*-methylbenzylphosphino)methane, 3638
- Phosphinic ligands
Mononuclear ruthenium complexes containing two different phosphines in *trans* position: I. Synthesis and spectroscopic characterization, 4867
- Phosphinidene
Addition of primary phosphines to the unsaturated triosmium cluster $(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}$: Synthesis of triosmium clusters bearing dpmp, phosphide and phosphinidene ligands via P–H bond activation, 4206
- Phosphinidenes
Toward the catalytic synthesis of phosphiranes. A computational study, 5517
- Phosphinimine
Titanium and zirconium complexes with novel phenoxy-phosphinimine ligands, 3946
- Phosphinite
Synthesis and characterisation of new pyrazole–phosphinite ligands and their ruthenium(II) arene complexes, 4072
- Phosphinites
New bromo-, triflato-, and hydridotricarbonylrhenium(I) complexes with diphosphinite ligands: Structural, spectral and protonation studies of various hydrides, 4945
Preparation and characterization of chloro- and polyhydride complexes of rhenium: Variable-temperature NMR spectroscopy and protonation studies, 4899
- Phosphinoamide
Synthesis, structure and ethylene polymerization behavior of titanium phosphinoamide complexes, 2941
- Phosphinoamides
Nickel(II) bis(diphenylphosphino)amide: Redox-coupling of dpdp ligands in coordination sphere of Ni^{2+} and some other properties, 1814
- Phosphinocarboxylic acids
Synthesis and structural characterization of *rac*-2-[(diphenylphosphino)methyl]ferrocenecarboxylic acid, its selected derivatives and some rhodium complexes, 4285
- Phosphinooxazoline ligand
Nickel(II) complexes bearing phosphinooxazoline ligands: Synthesis, structures and their ethylene oligomerization behaviors, 3918
- Phosphinophenol
Tuning of nickel 2-phosphinophenolates – catalysts for oligomerization and polymerization of ethylene, 2449
- Phosphinous acids
Stable phosphinous acids, 2382
- Phosphiranes
Toward the catalytic synthesis of phosphiranes. A computational study, 5517
- Phosphite ligands
Synthesis and reactivity of hydride and dihydrogen complexes of ruthenium with tris(pyrazolyl)borate and phosphite ligands, 1726
- Phosphites
Preparation and characterization of chloro- and polyhydride complexes of rhenium: Variable-temperature NMR spectroscopy and protonation studies, 4899
- Phosphitylation
Large-scale synthesis of high purity “Phos reagent” useful for oligonucleotide therapeutics, 2603
- Phosphole
Organophosphorus π -conjugated materials: the rise of a new field, 2482
- Phosphonate
Copper-mediated displacements of allylic THP ethers on a bisphosphonate template, 2521
- Phosphonates
Stereochemical control of biocatalytic asymmetric reduction of diethyl 2-oxopropylphosphonate employing yeasts, 2593
- Phosphonite
Iron(0) and ruthenium(0) complexes with tridentate phosphonite ligands and their potential for ketene formation from methyl iodide, CO and a base, 1429
- Phosphonites
Preparation and characterization of chloro- and polyhydride complexes of rhenium: Variable-temperature NMR spectroscopy and protonation studies, 4899
- Phosphonium salts
Tetraalkylphosphonium-based ionic liquids, 2536
- Phosphoramidate
Biolabile constructs for pronucleotide design, 2614
- Phosphoramidites
Large-scale synthesis of high purity “Phos reagent” useful for oligonucleotide therapeutics, 2603
- Phosphoranes/ylides
A quantum chemical study on the reaction of 1-aryl-1,2-dihydrophosphinine oxides with dimethyl acetylenedicarboxylate, 2497
- Phosphoranimides
Phosphorus-substituted carbene complexes: Chelates, pincers and spirocycles, 5485
- Phosphorescent
Cyclometalated platinum complexes: High-yield synthesis, characterization, and a crystal structure, 4090
- Phosphorothiolate
Biolabile constructs for pronucleotide design, 2614

- Phosphorus
Accelerated methods of synthesis of phosphorus-containing dendrimers, 2458
- Phosphorus compounds
Substituent effect on low coordination phosphorus chemistry, 2597
- Phosphorus heterocycles
Synthesis, reactivity and stereochemistry of new phosphorus heterocycles with 5- or 6-membered rings, 2472
The CO/PC analogy in coordination chemistry and catalysis, 2407
- Phosphorus ligand
Preparation and properties of palladium(II) complexes of 3-oxo-1-(2,4,6-tri-*t*-butylphenyl)-1,3-diphosphapropenes, 4809
- Phosphorus-31 NMR
A new signal processing method to observe weak ^{31}P and ^{17}O NMR peaks, 2644
- Phosphorus substitution
On the ligand properties of the P- versus the N-heterocyclic carbene for a Grubbs catalyst in olefin metathesis, 6079
- α -Phosphorylvinyl sulfoxides
Acyclic and cyclic aminophosphonic acids: asymmetric syntheses mediated by chiral sulfinyl auxiliary, 2488
- Phosphotriester
Biolabile constructs for pronucleotide design, 2614
- Photochemical isomerization
Thermal and photochemical isomerization of exocyclic 1,3-dienes: 1,1-diphenyl-3,4-bis(trimethylsilylmethylene)-1-silacyclopentane *s-cis*(E,E), 1028
- Photochemistry
A laser desorption ionization mass spectrometry investigation of triarylboranes and tri-9-anthrylborane photolysis products, 962
Dimethylplatinum (II) complexes with isocyanocoumarin ligands: the crystal structure of *cis*-dimethylbis-(7-diethylamino-3-isocyanocoumarin)platinum(II), 168
Displacement of the heptane solvent from $(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{CO})_2$ (heptane): A flash photolysis study using infrared detection, 4989
Excited state properties of $[\text{Pd}^0(\text{NHC})(\text{quinone})]_2$ with NHC = 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-ylidene and quinone = 1,4-naphthoquinone, 6051
Photochemistry of tris(pyrazolyl)borate titanium(IV) complexes, 2071
- Photoisomerization
Synthesis and properties of conjugated bimetallic ruthenium complexes with σ,σ -bridging azobenzene chains, 4265
- Photoluminescence
Excited state properties of $[\text{Pd}^0(\text{NHC})(\text{quinone})]_2$ with NHC = 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-ylidene and quinone = 1,4-naphthoquinone, 6051
- Photostability
Thermal stability and photostability of water solutions of sulfophthalocyanines of Ru(II), Cu(II), Ni(II), Fe(III) and Co(II), 2133
- Phthalazin-1(2H)-one
Crystal structure, antitumor activities and DNA-binding properties of the La(III) complex with Phthalazin-1(2H)-one prepared by a novel route, 4557
- Phthalocyanine
Thermal stability and photostability of water solutions of sulfophthalocyanines of Ru(II), Cu(II), Ni(II), Fe(III) and Co(II), 2133
- Physical properties
Tetraalkylphosphonium-based ionic liquids, 2536
- Piano stool
Piano stool complexes containing the bulky pentaphenylcyclopentadienyl(C_5Ph_5) ligand: Preparation, characterization and X-ray structure of $\text{C}_5\text{Ph}_5\text{Zr}(\text{N}(\text{CH}_3)_2)_3$ (I), 4376
- Piano-stool
Rhodium(III) pentamethyl cyclopentadienyl complexes incorporating 1-(4-cyanophenyl)-imidazole: role of solvent in ligand substitution reactions, 647
- Piano stool complex
Aqueous oxidation of alcohols catalyzed by artificial metalloenzymes based on the biotin-avidin technology, 4488
- Pincer carbenes
Phosphorus-substituted carbene complexes: Chelates, pincers and spirocycles, 5485
- Pincer complex
Synthesis and characterization of a free phenylene bis(N-heterocyclic carbene) and its di-Rh complex: Catalytic activity of the di-Rh and CCC-NHC Rh pincer complexes in intermolecular hydrosilylation of alkynes, 5938
Toward a general method for CCC *N*-heterocyclic carbene pincer synthesis: Metallation and transmetallation strategies for concurrent activation of three C-H bonds, 5353
- Pincer complexes
Kinetic investigation of a $\text{PC}(\text{sp}^3)\text{P}$ pincer palladium (II) complex in the Heck reaction, 4197
- Pincer ligand
Luminescent palladium complexes containing thioamide-based SCS pincer ligands, 4192
- β -Pinene
Palladium catalyzed oxidation of monoterpenes: NMR study of palladium(II)-monoterpene interactions, 2996
- Planar chirality
Novel rhodium complexes with ferrocene-based *N*-heterocyclic carbenes: Synthesis, structure and catalysis, 5747
Ruthenium-catalyzed reduction of racemic tricarbonyl(η^6 -aryl ketone)-chromium complexes using transfer hydrogenation: A simple alternative to the resolution of planar chiral organometallics, 3176
Stereoselective [3+2+2] cycloaddition utilizing optically active binuclear Fischer carbene complexes with alkynes, 5922
- Platina- β -diketones
Reactivity of the dinuclear platina- β -diketone $[\text{Pt}_2\{(\text{COMe})_2\text{H}\}_2(\mu\text{-Cl})_2]$ towards chelating ligands – Bridge cleavage versus formation of acetyl(chloro)platinum(II) complexes, 3229
- Platinaboranes
Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701
- Platinic acid
Carbosiloxandendrimer mit terminalen SiH-Bindungen, 751
- Platinum
 $[\text{Me}_8\text{Pt}_4\text{ReS}_4]^-$ and related PtMe_2 -containing clusters derived from tetrathiorhenate, 193
Binuclear dimethylplatinum (II) complexes each containing monodentate phosphine ligands and a bridging diphosphine ligand $\text{X}(\text{PPh}_2)_2$, X = CH_2 or NH. Molecular structure of *cis,cis*- $[\text{Me}_2(\text{pyPh}_2\text{P})\text{Pt}(\mu\text{-Ph}_2\text{PNHPPH}_2)\text{Pt}(\text{PPh}_2\text{py})\text{Me}_2] \cdot 2\text{CH}_2\text{Cl}_2$, 1600
C-C coupling of aryl groups and allyl derivatives on Pt(II)-phenanthroline fragments: crystal and molecular structure of the *thp* [$(\eta^1, \eta^2$ -2-allyl,5-methyl-phenyl)iodo(1,10-phenanthroline)-platinum(II)] complex containing the N-N ligand in axial-equatorial coordination mode, 2035
Chiral molecular polygons based on the Pt-alkynyl linkage: Self-assembly, characterization, and functionalization, 5159
Cyclometalated platinum complexes: High-yield synthesis, characterization, and a crystal structure, 4090
Dimethylplatinum (II) complexes with isocyanocoumarin ligands: the crystal structure of *cis*-dimethylbis-(7-diethylamino-3-isocyanocoumarin)platinum(II), 168
Hexanuclear Pt complexes composed of two cyclic triplatinum units connected with 1,4-diphenylene and 1,1'-ferrocenylene spacer, 3957
Novel cyclometalated Pd(II) and Pt(II) complexes with indole derivatives and their use as catalysts in Heck reaction, 2017
Olefin uptake as tool for linking platinum(II) and iridium(III) in heterobinuclear complexes: Synthesis and characterization of $[\text{PtI}_2(\text{Me}_2\text{phen})\{(\text{C}_5\text{Me}_4\text{CH}_2\text{CH}_2\text{CH}=\text{CH}_2)\text{Ir}(\text{Me})(\text{CO})(\text{Ph})\}]$, 2097
Oxidative addition to dimethylplatinum (II) compounds containing bulky nitrogen ligands: crystal structures of compounds

- [PtMe₃I{(Me₂NCH₂CH₂NCH)Ar}] (Ar = phenanthryl or anthryl), 2062
- Reactivity of silyl-substituted heterobimetallic iron–platinum hydride complexes towards unsaturated molecules: Part II. Insertion of trifluoropropyne and hexafluorobutyne into the platinum–hydride bond, 1456
- Reactivity of the dinuclear platinum-β-diketone [Pt₂{(COMe)₂H}₂(μ-Cl)₂] towards chelating ligands – Bridge cleavage versus formation of acetyl(chloro)platinum(II) complexes, 3229
- Synthesis and characterisation of the amidine complexes *trans*-[PtCl(NH₃){HN=C(NH₂R)}₂]Cl (R = Me, Ph, CH₂Ph) derived from addition of NH₃ to the coordinated nitriles in *trans*-[PtCl₂(N≡CR)₂], 2121
- Synthesis and characterization of novel Pd(II) and Pt(II) complexes with 5-ring chelating iminoylcarbene ligands, 6125
- Synthesis and reactivity of cyclometallated platinum (II) compounds containing [C,N,N'] terdentate ligands: Crystal structures of [PtCl{(CH₃)₂N(CH₂)₃NCH(4-ClC₆H₃)}], [PtCl{(CH₃)₂N(CH₂)₃NCH(2-ClC₆H₃)}] and [PtCl{(CH₃)₂N(CH₂)₃NCH(3-(CH₃-C₆H₃)}], 4309
- Synthesis and structure of new trichloroplatinum π-complexes: Reactivity of nitrogen lone-pair versus C–C double bond π-electrons in ligands, effect of steric hindrance, 4856
- Synthesis of palladium and platinum donor complexes and study of their participation in self-assembly reactions. X-ray crystal structure of [Pt(C₆H₄C≡CC₅H₄N)₂(dppp)] (dppp = 1,3-bis(diphenylphosphino)propane), 1612
- Three novel bimetallic cyclopropa[60]fullerene complexes formed via intermediate monometallic cyclopropa[60]fullerene diphosphine ligands, 1121
- Platinum (II) complexes
- Synthesis and characterization of poly(amidoamine)-platinum(II) complexes. Detailed speciation by Matrix-Assisted Laser Desorption Ionization Mass Spectrometry, 1978
- Platinum catalysts
- Catalytic reactions of hydrosiloxanes with allyl chloride, 4478
- Platinum complexes
- Synthesis and characterisation of the platinum complexes [PtCl(CCl=PAR)(PPh₃)₂] and [PtCl(CCl=PAR')(PPh₃)₂] as potential intermediates in the preparation of phosphalkynes, 3630
- Platinum(0)
- Synthetic and structural studies of NHC–Pt(dvtms) complexes and their application as alkene hydrosilylation catalysts (NHC = N-heterocyclic carbene, dvtms = divinyltetramethylsiloxane), 6156
- Platinum(II)-complexes
- Mechanistic studies on the formation of Pt(II) hydroformylation catalysts in imidazolium-based ionic liquids, 3567
- Platinum, ruthenium, iridium and rhodium complexes of boranes and heteroboranes
- Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701
- Platinum-catalyzed
- A planar silacyclobutane, 1,1-(*rac*-1,1'-bi-2-naphthoxy)-1-silacyclobutane and its unusual reaction with bis(1,5-cyclooctadiene)-platinum(0), 2272
- P ligands
- Chalcogen-capped ruthenium carbonyl clusters derived from diphosphazane mono- and dichalcogenides of the type X₂P(E)N(R)PX₂ and X₂P(E)N(R)P(E)X₂ (E = S or Se), 4001
- Mono- and bis-[2-(*P,P*-dimethylphosphanyl)ethyl]tetramethylcyclopentadienyl zirconium(IV) complexes: Synthesis and structural studies in crystalline state and in solutions, 4036
- Preparation of rhenium hydride complexes with pyrazole and pyrazolato ligands, 4573
- Rhodium (II) compounds with functionalized metalated phosphines as bridging ligands, 4424
- Plumbylenes
- Singlet–triplet energy separations in divalent five-membered cyclic conjugated C₅H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- PM3
- Kinetic isotope effects of nitrogen and hydrogen in reaction of *N-tert*-butyl-*P*-phenylphosphonamidothioic acid with alcohols, 2553
- Pmdta (*N,N,N',N''*-pentamethyldiethylenetriamine)
- Synthesis, characterization and Schlenk equilibrium studies of methylmagnesium compounds with *O*- and *N*-donor ligands – the unexpected behavior of [MgMeBr(pmdta)] (pmdta = *N,N,N',N''*-pentamethyldiethylenetriamine), 1178
- P–N ligands
- Diphenylphosphino(phenyl pyridin-2-yl methylene)amine palladium(II) complexes: Chemoselective alkene hydrocarboxylation initiators, 5264
- P,N ligands
- Bis(phosphinimino)methanides as ligands in divalent lanthanide and alkaline earth chemistry – synthesis, structure, and catalysis, 5078
- Resolution of β-aminophosphines with chiral cyclopalladated complexes, 1659
- The coordination chemistry of enantiopure diimines derived from 1-phosphanorbornadiene-2-carboxaldehydes, 1133
- P,N ligands
- Functional phosphines XV. Ruthenium complexes containing C₅H₈(PR₂)₂ and Ph₂CH₂CR₂'NH₂ ligands (R = Me, Ph, OPh; R' = H, Me): synthesis and application to homogeneous >C=O hydrogenation and transfer hydrogenation, 1
- Polar monomers
- Copolymerization of ethylene/unsaturated alcohols using nickel catalysts: effect of the ligand on the activity and comonomer incorporation, 895
- Poly(acetylene)
- Polymerization of phenylacetylene by novel Rh (I)-, Ir (I)- and Ru (IV) 1,3-R₂-3,4,5,6-tetrahydropyrimidin-2-ylidenes (R = mesityl, 2-propyl): Influence of structure on activity and polymer structure, 5728
- Polyacetylenes
- Synthesis of polyacetylenic montiporic acids by means of organosilicon compounds, 3004
- Poly lactide
- Zinc *N*-heterocyclic carbene complexes and their polymerization of D,L-lactide, 5881
- Polyamide
- The role of phosphine in cobalt-catalyzed carbonylative polymerization of *N*-alkylaziridine, 5150
- Polycycles
- Intramolecular double or triple Suzuki coupling reaction of substituted di- or tribromobenzenes. An easy synthesis of fused tri- or tetracycles with a benzene core, 5389
- Polycyclic aromatic hydrocarbons
- The spectra, structures and electrochemistry of Ni(η⁵-C₅H₅)(PPh₃)–C≡C–Ar complexes, and their reactions with Co₂(CO)₈, 4545
- Polyether
- Selective functionalization of crown ethers via arene chromium tricarbonyl complexes, 847
- The effect of polyether terminal chains in the liquid crystalline behavior of *ortho*-palladated complexes, 998
- Polyethylene
- Preparation, structure and ethylene polymerization behavior of mixed-halide nickel(II) complexes and cobalt(II) complex containing imidazolium, 2934
- Synthesis and application of functional polyethylene graft copolymers by atom transfer radical polymerization, 6300
- Synthesis of oligomers having a pendant dithienosilole unit and their applications to EL device materials, 333
- Polyhedral rearrangement
- Metal complexes with an aminosubstituted tricarbollide ligand, 2775

- Polyhedral silsesquioxanes
Cyclopentadienyl-functionalised polyhedral silsesquioxanes as building blocks for new nanostructured materials, 463
- Polyhexen
C₂- and C_s-symmetric diamidodichlorotitanium complexes: Syntheses, structures and 1-hexene polymerization catalysis, 2078
- Polyhydride compounds
Preparation and characterization of chloro- and polyhydride complexes of rhenium: Variable-temperature NMR spectroscopy and protonation studies, 4899
- Polyketone
Diphenylphosphino(phenyl pyridin-2-yl methylene)amine palladium(II) complexes: Chemoselective alkene hydrocarboxylation initiators, 5264
Trifluoroethanol: key solvent for palladium-catalyzed polymerization reactions, 2106
- Polymer properties
Alkyldenverbrückte, symmetrische, zweikernige Metallocenkomplexe als Katalysatoren für die Propylenpolymerisation, 2861
- Polymer support
Heck and Suzuki coupling reactions in water using poly(2-oxazoline)s functionalized with palladium carbene complexes as soluble, amphiphilic polymer supports, 4648
- Polymer-supported
Catalytic oxidation of alcohols with polymer-supported ruthenium complex under mild conditions, 6309
- Polymerisation
Chromium imine and amine complexes as homogeneous catalysts for the trimerisation and polymerisation of ethylene, 713
Cyclopentadienyl-functionalised polyhedral silsesquioxanes as building blocks for new nanostructured materials, 463
- Polymerization
A series of new zirconium complexes bearing bis(phenoxyketimine) ligands: Synthesis, characterization and ethylene polymerization, 4184
Bridged bis-pyridinylimino dinickel(II) complexes: Syntheses, characterization, ethylene oligomerization and polymerization, 1739
Constrained geometry complexes of titanium (IV) and zirconium (IV) involving cyclopentadienyl fused to thiophene ring, 4213
Half-sandwich cyclopentadienyl rhodium complexes bearing pendant sulfur or oxygen ligands and their catalytic behaviors in ethylene polymerization, 1855
Homolysis of the Ln–N bond: Synthesis, characterization and catalytic activity of organolanthanide(II) complexes with furfuryl- and tetrahydrofurfuryl-functionalized indenyl ligands, 4139
Nickel (II) complexes bearing 2-ethylcarboxylate-6-iminopyridyl ligands: synthesis, structures and their catalytic behavior for ethylene oligomerization and polymerization, 1570
Preparation, structure and ethylene polymerization behavior of mixed-halide nickel(II) complexes and cobalt(II) complex containing imidazolium, 2934
Retro-Brook rearrangement induces the formation of an octahedral nickel(benzamidinate) complex; synthesis, structure and catalytic activity, 2297
Synthesis and characterization of methyl-phenyl-substituted cyclopentadienyl zirconium complexes, 952
Synthesis and reactivity of zirconium and hafnium complexes incorporating chelating diamido-N-heterocyclic-carbene ligands, 5788
Synthesis of zirconocenes bearing benz[*f*]indenyl ligand and their use as a catalyst in ethylene polymerization, 1822
Synthesis, molecular structure and catalytic activity of chiral benzamidinate nickel complexes, 3154
The salt-free diamido complexes of lanthanide supported by β-diketimate: Synthesis, characterization, and their catalytic activity for the polymerization of acrylonitrile and ε-caprolactone, 4685
- Titanium complexes bearing aromatic-substituted β-enaminoketonato ligands: Syntheses, structure and olefin polymerization behavior, 3125
- Zirconocene complexes with a biphenyl substituted cyclopentadienyl ligand: synthesis, characterization, and olefin polymerization behavior, 1240
- Polymerization catalysis
Zinc *N*-heterocyclic carbene complexes and their polymerization of D,L-lactide, 5881
- Polymerization stereoselectivity
Synthesis, structure and butadiene polymerization behavior of CoCl₂(PR_xPh_{3-x})₂ (R = methyl, ethyl, propyl, allyl, isopropyl, cyclohexyl; x = 1, 2). Influence of the phosphorous ligand on polymerization stereoselectivity, 1845
- Polymorph
Synthesis of a cyclic dinuclear organotin carboxylate via simultaneous debenzoylation and decarbonylation reactions: X-ray crystal structure of [(PhCH₂)₂{O₂CC₆H₄{N(H)–N=(C₆H₃-4(=O)-5-O)}-o}Sn]₂, 1581
- Poly metalphosphinate
Electroactive poly zinc, cadmium, manganese ferrocenylphenylphosphinates, 363
- Polynuclear complex
Preparation and structures of copper(II) and zinc(II) complexes with 5-ferrocenylpyrimidine: Structural variation derived from flexible coordination ability of the ligand and metal ions, 1793
- Poly-nuclear transition metal ions
Reactions of (imidazol-2-ylidene)silver(I) chlorides with group 4 metal containing Lewis acids, 5346
- Polypropylene
Metallocene-mediated synthesis of chain-end functionalized polypropylene and application in PP/clay nanocomposites, 6292
- Polypyrazolylborate
A new family of pyrazolyl-based anionic bidentate ligands and crystal structure of bis(*N*-phenyl-2-pyrazolyl-1-carboximidothioato)-copper(II), 2128
- Polysilanes
Preparation and Diels–Alder reaction of carbosilane dendrimer with conjugated diene, 4794
- Polythiophene
Anodic polymerization of dithienosilole and electroluminescent properties of the resulting polymer, 3027
- Porphyrin
Bimetallic complexes with porphyrins containing a cyclometalated phenylpyridine group, 253
One-pot synthesis of nickel porphyrins with 2-pyridine-acetyl substituents: the unexpected Sonogashira cross-coupling products, 244
- POSS
Reactivity differences between molecular and surface silanols in the preparation of homogeneous and heterogeneous olefin metathesis catalysts, 5014
- Potassium
π(Arene) versus donor ligand complexation in the formation of the heterobimetallic lithium–potassium dianion of (*S*)-*N*-(α-methylbenzyl)allylamine, 4343
Synthesis of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and its *N,N'*-dimetallated complexes (lithium, sodium and potassium): X-ray crystal structures of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and the polymeric tetrahydrofuran adduct of the dilithiated complex, 220
- PP/clay composite
Metallocene-mediated synthesis of chain-end functionalized polypropylene and application in PP/clay nanocomposites, 6292
- Praseodymium
Modeling lanthanide coordination compounds: Sparkle/AM1 parameters for praseodymium (III), 4099
- Precursor compounds
Dicopper(I) oxalate complexes as molecular precursors for the deposition of copper compounds, 5255

Primary amines

Transition metal carbene chemistry 5: Kinetic studies on the nucleophilic substitution reactions of $(\text{CO})_5\text{M}=\text{C}(\text{SCH}_3)\text{CH}_3$ (M = Cr and W) with primary amines in aqueous acetonitrile, 4878

Primary phosphine

Addition of primary phosphines to the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$: Synthesis of triosmium clusters bearing dppm, phosphide and phosphinidene ligands via P–H bond activation, 4206

Synthesis and X-ray crystal structure of [2-(phosphinomethyl)-ferrocenyl]diphenylphosphine, 2285

Prodrug

Biolabile constructs for pronucleotide design, 2614

Synthesis of a $(\text{B}_{12}\text{H}_{11}\text{S})^{2-}$ containing glucuronoside as potential prodrug for BNCT, 2780

Propadienylidene complexes

Bis(amino)allenylidene complexes by displacement of the MeO group in methoxy allenylidene complexes of chromium and tungsten. Synthesis, DFT calculations and solid-state structures of new bis(amino)allenylidene complexes, 3700

Propargylation

Tuning the reactivity of organotin(IV) by LiOH: allylation and propargylation of epoxides via redox transmetalation, 1422

Propylene

Copolymerization of ethylene/unsaturated alcohols using nickel catalysts: effect of the ligand on the activity and comonomer incorporation, 895

Zirconocene complexes with a biphenyl substituted cyclopentadienyl ligand: synthesis, characterization, and olefin polymerization behavior, 1240

Propylene insertion

Density functional study on the role of electron donors in propylene polymerization using Ziegler–Natta catalyst, 1356

Propylene oligomerization

Synthesis, molecular structure and catalytic activity of chiral benzamidinate nickel complexes, 3154

Propylene polymerization

Alkylidenverbrückte, symmetrische, zweikernige Metallocenkomplexe als Katalysatoren für die Propylenpolymerisation, 2861

Highly active new α -diimine nickel catalyst for the polymerization of α -olefins, 1314

Propylene Polymerization

Novel bridged bis-azulenyl and bis-tetrahydroazulenyl hafnocenes: Synthesis, structure, and propylene polymerization behavior, 2220

Protection

Synthesis of carborane analogues of γ -aminobutanoic acid, 2761

Protein labelling

Synthesis of hydrophilic Fischer carbene complexes as organometallic marker and PEGylating agent for proteins, 5581

Protic acid

Reactions of the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8(\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4)]$ with HX (X = Cl, Br, F, CF_3CO_2 , CH_3CO_2): X-ray structures of $[(\mu\text{-H})\text{Os}_3(\text{CO})_7(\eta^1\text{-Cl})(\mu\text{-Cl})_2(\mu\text{-dppm})]$, $[(\mu\text{-H})_2\text{Os}_3(\text{CO})_8(\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4)]^+[\text{CF}_3\text{O}]^-$ and the two isomers of $[(\mu\text{-H})\text{Os}_3(\text{CO})_8(\mu\text{-Cl})(\mu\text{-dppm})]$, 3044

Protonation

Synthesis of $[\text{Ni}(\eta^2\text{-CH}_2\text{C}_6\text{H}_4\text{R-4})\{\text{PPh}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2\}]^+$ (R = H, Me or MeO) and protonation reactions with HCl, 1763

Proton transfer

Factors that affect the kinetic and thermodynamic acidities of Fischer carbene complexes: New insights from the study of the cationic (methoxymethylcarbene) dicarbonylpentamethylcyclopentadienyl iron $([\text{Cp}^*(\text{CO})_2\text{Fe}=\text{C}(\text{OMe})\text{Me}]^+)$ in aqueous acetonitrile, 5616

Pseudo-pentacoordination

Surprisingly great difference in reactivity depending upon the ring size: solvolysis and molecular structure study of some *N*-trimethylsilylated cyclic ureas, 1498

P–S ligand

Reactivity of $\text{C}_6\text{F}_5\text{S-P}(\text{C}_6\text{H}_5)_2$ with $[\text{M}_3(\text{CO})_{12}]$ (M = Fe, Ru, Os). The X-ray crystal structures of $[\text{Fe}_2(\mu\text{-SC}_6\text{F}_5)(\mu\text{-PPh}_2)(\text{CO})_6]$, $[\text{Ru}_4(\mu_3\text{-SPPPh}_2)_2(\mu\text{-SC}_6\text{F}_5)_2(\mu\text{-PPh}_2)_2(\text{SC}_6\text{F}_5)_2(\text{CO})_6]$ and $[\text{Os}_3(\eta^1\text{-Ph}_2\text{P-SC}_6\text{F}_5)(\text{CO})_{11}]$, 2880

P3T

A DFT and direct MO dynamics study on the structures and electronic states of phenyl-capped terthiophene, 2895

PTA

Tertiary phosphine abstraction from a platinum(II) coordination complex with SeCN^- : Crystal and molecular structures of Se=PTA and $[\text{Se=PTA-Me}]\text{I} \cdot \text{CH}_3\text{OH}$, 4337

Pt complexes

Mechanistic investigation of the thermal decomposition of Biphen(OPt-Pr)PtEt₂: An entrance into C–C single bond activation?, 5215

Pt(II)

Probing delocalisation across highly ethynylated mono and dinuclear Pt(II) tethers containing nitrogroups and organic models as redox active probes: X-ray crystal structure of *trans*- $[\text{Pt}(\text{C}\equiv\text{C-C}_6\text{H}_4\text{NO}_2)_2(\text{PPh}_3)_2]$, 2376

Push–pull complex

Donor/acceptor organotriiron(II) hydrazone chromophores: structural, spectroscopic and electrochemical properties, 1265

Pyrazine

Pyrazine bridged benzyl dicobaloximes: Competition between π -interaction and steric crowding in crystal structure, 3746

Two isomeric products $[\text{Os}_3(\mu\text{-H})(\text{C}_{14}\text{H}_9\text{N}_4)(\text{CO})_9]$ formed by orthometallation of the cluster $[\text{Os}_3(\text{C}_{14}\text{H}_{10}\text{N}_4)(\text{CO})_{10}]$ containing the chelating ligand 2,3-bis(2-pyridyl)pyrazine, 622

Pyrazolato

Synthesis and structural characterization of unsymmetrical osmocenes containing the pentamethylcyclopentadienyl ligand, 4356

Pyrazolato ligand

Preparation of rhenium hydride complexes with pyrazole and pyrazolato ligands, 4573

Pyrazole

Syntheses and properties of Re(III) complexes derived from hydrotris(1-pyrazolyl)methanes: molecular structure of $[\text{ReCl}_2(\text{HCpz}_3)(\text{PPh}_3)][\text{BF}_4]$, 1947

Synthesis and characterisation of new pyrazole–phosphinite ligands and their ruthenium(II) arene complexes, 4072

Synthesis and structural characterization of metal complexes based on pyrazole/imidazolium chlorides, 403

Pyrazole ligand

Preparation of rhenium hydride complexes with pyrazole and pyrazolato ligands, 4573

Pyrazoles and ruthenium

Syntheses and characterization of $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\mu\text{-N}_3)(\text{X})_2]$ (X = N₃ and Cl) complexes and their reactions towards mono- and bidentate ligands, 885

Pyrazolines

Synthesis, IR-, NMR- and X-ray investigations on some novel *N*-hetaryl-dihydro-pyrazolyl ferrocenes. Study on ferrocenes, part 16, 4018

Pyrazolopyridinylidene complexes

A convenient route to six-membered heterocyclic carbene complexes: Reactions of aminoallenylidene complexes with 1,3-bidentate nucleophiles, 5597

Pyrazolyl-based ligands

A new family of pyrazolyl-based anionic bidentate ligands and crystal structure of bis(*N*-phenyl-2-pyrazolyl-1-carboximidothioato)-copper(II), 2128

2-Pyrazol-1-yl-ethenolate ligands

Synthesis and characterization of aluminum complexes of 2-pyrazol-1-yl-ethenolate ligands, 4080

Pyridazine

Synthesis, NMR, IR spectroscopic and X-ray study of novel [pyridazin-3(2H)-one-6-yl]ferrocenes and related ferrocenophane derivatives. Study on ferrocenes. Part 14, 802

Pyridine

¹Pyridine and phosphine functionalised *N*-heterocyclic carbene complexes of rhodium and iridium, 5948

Intramolecular hydroamination of 6-aminohex-1-yne catalyzed by Lewis acidic rhenium(I) carbonyl complexes, 3774

Two isomeric products [Os₃(μ-H)(C₁₄H₉N₄)(CO)₉] formed by orthometallation of the cluster [Os₃(C₁₄H₁₀N₄)(CO)₁₀] containing the chelating ligand 2,3-bis(2-pyridyl)pyrazine, 622

Pyridine-2-carboxaldehyde

New mononuclear ruthenium complexes of η⁵-cyclichydrocarbon containing azine ligands: Syntheses, spectral and structural studies, 3720

Pyridinethiol

The effect of carbon chain length of the diphosphine ligand on the aurophilic interaction. Synthesis and X-ray structural study for a series of Au(I) compounds with Ph₂P-R-PPh₂ and *S*-(CH₂)_{*n*}-py ligands, 57

Pyridinium ionic liquid

Friedel-Crafts acylation reactions in pyridinium based ionic liquids, 3609

Pyridinylidene complex

Synthesis and electrochemical properties of bis(bipyridine)-ruthenium(II) complexes bearing pyridinyl- and pyridinylidene ligands induced by cyclometalation of *N*'-methylated bipyridinium analogs, 1258

Pyridones

Regioselectivity in nickel(0)/phosphine catalyzed cycloadditions of alkynes and isocyanates, 5098

Pyridyl

N- vs *O*-Coordination in cyclomanganation of 1,5-diaryl-3-(2-pyridyl)pentane-1,5-diones and 3-(2-pyridyl)chalcones; cyclomanganation at saturated carbon and the crystal structure of [1,5-diphenyl-κC²-3-(2-pyridyl-κN)pentan-2-yl-κC²-1,5-dione-κO¹κO⁵]-tetracarboxylmanganesetetracarboxylmanganese, 3348

Pyridyl donors

Reactions of pyridyl donors with halogens and interhalogens: an X-ray diffraction and FT-Raman investigation, 1923

Pyridylethene

Dinuclear and trinuclear osmium complexes incorporating 1,2-bis(2-pyridyl)ethene as doubly and triply bridging ligands: crystal structures of [Os₂(μ:η⁴-C₁₂H₁₀N₂)(CO)₆], [Os₃(μ-H)₂(μ₃:η³-C₁₂H₁₀N₂)(CO)₈] and [Os₃(μ-H)(μ³:η⁴-C₁₂H₉N₂)(CO)₈], 504

Pyrimidinylidene complexes

A convenient route to six-membered heterocyclic carbene complexes: Reactions of aminoallenylidene complexes with 1,3-bidentate nucleophiles, 5597

Pyrones

The photochemical reaction of Os₃(CO)₁₀(μ-H)(μ-γ-C₅H₃O₂), a triosmium cluster carrying a γ-pyrone ligand, with dimethylacetylenedicarboxylate: formation of isomeric clusters, 322

Pyrrolide-imine

Bis(pyrrolide-imine) Ti complexes with MAO: A new family of high performance catalysts for olefin polymerization, 4382

Pyrrolones

α,β-Unsaturated diimines as substrates in catalytic C-H activation reactions and as ligands in iron carbonyl complexes, 1092

Pyrrolyl

Are cyclopentadienyl complexes more stable than their pyrrolyl analogues?, 1840

Synthesis and characterization of lithium and yttrium complexes containing tridentate pyrrolyl ligands. Single-crystal X-ray structures of {Li[C₄H₂N(CH₂NMe₂)₂-2,5]}₂ (**1**) and {[C₄H₂N(CH₂NMe₂)₂-2,5]YCl₂(μ-Cl)·Li(OEt₂)₂}₂ (**2**) and ring-opening polymerization of ε-caprolactone, 4168

Synthesis and structural characterization of unsymmetrical osmocenes containing the pentamethylcyclopentadienyl ligand, 4356

QM/MM calculations

Steric and electronic effects in the bonding of *N*-heterocyclic ligands to transition metals, 5407

Quantum chemical calculations

Intramolecular rearrangement of organosilyl groups between oxygen and nitrogen in aminosiloxanes – a joint experimental–theoretical study, part II, 1100

Synthesis and structure of *N*-arylimines of β-tellurocyclohexenals with the intramolecular coordination N → Te bonds, 103

The theoretical research of the medium effect on the vibrational spectrum and the energy of intramolecular coordination =O → Si in (benzoyloxymethyl)trifluorosilane molecule, 2922

2-Quinaldate

Synthesis and characterization of ionic organotin compounds [R₂SnCl₂(2-quin)][−](HNEt₃)⁺ and crystal structures of [(2,4-Cl₂-C₆H₃CH₂)₂SnCl₂(2-quin)][−](HNEt₃)⁺, 831

2-Quinaldic acid

Synthesis and spectroscopic properties of diorganotin(IV) complexes of 2-quinaldate and crystal structures of (4-FC₆H₄CH₂)₂Sn(2-quin)₂ · 2CH₃CN and {(2-C/C₆H₄CH₂)₂SnCl(2-quin)₂ · CH₃-OH}_{*n*}, 3111

Quinoline

Imino Diels–Alder reaction of boronates: A new route to 3,4-dihydroquinolines, 2975

Quinolines

Palladium-catalyzed Sonogashira coupling reaction followed by isomerization and cyclization, 4094

Racemic resolution

Resolution of β-aminophosphines with chiral cyclopalladated complexes, 1659

Racemization

Acidic hydrolysis of *N*-acyl-1-substituted 3-amino-1,2-dicarba-*closo*-dodecaboranes, 2783

Radical

Imino- and bis-imino-pyridines with *N-ter*-butyl-*N*-aminoxyl group: synthesis, oxidation and use as ligand towards M²⁺ (Mn, Ni, Zn) and Gd³⁺, 197

Radical cyclization

Ruthenium-catalyzed tandem ring closing metathesis (RCM) – atom transfer radical cyclization (ATRC) sequences, 5552

Radical polymerization

Preparation, X-ray structure, copolymerization with styrene of [(μ-H)Os₃(μ-OCNMe₂)(CO)₆{P(CH₂CH=CH₂)Ph₂}] and catalytic properties of the cluster/styrene copolymer, 4258

Synthesis of oligomers having a pendant dithienosilole unit and their applications to EL device materials, 333

Radicals

Unprecedented ligand anti-bis-benzylation upon thermolytic treatment of 2,3-diphenylbenzo[*g*]quinoxaline with (η¹-benzyl) pentacarboxylmanganese, 4822

Rare earth

Modeling lanthanide coordination compounds: Sparkle/AM1 parameters for praseodymium (III), 4099

Rare-earth

Dimeric samarium(III) alkoxides bearing N₂O₂ tetradentate Schiff bases and their utility for the catalytic epoxidation of *trans*-chalcone, 1011

Rare earth metals

Non-metallocene rare earth metal catalysts for the diastereoselective and enantioselective hydroamination of aminoalkenes, 4441

Rare earth metal complexes based on β-diketiminato and novel linked bis(β-diketiminato) ligands: Synthesis, structural characterization and catalytic application in epoxide/CO₂-copolymerization, 5182

R-binaphthol

Racemic and chiral expanded salen-type complexes derived from biphenol and binaphthol: Salbip and salbin, 3009

Reaction

Reaction of aryl azides with tris(trimethylsilyl)syllithium: Synthesis of tmeda or thf adducts of [Li{N(Ar)Si(SiMe₃)₃}] and 1,4-trimethylsilyl migration from oxygen to nitrogen, 4252

Reaction kinetics

Displacement of the heptane solvent from $(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{CO})_2\text{-}(\text{heptane})$: A flash photolysis study using infrared detection, 4989

Reaction mechanism

A quantum chemical study on the mechanism of S-coordinated tetrazole-thiolato formation by the reaction of organic isothiocyanates with metal azido complexes of Pt(II), Pd(II), and Sn, 4319

Isolation and characterization of an iodide bridged dimeric palladium complex in carbonylation of methanol, 1677

Mechanistic investigation of the thermal decomposition of $\text{Biphen}(\text{OPi-Pr})\text{PtEt}_2$: An entrance into C–C single bond activation?, 5215

The reaction of benzothiazole sulfenamide with $(\text{TMS})_3\text{SiH}$: An example of degenerate-branched chain process, 1756

Reaction pathway calculation

The cocondensation reaction of lithium atoms and anisole: an experimental and theoretical study of the reaction pathway, 1511

Reactivity

Redox reactions with bis(η^6 -arene) derivatives of early transition metals, 3321

Surprisingly great difference in reactivity depending upon the ring size: solvolysis and molecular structure study of some *N*-trimethylsilylated cyclic ureas, 1498

Recoverable and reusable catalyst

Palladium catalyzed cycloisomerization of 2,2-diallylmalonates in imidazolium ionic liquids, 3529

Recyclable catalyst

Rhodium(I) complexes with 1'-(diphenylphosphino)ferrocene-carboxylic acid as active and recyclable catalysts for 1-hexene hydroformylation, 3260

Red emitter

Organometallic emitting dyes: Palladium(II) nile red complexes, 857

Redox

Syntheses, characterization, structure and redox properties of new Rh(III) cyclometallates incorporating azoimine ligands, 4816

Redox-active

Iron(II) and iron(III) complexes containing ethynyl thiophene fragments, 594

Redox chemistry

Reaction of 2,3-bis(methylthio)pyrrolo[1,2-*a*]benzimidazol-1-one with $\text{BrRe}(\text{CO})_3(\text{THF})_2$: X-ray diffraction structure, redox chemistry, and luminescence behavior of *fac*- $\text{BrRe}(\text{CO})_3\{N,S\text{-}2,3\text{-bis(methylthio)pyrrolo[1,2-}a\text{]benzimidazol-1-one}\}$, 4993

The unusual reactions of indium(I) trifluoromethanesulfonate with some first row metallocenes and the structure of “indium(II) cyclopentadienide”, 5090

Redox reactions

Reactivity of ferrocenium cations with molecular oxygen in polar organic solvents: Decomposition, redox reactions and stabilization, 1829

Reduction

Reduction of 2-(*N,N*-dimethylamino)ethyl substituted zirconocene dichlorides: Intramolecular activation of $\text{NCH}_2\text{-H}$ bond. The crystal structures of $[\eta^2:\eta^2(C,M)\text{-C}_5(\text{CH}_3)_4\text{CH}_2\text{CH}_2\text{N}(\text{CH}_3)\text{CH}_2]\text{-}[\eta^5\text{-C}_5(\text{CH}_3)_5]\text{ZrX}$ (X = Cl, H), 3243

Synthesis and characterization of scandium complexes with reduced ligands: Crystal structures of Cp^*ScCl_2 , $[\text{Cp}^*\text{ScCl}(\text{bpy})_2]$, and $[\text{Cp}^*\text{ScCl}(\text{bpy})_2]$, 1689

The CO/PC analogy in coordination chemistry and catalysis, 2407

Reductive elimination

Reactivity of cationic methyl rhodium(III) complexes *cis*- $[\text{Rh}(\beta\text{-diket})(\text{PPh}_3)_2(\text{CH}_3)(\text{CH}_3\text{CN})][\text{BPh}_4]$ toward ligands of different character: pyridine, carbon monoxide, and triphenylphosphine, 3397

Regioselective

α -Diimines as nitrogen ligands for ruthenium-catalyzed allylation reactions and related (pentamethylcyclopentadienyl) ruthenium complexes, 2149

Regioselectivity

Alkyl-rhodium transition state stabilities as a tool to predict regio- and stereoselectivity in the hydroformylation of chiral substrates, 2339

Density functional study on the role of electron donors in propylene polymerization using Ziegler–Natta catalyst, 1356

Highly regioselective Heck reactions of heteroaryl halides with electron-rich olefins in ionic liquid, 3546

Regioselectivity in nickel(0)/phosphine catalyzed cycloadditions of alkynes and isocyanates, 5098

Ring-opening of 2,3-epoxy-1-propanol with R_3Al : Unprecedented regiochemical switching simply achieved by changing alkyl substituents of aluminium reagent, 3697

Resolution

Ruthenium-catalyzed reduction of racemic tricarbonyl(η^6 -aryl ketone)-chromium complexes using transfer hydrogenation: A simple alternative to the resolution of planar chiral organometallics, 3176

Retro brook isomerization

Retro-Brook rearrangement induces the formation of an octahedral nickel(benzamidinate) complex; synthesis, structure and catalytic activity, 2297

Reversible insertion

Reversible double insertion of aryl isocyanates into the Ti–O bond of titanium(IV) isopropoxide, 1282

Review

Rhenium and technetium complexes with N-heterocyclic carbenes – A review, 5421

Sonochemistry and sonoluminescence in ionic liquids, molten salts, and concentrated electrolyte solutions, 3513

Rh complexes

Synthesis and structure of N-heterocyclic carbene complexes of rhodium and iridium derived from an imidazolium-linked cyclophane, 2312

Rh(III)

Syntheses, characterization, structure and redox properties of new Rh(III) cyclometallates incorporating azoimine ligands, 4816

Rh-DUPHOS

The role of additional solvents in transition metal complex catalyzed asymmetric reductions in ionic liquid containing systems, 3558

Rhenium

$[\text{Me}_8\text{Pt}_4\text{ReS}_4]^-$ and related PtMe_2 -containing clusters derived from tetrathiorhenate, 193

Displacement of the heptane solvent from $(\eta^5\text{-C}_5\text{H}_5)\text{Re}(\text{CO})_2(\text{heptane})$: A flash photolysis study using infrared detection, 4989

Metal–metal bond cleavage of carbene complexes by halogens: The crystal and molecular structures of *ax*- $[\text{Mn}_2(\text{CO})_9\{\text{C}(\text{OEt})_2\text{-thienyl}\}]$, $[\text{Mn}(\text{CO})_4(\text{I})\{\text{C}(\text{OEt})_2\text{-thienyl}\}]$ and *eq*- $[\text{Mn}_2(\text{CO})_9\{\text{C}(\text{NH}_2)_2\text{-thienyl}\}]$, 5929

New bromo-, triflato-, and hydridotricarbonylrhenium(I) complexes with diphosphinite ligands: Structural, spectral and protonation studies of various hydrides, 4945

Preparation and characterization of chloro- and polyhydride complexes of rhenium: Variable-temperature NMR spectroscopy and protonation studies, 4899

Preparation of rhenium hydride complexes with pyrazole and pyrazolato ligands, 4573

Rhenium and technetium complexes with N-heterocyclic carbenes – A review, 5421

Rhenium carbonyl complexes with monodentate-coordinated diphosphines: activation of terminal phosphino groups towards amine-oxide oxidation, 3765

Syntheses and properties of Re(III) complexes derived from hydrotris(1-pyrazolyl)methanes: molecular structure of $[\text{ReCl}_2(\text{HCpz}_3)(\text{PPh}_3)][\text{BF}_4]$, 1947

Syntheses and structural characterizations of rhenium carbonyl complexes of a bitopic ferrocene-linked bis(pyrazolyl)methane ligand, 1889

Syntheses and structures of missing links among polybromocyclopentadienyl rhenium and manganese tricarbonyl complexes, 493

- The new facial tripod ligand 3,3-bis(1-methylimidazol-2-yl)propionic acid and carbonyl complexes thereof containing manganese and rhenium, 2009
- Rhenium carbonyl complex
Intramolecular hydroamination of 6-aminohex-1-yne catalyzed by Lewis acidic rhenium(I) carbonyl complexes, 3774
- Rhenium complexes
Mechanistic studies on reaction of $[\text{ReH}_4(\eta^2\text{-H}_2)(\text{Cytpt})]^+$ with ketones to give the hydrido-oxo complex $[\text{ReH}_2(\text{O})(\text{Cytpt})]^+$ (Cytpt = $\text{PhP}(\text{CH}_2\text{CH}_2\text{CH}_2\text{PCy}_2)_2$), 862
- Rhenium compound
Reaction of 2,3-bis(methylthio)pyrrolo[1,2-*a*]benzimidazol-1-one with $\text{BrRe}(\text{CO})_3(\text{THF})_2$: X-ray diffraction structure, redox chemistry, and luminescence behavior of *fac*- $\text{BrRe}(\text{CO})_3\{N,S\text{-}2,3\text{-bis(methylthio)pyrrolo[1,2-}a\text{]benzimidazol-1-one}\}$, 4993
- Rhodaboranes
Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701
- Rhodanine-*N*-acetic acid
Structural chemistry of mononuclear, tetranuclear and hexanuclear organotin(IV) carboxylates from the reaction of di-*n*-butyltin oxide or diphenyltin oxide with rhodanine-*N*-acetic acid, 4366
- Rhodium
¹Pyridine and phosphine functionalised *N*-heterocyclic carbene complexes of rhodium and iridium, 5948
A new pyridine-bis-*N*-heterocyclic carbene ligand and its coordination to Rh: Synthesis and characterization, 5576
Binuclear complexes of rhodium (I) bridged by 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolato ligands: molecular structures of the complexes $[\text{Rh}_2(\text{COD})_2(\mu_2\text{-E}_2\text{C}_2(\text{B}_{10}\text{H}_{10}))]$ [E = S, Se] and $[\text{Rh}_2(\text{CO})_4(\mu_2\text{-S}_2\text{C}_2(\text{B}_{10}\text{H}_{10}))]$, 910
Conformational behaviour of dinuclear Rh(I) complexes of the open-chain tetrapyrrolic ligand 2,2'-bidipyrin (H_2BDP), 5290
Domino reaction sequences in the rhodium-catalyzed hydroformylation of 3-acetyl-1-allylpyrrole: a short route to 5,6,7,8-tetrahydroindolizines, 1866
Half-sandwich cyclopentadienyl rhodium complexes bearing pendant sulfur or oxygen ligands and their catalytic behaviors in ethylene polymerization, 1855
Half-sandwich cyclopentadienyl rhodium complexes bearing pendant sulfur or oxygen ligands and their catalytic behaviors in ethylene polymerization, 1855
Highly enantioselective catalytic asymmetric ring opening reaction employing the Daniphos ligand, 1166
Hydroformylation of alkenes with paraformaldehyde catalyzed by rhodium-phosphine complexes, 3095
Novel rhodium complexes with ferrocene-based *N*-heterocyclic carbenes: Synthesis, structure and catalysis, 5747
Novel rhodium-1,3-dialkyl-3,4,5,6-tetrahydropyrimidin-2-ylidene complexes as catalysts for arylation of aromatic aldehydes, 5849
Oxidative addition of MeI to cationic Rh(I) carbonyl complexes with pyridyl bis(carbene) ligands, 6089
Polymerization of phenylacetylene by novel Rh (I)-, Ir (I)- and Ru (IV) 1,3-*R*₂-3,4,5,6-tetrahydropyrimidin-2-ylidenes (R = mesityl, 2-propyl): Influence of structure on activity and polymer structure, 5728
Promoting effect of ionic liquids on ligand substitution reactions, 3540
Reactivity of cationic methyl rhodium(III) complexes *cis*- $[\text{Rh}(\beta\text{-diket})(\text{PPh}_3)_2(\text{CH}_3)(\text{CH}_3\text{CN})][\text{BPh}_4]$ toward ligands of different character: pyridine, carbon monoxide, and triphenylphosphine, 3397
Rh(1,3-bis(2,4,6-trimethylphenyl)-3,4,5,6-tetrahydropyrimidin-2-ylidene)-(COD) tetrafluoroborate, an unsymmetrical Rh-homoazallyl-carbene: synthesis, X-ray structure and reactivity in carbonyl arylation and hydrosilylation reactions, 4433
Rhodium (II) compounds with functionalized metalated phosphines as bridging ligands, 4424
Rhodium *N*-heterocyclic carbene complexes: Synthesis, structure, NMR studies and catalytic activity, 5736
Rhodium(I) complexes with 1'-(diphenylphosphino)ferrocene-carboxylic acid as active and recyclable catalysts for 1-hexene hydroformylation, 3260
Rhodium(III) pentamethyl cyclopentadienyl complexes incorporating 1-(4-cyanophenyl)-imidazole: role of solvent in ligand substitution reactions, 647
Rhodium-catalyzed cascade reactions: A methylenation-hydroboration homologative process, 5198
Synthesis and structural characterization of *rac*-2-[(diphenylphosphino)methyl]ferrocenecarboxylic acid, its selected derivatives and some rhodium complexes, 4285
Synthesis, molecular structure and electrochemical properties of the star-shaped dinuclear complexes $[\text{Ru}_2(\eta^6\text{-}p\text{-Me-C}_6\text{H}_4\text{-}^i\text{Pr})_2(\mu_2\text{-S-}p\text{-C}_6\text{H}_4\text{-C}_4\text{H}_3\text{S})_3]^+$ and $[\text{Rh}_2(\eta^2\text{-C}_5\text{Me}_5)_2(\mu_2\text{-S-}p\text{-C}_6\text{H}_4\text{-C}_4\text{H}_3\text{S})_3]^+$, 2365
Synthesis, structure and electronic properties of *N*-dialkylamino- and *N*-alkoxy-1,2,4-triazolo-3-ylidene ligands, 5979
Rhodium and palladium complexes
Rhodium(III) and palladium(II) complexes of some P-heterocycles; synthesis and X-ray structures, 704
Rhodium carbenoid
Asymmetric C-H insertion of Rh(II) stabilized carbenoids into acetals: A C-H activation protocol as a Claisen condensation equivalent, 6111
Rhodium complex
Rhodium complexes of $\text{PC}^{\text{NHC}}\text{P}$: Oxidative addition of dichloromethane and catalytic hydrosilylation of alkynes affording (*E*)-alkenylsilanes, 5662
Synthesis and characterization of a free phenylene bis(*N*-heterocyclic carbene) and its di-Rh complex: Catalytic activity of the di-Rh and CCC-NHC Rh pincer complexes in intermolecular hydrosilylation of alkynes, 5938
Toward a general method for CCC *N*-heterocyclic carbene pincer synthesis: Metallation and transmetallation strategies for concurrent activation of three C-H bonds, 5353
Rhodium complexes
Novel α -fluorinated cyclic phosphite and phosphinite ligands and their Rh-complexes as suitable catalysts in hydroformylation, 3456
One-pot synthesis of the new dianionic ligand $[\text{Na}]_2[\text{C}_5\text{H}_4\text{CO}_2(\text{CH}_2)_2\text{NTs}]$; preparation and structures of two rhodium derivatives, 818
Synthesis and structural characterisation of rhodium hydride complexes bearing *N*-heterocyclic carbene ligands, 5027
Synthetic, structural, spectroscopic, and electrochemical studies of mixed sandwich Rh(III) and Ir(III) complexes involving Cp^* and tridentate macrocycles, 629
Rhodium(I)
New cationic palladium (II) and rhodium (I) complexes of $[\text{Ph}_2\text{PCH}_2\text{C}(\text{Ph})=\text{N}(2,6\text{-Me}_2\text{C}_6\text{H}_3)]$, 1645
Synthesis and characterisation of two novel Rh(I) carbene complexes: Crystal structure of $[\text{Rh}(\text{acac})(\text{CO})(\text{L}_1)]$, 3422
Rhodium(II)
The interaction of rhodium carbenoids with carbonyl compounds as a method for the synthesis of tetrahydrofurans, 5533
Ring closing metathesis
Synthesis, NMR, IR spectroscopic and X-ray study of novel [pyridazin-3(2H)-one-6-yl]ferrocenes and related ferrocenophane derivatives. Study on ferrocenes. Part 14, 802
Ring opening
Diferrocenylicyclopropenyl cations. Synthesis, structures, and some chemical properties, 3333
Ring-open polymerization
Synthesis and characterization of lithium and yttrium complexes containing tridentate pyrrolyl ligands. Single-crystal X-ray structures of $\{\text{Li}[\text{C}_4\text{H}_2\text{N}(\text{CH}_2\text{NMe}_2)_2\text{-}2,5]\}_2$ (**1**) and $\{\text{[C}_4\text{H}_2\text{N}(\text{CH}_2\text{-NMe}_2)_2\text{-}2,5\text{]YCl}_2(\mu\text{-Cl})\cdot\text{Li}(\text{OEt})_2\}_2$ (**2**) and ring-opening polymerization of ϵ -caprolactone, 4168

Ring-opening metathesis polymerization

Synthesis, structure, electrochemistry and ROMP-activity of new ferrocenyl analog of Grubbs' metathesis catalyst, 1018

Risedronate

Molecular interactions of nitrogen-containing bisphosphonates within farnesyl diphosphate synthase, 2679

Room temperature ionic liquids

Tetraalkylphosphonium-based ionic liquids, 2536

Ru-BINAP

The role of additional solvents in transition metal complex catalyzed asymmetric reductions in ionic liquid containing systems, 3558

Ruthenaboranes

Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701

Ruthenium-arene

Synthetic, spectral and structural studies of some homo and hetero binuclear arene ruthenium (II) polypyridyl complexes, 4243

Ruthenium

α -Diimines as nitrogen ligands for ruthenium-catalyzed allylation reactions and related (pentamethylcyclopentadienyl) ruthenium complexes, 2149

A comparison of Cp*- and Tp-ruthenium carbyne complexes prepared via site selective electrophilic addition to neutral ruthenium vinylidenes, 4640

An ionic liquid-tagged second generation Hoveyda-Grubbs ruthenium carbene complex as highly reactive and recyclable catalyst for ring-closing metathesis of di-, tri- and tetrasubstituted dienes, 3577

Aqueous oxidation of alcohols catalyzed by artificial metalloenzymes based on the biotin-avidin technology, 4488

Cationic arene ruthenium complexes containing chelating 1,10-phenanthroline ligands, 3202

Chalcogen-capped ruthenium carbonyl clusters derived from diphosphazane mono- and dichalcogenides of the type $X_2P(E)N(R)PX_2$ and $X_2P(E)N(R)P(E)X_2$ (E = S or Se), 4001

Cluster-containing carbon-rich molecules: Reactions of ruthenium cluster carbonyls with $\{Au(PR_3)\}_2(\mu-C\equiv C\equiv C)$ (R = Ph, tol), 3268

Divergent reactivity of alk-5-ynylidene cyclopropanes in the presence of the 1st or the 2nd generation Grubbs' catalysts, 5609

Efficient synthesis of fumaric amides through cross-metathesis of acrylic amides with the NHC Grubbs ruthenium catalyst, 5973

Fast transfer hydrogenation using a highly active orthometalated heterocyclic carbene ruthenium catalyst, 5570

Functional phosphines XV. Ruthenium complexes containing $C_5H_8(PR_2)_2$ and $Ph_2CH_2CR'_2NH_2$ ligands (R = Me, Ph, OPh; R' = H, Me): synthesis and application to homogeneous $>C=O$ hydrogenation and transfer hydrogenation, 1

Hydrogenation of single and multiple N-N or N-O bonds by Ru(II) catalysts in homogeneous phase, 3641

Intermolecular versus intramolecular C-H activation reaction in the thermolysis of $[Ru(Me)Cp^*(PMe_2Ph)_2]$ ($Cp^* = \eta^5-C_5Me_5$): formation and crystallographic characterisation of $[Ru(Ph)Cp^*(PMe_2Ph)_2]$, 605

Inverted piano-stool dimers of half-sandwich Ru(II) complexes with (R)-phenylglycine methyl ester and (S)-phenylalanineamide: An X-ray structural study and preliminary catalytic results, 4602

Iron(0) and ruthenium(0) complexes with tridentate phosphonate ligands and their potential for ketene formation from methyl iodide, CO and a base, 1429

Metalloporphyrin as a ligand in organometallic complexes: Synthesis and characterization of a nickel(II) porphyrin complex of 1,5-cyclooctadienedichlororuthenium(II), 4978

Mononuclear ruthenium complexes containing two different phosphines in *trans* position: I. Synthesis and spectroscopic characterization, 4867

New mononuclear ruthenium complexes of η^5 -cyclichydrocarbon containing azine ligands: Syntheses, spectral and structural studies, 3720

Novel (η^6 -arene)-ruthenium(II) complexes containing bis(imino-phosphorano)methanide and methanide ligands, 2087

On the behaviour of Ru(I) and Ru(II) carbonyl acetates in the presence of H_2 and/or acetic acid and their role in the catalytic hydrogenation of acetic acid, 371

Part 1: 1,3-Dipolar addition of activated alkyne towards coordinated azido group in ruthenium(II) complexes containing η^5 -cyclichydrocarbons, 4222

Polymerization of phenylacetylene by novel Rh (I)-, Ir (I)- and Ru (IV) 1,3- R_2 -3,4,5,6-tetrahydropyrimidin-2-ylidenes (R = mesityl, 2-propyl): Influence of structure on activity and polymer structure, 5728

Reaction of isocyanides with iminophosphorane-based carbene ligands: Synthesis of unprecedented ketenimine-ruthenium complexes, 5856

Reaction of the heterometallic cluster $Os_3Ru(\mu-H)_2(CO)_{13}$ with diphenylphosphine: phosphido-bridged tetrahedral and butterfly clusters, 1033

Ruthenium (II) complexes of the chelating phosphine borane $H_2CIB \cdot dpmp$, 2829

Ruthenium cationic species for transfer hydrogenation of aldehydes: Synthesis and catalytic properties of $[(PPh_3)_2Ru(CH_3CN)_3Cl]^+[A]^-$ {A = BPh_4 or ClO_4 } and structure of $[(PPh_3)_2Ru(CH_3CN)_3Cl]^-[BPh_4]^-$, 5006

Ruthenium titanocene and ruthenium titanium half-sandwich bimetallic complexes in catalytic cyclopropanation, 301

Ruthenium-benzocrownether complexes: Synthesis, structures, catalysis and immobilisation in ionic liquids, 5055

Ruthenium-catalyzed reduction of racemic tricarbonyl(η^6 -aryl ketone)-chromium complexes using transfer hydrogenation: A simple alternative to the resolution of planar chiral organometallics, 3176

Ruthenium-catalyzed tandem ring closing metathesis (RCM) – atom transfer radical cyclization (ATRC) sequences, 5552

Scope, mechanism and diene inhibition of isomerization of allylic alcohols to saturated ketones catalyzed by ruthenium(II)-cyclopentadienyl complexes, 1044

Searching for molecular arene hydrogenation catalysis in ionic liquids, 3552

Some complexes containing carbon chains end-capped with tungsten or ruthenium groups and tricobalt carbonyl clusters, 1549

Syntheses and characterization of η^6 -hexamethyl-benzene-ruthenium(II)- β -diketone complexes: their reactions with mono- and bidentate neutral ligands, 1218

Syntheses and characterization of cyano-bridged homo and hetero bimetallic complexes containing η^5 and η^6 -cyclic hydrocarbons, 3990

Synthesis and electrochemical properties of bis(bipyridine)-ruthenium(II) complexes bearing pyridinyl- and pyridinylidene ligands induced by cyclometalation of *N*'-methylated bipyridinium analogs, 1258

Synthesis and reactivity of hydride and dihydrogen complexes of ruthenium with tris(pyrazolyl)borate and phosphite ligands, 1726

Synthesis of chiral chelating *N*-heterocyclic carbene complexes of ruthenium, 3970

Synthesis, characterization, and catalytic activity of a ruthenium carbene complex coordinated with bidentate 2-pyridine-carboxylato ligands, 5816

Synthesis, characterization, reactivity and theoretical studies of ruthenium carbonyl complexes containing *ortho*-substituted triphenyl phosphanes, 3803

Synthesis, molecular structure and electrochemical properties of the star-shaped dinuclear complexes $[Ru_2(\eta^6-p-Me-C_6H_4-^tPr)_2(\mu_2-S-p-C_6H_4-C_4H_3S)_3]^+$ and $[Rh_2(\eta^5-C_5Me_5)_2(\mu_2-S-p-C_6H_4-C_4H_3S)_3]^+$, 2365

Synthesis, structure and optical limiting properties of organoruthenium-chalcogenide clusters, 1487

Synthesis, structures and electrochemical properties of ruthenium (II) complexes bearing bidentate 1,8-naphthyridine and terpyridine analogous (N,N,C)-tridentate ligands, 4272

- The effect of substituents at silicon on the cross-metathesis of trisubstituted vinylsilanes with olefins, 5912
- The synthesis and crystallographic characterisation of the complexes $[\text{RuX}(\text{CO})(\eta^2\text{-C}_5\text{H}_4\text{C}(\text{H})=\text{NC}_6\text{H}_4\text{4Me})(\text{PPh}_3)_2] \cdot \text{CHCl}_3$ (X = Cl, Br, I, F): Evidence for competing Ru–X···Cl–CHCl₂ and Ru–X···HCCl₃ interactions in the solid state, 3390
- Thermal stability and photostability of water solutions of sulfophthalocyanines of Ru(II), Cu(II), Ni(II), Fe(III) and Co(II), 2133
- Transformation of C₂ units on a bimetallic tetranuclear cluster. Reactivity of $[\text{Ru}_3\text{Mo}(\mu_3\text{-}\eta^1\text{-CC})(\mu\text{-CO})_3(\text{CO})_2(\eta\text{-C}_5\text{H}_4\text{R})_3(\eta\text{-C}_5\text{H}_5)]$ (R = H, Me), 3410
- Ruthenium carbene**
Development of novel reactions using ruthenium carbene catalyst and its application to novel methods for preparing nitrogen-containing heterocycles, 5398
- Ruthenium Carbene**
Synthesis, structure, electrochemistry and ROMP-activity of new ferrocenyl analog of Grubbs' metathesis catalyst, 1018
- Ruthenium carbene complexes**
Tandem diyne ring-closing metathesis of alkynyl silaketals for the formation of bicyclic siloxanes, 5508
- Ruthenium cluster**
Reversible aryl C–H bond activation in the reaction between $\text{HRu}_3(\text{CO})_{9,10}(\mu\text{-PPh}_2)$ and the diphosphine ligand 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd): X-ray diffraction structures of $\text{H}_2\text{Ru}_3(\text{CO})_7(\text{bpcd})[\mu, \sigma\text{-PPh}(\text{C}_6\text{H}_4)]$ and $\text{Ru}_3(\text{CO})_6(\mu\text{-CO})(\mu\text{-PPh}_2)[\mu, \eta^2, \eta^1\text{-PPhC}=\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{CH}_2\text{C}(\text{O})]$, 3838
- Ruthenium complex**
Cross-coupling of vinylsilacyclobutane with olefins catalyzed by $[\text{RuH}(\text{Cl})(\text{CO})(\text{PCy}_3)_2]$, 4492
Catalytic oxidation of alcohols with polymer-supported ruthenium complex under mild conditions, 6309
Synthesis and properties of conjugated bimetallic ruthenium complexes with σ, σ -bridging azobenzene chains, 4265
- Ruthenium complexes**
Dinuclear ruthenium(I) complexes of the type $[\text{Ru}_2(\text{CO})_4\text{L}_2]$ with carboxylate or 2-pyridonate ligands: Evaluation as catalysts for olefin cyclopropanation with diazoacetates, 5562
Syntheses and characterization of η^5 -cyclopentadienyl and η^5 -indenyl ruthenium(II) complexes of arylazoimidazoles: The molecular structure of the complex $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{PPh}_3)(\text{C}_6\text{H}_5\text{-N}=\text{N}-\text{C}_3\text{H}_3\text{N}_2)]^+$, 3465
- Ruthenium flyover complexes**
Reactions of $\text{Ru}_3(\text{CO})_{12}$ with 2-pentynal-diethyl-acetal. The crystal structure of $\text{Ru}_2(\text{CO})_6[\mu\text{-}\eta^4\text{-}\{\text{EtC}_2\text{C}(\text{H})(\text{OEt})_2\}\text{CO}\{\text{EtC}_2\text{C}(\text{H})(\text{OEt})_2\}]$ and its reactivity towards tetraethyl-orthosilicate, 3730
- Ruthenium(II) complexes**
Highly electrochemiluminescent Ru(II) complexes containing 1,3-dihydro-1,1,3,3-tetramethyl-7,8-diazacyclopenta[1]phenanthren-2-one ligand, 2002
- Ruthenium(III)**
Synthesis, structure, catalytic transfer hydrogenation and biological activity of cyclometallated ruthenium(III)2-(aryloxy)phenolate complexes, 3937
- Ruthenium monosulfophthalocyanine**
Thermal stability and photostability of water solutions of sulfophthalocyanines of Ru(II), Cu(II), Ni(II), Fe(III) and Co(II), 2133
- Ruthenocene**
Synthesis and electrochemistry of novel heteronuclear Fe–Ru bi- and quatermetallocenes, conjugatively connected by ethene and thiophene bridges, 811
- Ruthenocenes**
Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α -ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976
- Salen**
Alternative cocrystallization of “almost” enantiomers and true enantiomers in some *cis*- β -organocobalt salen-type complexes with α -amino acids, 3815
Racemic and chiral expanded salen-type complexes derived from biphenol and binaphthol: Salbip and salbin, 3009
- Salen ligands**
Preparation and structures of 6- and 7-coordinate salen-type zirconium complexes and their catalytic properties for oligomerization of ethylene, 3929
- Salicylaldehyde isonicotinylhydrazone**
Synthesis, characterization and structural studies of diorganotin(IV) complexes with Schiff base ligand salicylaldehyde isonicotinylhydrazone, 3714
- Salt-free diamido complex**
The salt-free diamido complexes of lanthanide supported by β -diketiminato: Synthesis, characterization, and their catalytic activity for the polymerization of acrylonitrile and ϵ -caprolactone, 4685
- Samarium (II) diiodide**
Development of novel and efficient synthesis of group 14 element (Ge and Sn) catenates by use of samarium (II) diiodide, 1588
- Sandwich complex**
Donor/acceptor organotriiron(II) hydrazone chromophores: structural, spectroscopic and electrochemical properties, 1265
- Sandwich complexes**
Reactions of complex ligands part 106. Heterobimetallic fused arenes: Chromium-templated benzannulation of a ferrocene-type metal carbene, 5892
Synthesis and structural characterization of unsymmetrical osmocenes containing the pentamethylcyclopentadienyl ligand, 4356
- Sandwich compounds**
(Tetramethylcyclobutadiene)cobalt complexes with monoanionic carborane ligands $[\text{9-L-7,8-C}_2\text{B}_9\text{H}_{10}]^-$ (L = SMe_2 , NMe_3 and py), 4745
- SANS**
Structure and reactivity of bis(iodozincio)methane solution, 5546
- Saturation transfer**
Rhodium *N*-heterocyclic carbene complexes: Synthesis, structure, NMR studies and catalytic activity, 5736
- Sb–Se intermolecular interactions**
First synthesis and structural report on selenophen-2-yl containing pnictogens: Biological activities of tris(selenophen-2-yl)stibine, 3286
- SBA-15**
Modification of mesoporous silicate SBA-15 with tris[bis(trimethylsilyl)amido]samarium and its utility in Tishchenko reaction, 3783
- Scanning electron microscopy**
Cyclopentadienyl-functionalised polyhedral silsesquioxanes as building blocks for new nanostructured materials, 463
- Schiff base**
Mono- and diboronates derived from tridentate ONO ligands and arylboronic acids, 2351
Synthesis and spectroscopic properties of [*N*-(4-carboxyphenyl)salicylideneiminato] di- and tri-organotin (IV) complexes and crystal structures of $\{[\text{Bu}_2\text{Sn}(2\text{-OHC}_6\text{H}_4\text{CH}=\text{NC}_6\text{H}_4\text{COO})_2\text{O}]_2$ and $\text{Ph}_3\text{Sn}(2\text{-OHC}_6\text{H}_4\text{CH}=\text{NC}_6\text{H}_4\text{COO})$, 435
Synthesis and structural characterization of diorganotin(IV) esters with pyruvic acid isonicotinyl hydrazone and pyruvic acid salicylhydrazone Schiff bases, 1669
Synthesis, characterization and structural studies of diorganotin(IV) complexes with Schiff base ligand salicylaldehyde isonicotinylhydrazone, 3714
- Schiff-base**
Dimeric samarium(III) alkoxides bearing N₂O₂ tetradentate Schiff bases and their utility for the catalytic epoxidation of *trans*-chalcone, 1011

Schiff bases

Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α -ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976

Catalytic amination reactions mediated by Co(II) Schiff base complexes, 2142

Synthesis and activity of macrocyclized chiral Mn(III)–Schiff-base epoxidation catalysts, 2163

Schlenk equilibrium

Synthesis, characterization and Schlenk equilibrium studies of methylmagnesium compounds with *O*- and *N*-donor ligands – the unexpected behavior of [MgMeBr(pmdta)] (pmdta = *N,N,N',N''*, *N''*-pentamethyldiethylenetriamine), 1178

s-cis(E,E)

Thermal and photochemical isomerization of exocyclic 1,3-dienes: 1,1-diphenyl-3,4-bis(trimethylsilylmethylene)-1-silacyclopentane *s-cis*(E,E), 1028

s-cis(E,Z)

Thermal and photochemical isomerization of exocyclic 1,3-dienes: 1,1-diphenyl-3,4-bis(trimethylsilylmethylene)-1-silacyclopentane *s-cis*(E,E), 1028

s-cis(Z,Z) isomers

Thermal and photochemical isomerization of exocyclic 1,3-dienes: 1,1-diphenyl-3,4-bis(trimethylsilylmethylene)-1-silacyclopentane *s-cis*(E,E), 1028

Scorpionate ligand

Synthesis and structural characterization of fluorenyltris(pyrazol-1-yl)borate ligands as new examples of cyclopentadienyl/scorpionate hybrid ligands, 1935

S-coordinated tetrazole-thiolato

A quantum chemical study on the mechanism of S-coordinated tetrazole-thiolato formation by the reaction of organic isothiocyanates with metal azido complexes of Pt(II), Pd(II), and Sn, 4319

Sec-amine borane

Direct preparation and structure determination of tertiary and secondary amine boranes from primary or secondary amine boranes, 2180

Se···N interaction

Synthesis and characterization of a novel chiral azomethine diselenide, 3142

Second-harmonic generation

Two noncentrosymmetric complexes: [W(CO)₄(bipy)] and [W(CO)₄(phen)] (bipy = 2,2'-bipyridine, phen = 1,10-phenanthroline) obtained through solvothermal synthesis and their optical properties, 286

Secondary interactions

Secondary bonding in functionalized organotellurium compounds: preparation and structural characterization of bis(acetamido)-tellurium(IV) diiodide and bis(4-methylbenzoylmethyl)tellurium(II), 313

The interplay of secondary Te···N, Te···O, Te···I and I···I interactions, Te··· π contacts and π -stacking in the supra-molecular structures of [{2-(4-nitrobenzylideneamino)-5-methyl-phenyl}(4-methoxyphenyl)tellurium dihalides], 1350

Selectivity

Reactions of lithiated 2,5-dimethylazaferrocene with selected electrophiles, 764

Selenenyl halide

Synthesis and characterization of a novel chiral azomethine diselenide, 3142

Selenium

Pentamethylcyclopentadienylselenium derivatives VI: Synthesis and characterisation of ferrocenyl(pentamethylcyclopentadienyl)selenium, 3099

Selenophene

First synthesis and structural report on selenophen-2-yl containing pnictogens: Biological activities of tris(selenophen-2-yl)stibine, 3286

Self-assembly

Chiral molecular polygons based on the Pt-alkynyl linkage: Self-assembly, characterization, and functionalization, 5159

Synthesis of palladium and platinum donor complexes and study of their participation in self-assembly reactions. X-ray crystal structure of [Pt(C₆H₄C≡CC₅H₄N)₂(dppp)] (dppp = 1,3-bis(diphenylphosphino)propane), 1612

SEM

Me₃SiC≡C–CMe=CH₂ copper(I) β -diketonates: Synthesis, solid state structure, and low-temperature chemical vapour deposition, 3878

Sequential substitution

An organoiron approach to thyroid hormone analogues, 1784

Shiff bases

Preparation and structures of 6- and 7-coordinate salen-type zirconium complexes and their catalytic properties for oligomerization of ethylene, 3929

Side chain

Side chain-directed complementary *cis*-coordination of two pyridines on Pd(II): Selective multicomponent assembly of square-, rectangular-, and trigonal prism-shaped molecules, 5383

Si–H reactivity

Catalytic reactions of hydrosiloxanes with allyl chloride, 4478

[3,3]-Sigmatropic shift

Preparation of α -ketophosphonates by a [3,3]-sigmatropic shift of enolphosphonates, 2688

Silacyle

Ruthenium-catalyzed cycloisomerization of 1,1,2,2-tetramethyl-1,2-divinylsilane: Selective formation of a five-membered silacyle, 3451

Silacyclobutane

A planar silacyclobutane, 1,1-(*rac*-1,1'-bi-2-naphthoxy)-1-silacyclobutane and its unusual reaction with bis(1,5-cyclooctadiene)-platinum(0), 2272

Silane

Diels–Alder reaction of anthracene on carbosilane dendrimer, 3278

Synthetic and structural studies of NHC–Pt(dvtms) complexes and their application as alkene hydrosilylation catalysts (NHC = N-heterocyclic carbene, dvtms = divinyltetramethylsiloxane), 6156

Silane complexes

Photochemical reactions of W(CO)₆ with hydrosilanes: synthesis, spectroscopic characteristic, and crystal structure of W(CO)₃(η^6 -PhSiHPh₂), 685

Silanediols

Synthesis and structures of bis(alkyldihydroxysilyl)methanes, 4677

Silanepolyols

Synthesis and structures of bis(alkyldihydroxysilyl)methanes, 4677

Silanes

Carbosiloxandendrimere mit terminalen SiH-Bindungen, 751

Silanetriol

Solid-state structure and condensation reaction of (triphenylmethyl)silanetriol, 1372

Silanimine

Das chlorsilylsubstituierte Silanimin ^tBu₂Si=N–SiCl^tBu₂, 3898

Silanol

Solid-state structure and condensation reaction of (triphenylmethyl)silanetriol, 1372

Silanolato derivatives

Synthesis and crystal structures of some cobalt halide derivatives containing alkyl or silanolato groups, 944

4-Silapiperidine

4-Silapiperidine and 4-silapiperidinium derivatives: syntheses and structural characterization, 33

4-Silapiperidinium

4-Silapiperidine and 4-silapiperidinium derivatives: syntheses and structural characterization, 33

Silatetrazoline

Das chlorsilylsubstituierte Silanimin ^tBu₂Si=N–SiCl^tBu₂, 3898

- Silatropic shift**
Non-degenerate 1,2-silyl shift in silyl substituted alkyltrimethylcyclopentadienes, 731
- Silica surface**
Surface organometallic chemistry: Facile μ_2 -carbene to μ_3 -carbyne transformation of organocobalt carbonyls on silica surface, 4740
- Silicon**
 β -Carbonylsilanes with a silacyclohexane skeleton and additional C-functionalized organyl groups at the silicon atom: synthesis, reactivity, and NMR-spectroscopic characterization, 678
4-Silapiperidine and 4-silapiperidinium derivatives: syntheses and structural characterization, 33
Photochemical reactions of $W(CO)_6$ with hydrosilanes: synthesis, spectroscopic characteristic, and crystal structure of $W(CO)_3(\eta^6\text{-PhSiHPh}_2)$, 685
Photochemical synthesis and spectroscopic characteristic of the first vinylsilane carbonyl complexes of tungsten(0), 4656
Synthesis and reactions of [tris(trimethylsilyl)methyl]ethyl dichlorosilane, 1606
Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720
Synthesis, structures, and photophysical properties of silicon and carbon-bridged ladder oligo(*p*-phenylenevinylene)s and related π -electron systems, 5365
- Silicon compounds**
Synthesis of polyacetylenic montiporic acids by means of organosilicon compounds, 3004
- Silicon tethering**
Tandem diyne ring-closing metathesis of alkynyl silaketals for the formation of bicyclic siloxanes, 5508
- Silicon unsaturated compounds**
Das chloresilylsubstituierte Silanimin 'Bu₂Si=N—SiCl'Bu₂, 3898
- Silicon-based drugs**
 β -Carbonylsilanes with a silacyclohexane skeleton and additional C-functionalized organyl groups at the silicon atom: synthesis, reactivity, and NMR-spectroscopic characterization, 678
4-Silapiperidine and 4-silapiperidinium derivatives: syntheses and structural characterization, 33
- Si-ligands**
Hexanuclear Pt complexes composed of two cyclic triplatinum units connected with 1,4-diphenylene and 1,1'-ferrocenylene spacer, 3957
- Silole**
Anodic polymerization of dithienosilole and electroluminescent properties of the resulting polymer, 3027
- Siloxane**
Solid-state structure and condensation reaction of (triphenylmethyl)silanetriol, 1372
- Silver**
A nonenolizable imino-*N*-heterocyclic carbene ligand and corresponding silver (I) metal complex, 5591
Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441
Reactions of (imidazol-2-ylidene)silver(I) chlorides with group 4 metal containing Lewis acids, 5346
Silver alkoxide and amino *N*-heterocyclic carbenes; syntheses and crystal structures, 5710
Synthesis and characterization of novel Pd(II) and Pt(II) complexes with 5-ring chelating iminoylcarbene ligands, 6125
- Silver *N*-heterocyclic carbenes**
Synthesis and crystallographic characterization of multi-donor *N*-heterocyclic carbene chelating ligands and their silver complexes: Potential use in pharmaceuticals, 6008
- Silver carbenes**
Furan- and thiophene-functionalised bis-carbene ligands: Synthesis, silver(I) complexes, and catalysis, 6133
- Silver NHC compounds**
Coordination polymers of silver(I) with bis(*N*-heterocyclic carbene): Structural characterization and carbene transfer, 1682
- Silver(I)**
Enantioselective copper catalysed 1,4-conjugate addition reactions using chiral *N*-heterocyclic carbenes, 5672
- Silyl**
Surprisingly great difference in reactivity depending upon the ring size: solvolysis and molecular structure study of some *N*-trimethylsilylated cyclic ureas, 1498
- Silyl-amido**
Synthesis and characterization of methyl-phenyl-substituted cyclopentadienyl zirconium complexes, 952
- Silylamino**
Synthesis and structure of tetrakis(isopropylimino)bis-[tris(dimethylamino)silylamino]alane, 1205
- Silylation**
Solid-state structure and condensation reaction of (triphenylmethyl)silanetriol, 1372
- Single-site catalysts**
Chromium imine and amine complexes as homogeneous catalysts for the trimerisation and polymerisation of ethylene, 713
- Silylative coupling**
Cross-coupling of vinyldisilacyclobutane with olefins catalyzed by [RuH(Cl)(CO)(PCy₃)₂], 4492
- Silyl complexes**
Metallacyclic complexes with *ortho*-silylated triphenylphosphine ligands, L_nOs(κ^2 (*Si,P*)-SiMe₂C₆H₄PPh₂), derived from thermal reactions of the coordinatively unsaturated trimethylsilyl, methyl complex, Os(SiMe₃)(Me)(CO)(PPh₃)₂, 3309
- Single-crystal X-ray diffraction**
An interesting metallacarborane cage closure and dismantling reaction including the facile halogenation of a cluster carbon atom: Structure of [1,2-(η^5 -C₅Me₅)₂- μ -1,2-H-*closo*-1,2,3-Rh₂CB₄H₄-3-I], 4967
Metallacarborane chemistry of the *hypho*-[6,7-C₂B₆H₁₃]⁻ anion: Reaction with nickelocene and the formation of three multimetallic nickel-boron clusters, 2835
- Single-crystal X-ray diffraction analysis**
Polyhedral monocarborane chemistry. Reactions of the [6-Ph-*nido*-6-CB₉H₁₁]⁻ anion with two-electron donors to yield a series of neutral *arachno* and *closo* ten-vertex monocarborane derivatives, 2815
- Silylenes**
Singlet-triplet energy separations in divalent five-membered cyclic conjugated C₅H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- Silyl ethers**
Palladium-catalyzed protection of alcohols and cleavage of triethylsilyl ethers, 2372
- Silyl group**
Synthesis and characterization of some organosilicon derivatives of poly 2-hydroxyethyl methacrylate with cubane as a cross-linking agent, 4755
- Silyl ketene acetal**
Two-carbon homologation of ketones via silyl ketene acetals: Synthesis of α,β -unsaturated acids and α -trimethylsilyl δ -ketoacids, 2172
- α -Silyl ketoacids**
Two-carbon homologation of ketones via silyl ketene acetals: Synthesis of α,β -unsaturated acids and α -trimethylsilyl δ -ketoacids, 2172
- Singlet-triplet energy gap**
Singlet-triplet energy separations in divalent five-membered cyclic conjugated C₅H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427
- Small molecule activation**
New tripodal *N*-heterocyclic carbene chelators for small molecule activation, 5474
- S_N2'**
Allylic substitution reactions with Grignard reagents catalyzed by imidazolium and 4,5-dihydroimidazolium carbene-CuCl complexes, 6001

S_N2' substitution

Preparation of α -substituted γ -alkoxyallylstannanes from β -tributylstannyl acrolein acetals: scope of the method and primary rationalization of the obtained results, 659

¹¹⁹Sn and Multinuclear NMR

[Pd(H)(SnCl₃)L₂]: The key active species in the catalyzed alkoxycarbonylation reaction of terminal alkenes, 2947

¹¹⁹Sn Mössbauer

Triorganotin(IV) derivatives of umbelliferone (7-hydroxycoumarin) and their adducts with 1,10-phenanthroline: synthesis, structural and biological studies, 134

Sn–N coordination

New distannanes containing the chiral 2-(4-isopropyl-2-oxazolonyl)-5-phenyl ligand, 3690

¹¹⁹Sn NMR

Mechanistic studies on the formation of Pt(II) hydroformylation catalysts in imidazolium-based ionic liquids, 3567

Tin(IV) and organotin(IV) derivatives of bis(pyrazolyl)acetate: Synthesis, spectroscopic characterization and behaviour in solution. X-ray single crystal study of bis(pyrazol-1-yl)acetatotriiodotin(IV) [SnI₃(bdmpza)], 1878

^{119m}Sn Mössbauer

Tin(IV) and organotin(IV) derivatives of bis(pyrazolyl)acetate: Synthesis, spectroscopic characterization and behaviour in solution. X-ray single crystal study of bis(pyrazol-1-yl)acetatotriiodotin(IV) [SnI₃(bdmpza)], 1878

Sodium

Synthesis of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and its *N,N'*-dimetallated complexes (lithium, sodium and potassium): X-ray crystal structures of 2,5-bis{(diethyl-3'-indolyl)methyl}furan and the polymeric tetrahydrofuran adduct of the dilithiated complex, 220

Sol–gel

The preparation of silica entrapped homogeneous hydrogenation catalysts by conventional and ionic liquid mediated sol–gel routes, 3518

Sol-gel Inorganic-organometallic materials

Reactions of Ru₃(CO)₁₂ with 2-pentynal-diethyl-acetal. The crystal structure of Ru₂(CO)₆[μ - η^4 -{EtC₂C(H)(OEt)₂}CO{EtC₂C(H)(OEt)₂}] and its reactivity towards tetraethyl-orthosilicate, 3730

Solid phase synthesis

Antibacterial activities of ferrocenyl- and cobaltocenium-peptide bioconjugates, 4564

Solid-state NMR

Synthesis, structure, immobilization and solid-state NMR of new dppp- and tripod-type chelate linkers, 3383

Solid-state reaction

Chiral diethylzinc complexes with diamine ligands: synthesis, crystal structure and enantioselective solvent-free alkylation, 3846

S,O Ligands

A combined experimental and theoretical study of metallic salts of thiapentadienyl, sulfinylpentadienyl and butadienesulfonfyls, 1379

Solution

Structure and reactivity of bis(iodozincio)methane solution, 5546

Solvation effects

Formation of phenylmagnesium halides in toluene, 3061

Solvent effect

Ligand and solvent effects on cobalt(I)-catalysed reactions: Alkyne dimerisation versus [2+2+2]-cyclootrimerisation versus Diels–Alder reaction versus [4+2+2]-cycloaddition, 5170

Solvent extraction

Solvent extraction in hydrometallurgy: the role of organophosphorus extractants, 2426

Solvent-free

Ultrasound-irradiated Michael addition of amines to ferrocenylenones under solvent-free and catalyst-free conditions at room temperature, 2989

Solvent-free reaction

Chiral diethylzinc complexes with diamine ligands: synthesis, crystal structure and enantioselective solvent-free alkylation, 3846

Solvent-free synthesis

Synthesis of ferrocenoate esters, amides and other ferrocenyl derivatives using ferrocenyl fluoride. A comparison of the reactions of ferrocenyl fluoride in [bmim][BF₄] with the microwave-promoted solvent-free reactions of ferrocenyl fluoride, 4959

Solvent properties

Promoting effect of ionic liquids on ligand substitution reactions, 3540

Solvolytic

Surprisingly great difference in reactivity depending upon the ring size: solvolysis and molecular structure study of some *N*-trimethylsilylated cyclic ureas, 1498

Solvothermal

Two noncentrosymmetric complexes: [W(CO)₄(bipy)] and [W(CO)₄(phen)] (bipy = 2,2'-bipyridine, phen = 1,10-phenanthroline) obtained through solvothermal synthesis and their optical properties, 286

Sonochemistry

Sonochemistry and sonoluminescence in ionic liquids, molten salts, and concentrated electrolyte solutions, 3513

Sonogashira coupling

Palladium-catalyzed Sonogashira coupling reaction followed by isomerization and cyclization, 4094

Sonogashira reaction

Sequential and domino Sonogashira coupling: Efficient tools for the synthesis of diarylalkynes, 4453

Sonoluminescence

Sonochemistry and sonoluminescence in ionic liquids, molten salts, and concentrated electrolyte solutions, 3513

Sparkle model

Modeling lanthanide coordination compounds: Sparkle/AM1 parameters for praseodymium (III), 4099

Spectral and electrochemical properties

Iridium mediated methyl and phenyl C–H activation of 2-(aryloxy)phenols. Synthesis, structure, and spectral and electrochemical properties of some organoiridium complexes, 3908

Spectroscopic studies

Organotin flufenamates: Synthesis, characterization and antiproliferative activity of organotin flufenamates, 1800

Spin-adducts

(Cyclopentadienyl)chromiumtricarbonyl dimers as a source of metal-centered free-radicals to form stable η^2 -bonded spin-adducts with fullerenes, 2333

SRN1

Strategies for the synthesis of bi- and triarylic materials starting from commercially available phenols, 3865

Stability

Substituent effect on low coordination phosphorus chemistry, 2597

 π -Stacking

Synthesis, NMR, IR spectroscopic and X-ray study of novel [pyridazin-3(2H)-one-6-yl]ferrocenes and related ferrocenophane derivatives. Study on ferrocenes. Part 14, 802

Stannyl complexes

Metallacyclic complexes with *ortho*-stannylated triphenylphosphine ligands, L_nOs(κ^2 (Sn,P)-SnMe₂C₆H₄PPh₂), derived from thermal reactions of the five-coordinate complex, Os(SnMe₃)Cl(CO)-(PPh₃)₂, 4114

Stanylenes

Singlet–triplet energy separations in divalent five-membered cyclic conjugated C₃H₃X, C₄H₃SiX, C₄H₃GeX, C₄H₃SnX, and C₄H₃PbX (X = H, F, Cl, and Br), 3427

Stereochemistry

Chirality at phosphorus: hybrid duplexes of chimeric oligonucleotides containing methylphosphonothioate linkages with complementary DNA and RNA, 2658

Stereocontrol

Dimethylmalonyltrialkylphosphoranes: probing the steric effect on phosphorus and its stereochemical consequence in esterification reactions of chiral secondary alcohols, 2548

Stereoselective synthesis

Synthesis, reactivity and stereochemistry of new phosphorus heterocycles with 5- or 6-membered rings, 2472

Stereoselectivity

A novel stereoselective synthesis of (*E*)-2-arylvinyolphosphonates in $\text{InCl}_3\text{-NaBH}_4\text{-MeCN}$ system, 1705

Stereoselective synthesis of vinyl sulfones by carbomagnesiation of acetylenic sulfone in the presence of CuCN , 4058

Stereospecific polymerization

Polymerization of MMA by oscillating zirconocene catalysts, diastereomeric zirconocene mixtures, and diastereospecific metallocene pairs, 6263

Stereospecificity

Density functional study on the role of electron donors in propylene polymerization using Ziegler–Natta catalyst, 1356

Stereostructure

Novel α -fluorinated cyclic phosphite and phosphinite ligands and their Rh-complexes as suitable catalysts in hydroformylation, 3456

Novel functionalised P-ligands: advances and application, 2559

Rhodium(III) and palladium(II) complexes of some P-heterocycles; synthesis and X-ray structures, 704

Steric effects

Steric and electronic effects in the bonding of *N*-heterocyclic ligands to transition metals, 5407

Steric hindrance

Synthesis and reactions of *p*-vinylbenzyltris(trimethylsilyl)methane, 79

Synthesis and reactions of [tris(trimethylsilyl)methyl]ethyl dichlorosilane, 1606

Synthesis and structure of new trichloroplatinum π -complexes: Reactivity of nitrogen lone-pair versus C–C double bond π -electrons in ligands, effect of steric hindrance, 4856

Steric protection

Syntheses and reactivity of novel unsaturated cyclic compounds containing phosphorus atoms, 2515

Steric repulsion

Replacement of *N*-heterocyclic carbenes by *N*-heterocyclic silylenes at a Pd(0) center: Experiment and theory, 3292

Steric/electronic effects

Rhodium–NHC-complexes as potent catalysts in the hydroformylation of 1-octene, 6233

Steroid-like molecules

Some recent applications of Fischer carbenometal complexes in organic synthesis, 5900

Stibaallene

The first evidence for a transient stibaallene $\text{ArSb}=\text{C}=\text{CR}_2$, 307

Stibapropene

The first evidence for a transient stibaallene $\text{ArSb}=\text{C}=\text{CR}_2$, 307

Stibines

The transition metal carbonyl complexes of 1,3-bis(di-*R*-stibino)propanes (*R* = Me or Ph), 1540

Stilbene

A facile organolithium route to ferrocene-based triarylmethyl dyes with substantial near IR and NLO properties, 1620

Stille reaction

Strategies for the synthesis of bi- and triaryllic materials starting from commercially available phenols, 3865

s-trans

A topological isomer of ferrocene: Theoretical approach for transition metal complexes with conjugated all *trans* cyclodecapentaene, 4373

s-trans(*E*)

Thermal and photochemical isomerization of exocyclic 1,3-dienes: 1,1-diphenyl-3,4-bis(trimethylsilylmethylene)-1-silacyclopentane *s-cis*(*E,E*), 1028

Structural distortion

A theoretical investigation of the photo-induced intramolecular charge transfer excitation of cuprous (I) bis-phenanthroline by density functional theory, 187

Structural studies

Synthesis and structural characterization of carbon-centered tris(pentafluorophenyl)silyl derivatives, 3680

Structural study

Structure and reactivity of bis(iodozincio)methane solution, 5546

Structure

π (Arene) versus donor ligand complexation in the formation of the heterobimetallic lithium–potassium dianion of (*S*)-*N*-(α -methylbenzyl)allylamine, 4343

Inter- and hetero-metallic assembly of palladium sulfide aggregates: crystal and molecular structures of $[\text{InPd}_2\text{Cl}_3(\text{dppf})_2(\mu_3\text{-S})_2] \cdot 3\text{CH}_2\text{Cl}_2$ and $[\text{Ag}_2\text{Pd}_2(\text{NO}_3)_2(\text{dppf})_2(\mu_3\text{-S})_2] \cdot 2\text{CH}_2\text{Cl}_2$, 990

Iridium mediated methyl and phenyl C–H activation of 2-(aryloxy)phenols. Synthesis, structure, and spectral and electrochemical properties of some organoiridium complexes, 3908

Redox reactions with bis(η^6 -arene) derivatives of early transition metals, 3321

Synthesis and structure of tetrakis(isopropylimino)bis-[tris(dimethylamino)silylamino]alane, 1205

Structure by IR

Synthesis, IR-, NMR- and X-ray investigations on some novel *N*-hetaryl-dihydro-pyrazolyl ferrocenes. Study on ferrocenes, part 16, 4018

Structure determination

α,β -Unsaturated diimines as substrates in catalytic C–H activation reactions and as ligands in iron carbonyl complexes, 1092

Structure elucidation

Synthesis and crystal structures of the first germanium-containing alkylidene complexes of molybdenum $\text{R}_3\text{Ge-CH}=\text{Mo}(\text{NAr})(\text{OR})_2$ (*R* = Me, Ph) with direct germanium–carbene carbon bond, 3212

Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720

Structures

Fluoroaryl-substituted ketiminate complexes of aluminum, 1366

Synthesis and characterization of aluminum complexes of 2-pyrazol-1-yl-ethenolate ligands, 4080

Styrene

Palladium complexes with *meso*-bioxazoline ligands for alternating styrene/CO copolymerisation: Counterion effect, 2254

Substituent effect

Substituent effect on low coordination phosphorus chemistry, 2597

The effect of polyether terminal chains in the liquid crystalline behavior of *ortho*-palladated complexes, 998

Substituent effects

Dendritic β -diketiminato titanium and zirconium complexes: synthesis and ethylene polymerisation, 939

Substituted acetylacetonato complexes

Organometallic emitting dyes: Palladium(II) Nile red complexes, 857

 α -Substituted γ -Alkoxyallylstannanes

Preparation of α -substituted γ -alkoxyallylstannanes from β -tributylstannyl acrolein acetals: scope of the method and primary rationalization of the obtained results, 659

Substituted cyclooctatetraenyl ligand

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LXI. Welche Oxidationszahl hat Cer im tiefvioletten 1,1',4,4'-Tetrakis(trimethylsilyl)cerocen?, 2238

Substituted cyclopentadienes

Non-degenerate 1,2-silyl shift in silyl substituted alkyltrimethylcyclopentadienes, 731

Substitution

Bis(amino)allenylidene complexes by displacement of the MeO group in methoxy allenylidene complexes of chromium and tungsten. Synthesis, DFT calculations and solid-state structures of new bis(amino)allenylidene complexes, 3700

Subvalent

The unusual reactions of indium(I) trifluoromethanesulfonate with some first row metallocenes and the structure of “indium(II) cyclopentadienide”, 5090

4-Sulfanylbenzoic acid

Structural diversity of di and triorganotin complexes with 4-sulfanylbenzoic acid: Supramolecular structures involving intermolecular Sn···O, O–H···O or C–H···X (X = O or S) interactions, 3033

Sulfenamide

The reaction of benzothiazole sulfenamide with (TMS)₃SiH: An example of degenerate-branched chain process, 1756

Sulfide

[Me₈Pt₄ReS₄][−] and related PtMe₂-containing clusters derived from tetrathiorhenate, 193

Inter- and hetero-metallic assembly of palladium sulfide aggregates: crystal and molecular structures of [InPd₂Cl₃(dppf)₂(μ₃-S)₂] · 3CH₂Cl₂ and [Ag₂Pd₂(NO₃)₂(dppf)₂(μ₃-S)₂] · 2CH₂Cl₂, 990

Sulfide cluster

Formation of new organometallic W/Cu/S clusters from reactions of [(η⁵-C₅Me₅)WS₃]₃Cu₇(MeCN)₉(PF₆)₄ with donor ligands. Crystal structures and optical limiting properties of [(η⁵-C₅Me₅)WS₃Cu₃(Py)₆(PF₆)₂], [(η⁵-C₅Me₅)WS₃Cu₃Br(PPh₃)₃](PF₆), and [(η⁵-C₅Me₅)WS₃Cu₄(Py)Cl(dppm)₂](PF₆)₂, 4027

Syntheses, crystal structures, and third-order nonlinear optical properties of two novel Mo/Cu/S clusters: [MoS₄Cu₄(α-MePy)₃Br]₂ · 2(α-MePy)_{0.5} and {[MoS₄Cu₄(α-MePy)₃Br](μ-Br) · (α-MePy)}_n (α-MePy = α-methylpyridine), 394

Sulfide clusters

Catalytic hydrogenolysis of alkyl halides by sulfido-bridged molybdenum clusters: A density functional study, 5206

Sulfinimines

Acyclic and cyclic aminophosphonic acids: asymmetric syntheses mediated by chiral sulfinyl auxiliary, 2488

Sulfones

Facile syntheses of four-membered aurathietane dioxide [Au–CHR–SO₂–CHR] ring systems, and the first isonitrile insertion reaction into a gold(III)–carbon bond, 4971

Sulfurization

1,3-Diphosphapropenes for novel chemistry of metal complexes, 2531

Sulphate-

Impact of anionic substitutions on apatite structure and properties, 2638

Super Hydride

Novel benzyl substituted titanocene anti-cancer drugs, 4537

Supercritical carbon dioxide

Solubility of *trans*-Co₂(CO)₆ [3,5-bis(CF₃)C₆H₃P(*i*-C₃H₇)₂] in dense carbon dioxide, 1467

Supercritical CO₂

Osmium catalyzed asymmetric dihydroxylation of methyl *trans*-cinnamate in ionic liquids, followed by supercritical CO₂ product recovery, 3600

Supported catalysts

Hydrosilylation of 1-hexyne promoted by acetone solvated gold atoms derived catalysts, 1063

Olefin metathesis in room temperature ionic liquids using imidazolium-tagged ruthenium complexes, 3585

Supramolecular

Chiral molecular polygons based on the Pt-alkynyl linkage: Self-assembly, characterization, and functionalization, 5159

Silver alkoxide and amino N-heterocyclic carbenes; syntheses and crystal structures, 5710

Supramolecular chemistry

Supraphos: A supramolecular strategy to prepare bidentate ligands, 4505

Synthesis of palladium and platinum donor complexes and study of their participation in self-assembly reactions. X-ray crystal structure of [Pt(C₆H₄C≡CC₅H₄N)₂(dppp)] (dppp = 1,3-bis(diphenylphosphino)propane), 1612

Supramolecular organometallic chemistry

Third Eucem Conference on “Nitrogen ligands in organometallic chemistry and homogeneous catalysis”, Camerino, Italy, September 2004. Classical organometallic chemistry and beyond, 1871

Supramolecular structure

Structural diversity of di and triorganotin complexes with 4-sulfanylbenzoic acid: Supramolecular structures involving intermolecular Sn···O, O–H···O or C–H···X (X = O or S) interactions, 3033

Supramolecular structures

Structural chemistry of mononuclear, tetranuclear and hexanuclear organotin(IV) carboxylates from the reaction of di-*n*-butyltin oxide or diphenyltin oxide with rhodanine-*N*-acetic acid, 4366

Tricarbonylmanganese(I) derivatives of [Di(pyrazolyl)(2-pyridyl)-methyl]aryl scorpionates, 1901

Supramolecules

Synthesis and X-ray structure study on new Au(I) polymer architectures based on multi-sulfur tentacles, 1332

Surface

ToF-SIMS analysis of surface-anchored organometallic clusters, 3861

Surface organometallic chemistry

Reactivity differences between molecular and surface silanols in the preparation of homogeneous and heterogeneous olefin metathesis catalysts, 5014

Study of the reaction of tetramethyltin with Hβ zeolite, 3187

Surface-induced clusterification

Surface organometallic chemistry: Facile μ₂-carbene to μ₃-carbyne transformation of organocobalt carbonyls on silica surface, 4740

Surface-mediated decarboxylation

Surface organometallic chemistry: Facile μ₂-carbene to μ₃-carbyne transformation of organocobalt carbonyls on silica surface, 4740

Suzuki

Sterically controlled formation of monodentate versus chelating carbene ligands from phenylhydrazine, 6247

Synthesis of Pd(II) and Pt(II) complexes possessing bicyclo[3.2.0]heptyl phosphinite ligands: Identification of a novel Pd(II) precatalyst for 1,6-diene cycloisomerisation, 4462

Suzuki coupling

Di-*t*-butyl(ferrocenylmethyl)phosphine: air-stability, structural characterization, coordination chemistry, and application to palladium-catalyzed cross-coupling reactions, 1478

Efficient Suzuki coupling of aryl chlorides catalyzed by tricyclohexylphosphine adducts of cyclopalladated ferrocenyl-imines, 3963

Heck and Suzuki coupling reactions in water using poly(2-oxazoline)s functionalized with palladium carbene complexes as soluble, amphiphilic polymer supports, 4648

Intramolecular double or triple Suzuki coupling reaction of substituted di- or tribromobenzenes. An easy synthesis of fused tri- or tetracycles with a benzene core, 5389

Suzuki reaction

Suzuki and Heck coupling reactions mediated by palladium complexes bearing *trans*-spanning diphosphines, 477

Synthesis of cobalt-containing monodentate phosphine ligand and application toward Suzuki cross-coupling reactions, 1249

synlanti Isomers

Study of the origin of enantioselectivity in cyclopropanation reactions using the chiral iron carbene complex [(η⁵-C₅H₅)(CO)₂Fe=CH[(η⁶-*o*-MeOC₆H₄)Cr(CO)₃]]⁺, 6238

1,2 Syndiotactic polybutadiene

Synthesis, structure and butadiene polymerization behavior of CoCl₂(PR_xPh_{3-x})₂ (R = methyl, ethyl, propyl, allyl, isopropyl, cyclohexyl; x = 1, 2). Influence of the phosphorous ligand on polymerization stereoselectivity, 1845

Syndiotactic polypropylene

Fluorinated bis(phenoxy-imine) Ti complexes with MAO: Remarkable catalysts for living ethylene and syndiospecific living propylene polymerization, 4398

Syntheses

- Fluoroaryl-substituted ketiminate complexes of aluminum, 1366
- Synthesis
- Catalytic reactions of hydrosiloxanes with allyl chloride, 4478
- Homolysis of the Ln–N bond: Synthesis, characterization and catalytic activity of organolanthanide(II) complexes with furfuryl- and tetrahydrofurfuryl-functionalized indenyl ligands, 4139
- New reactivity of $Cp_2^*NbH_3, Cp^* = \eta^5-C_5H_4SiMe_3$. Synthesis, electro-synthesis and reactivity of new carboxylato niobocene complexes, 3134
- Syntheses and crystal structures of three cesium salts: Cesium 5-sulfosalicylate, cesium 3,5-dinitrosalicylate and cesium 2,4-dinitrophenoxide monohydrate, 3118
- Synthesis and characterization of aluminum complexes of 2-pyrazol-1-yl-ethenolate ligands, 4080
- Synthesis and characterization of ionic organotin compounds $[R_2SnCl_2(2-quin)]^-(HNEt_3)^+$ and crystal structures of $[(2,4-Cl_2-C_6H_3CH_2)_2SnCl_2(2-quin)]^-(HNEt_3)^+$, 831
- Synthesis and characterization of wire-like $Ru_2(ap)_4-[\sigma-oligo-(phenylene ethynyl)]$ compounds, 4734
- Synthesis and crystal structures of the first germanium-containing alkylidene complexes of molybdenum $R_3Ge-CH=Mo(NAr)(OR')_2$ ($R = Me, Ph$) with direct germanium–carbene carbon bond, 3212
- Synthesis and herbicidal activities of methyl-1-(2,4-dichlorophenoxy-acetoxy)alkylphosphonate monosalts, 2608
- Synthesis and properties of conjugated bimetallic ruthenium complexes with σ, σ -bridging azobenzene chains, 4265
- Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720
- Synthesis and spectroscopic properties of [*N*-(4-carboxyphenyl)salicylideneiminato] di- and tri-organotin (IV) complexes and crystal structures of $\{[Bu_2Sn(2-OHC_6H_4CH=NC_6H_4COO)]_2O\}_2$ and $Ph_3Sn(2-OHC_6H_4CH=NC_6H_4COO)$, 435
- Synthesis and spectroscopic properties of diorganotin(IV) complexes of 2-quinaldate and crystal structures of $(4-FC_6H_4CH_2)_2Sn(2-quin)_2 \cdot 2CH_3CN$ and $\{[(2-C_6H_4CH_2)_2SnCl(2-quin)]_2 \cdot CH_3OH\}_n$, 3111
- Synthesis and structure of tetrakis(isopropylimino)bis-[tris-(dimethyl-amino)silylamino]alane, 1205
- Synthesis, crystal structure and in vitro antitumor activity of di-*n*-butyltin 4'-(7-oxabicyclo[2,2,1]-5-heptane-2,3-dicarboximide)benzoates, 2186
- Synthesis, structures and spectroelectrochemistry of methyl-substituted bis(η^5 -indenyl)iron(II) complexes, 3018
- The synthesis of functional derivatives of the $[1-CB_9H_{10}]^-$ anion by Brelochs reaction, 2790
- Synthesis and characterisation
- P-chirogenic phosphines. MOP/diPAMP hybrids, their oxide crystal structures, reduction studies and alternative syntheses, 211
- Synthetic method
- Toward a general method for CCC *N*-heterocyclic carbene pincer synthesis: Metallation and transmetallation strategies for concurrent activation of three C–H bonds, 5353
- Systematics
- Synthesis and structural characterization of *N*-*para*-ferrocenyl benzoyl amino acid ethyl esters and the X-ray crystal structures of the glycol and (\pm)-2-aminobutyric acid derivative $Fc-C_6H_4CONHCH-(C_2H_5)CO_2Et$, 383
- Tacticity
- Polymerization of MMA by oscillating zirconocene catalysts, diastereomeric zirconocene mixtures, and diastereospecific metallocene pairs, 6263
- Tandem sequence
- Ruthenium-catalyzed tandem ring closing metathesis (RCM) – atom transfer radical cyclization (ATRC) sequences, 5552
- Tantalum
- Complexes of tantalum with triaryloxides: Ligand and solvent effects on formation of hydride derivatives, 5333

- Synthesis and characterization of titanium and tantalum complexes with di(2-pyridyl)amine (dpa): Molecular structures of $Cp^*TaCl_3(dpa)$ and $Ti(NMe_2)_2(dpa)_2$, 4828
- Taxol side chain
- Osmium catalyzed asymmetric dihydroxylation of methyl *trans*-cinnamate in ionic liquids, followed by supercritical CO₂ product recovery, 3600
- Technetium
- Rhenium and technetium complexes with N-heterocyclic carbenes – A review, 5421
- Tellurane
- Synthesis, spectroscopic characterization of *O,O*-alkylene dithiophosphates of tellurolane and 1-oxa-4-tellurane. Single crystal structures of $C_4H_8Te[S_2P(OCH_2)_2CMe-^nPr]_2$ and $C_4H_8OTe[S_2P(OCH_2)_2CEt_2]_2$, 2872
- Tellurium
- Synthesis, spectroscopic characterization of *O,O*-alkylene dithiophosphates of tellurolane and 1-oxa-4-tellurane. Single crystal structures of $C_4H_8Te[S_2P(OCH_2)_2CMe-^nPr]_2$ and $C_4H_8OTe[S_2P(OCH_2)_2CEt_2]_2$, 2872
- β -Tellurocyclohexenals
- Synthesis and structure of *N*-arylimines of β -tellurocyclohexenals with the intramolecular coordination $N \rightarrow Te$ bonds, 103
- Tellurolane
- Synthesis, spectroscopic characterization of *O,O*-alkylene dithiophosphates of tellurolane and 1-oxa-4-tellurane. Single crystal structures of $C_4H_8Te[S_2P(OCH_2)_2CMe-^nPr]_2$ and $C_4H_8OTe[S_2P(OCH_2)_2CEt_2]_2$, 2872
- Template effect
- Some recent applications of Fischer carbenemetal complexes in organic synthesis, 5900
- Template reactions
- The (butadiene)zirconocene route to active homogeneous olefin polymerization catalysts, 6254
- Terphenyl
- Synthesis and structure of two lithium terphenyls and a “halide rich” terphenyl lithium species, 1638
- Terphenyls
- Strategies for the synthesis of bi- and triarylic materials starting from commercially available phenols, 3865
- Terpyridine
- Theoretical studies on the ground states in $M(\text{terpyridine})_2^{2+}$ and $M(n\text{-butyl-phenylterpyridine})_2^{2+}$ ($M = Fe, Ru, Os$) and excited states in $Ru(\text{terpyridine})_2^{2+}$ using density functional theory, 338
- tert*-amine borane
- Direct preparation and structure determination of tertiary and secondary amine boranes from primary or secondary amine boranes, 2180
- Tertiary phosphines
- Electrocatalytic eco-efficient functionalization of white phosphorus, 2416
- Tertiary rhodium-alkyl
- Evidence for formation and different evolution of tertiary rhodium alkyl intermediates under rhodium-catalyzed deuterio-(hydro)formylation of 1-(*n*-pyridyl)-1-phenylethenes, 1699
- Tetrabutylammonium hydroxide
- Palladium-catalyzed Sonogashira coupling reaction followed by isomerization and cyclization, 4094
- Tetrahydroborate
- Theoretical study on interaction of different coordination modes of BH_4 ligand with transition metal in $[TM(BH_4)(CO)_4]^-$ ($TM = Cr, Mo$), 84
- Tetrahydrofuran
- The interaction of rhodium carbenoids with carbonyl compounds as a method for the synthesis of tetrahydrofurans, 5533
- 5,6,7,8-Tetrahydroindolizines
- Domino reaction sequences in the rhodium-catalyzed hydroformylation of 3-acetyl-1-allylpyrrole: a short route to 5,6,7,8-tetrahydroindolizines, 1866

Tetrahydropyrimidin-2-ylidene

Novel rhodium-1,3-dialkyl-3,4,5,6-tetrahydropyrimidin-2-ylidene complexes as catalysts for arylation of aromatic aldehydes, 5849

Polymerization of phenylacetylene by novel Rh (I)-, Ir (I)- and Ru (IV) 1,3-R₂-3,4,5,6-tetrahydropyrimidin-2-ylidenes (R = mesityl, 2-propyl): Influence of structure on activity and polymer structure, 5728

Tetrairidium clusters

X-ray molecular structures and multinuclear NMR studies of the tetranuclear iridium clusters [Ir₄(CO)₇(μ₄-η³-PhCC(H)CCPh)(μ-PPh₂)₃] and [Ir₄(CO)₇(μ₃-η²-HCCPh)(η¹-CCPh)(μ-PPh₂)₃], 4611

Tetrakis amino carbene

Synthesis of new polymetallic carbene complexes: Uracil analogs, 6096

(-)tetraMe-BITIOP

Synthesis and structure of the chiral palladium–fullerene C₆₀ and C₇₀ complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis(diphenylphosphino)-3,3'-bithiophene [(-)tetraMe-BITIOP], 4330

Tetramethyltin

Study of the reaction of tetramethyltin with Hβ zeolite, 3187

Tetraphenylbiphosphine

A comparison between the reaction of P₂Ph₄ with [{Co₂(CO)₆}₂(μ-η²:μ-η²-HOCH₂C≡C–C≡CCH₂OH)] and the reaction of [Co₂(μ-PPh₂)₂(CO)₆] with HOCH₂C≡C–C≡CCH₂OH, 2209

Tetraphosphine

Selective synthesis of (*E*)-triethyl(2-arylethenyl)silane derivatives by reaction of aryl bromides with triethyl vinylsilane catalysed by a palladium–tetraphosphine complex, 3790

Tetraphosphine complex

The C=O and C=S bond cleavage in carbon dioxide and tolyl isothiocyanate by reactions with the Mo(0) tetraphosphine complex [Mo{*meso-o*-C₆H₄(PPhCH₂CH₂PPh₂)₂}(Ph₂PCH₂CH₂PPh₂)], 1140

TG/DTA

Impact of anionic substitutions on apatite structure and properties, 2638

TG/EGA

Impact of anionic substitutions on apatite structure and properties, 2638

Theoretical calculations

Copolymerization of ethylene/unsaturated alcohols using nickel catalysts: effect of the ligand on the activity and comonomer incorporation, 895

Cyclic voltammetry and theoretical calculations of silyl-substituted 1,4-benzoquinones, 1324

Theoretical investigation

Alkyl-rhodium transition state stabilities as a tool to predict regio- and stereoselectivity in the hydroformylation of chiral substrates, 2339

Thermal analysis

Dicopper(I) oxalate complexes as molecular precursors for the deposition of copper compounds, 5255

Thermal isomerization

Thermal and photochemical isomerization of exocyclic 1,3-dienes: 1,1-diphenyl-3,4-bis(trimethylsilylmethylene)-1-silacyclopentane *s-cis*(*E,E*), 1028

Thermolysis

Reactions of the unsaturated triosmium cluster [(μ-H)Os₃(CO)₈(Ph₂PCH₂P(Ph)C₆H₄)] with HX (X = Cl, Br, F, CF₃CO₂, CH₃CO₂): X-ray structures of [(μ-H)Os₃(CO)₇(η¹-Cl)(μ-Cl)₂(μ-dppm)], [(μ-H)₂Os₃(CO)₈(Ph₂PCH₂P(Ph)C₆H₄)⁺][CF₃O]⁻ and the two isomers of [(μ-H)Os₃(CO)₈(μ-Cl)(μ-dppm)], 3044

Thiapentadienyl

A combined experimental and theoretical study of metallic salts of thiapentadienyl, sulfynylpentadienyl and butadienesulfonyls, 1379

Thiazinylidene complexes

A convenient route to six-membered heterocyclic carbene complexes: Reactions of aminoallenylidene complexes with 1,3-bidentate nucleophiles, 5597

Thiazole

Ferrocenecarbothioamide and *N*-ethoxycarbonylferrocenecarbothioamide: Synthesis, structure and application in synthesis of 2,4-diferrocenylthiazole, 4302

Thioamide

Ferrocenecarbothioamide and *N*-ethoxycarbonylferrocenecarbothioamide: Synthesis, structure and application in synthesis of 2,4-diferrocenylthiazole, 4302

Luminescent palladium complexes containing thioamide-based SCS pincer ligands, 4192

Thiocarbonyl ligand

A 2-iridathiophene from reaction between IrCl(CS)(PPh₃)₂ and Hg(CH=CHPh)₂, 972

Thiolate

Cyclopentadienylaluminum thiolates – synthesis and structure, 1125

Reactions of α,ω-dithiolate ligands with bis(cyclopentadienyl)molybdenum dichloride; crystal structures of Mo(η-C₅H₅)₂{S(CH₂)_nS} (n = 2, 3) and a layered hydrate, Mo(η-C₅H₅)₂(SCH₂CH₂O) · 4.5H₂O, 126

Thiolato complexes

Synthesis, characterization and antitumor properties of titanocene derivatives with thiophene containing ligands, 117

Thiolato-bridged complexes

Controlled nucleophilic activation of different sites in [Mo₂Cp₂L₂(μ-SMe)₂(μ-L')]⁺ cations (L = Bu'NC, xylNC, CO; L' = SMe or PPh₂), 4583

Thiols

A novel mercapto-bisphosphonate as an efficient anticalcification agent for bioprosthetic tissues, 2543

Thiophene

Synthesis and electrochemistry of novel heteronuclear Fe–Ru bi- and quatermetalloenes, conjugatively connected by ethene and thiophene bridges, 811

Synthesis, molecular structure and electrochemical properties of the star-shaped dinuclear complexes [Ru₂(η⁶-*p*-Me-C₆H₄-^{*i*}Pr)₂(μ₂-S-*p*-C₆H₄-C₄H₃S)₃]⁺ and [Rh₂(η⁵-C₅Me₃)₂(μ₂-S-*p*-C₆H₄-C₄H₃S)₃]⁺, 2365

Thiophene derivatives

Metal–metal bond cleavage of carbene complexes by halogens: The crystal and molecular structures of *ax*-[Mn₂(CO)₉{C(OEt)2-thienyl}], [Mn(CO)₄(I){C(OEt)2-thienyl}] and *eq*-[Mn₂(CO)₉{C(NH₂)2-thienyl}], 5929

Synthesis, characterization and antitumor properties of titanocene derivatives with thiophene containing ligands, 117

Thiophosphinite

Reactivity of C₆F₅S-P(C₆H₅)₂ with [M₃(CO)₁₂] (M = Fe, Ru, Os). The X-ray crystal structures of [Fe₂(μ-SC₆F₅)(μ-PPh₂)(CO)₆], [Ru₄(μ₃-SPPPh₂)₂(μ-SC₆F₅)₂(μ-PPh₂)₂(SC₆F₅)₂(CO)₆] and [Os₃(η¹-Ph₂P-SC₆F₅)(CO)₁₁], 2880

6-Thiopurine

Investigation on coordination modes of organotin(IV) complexes with 6-thiopurine and related ligands, 1560

Thiotetrazole

CpCr(CO)3-initiated N–N bond cleavage in a thiotetrazole ligand in a cyclopentadienylchromium complex, 1157

THP ether

Copper-mediated displacements of allylic THP ethers on a bisphosphonate template, 2521

Thyroid hormones

An organoiron approach to thyroid hormone analogues, 1784

Ti(III) alkoxides

The effect of titanium alkoxides in the synthesis of heterobimetallic complexes by titanocene(III) alkoxide-induced metal–metal bond cleavage of metal carbonyl dimers, 276

Ti(III) complex

The effect of titanium alkoxides in the synthesis of heterobimetallic complexes by titanocene(III) alkoxide-induced metal–metal bond cleavage of metal carbonyl dimers, 276

- Tin**
 Synthesis and crystal structures of cyclo-diazastannoxides fused cyclopentadienyl M–Sn (M = Mo, W) bonded organometallic heterocycle, 4124
 Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720
- Tin hydrides**
 New distannanes containing the chiral 2-(4-isopropyl-2-oxazolanyl)-5-phenyl ligand, 3690
- tin(II)**
 New stable germynes, stannylenes, and related compounds. 6. Heteroleptic germanium(II) and tin(II) compounds $[(\text{SiMe}_3)_2\text{N}-\text{E}^{14}-\text{OCH}_2\text{CH}_2\text{NMe}_2]_n$ ($\text{E}^{14} = \text{Ge}, n = 1; \text{Sn}, n = 2$): synthesis and structure, 1172
- Tin(IV) isopropoxide complexes**
 Synthesis of the first examples of stable heterometallic isopropoxides of an organometallic RSn(IV) moiety, 96
- Tishchenko reaction**
 Modification of mesoporous silicate SBA-15 with tris[bis(trimethylsilyl)amido]samarium and its utility in Tishchenko reaction, 3783
- Titanium**
 C_2 - and C_s -symmetric diamidodichlorotitanium complexes: Syntheses, structures and 1-hexene polymerization catalysis, 2078
 Bis(pyrrolide-imine) Ti complexes with MAO: A new family of high performance catalysts for olefin polymerization, 4382
 Constrained geometry complexes of titanium (IV) and zirconium (IV) involving cyclopentadienyl fused to thiophene ring, 4213
 Dendritic β -diketiminato titanium and zirconium complexes: synthesis and ethylene polymerisation, 939
 Deprotonated diindolymethanes as dianionic analogues of scorpionate bis(pyrazolyl)borate ligands: synthesis and structural characterization of representative titanocene and zirconocene complexes, 157
 Diazaallyls of group 4 metals based on *trans*-1,2-diaminocyclohexane, 3373
 Ethylene polymerization behavior of monometallic complexes and metalodendrimers based on cyclopentadienyl-aryloxy titanium units, 4620
 Reactions of (imidazol-2-ylidene)silver(I) chlorides with group 4 metal containing Lewis acids, 5346
 Ruthenium titanocene and ruthenium titanium half-sandwich bimetallic complexes in catalytic cyclopropanation, 301
 Synthesis and characterization of titanium and tantalum complexes with di(2-pyridyl)amine (dpa): Molecular structures of $\text{Cp}^*\text{TaCl}_3(\text{dpa})$ and $\text{Ti}(\text{NMe}_2)_2(\text{dpa})_2$, 4828
 Titanium and zirconium complexes with novel phenoxy-phosphinimine ligands, 3946
 Titanium and zirconium ketimide complexes: synthesis and ethylene polymerisation catalysis, 874
 Titanium-catalyzed imino-hydrazination of alkynes, 5066
- Titanium catalysts**
 Synthesis, structure and ethylene polymerization behavior of titanium phosphinoamide complexes, 2941
- Titanium complex**
 Titanium complexes bearing aromatic-substituted β -enaminoketonato ligands: Syntheses, structure and olefin polymerization behavior, 3125
- Titanium isopropoxide**
 Reversible double insertion of aryl isocyanates into the Ti–O bond of titanium(IV) isopropoxide, 1282
- Titanium(IV) complexes**
 Photochemistry of tris(pyrazolyl)borate titanium(IV) complexes, 2071
- Titanocene**
 Novel benzyl substituted titanocene anti-cancer drugs, 4537
 Syntheses, structures, and properties of phenyltrihydroborate complexes of zirconocene and titanocene, 291
- Titanocene complexes**
 Synthesis, characterization and antitumor properties of titanocene derivatives with thiophene containing ligands, 117
- Titanocenedichloride**
 Metallo-Carbosiloxan-Dendrimere mit Titanocendichlorid-Endgruppen, 1198
- ToF-SIMS**
 ToF-SIMS analysis of surface-anchored organometallic clusters, 3861
- Transannular sulfinyl oxygen–silicon coordination**
 Computational study of conformations and of sulfinyl oxygen-induced pentacoordination at silicon in 4-chloro-4-silathiacyclohexane 1-oxide and 4,4-dichloro-4-silathiacyclohexane 1-oxide, 4103
- Trans chelating**
 Synthesis of a new bidentate ferrocenyl *N*-heterocyclic carbene ligand precursor and the palladium (II) complex *trans*- $[\text{PdCl}_2(\text{C}^{\wedge}\text{C})]$, where $(\text{C}^{\wedge}\text{C}) = 1,1'$ -di-*tert*-butyl-3,3'-(1,1'-dimethyleneferrocenyl)-diimidazol-2-ylidene, 653
- trans Effect**
 Mononuclear ruthenium complexes containing two different phosphines in *trans* position: I. Synthesis and spectroscopic characterization, 4867
- Transfer hydrogenation**
 Fast transfer hydrogenation using a highly active orthometalated heterocyclic carbene ruthenium catalyst, 5570
 Ruthenium cationic species for transfer hydrogenation of aldehydes: Synthesis and catalytic properties of $[(\text{PPh}_3)_2\text{Ru}(\text{CH}_3\text{CN})_3\text{Cl}]^+[\text{A}]^-$ { $\text{A} = \text{BPh}_4$ or ClO_4 } and structure of $[(\text{PPh}_3)_2\text{Ru}(\text{CH}_3\text{CN})_3\text{Cl}]^+[\text{BPh}_4]^-$, 5006
 Ruthenium-catalyzed reduction of racemic tricarbonyl(η^6 -aryl ketone)-chromium complexes using transfer hydrogenation: A simple alternative to the resolution of planar chiral organometallics, 3176
 Synthesis and asymmetric catalytic application of chiral imidazolium-phosphines derived from (1*R*,2*R*)-*trans*-diaminocyclohexane, 5822
- Transfer-hydrogenation**
 Ruthenium–benzocrownether complexes: Synthesis, structures, catalysis and immobilisation in ionic liquids, 5055
- Transformation**
 $\text{Os}(\text{CO})_2(\eta^2\text{-SC}_5\text{H}_4\text{N}(\text{O}))(\eta^2\text{-SC}_5\text{H}_4\text{N})$: structural evidence for the transformation of pyridine-2-thione *N*-oxide to pyridine-2-thiolate in osmium complexes, 441
- Transition metal**
 Evolution of lowest singlet and triplet excited states with transition metals in group 10–12 metallaynes containing biphenyl spacer, 5036
 Reactivity of bis(η^6 -arene) derivatives of titanium, vanadium and niobium with fulvenes bearing electron-withdrawing substituents, 4844
- Transition metal complexes**
 1,3-Diphosphapropenes for novel chemistry of metal complexes, 2531
 EPR study of mono-*o*-iminobenzosemiquinonato nickel(II) complexes with Ni–C σ -bond, 145
N-heterocyclic carbenes from transition metal coordinated functional isocyanides of the type *o*-(CH_2Y) $\text{C}_6\text{H}_4\text{N}\equiv\text{C}$ ($\text{Y} = \text{OSiMe}_3, \text{OH}; \text{N}_3; \text{AsR}_3^+$), 5414
 Nickel(II) bis(diphenylphosphino)amide: Redox-coupling of dppa ligands in coordination sphere of Ni^{2+} and some other properties, 1814
 The role of additional solvents in transition metal complex catalyzed asymmetric reductions in ionic liquid containing systems, 3558
 Theoretical study on interaction of different coordination modes of BH_4 ligand with transition metal in $[\text{TM}(\text{BH}_4)(\text{CO})_4]^-$ ($\text{TM} = \text{Cr}, \text{Mo}$), 84
- Transition metal heterocyclic complex**
 The aromaticity of tungstenacyclobutadiene, $\text{Cl}_3\text{W}(-\text{ButC}-\text{CMe}-\text{CMe}-)$: A DFT/NICS study, 4939
- Transition metals**
 A biphasic displacement of [60]fullerene from *fac*-(dihapto-[60]fullerene)(dihapto-1,10-phenanthroline) tricarbonyl molybdenum (0), 3366

- The synthesis, coordination chemistry and ethylene polymerisation activity of ferrocenediyl nitrogen-substituted ligands and their metal complexes, 6271
- Transition state
Computational study of conformations and of sulfinyl oxygen-induced pentacoordination at silicon in 4-chloro-4-silathiacyclohexane 1-oxide and 4,4-dichloro-4-silathiacyclohexane 1-oxide, 4103
- Transition states
A quantum chemical study on the reaction of 1-aryl-1,2-dihydrophosphinine oxides with dimethyl acetylenedicarboxylate, 2497
- Transition-metal carbon clusters
Synthesis and property of BrCCH- and BrCCBr-coordinated tetrairon clusters, 5318
- Transition-metal complexes
Bonding aspects of P-heterocyclic carbene transition metal complexes. A computational assessment, 6068
- Transmetalation
Tuning the reactivity of organotin(IV) by LiOH: allylation and propargylation of epoxides via redox transmetalation, 1422
- Transmetalation
Silyl stabilized azanes: reactions of lithiumbis(trimethylsilyl)hydrazine with trialkyltin halides, 1507
- Some recent applications of Fischer carbenometal complexes in organic synthesis, 5900
- Transporter
Cidofovir peptide conjugates as prodrugs, 2673
- trans*-4-Pyridylacrylic acid
Syntheses, crystal structures and luminescent properties of two novel lanthanide/4-pya complexes: $[\text{Ln}(4\text{-pya})_3(\text{H}_2\text{O})_2]_2$ (Ln = Eu, La; 4-pya = *trans*-4-pyridylacrylate), 3479
- TR-FTIR radical spectra
TR-FTIR absorption spectroscopy of transition metal carbonyl radicals generated by photodissociation of metal–metal bonds, by halogen abstraction or by radical ligand substitution, 4132
- Trialkylphosphoranes
Dimethylmalonyltrialkylphosphoranes: probing the steric effect on phosphorus and its stereochemical consequence in esterification reactions of chiral secondary alcohols, 2548
- Trialkyltin halides
Silyl stabilized azanes: reactions of lithiumbis(trimethylsilyl)hydrazine with trialkyltin halides, 1507
- Trianionic ligand
Syntheses and catalytic activities of Group 4 metal complexes derived from $\text{C}_{(\text{cage})}$ -appended cyclohexyloxocarborane trianion, 2802
- Triarylborane
Synthesis of crowded triarylphosphines carrying functional sites, 2664
- Triarylphosphine
Synthesis of crowded triarylphosphines carrying functional sites, 2664
- Triazacyclohexane
Activation of 1,3,5-trimethyl-1,3,5-triazacyclohexane by $\text{Os}_3(\text{CO})_{12}$ to form amidino $[(\text{MeN})_2\text{CH}]$ cluster complexes, 163
- Triazolopyrimidine
Synthesis, characterization, and in vitro antimicrobial activity of organotin(IV) complexes with triazolo-pyrimidine ligands containing exocyclic oxygen atoms, 4773
- 1,2,4-Triazole
Synthesis of palladium–biscarbene complexes derived from 1,1'-methylenebis(1,2,4-triazole) functionalized in the methylene bridge, 5654
- β -Tributylstannyl acrolein acetals
Preparation of α -substituted γ -alkoxyallylstannanes from β -tributylstannyl acrolein acetals: scope of the method and primary rationalization of the obtained results, 659
- Tricarbollide
Metal complexes with an aminosubstituted tricarbollide ligand, 2775
- Tricarbonyl complexes
The new facial tripod ligand 3,3-bis(1-methylimidazol-2-yl)propionic acid and carbonyl complexes thereof containing manganese and rhenium, 2009
- Trichlorosilanes
Synthesis and structural characterization of carbon-centered tris(pentafluorophenyl)silyl derivatives, 3680
- Tricyclohexylphosphine adducts
Efficient Suzuki coupling of aryl chlorides catalyzed by tricyclohexylphosphine adducts of cyclopalladated ferrocenyl-imines, 3963
- Tridentate and tetradentate ligand
Synthesis and characterization of a novel chiral azomethine diselenide, 3142
- Tridentate ligand
Synthesis and reactivity of zirconium and hafnium complexes incorporating chelating diamido-N-heterocyclic-carbene ligands, 5788
- Tridentate ligands
Mono- and diboronates derived from tridentate ONO ligands and arylboronic acids, 2351
- Triethylborane adduct
The reaction of amidinato(pyridine) complexes of molybdenum and tungsten with triethylborane adduct of N-heterocyclic carbene ($\text{NHC} \cdot \text{BEt}_3$): Investigation on the reactivity of $\text{NHC} \cdot \text{BEt}_3$ as carbene precursor toward transition metal complexes, 5701
- Triflate
Intramolecular hydroamination of 6-aminohept-1-yne catalyzed by Lewis acidic rhenium(I) carbonyl complexes, 3774
- Triflate
New bromo-, triflate-, and hydridotricarbonylrhenium(I) complexes with diphosphinite ligands: Structural, spectral and protonation studies of various hydrides, 4945
- Trifluoromethyl
Stable phosphinous acids, 2382
- Trimerisation
Chromium imine and amine complexes as homogeneous catalysts for the trimerisation and polymerisation of ethylene, 713
- Trimethyl phosphine
The synthesis and characterization of $\text{Re}_3(\mu\text{-H})_3(\text{CO})_{9-n}(\text{PMe}_3)_n(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-C}_{60})$ ($n = 2, 3$) complexes, 4704
- Trimethylsilyl acetate
Two-carbon homologation of ketones via silyl ketene acetals: Synthesis of α, β -unsaturated acids and α -trimethylsilyl δ -ketoacids, 2172
- Trimethylsilyl cyanide
Lithium perchlorate suspend in methylene chloride, a mild, efficient and reusable catalyst for the synthesis of ferrocene aminonitrile derivatives, 76
- Trimethylsilyl migration
Reaction of aryl azides with tris(trimethylsilyl)silyllithium: Synthesis of tmeda or thf adducts of $[\text{Li}\{\text{N}(\text{Ar})\text{Si}(\text{SiMe}_3)_3\}]$ and 1,4-trimethylsilyl migration from oxygen to nitrogen, 4252
- Trimethylsilylalkynes
A strikingly fast route to methylmercury acetylides as a new opportunity for monomethylmercury detection, 588
- Trinuclear silver cluster
Synthesis and crystallographic characterization of multi-donor N-heterocyclic carbene chelating ligands and their silver complexes: Potential use in pharmaceuticals, 6008
- Triorganotin(IV)
Triorganotin(IV) derivatives of umbelliferone (7-hydroxycoumarin) and their adducts with 1,10-phenanthroline: synthesis, structural and biological studies, 134
- Triosmium clusters
Addition of primary phosphines to the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$: Synthesis of triosmium clusters bearing dppm, phosphide and phosphinidene ligands via P–H bond activation, 4206
- Reactions of the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8(\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4)]$ with HX (X = Cl, Br, F, CF_3CO_2 , CH_3CO_2): X-ray structures of $[(\mu\text{-H})\text{Os}_3(\text{CO})_7(\eta^1\text{-Cl})(\mu\text{-Cl})_2(\mu\text{-dppm})]$, $[(\mu\text{-H})_2\text{Os}_3(\text{CO})_8(\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4)]^+[\text{CF}_3\text{O}]^-$ and the two isomers of $[(\mu\text{-H})\text{Os}_3(\text{CO})_8(\mu\text{-Cl})(\mu\text{-dppm})]$, 3044

Triphenylphosphine selenide

Triphenylphosphine-substituted selenido and sulfido clusters of osmium derived from $\text{Ph}_3\text{P}=\text{Se}$ or $\text{Ph}_3\text{P}=\text{S}$, 4628

Triphenylphosphine sulfide

Triphenylphosphine-substituted selenido and sulfido clusters of osmium derived from $\text{Ph}_3\text{P}=\text{Se}$ or $\text{Ph}_3\text{P}=\text{S}$, 4628

Triphenyltin

Synthesis and characterization of triphenyltin(IV) 5-[(*E*)-2-(aryl)-1-diazanyl]-2-hydroxybenzoates. Crystal and molecular structures of $\text{Ph}_3\text{Sn}\{\text{O}_2\text{CC}_6\text{H}_3\text{-}p\text{-OH}[\text{N}(\text{C}_6\text{H}_4\text{-}4\text{-CH}_3)]\}$ and the 2,2'-bipyridine adduct $\text{Ph}_3\text{Sn}\{\text{O}_2\text{CC}_6\text{H}_3\text{-}p\text{-OH}[\text{N}=\text{N}(\text{C}_6\text{H}_4\text{-}2\text{-CH}_3)]\}\cdot\text{C}_{10}\text{H}_8\text{N}_2$, 613

Synthesis, characterization and crystal structures of polymeric and dimeric triphenyltin(IV) complexes of 4-[(*E*)-1-{2-hydroxy-5-[(*E*)-2-(2-carboxyphenyl)-1-diazanyl]phenyl}methylidene)amino]aryls, 4232

Triplet emission

Evolution of lowest singlet and triplet excited states with transition metals in group 10–12 metallaynes containing biphenyl spacer, 5036

Triplet germylene

In search of triplet ground state GeCNX germylens ($\text{X} = \text{H}, \text{F}, \text{Cl}$, and Br): An ab initio and DFT study, 4692

Tripod ligands

The new facial tripod ligand 3,3-bis(1-methylimidazol-2-yl)propionic acid and carbonyl complexes thereof containing manganese and rhenium, 2009

Tripodal

A new pyridine-bis-*N*-heterocyclic carbene ligand and its coordination to Rh: Synthesis and characterization, 5576

Tripodal ligand

New tripodal *N*-heterocyclic carbene chelators for small molecule activation, 5474

Trirhenium-hydrido clusters

The synthesis and characterization of $\text{Re}_3(\mu\text{-H})_3(\text{CO})_{9-n}(\text{PMe}_3)_n(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-C}_{60})$ ($n = 2, 3$) complexes, 4704

Triruthenium clusters

The reaction of $\text{Ru}_3(\text{CO})_{12}$ with 1,4-dichloro-but-2-yne in basic methanolic solution. Synthesis and crystal structure of $(\mu\text{-H})_2\text{Ru}_3(\text{CO})_9\{\mu_3\text{-}\eta^2\text{-}[\text{H}_2\text{C}=\text{C}(\text{H})\text{C}\equiv\text{CC}(\text{O})\text{OCH}_3]\}$, 1594

Tris(pentafluorophenyl)silyl derivatives

Synthesis and structural characterization of carbon-centered tris(pentafluorophenyl)silyl derivatives, 3680

Trispyrazolylborate

Copper, silver and gold-based catalysts for carbene addition or insertion reactions, 5441

Tris(pyrazolyl)borate ligand

Synthesis and reactivity of hydride and dihydrogen complexes of ruthenium with tris(pyrazolyl)borate and phosphite ligands, 1726

Tris(pyrazolyl)borates

Photochemistry of tris(pyrazolyl)borate titanium(IV) complexes, 2071

Tris(scorpionate) ligands

Tricarbonylmanganese(I) derivatives of [Di(pyrazolyl)(2-pyridyl)-methyl]aryl scorpionates, 1901

Tris(trimethylsilyl)silane

The reaction of benzothiazole sulfenamide with $(\text{TMS})_3\text{SiH}$: An example of degenerate-branched chain process, 1756

Tris(trimethylsilyl)silyllithium

Reaction of aryl azides with tris(trimethylsilyl)silyllithium: Synthesis of tmeda or thf adducts of $[\text{Li}\{\text{N}(\text{Ar})\text{Si}(\text{SiMe}_3)_3\}]$ and 1,4-trimethylsilyl migration from oxygen to nitrogen, 4252

Trisyl

Synthesis and reactions of *p*-vinylbenzyltris(trimethylsilyl)methane, 79

Synthesis and reactions of [tris(trimethylsilyl)methyl]ethyl dichlorosilane, 1606

1,4,7-Trithiacyclononane

Synthetic, structural, spectroscopic, and electrochemical studies of mixed sandwich Rh(III) and Ir(III) complexes involving Cp^* and tridentate macrocycles, 629

Tropone

Cyclisation of diferrocenylbutadiyne dicobalt hexacarbonyl mono-adduct to novel ferrocenotropones, 691

Tsuji–Trost reaction

N-Heterocyclic carbenes as ligands in palladium-catalyzed Tsuji–Trost allylic substitution, 5753

Tungsten

Bis(amino)allenylidene complexes by displacement of the MeO group in methoxy allenylidene complexes of chromium and tungsten. Synthesis, DFT calculations and solid-state structures of new bis(amino)allenylidene complexes, 3700

First examples of dipyrdo[1,2-*c*:2',1'-*e*]imidazolin-7-ylidenes serving as NHC-ligands: Synthesis, properties and structural features of their chromium and tungsten pentacarbonyl complexes, 5647

Metal fragment exchange from a molybdaborane to a tungstaborane, 4203

On the coordination chemistry of corannulene, the smallest “buckybowl”, 3440

Photochemical reactions of $\text{W}(\text{CO})_6$ with hydrosilanes: synthesis, spectroscopic characteristic, and crystal structure of $\text{W}(\text{CO})_3(\eta^6\text{-PhSiHPh}_2)$, 685

Photochemical synthesis and spectroscopic characteristic of the first vinylsilane carbonyl complexes of tungsten(0), 4656

Some complexes containing carbon chains end-capped with tungsten or ruthenium groups and tricobalt carbonyl clusters, 1549

Synthesis and crystal structures of cyclodiazastannoxides fused cyclopentadienyl M–Sn ($\text{M} = \text{Mo}, \text{W}$) bonded organometallic heterocycle, 4124

Synthesis and molecular structure of $(\eta^5\text{-pentamethyl-cyclopentadienyl})(\eta^5\text{-cyclopentadienyl})$ hexacarbonyl molybdenum tungsten, 674

Synthesis and some properties of 14 group element-containing alkylidene complexes of molybdenum and tungsten, 5720

The reaction of amidinato(pyridine) complexes of molybdenum and tungsten with triethylborane adduct of *N*-heterocyclic carbene ($\text{NHC}\cdot\text{BEt}_3$): Investigation on the reactivity of $\text{NHC}\cdot\text{BEt}_3$ as carbene precursor toward transition metal complexes, 5701

The transition metal carbonyl complexes of 1,3-bis(di-*R*-stibino)propanes ($\text{R} = \text{Me}$ or Ph), 1540

Tungsten cluster

Formation of new organometallic W/Cu/S clusters from reactions of $[\{(\eta^5\text{-C}_5\text{Me}_5)\text{WS}_3\}_3\text{Cu}_7(\text{MeCN})_9](\text{PF}_6)_4$ with donor ligands. Crystal structures and optical limiting properties of $[(\eta^5\text{-C}_5\text{Me}_5)\text{WS}_3\text{Cu}_3(\text{Py})_6](\text{PF}_6)_2$, $[(\eta^5\text{-C}_5\text{Me}_5)\text{WS}_3\text{Cu}_3\text{Br}(\text{PPh}_3)_3](\text{PF}_6)$, and $[(\eta^5\text{-C}_5\text{Me}_5)\text{WS}_3\text{Cu}_4(\text{Py})\text{Cl}(\text{dppm})_2](\text{PF}_6)_2$, 4027

Tungsten pentacarbonyl

Friedel–Crafts acylation of $\text{W}(\text{CO})_5$ -complexes of azaferrocenes, 1474

Ultrasound

Ultrasound-irradiated Michael addition of amines to ferrocenylenones under solvent-free and catalyst-free conditions at room temperature, 2989

Umbelliferone

Triorganotin(IV) derivatives of umbelliferone (7-hydroxycoumarin) and their adducts with 1,10-phenanthroline: synthesis, structural and biological studies, 134

Undecaborate

A new look at the *nido*-undecaborate system, 2736

Unmodified rhodium catalysts

Alkyl-rhodium transition state stabilities as a tool to predict regio- and stereoselectivity in the hydroformylation of chiral substrates, 2339

Urea

Surprisingly great difference in reactivity depending upon the ring size: solvolysis and molecular structure study of some *N*-trimethylsilylated cyclic ureas, 1498

Ureas

Synthesis of new polymetallic carbene complexes: Uracil analogs, 6096

- The palladium–phenanthroline catalyzed carbonylation of nitroarenes to diarylureas: Effect of chloride and diphenylphosphinic acid, 4517
- α,β -Unsaturated acids
Two-carbon homologation of ketones via silyl ketene acetals: Synthesis of α,β -unsaturated acids and α -trimethylsilyl δ -ketoacids, 2172
- UV
Isolation and characterization of an iodide bridged dimeric palladium complex in carbonylation of methanol, 1677
- UV–Vis
Synthesis, molecular structure and electrochemical properties of the star-shaped dinuclear complexes $[\text{Ru}_2(\eta^6\text{-}p\text{-Me-C}_6\text{H}_4\text{-}^i\text{Pr})_2(\mu_2\text{-S-}p\text{-C}_6\text{H}_4\text{-C}_4\text{H}_3\text{S})_3]^+$ and $[\text{Rh}_2(\eta^5\text{-C}_5\text{Me}_5)_2(\mu_2\text{-S-}p\text{-C}_6\text{H}_4\text{-C}_4\text{H}_3\text{S})_3]^+$, 2365
- UV/visible spectroscopy
Synthesis, structures and spectroelectrochemistry of methyl-substituted bis(η^5 -indenyl)iron(II) complexes, 3018
- Variable-temperature NMR
Preparation and characterization of chloro- and polyhydride complexes of rhenium: Variable-temperature NMR spectroscopy and protonation studies, 4899
- Vaska's complex
Kinetic study of the oxidative addition of methyl iodide to Vaska's complex in ionic liquids, 3522
- Vibration spectrum
The theoretical research of the medium effect on the vibrational spectrum and the energy of intramolecular coordination $\text{=O} \rightarrow \text{Si}$ in (benzoyloxymethyl)trifluorosilane molecule, 2922
- Vibrational spectra
Effect of high external pressures on the vibrational spectra of Zeise's complexes, $\text{K}[\text{Pt}(\eta^2\text{-C}_2\text{H}_4)\text{Cl}_3]$ and $[\text{Pt}(\eta^2\text{-C}_2\text{H}_4)\text{Cl}_2]_2$, 3165
Pressure-tuning vibrational spectra of the heterobimetallic complexes, $\text{Ph}_3\text{MCo}(\text{CO})_4$ ($\text{M} = \text{Sn}, \text{Pb}$), 4719
- Vinyl halide
Palladium-catalyzed cross-coupling reaction of ethynylstibanes with organic halides, 2956
- Vinyl silanes
Selective synthesis of (*E*)-triethyl(2-arylethenyl)silane derivatives by reaction of aryl bromides with triethyl vinylsilane catalysed by a palladium–tetraphosphine complex, 3790
- Vinyl sulfone
Stereoselective synthesis of vinyl sulfones by carbomagnesiation of acetylenic sulfone in the presence of CuCN , 4058
- Vinylalkylidene
New bridging ligands from methylation reactions of μ -vinyliminium diiron complexes, 4666
- Vinylbenzyl chloride
Synthesis and reactions of *p*-vinylbenzyltris(trimethylsilyl)methane, 79
- Vinylidisilacyclobutane
Cross-coupling of vinylidisilacyclobutane with olefins catalyzed by $[\text{RuH}(\text{Cl})(\text{CO})(\text{PCY}_3)_2]$, 4492
- Vinylene trithiocarbonate
Reactivity of $[\text{CpCr}(\text{CO})_3]_2$ towards thione ($\text{C}=\text{S}$) moieties in some sulfur-containing substrates, 2323
- Vinylidene
A comparison of Cp^* - and Tp -ruthenium carbyne complexes prepared via site selective electrophilic addition to neutral ruthenium vinylidenes, 4640
Diiron-aminocarbyne complexes with amine or imine ligands: C–N coupling between imine and aminocarbyne ligands promoted by tolylacetylde addition to $[\text{Fe}_2\{\mu\text{-CN}(\text{Me})\text{R}\}(\mu\text{-CO})(\text{CO})\text{-}(\text{NH}=\text{CPh}_2)(\text{Cp})_2][\text{SO}_3\text{CF}_3]$, 348
Synthesis and reactivity of hydride and dihydrogen complexes of ruthenium with tris(pyrazolyl)borate and phosphite ligands, 1726
- Vinylidenes
1,1-Insertion of substituted alkynes into the Ir–O bond of η^2 -carboxylato iridium complexes, 1306
- Electron-donor/acceptor properties of carbynes, carbenes, vinylidenes, allenylidenes and alkynyls as measured by electrochemical ligand parameters, 6021
Reaction of the $\text{RuTp}(\text{PR}_3)\text{Cl}$ fragment with alkynols: Formation of carbene, vinylidene, allenylidene, and carbyne complexes, 5497
- Vinyliminium
Hydride addition at μ -vinyliminium ligand obtained from disubstituted alkynes, 837
New bridging ligands from methylation reactions of μ -vinyliminium diiron complexes, 4666
- Vinylphosphonates
Reactions of 1-alkynylphosphonates with group (IV) complexes, 2504
- Vinylsilane complexes
Photochemical synthesis and spectroscopic characteristic of the first vinylsilane carbonyl complexes of tungsten(0), 4656
- Vinylsilanes
The effect of substituents at silicon on the cross-metathesis of trisubstituted vinylsilanes with olefins, 5912
- Vinyltins
Preparation of α -substituted γ -alkoxyallylstannanes from β -tributylstannyl acrolein acetals: scope of the method and primary rationalization of the obtained results, 659
- Viscosity
Tetraalkylphosphonium-based ionic liquids, 2536
- Voltammetric studies of Fischer-type carbene complexes
The electrochemical activity of heteroatom-stabilized Fischer-type carbene complexes, 5777
- VT IR
Ligand substitution in the mixed-metal cluster $\text{PhCCO}_2\text{Ni}(\text{CO})_6\text{Cp}$ by 2,3-bis(diphenylphosphino)maleic anhydride (bma): An intimate picture involving the stepwise conversion of the trinuclear cluster $\text{PhCCO}_2\text{Ni}(\text{CO})_4(\eta^2\text{-bma})\text{Cp}$ to the mononuclear compound $\text{CpNi}[\text{PPh}_2\text{CPhC}=\text{C}(\text{PPh}_2)\text{C}(\text{O})\text{OC}(\text{O})]$, 3067
- Water-soluble Fischer carbene complex
Synthesis of hydrophilic Fischer carbene complexes as organometallic marker and PEGylating agent for proteins, 5581
- Weak interactions
Helical racemate architecture based on osmium(II)-polypyridyl complexes: Synthesis and structural characterisation, 3105
Syntheses and crystal structures of diorganotin (IV) moieties with 3-hydroxy-2-pyridinecarboxylic acid, 4049
Synthetic, spectral and structural studies of some homo and hetero binuclear arene ruthenium (II) polypyridyl complexes, 4243
- White phosphorus
Electrocatalytic eco-efficient functionalization of white phosphorus, 2416
- Whole-cell biocatalysis
Stereochemical control of biocatalytic asymmetric reduction of diethyl 2-oxopropylphosphonate employing yeasts, 2593
- Wilkinson's catalyst
Rhodium-catalyzed cascade reactions: A methylenation–hydroboration homologative process, 5198
Syntheses, characterization, structure and redox properties of new Rh(III) cyclometallates incorporating azoimine ligands, 4816
- 3-X-2-aza-1-germylacyclopropenyldiene
In search of triplet ground state GeCNX germlylenes ($\text{X} = \text{H}, \text{F}, \text{Cl}$, and Br): An ab initio and DFT study, 4692
- X-cyanogermylene
In search of triplet ground state GeCNX germlylenes ($\text{X} = \text{H}, \text{F}, \text{Cl}$, and Br): An ab initio and DFT study, 4692
- [(X-imino)methylene]germylene
In search of triplet ground state GeCNX germlylenes ($\text{X} = \text{H}, \text{F}, \text{Cl}$, and Br): An ab initio and DFT study, 4692
- X-ray
Cluster-containing carbon-rich molecules: Reactions of ruthenium cluster carbonyls with $\{\text{Au}(\text{PR}_3)\}_2(\mu\text{-C}\equiv\text{C}\equiv\text{C})(\text{R} = \text{Ph}, \text{tol})$, 3268

- Helical racemate architecture based on osmium(II)-polypyridyl complexes: Synthesis and structural characterisation, 3105
- Imino Diels–Alder reaction of boronates: A new route to 3,4-dihydroquinolines, 2975
- $\text{Me}_3\text{SiC}\equiv\text{C}-\text{CMe}=\text{CH}_2$ copper(I) β -diketonates: Synthesis, solid state structure, and low-temperature chemical vapour deposition, 3878
- Synthesis and crystallographic characterization of multi-donor *N*-heterocyclic carbene chelating ligands and their silver complexes: Potential use in pharmaceuticals, 6008
- Synthesis and structure of potential Lewis acid–Lewis base bifunctional catalysts: 2-*N,N*-Diisopropylaminophenylboronate derivatives, 4784
- Synthetic and structural studies of NHC–Pt(dvtms) complexes and their application as alkene hydrosilylation catalysts (NHC = *N*-heterocyclic carbene, dvtms = divinyltetramethylsiloxane), 6156
- Synthetic, spectral and structural studies of some homo and hetero binuclear arene ruthenium (II) polypyridyl complexes, 4243
- The variation of coordination modes of aromatic imines in iron carbonyl complexes: Is there a correlation between bond lengths in organometallic model compounds and the reactivity of the ligands in catalytic C–C bond formation reactions?, 3886
- X-ray analysis
- Abnormal cyclopalladation of Schiff bases made of metallocenyl aldehydes and α -ferrocenylethylamine: Unexpected formation of the heteroannular 3-atomic bridge, 3976
- New stable germynes, stannylenes, and related compounds. 6. Heteroleptic germanium(II) and tin(II) compounds $[(\text{SiMe}_3)_2\text{N}-\text{E}^{14}-\text{OCH}_2\text{CH}_2\text{NMe}_2]_n$ ($\text{E}^{14} = \text{Ge}, n = 1; \text{Sn}, n = 2$): synthesis and structure, 1172
- New stable germynes, stannylenes, and related compounds. 5. Germanium(II) and tin(II) azides $[\text{N}_3-\text{E}^{14}-\text{OCH}_2\text{CH}_2\text{NMe}_2]_2$ ($\text{E}^{14} = \text{Ge}, \text{Sn}$): synthesis and structure, 1056
- X-ray crystal and molecular structures
- Metallaborane reaction chemistry. Part 12. Some interactions of acetylenes and isocyanides with selected metallaboranes, 2701
- X-ray crystal structure
- A 2-iridathiophene from reaction between $\text{IrCl}(\text{CS})(\text{PPh}_3)_2$ and $\text{Hg}(\text{CH}=\text{CHPh})_2$, 972
- Chiral “P–N–P” ligands, $(\text{C}_{20}\text{H}_{12}\text{O}_2)\text{PN}(\text{R})\text{PY}_2$ [$\text{R} = \text{CHMe}_2$, $\text{Y} = \text{C}_6\text{H}_5$, OC_6H_5 , $\text{OC}_6\text{H}_4-4-\text{Me}$, $\text{OC}_6\text{H}_4-4-\text{OMe}$ or $\text{OC}_6\text{H}_4-4-\text{tBu}$] and their allyl palladium complexes, 742
- Metallacyclic complexes with *ortho*-silylated triphenylphosphine ligands, $\text{L}_n\text{Os}(\kappa^2(\text{Si},\text{P})-\text{SiMe}_2\text{C}_6\text{H}_4\text{PPh}_2)$, derived from thermal reactions of the coordinatively unsaturated trimethylsilyl, methyl complex, $\text{Os}(\text{SiMe}_3)(\text{Me})(\text{CO})(\text{PPh}_3)_2$, 3309
- Metallacyclic complexes with *ortho*-stannylated triphenylphosphine ligands, $\text{L}_n\text{Os}(\kappa^2(\text{Sn},\text{P})-\text{SnMe}_2\text{C}_6\text{H}_4\text{PPh}_2)$, derived from thermal reactions of the five-coordinate complex, $\text{Os}(\text{SnMe}_3)\text{Cl}(\text{CO})(\text{PPh}_3)_2$, 4114
- X-ray crystal structures
- Reactions of pyridyl donors with halogens and interhalogens: an X-ray diffraction and FT-Raman investigation, 1923
- Reactivity of $[\text{CpCr}(\text{CO})_3]_2$ towards thione (C=S) moieties in some sulfur-containing substrates, 2323
- Synthesis and structural characterization of *N*-*para*-ferrocenyl benzoyl amino acid ethyl esters and the X-ray crystal structures of the glycol and (\pm)-2-aminobutyric acid derivative $\text{Fc}-\text{C}_6\text{H}_4\text{CONHCH}(\text{C}_2\text{H}_5)\text{CO}_2\text{Et}$, 383
- X-ray crystallography
- Chalcogen-capped ruthenium carbonyl clusters derived from diphosphazane mono- and dichalcogenides of the type $\text{X}_2\text{P}(\text{E})\text{N}(\text{R})\text{PX}_2$ and $\text{X}_2\text{P}(\text{E})\text{N}(\text{R})\text{P}(\text{E})\text{X}_2$ ($\text{E} = \text{S}$ or Se), 4001
- Non-degenerate 1,2-silyl shift in silyl substituted alkyltrimethylcyclopentadienes, 731
- Pentamethylcyclopentadienylselenium derivatives VI: Synthesis and characterisation of ferrocenyl(pentamethylcyclopentadienyl)selenium, 3099
- Preparation and properties of palladium(II) complexes of 3-oxo-1-(2,4,6-tri-*t*-butylphenyl)-1,3-diphosphapropenes, 4809
- Syntheses and reactivity of novel unsaturated cyclic compounds containing phosphorus atoms, 2515
- Synthesis and structural characterization of ferrocene-based bis(pyrazol-1-yl)borate ligands: $\text{FcB}(\text{Me})\text{pz}_2\text{K}$, $\text{Fc}_2\text{Bpz}_2\text{K}$, and $1,1'-\text{fc}[\text{B}(\text{Me})\text{pz}_2]_2\text{K}_2$ (Fc : ferrocenyl, fc : ferrocenylene, pz : pyrazolyl), 1971
- Synthesis and structural characterization of fluorenyltris(pyrazol-1-yl)borate ligands as new examples of cyclopentadienyl/scorpionate hybrid ligands, 1935
- Tertiary phosphine induced migratory carbonyl insertion in cyclopentadienyl complexes of iron(II), 4159
- X-ray crystallography
- Synthesis and molecular structures of the cationic gold(I)–aziridine complexes $[\text{Ph}_3\text{PAuAz}]\text{O}_3\text{SCF}_3$ ($\text{Az} = \text{C}_2\text{H}_4\text{NH}$, CH_2CHMeNH , $\text{CH}_2\text{CMe}_2\text{NH}$, CH_2CHEtNH , CH_2CHPhNH , $\text{C}_2\text{H}_4\text{NBz}$, $\text{C}_2\text{H}_4\text{NC}_2\text{H}_4\text{OH}$), 1986
- X-ray determination
- Coordination polymers of silver(I) with bis(*N*-heterocyclic carbene): Structural characterization and carbene transfer, 1682
- Synthesis and structural characterization of metal complexes based on pyrazole/imidazolium chlorides, 403
- X-ray diffraction
- A dihydrogen bond between a bridging hydride and the NH proton of a coordinated dimethylamine: solid state, solution and theoretical characterization, 2044
- Metal complexes with an aminosubstituted tricarbollide ligand, 2775
- Nickel(II) bis(diphenylphosphino)amide: Redox-coupling of dppa ligands in coordination sphere of Ni^{2+} and some other properties, 1814
- One-pot synthesis of the new dianionic ligand $[\text{Na}]_2[\text{C}_5\text{H}_4\text{CO}_2(\text{CH}_2)_2\text{NTs}]$; preparation and structures of two rhodium derivatives, 818
- Organogold(I) complexes: Synthesis, X-ray crystal structures and aurophilicity, 4835
- Orthopalladacycles derived from α -diphenylhydrazonoketene dithioacetals and their reactivity with terminal alkynes, 454
- Oxidative addition reaction of *o*-quinones to triphenylantimony: novel triphenylantimony catecholate complexes, 1273
- Preparation and structural characterization of organotin(IV) complexes with ligands containing a hetero {N} atom and a hydroxy group or hydroxy and carboxyl groups, 2243
- Preparation, structural characterization of 1,2-digermycyclobut-3-enes, and their palladium-catalyzed insertion of alkynes, 2967
- Reactions of lithiated 2,5-dimethylazaferrocene with selected electrophiles, 764
- Synthesis and oxidation of bis(triphenylgermyl)zinc, 2952
- Synthesis, NMR, IR spectroscopic and X-ray study of novel [pyridazin-3(2H)-one-6-yl]ferrocenes and related ferrocenophane derivatives. Study on ferrocenes. Part 14, 802
- X-ray molecular structure
- X-ray molecular structures and multinuclear NMR studies of the tetranuclear iridium clusters $[\text{Ir}_4(\text{CO})_7(\mu_4-\eta^3-\text{PhCC}(\text{H})\text{CCPh})(\mu-\text{PPh}_2)_3]$ and $[\text{Ir}_4(\text{CO})_7(\mu_3-\eta^2-\text{HCCPh})(\eta^1-\text{CCPh})(\mu-\text{PPh}_2)_3]$, 4611
- X-ray structural analysis
- Diferrocenylicyclopropenyl cations. Synthesis, structures, and some chemical properties, 3333
- X-ray structural determination
- Rhodium complexes of $\text{PC}^{\text{NHC}}\text{P}$: Oxidative addition of dichloromethane and catalytic hydrosilylation of alkynes affording (*E*)-alkenylsilanes, 5662
- X-ray structure
- Addition of primary phosphines to the unsaturated triosmium cluster $[(\mu-\text{H})\text{Os}_3(\text{CO})_8(\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4)]$: Synthesis of triosmium clusters bearing dppm, phosphide and phosphinidene ligands via P–H bond activation, 4206

- Cyclopentadienylaluminum thiolates – synthesis and structure, 1125
- Development of 7-membered N-heterocyclic carbene ligands for transition metals, 6143
- Donor/acceptor organotriiron(II) hydrazone chromophores: structural, spectroscopic and electrochemical properties, 1265
- Fast transfer hydrogenation using a highly active orthometalated heterocyclic carbene ruthenium catalyst, 5570
- Macropolyhedral boron-containing cluster chemistry. An unusual 'neonido' ten-vertex subcluster configuration in a $[(PPh_3)_2RuB_{16}H_{20}]$ species, 2857
- New tripodal N-heterocyclic carbene chelators for small molecule activation, 5474
- Organotin esterification of (*E*)-3-(3-fluoro-phenyl)-2-(4-chlorophenyl)-2-propenoic acid: synthesis, spectroscopic characterization and in vitro biological activities. Crystal structure of $[Ph_3Sn(OC(O)C(4-ClC_6H_4)=CH(3-FC_6H_4))]$, 1396
- Photochemical reactions of $W(CO)_6$ with hydrosilanes: synthesis, spectroscopic characteristic, and crystal structure of $W(CO)_3(\eta^6-PhSiHPh_2)$, 685
- Probing delocalisation across highly ethynylated mono and dinuclear Pt(II) tethers containing nitrogroups and organic models as redox active probes: X-ray crystal structure of *trans*- $[Pt(C\equiv C-C_6H_4NO_2)_2(PPh_3)_2]$, 2376
- Reactivity of bis(η^6 -arene) derivatives of titanium, vanadium and niobium with fulvenes bearing electron-withdrawing substituents, 4844
- Retro-Brook rearrangement induces the formation of an octahedral nickel(benzamidinate) complex; synthesis, structure and catalytic activity, 2297
- Synthesis and characterisation of new pyrazole-phosphinite ligands and their ruthenium(II) arene complexes, 4072
- Synthesis and characterization of chromium and molybdenum(0) complexes bearing the (pentafluoroethyl)diphenylphosphine (pfep) ligand, 534
- Synthesis and structure of the chiral palladium-fullerene C_{60} and C_{70} complexes with enantiomeric ligand 2,2',5,5'-tetramethyl-4,4'-bis(diphenylphosphino)-3,3'-bithiophene [(–)tetraMe-BITIOP], 4330
- Synthesis, molecular structure and catalytic activity of chiral benzamidinate nickel complexes, 3154
- Synthesis, structure and butadiene polymerization behavior of $CoCl_2(PR_xPh_{3-x})_2$ (R = methyl, ethyl, propyl, allyl, isopropyl, cyclohexyl; $x = 1, 2$). Influence of the phosphorous ligand on polymerization stereoselectivity, 1845
- Synthesis, structure and optical limiting properties of organoruthenium-chalcogenide clusters, 1487
- Synthesis, structures and spectroelectrochemistry of methyl-substituted bis(η^5 -indenyl)iron(II) complexes, 3018
- The synthesis of functional derivatives of the $[1-CB_9H_{10}]^-$ anion by Brellochs reaction, 2790
- Three novel bimetalliccyclopropa[60]fullerene complexes formed via intermediate monometalliccyclopropa[60]fullerene diphosphine ligands, 1121
- Towards understanding monomer coordination in atom transfer radical polymerization: synthesis of $[Cu^I(PMDETA)(\pi-M)] [BPh_4]$ (M = methyl acrylate, styrene, 1-octene, and methyl methacrylate) and structural studies by FT-IR and 1H NMR spectroscopy and X-ray crystallography, 916
- X-ray structure analysis
- Das chloresilylsubstituierte Silanimin 'Bu₂Si=N–SiCl'Bu₂, 3898
- Functional phosphines XV. Ruthenium complexes containing $C_3H_8(PR_2)_2$ and $Ph_2CH_2CR_2NH_2$ ligands (R = Me, Ph, OPh; R' = H, Me): synthesis and application to homogeneous $\geq C=O$ hydrogenation and transfer hydrogenation, 1
- The reaction of $Ru_3(CO)_{12}$ with 1,4-dichloro-but-2-yne in basic methanolic solution. Synthesis and crystal structure of $(\mu-H)_2Ru_3(CO)_9\{\mu_3-\eta^2-[H_2C=C(H)C\equiv CC(=O)OCH_3]\}$, 1594
- X-ray structures
- Direct preparation and structure determination of tertiary and secondary amine boranes from primary or secondary amine boranes, 2180
- Furan- and thiophene-functionalised bis-carbene ligands: Synthesis, silver(I) complexes, and catalysis, 6133
- Reactions of the unsaturated triosmium cluster $[(\mu-H)Os_3(CO)_8(Ph_2PCH_2P(Ph)C_6H_4)]$ with HX (X = Cl, Br, F, CF_3CO_2 , CH_3CO_2): X-ray structures of $[(\mu-H)Os_3(CO)_7(\eta^1-Cl)(\mu-Cl)_2(\mu-dppm)]$, $[(\mu-H)_2Os_3(CO)_8(Ph_2PCH_2P(Ph)C_6H_4)]^+[CF_3O]^-$ and the two isomers of $[(\mu-H)Os_3(CO)_8(\mu-Cl)(\mu-dppm)]$, 3044
- Resolution of β -aminophosphines with chiral cyclopalladated complexes, 1659
- Some complexes containing carbon chains end-capped with tungsten or ruthenium groups and tricoalt carbonyl clusters, 1549
- Synthesis and structure of *N*-arylimines of β -tellurocyclohexenals with the intramolecular coordination N \rightarrow Te bonds, 103
- Synthesis and structure of new trichloroplatinum π -complexes: Reactivity of nitrogen lone-pair versus C–C double bond π -electrons in ligands, effect of steric hindrance, 4856
- The synthesis and characterization of $Re_3(\mu-H)_3(CO)_{9-n}(PMe_3)_n(\mu_3-\eta^2:\eta^2:\eta^2-C_{60})$ ($n = 2, 3$) complexes, 4704
- X-ray study
- Tin(IV) and organotin(IV) derivatives of bis(pyrazolyl)acetate: Synthesis, spectroscopic characterization and behaviour in solution. X-ray single crystal study of bis(pyrazol-1-yl)acetatotriiodotin(IV) $[SnI_3(bdmpza)]$, 1878
- XRD
- Impact of anionic substitutions on apatite structure and properties, 2638
- Yield
- Novel process for synthesis of 1,1,3,3-tetrabutyl-1-methoxy-3-isocyanatodistannoxane, 1300
- Ylid
- Synthesis and molecular structures of dialkylselenonium methylyde complexes of indium tribromide, 1294
- Yttrium
- Synthesis and characterization of lithium and yttrium complexes containing tridentate pyrrolyl ligands. Single-crystal X-ray structures of $\{Li[C_4H_2N(CH_2NMe_2)_2-2,5]\}_2$ (**1**) and $\{[C_4H_2N(CH_2NMe_2)_2-2,5]YCl_2(\mu-Cl) \cdot Li(OEt)_2\}_2$ (**2**) and ring-opening polymerization of ϵ -caprolactone, 4168
- Zeise's salt
- Effect of high external pressures on the vibrational spectra of Zeise's complexes, $K[Pt(\eta^2-C_2H_4)Cl_3]$ and $[Pt(\eta^2-C_2H_4)Cl_2]_2$, 3165
- Zeta potential
- Interaction of $Na_2B_{12}H_{11}SH$ with liposomes: Influence on zeta potential and particle size, 2732
- Ziegler–Natta catalyst
- Density functional study on the role of electron donors in propylene polymerization using Ziegler–Natta catalyst, 1356
- Ziegler–Natta catalysis
- Syntheses and catalytic activities of Group 4 metal complexes derived from $C_{(cage)}$ -appended cyclohexyloxocarborane trianion, 2802
- The (butadiene)zirconocene route to active homogeneous olefin polymerization catalysts, 6254
- Zinc
- Preparation and structures of copper(II) and zinc(II) complexes with 5-ferrocenylpyrimidine: Structural variation derived from flexible coordination ability of the ligand and metal ions, 1793
- Structure and reactivity of bis(iodozincio)methane solution, 5546
- Zinc *N*-heterocyclic carbene complexes and their polymerization of *D,L*-lactide, 5881
- Zinc complex
- Synthesis and structural characterization of fluorenyltris(pyrazol-1-yl)borate ligands as new examples of cyclopentadienyl/scorpionate hybrid ligands, 1935

Zirconium

- A series of new zirconium complexes bearing bis(phenoxyketimine) ligands: Synthesis, characterization and ethylene polymerization, 4184
- Constrained geometry complexes of titanium (IV) and zirconium (IV) involving cyclopentadienyl fused to thiophene ring, 4213
- Dendritic β -diketiminato titanium and zirconium complexes: synthesis and ethylene polymerisation, 939
- Deprotonated diindolylmethanes as dianionic analogues of scorpionate bis(pyrazolyl)borate ligands: synthesis and structural characterization of representative titanocene and zirconocene complexes, 157
- Diazaallyls of group 4 metals based on *trans*-1,2-diaminocyclohexane, 3373
- Mono- and bis-[2-(*P,P*-dimethylphosphanyl)ethyl]tetramethylcyclopentadienyl zirconium(IV) complexes: Synthesis and structural studies in crystalline state and in solutions, 4036
- Perfluorofluorenyl anions and their use as co-catalysts in the zirconocene-promoted polymerization of olefins, 4886
- Piano stool complexes containing the bulky pentaphenylcyclopentadienyl(C_5Ph_5) ligand: Preparation, characterization and X-ray structure of $C_5Ph_5Zr(N(CH_3)_2)_3$ (**1**), 4376
- Radical and migratory insertion reaction mechanisms in Schiff base zirconium alkyls, 5125
- Reactions of (imidazol-2-ylidene)silver(I) chlorides with group 4 metal containing Lewis acids, 5346
- Reduction of 2-(*N,N*-dimethylamino)ethyl substituted zirconocene dichlorides: Intramolecular activation of NCH_2-H bond. The crystal structures of $[\eta^5:\eta^2(C,N)-C_5(CH_3)_4CH_2CH_2N(CH_3)CH_2]-[\eta^5-C_5(CH_3)_5]ZrX$ ($X = Cl, H$), 3243
- Synthesis and characterization of methyl-phenyl-substituted cyclopentadienyl zirconium complexes, 952
- Synthesis and molecular structure of boron-bridged constrained geometry complexes of zirconium and hafnium, 5000
- Synthesis and molecular structures of zirconium and hafnium complexes bearing dimethylsilandiyl-bis-2,4,6-trimethylindenyl and dimethylsilandiyl-bis-2-methyl-4,6-diisopropylindenyl ligands, 1067
- Synthesis and properties of Zr–Co heterodinuclear complexes with a bridging bis(cyclopentadienyl) ligand, 269
- Synthesis and reactivity of zirconium and hafnium complexes incorporating chelating diamido-*N*-heterocyclic-carbene ligands, 5788
- Synthesis of zirconocenes bearing benz[*J*]indenyl ligand and their use as a catalyst in ethylene polymerization, 1822
- Titanium and zirconium complexes with novel phenoxy-phosphinimine ligands, 3946
- Titanium and zirconium ketimide complexes: synthesis and ethylene polymerisation catalysis, 874
- Zirconium complex
- Toward a general method for CCC *N*-heterocyclic carbene pincer synthesis: Metallation and transmetallation strategies for concurrent activation of three C–H bonds, 5353
- Zirconium complexes
- Preparation and structures of 6- and 7-coordinate salen-type zirconium complexes and their catalytic properties for oligomerization of ethylene, 3929
- Toward the catalytic synthesis of phosphiranes. A computational study, 5517
- Zirconocene
- Bis(enamino-Cp) Group 4 metal complex chemistry: developing a Mannich-type carbon–carbon coupling reaction at the bent metallocene framework, 14
- Syntheses, structures, and properties of phenyltrihydroborate complexes of zirconocene and titanocene, 291
- Zoledronic acid
- Zoledronic acid: pharmacologic profile of a potent bisphosphonate, 2439
- Zwitterion
- Synthesis and molecular structures of dialkylselenonium methylide complexes of indium tribromide, 1294
- Zwitterionic intermediate
- The first synthesis of cyclopropanone acetals from the reaction of Fischer carbene complexes with ketene acetals, 6101