

Reviews and Abstracts

EUROPEAN JOURNAL OF ORTHODONTICS

Determination of the centre of resistance in an upper human canine and idealized tooth model

D Vollmer, C Bourauel, K Maier and A Jäger (1999; **21**: 633–648)

Structural conformation of in vitro and in vivo aged orthodontic elastomeric modules

T Eliades, G Eliades and DC Watts (1999; **21**: 649–658)

Masseter muscle volume measured using ultrasonography and its relationship with facial morphology

PCM Benington, JE Gardener and NP Hunt (1999; **21**: 659–670)

Initial orthopaedic displacement compared with longitudinal displacement of the maxilla after a forward force application. An experimental study in dogs

GAM de Pauw, LR Dermout and RMH Verbeek (1999; **21**: 671–678)

Properties of crimpable archwire hooks: a laboratory investigation

A Johal, CR Harper and M Sherriff (1999; **21**: 679–683)

The durability of parylene coatings on neodymium-iron-boron magnets

JH Noar, A Wahab, RD Evans and AG Wojcik (1999; **21**: 685–693)

A retentive system for intra-oral fluoride release during orthodontic treatment

I Marini, GA Pelliccioni, F Vecchiet, G Alessandri Bonetti and L Checchi (1999; **21**: 695–701)

Long-term effect of neonatal endotracheal intubation on palatal form and symmetry in 8-11-year-old children

LV Macey-Dare, DR Moles, RD Evans and F Nixon (1999; **21**: 703–710)

Delayed dental age in boys with constitutionally delayed puberty

M Gaethofs, A Verdonck, C Carels and F de Zegher (1999; **21**: 711–715)

A comparison of three superimposition methods

QL You and U Hägg (1999; **21**: 717–725)

Stress relaxation and recovery behaviour of composite orthodontic archwires in bending

SW Zufall and RP Kusy (2000; **22**: 1–12)

The inappropriateness of conventional orthodontic bond strength assessment protocols

T Eliades and WA Brantley (2000; **22**: 13–23)

The effect of a maxillary lip bumper on tooth positions

R Häsler and B Ingervall (2000; **22**: 25–32)

The retraction of upper incisors with the PG retraction system

M Dinçer, A Gülsen and T Türk (2000; **22**: 33–41)

A comparison of chin cap and maxillary protraction appliances in the treatment of skeletal class III malocclusions

N Üçüncü, T Tortop Üçem and S Yüksel (2000; **22**: 43–51)

Cranio-mandibular status and function in patients with habitual snoring and obstructive sleep apnoea after nocturnal treatment with a mandibular advancement splint: a 2-year follow-up

L Bondemark and R Lindman (2000; **22**: 53–60)

Long-term follow-up of clinical symptoms in TMD patients who underwent occlusal reconstruction by orthodontic treatment

T Imai, T Okamoto, T Kaneko, K Umeda, T Yamamoto and S Nakamura (2000; **22**: 61–67)

A sella turcica bridge in subjects with severe craniofacial deviations

JP Becktor, S Einersen and I Kjær (2000; **22**: 69–74)

Overbite depth and anteroposterior dysplasia indicators: the relationship between occlusal and skeletal patterns using the receiver operating characteristic (ROC) analysis

JW Freudenthaler, AG Celar and B Schneider (2000; **22**: 75–83)

Long-term follow-up of maxillary incisors with severe apical root resorption

E Levander and O Malmgren (2000; **22**: 85–92)

Initial cleft size does not correlate with outcome in uni-lateral cleft lip and palate

N Johnson, A Williams, S Singer, P Southall and J Sandy (2000; **22**: 93–100)

AUSTRALIAN ORTHODONTIC JOURNAL

Brackets, epitopes and flash memory cards: a futuristic view of clinical orthodontics

M R. Sims (1999; **15**: 260–8)

Bone induction using autogenous bone mixed with demineralised bone matrices

A. Bakr, M. Rabie, R W. K. Wong, U Hägg (1999; **15**: 269–75)

Smoking patterns in adolescent orthodontic patients and school children

A R. Collett, J C. Mather, M Phillips (1999; **15**: 276–83)

Longitudinal cephalometric changes in the maxilla, mandible and maxillary-mandibular relationship between 10 and 14 years of age

S Aydemir, İçeylan, Ü. B Eröz (1999; **15**: 284–8)

The community and orthodontic care Part II: Community-perceived importance of correcting various dentofacial anomalies Part III: Community perception of the importance of orthodontic treatment

R Coyne, M Woods, R Abrams (1999; **15**: 289–301) (1999; **15**: 246–50)

Orthodontic management of a patient with Epidermolysis Bullosa

F Goldschmied (1999; **15**: 302–7)

A comparison of autotransplantation and orthodontics in a case exhibiting two ectopic upper cuspids

P M. Schneider (1999; **15**: 308–12)

Begg Appliance management of a moderately crowded Angle Class II division 2 malocclusionH.C.W. Ho, C.W. Dreyer (1999; **15**: 313–19)**An extended three-stage treatment to correct a severe skeletal and dental discrepancy**G J. Moore (1999; **15**: 320–49)**Prevalence of malocclusion and orthodontic treatment need in 10-year-old New Zealand children**M Johnson, M Harkness (2000; **16**: 1–8)**Finishing occlusion, degree of stability and the PAR index**M Woods, D Lee, E Crawford (2000; **16**: 9–15)**An investigation of mandibular morphology in subjects with different vertical facial growth patterns**Ü. B Eröz, I Çeylan, S Aydemir (2000; **16**: 16–22)**Electropalatographic and cephalometric assessment of myofunctional therapy in open-bite subjects**A. S. Cayley, A. P. Tindall, W. J. Sampson, A.R. Butcher (2000; **16**: 23–33)**The duration of fixed orthodontic treatment: a comparison of two groups of patients treated using Edgewise brackets with 0.018" and 0.022" slots**C Amditis, L F. Smith (2000; **16**: 34–39)**Dental changes and space gained as a result of early treatment of pseudo-Class II malocclusion**Y Gu, A. Bakr M. Rabie (2000; **16**: 40–52)**Non-extraction treatment of a thirteen-year-old boy with a Class III skeletal discrepancy and severe crowding in both the upper and lower dentitions**J A. Robinson (2000; **16**: 53–60)**ANGLE ORTHODONTIST****Stability of implants as anchorage for orthopedic traction**G.A.M. De Pauw, L. Dermaut, H. De Bruyn, C. Johansson (1999; **69**: 401–407)**Cephalometric characteristics of non-obese patients with severe OSA**Eung-Kwon Pae, K A. Ferguson (1999; **69**: 408–412)**A longitudinal study of nasal airway size from age 9 to age 13**U Crouse, M.T. Laine-Alava, D.W. Warren, C. L. Wood (1999; **69**: 413–419)**Relationship of the functional oropharynx to craniofacial morphology**M J. Trenouth, D J. Timms (1999; **69**: 419–423)**Incisal changes and orthodontic stability**G J. Lenz, M G. Woods (1999; **69**: 424–432)**An investigation into the effects of polishing on surface hardness and corrosion of orthodontic archwires**N.P. Hunt, S.J. Cunningham, C.G. Golden, M. Sheriff (1999; **69**: 433–440)**Stress-relaxing composite ligature wires: Formulations and characteristics**R P. McKamey, R P. Kusy (1999; **69**: 441–449)**Effect of contamination and etching on enamel bond strength of new light-cured glass ionomer cements**T Itoh, N Matsuo, T Fukushima, Y Inoue, Y Oniki, M Matsumoto, A A. Caputo (1999; **69**: 450–456)**Comparison of shear bond strength of three bonding agents with metal and ceramic brackets**B Haydar, S Sarikaya, Z C. Çehreli (1999; **69**: 457–462)**Comparison of bracket debonding force between two conventional resin adhesives and a resin-reinforced glass ionomer cement: An in vitro and in vivo study**I Shammaa, P Ngan, H Kim, E Kao, M Gladwin, E Gunel, C Brown (1999; **69**: 463–470)**Orthodontic treatment of openbite and deepbite high-angle malocclusions**K Hering, S Ruf, H Pancherz (1999; **69**: 470–477)**Craniofacial imaging in orthodontics: Historical perspective, current status, and future developments**J C Quintero, A Trosien, D Hatcher, S Kapila (1999; **69**: 491–506)**Allometry of the cranial base in prepubertal Korean subjects with Class III malocclusions: Finite element morphometry**G.D. Singh, J.A. McNamara Jr., S. Lozanoff (1999; **69**: 507–514)**Effect of appliance reactivation after decay of initial activation on osteoclasts, tooth movement, and root resorption**G Gu, S A. Lemery, G J. King (1999; **69**: 515–522)**The distribution of clefts of the primary and secondary palates by sex, type, and location**Y Shapira, E Lubit, M M. Kuftinec, G Borell (1999; **69**: 523–528)**Standards for permanent tooth emergence in Finnish children**R Eskeli, M.T. Laine-Alava, H Hausen, R Pahkala (1999; **69**: 529–533)**Dentoalveolar compensation related to variations in sagittal jaw relationships**H Ishikawa, S Nakamura, H Iwasaki, S Kitazawa, H Tsukada, Y Sato (1999; **69**: 534–538)**C-axis: A growth vector for the maxilla**S Braun, R T. Rudman, H J. Murdoch, S Hicken, R Kittle-son, D J. Ferguson (1999; **69**: 539–542)**Maxillary protraction and chin cap appliance treatment effects and long-term changes in skeletal Class III patients**I Yoshida, H Ishii, N Yamaguchi, I Mizoguchi (1999; **69**: 543–552)**Orthodontics and the millennial mechanical ideal**F Heynick (1999; **69**: 553–557)**AMERICAN JOURNAL OF ORTHODONTICS AND DENTOFACIAL ORTHOPEDICS****Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions**G R. P. Janson, C C Alves da SilvaEarl, O. Bergersen, J Fernando, C Henriques, A Pinzan (2000; **117**: 119–129)

Two-year follow-up of distraction osteogenesis: Its effect on mandibular ramus height in hemifacial microsomia
I M Marquez, L C. Fish, J P Stella (2000; **117**: 130–139)

An inference modelling of human visual judgement of sagittal jaw-base relationships based on cephalometry: Part I
K Takada, Y Sorihashi, C D. Stephens, S Itoh (2000; **117**: 140–147)

Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant
R Sabri (2000; **117**: 148–155)

Reconstruction of an alveolar cleft for orthodontic tooth movement
S Yilmaz, A R Kılıç, A Keles, E Efeolu (2000; **117**: 156–153)

Effect of light-cure time on the initial shear bond strength of a glass-ionomer adhesive
S E. Bishara, L VonWald, M E. Olsen, J F. Laffoon, J R. Jakobsen (2000; **117**: 164–168)

Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?"
S S. Smith, P H. Buschang, E Watanabe (2000; **117**: 169–174)

Human tooth movement in response to continuous stress of low magnitude
L R. Iwasaki, J E. Haack, J C. Nickel, J Morton (2000; **117**: 175–183)

The effect of tooth size discrepancy on occlusion: An experimental study
M Heusdens, L Dermaut, R Verbeeck (2000; **117**: 184–191)

Diagnostic criteria for pseudo-Class III malocclusion
A. B. M. Rabie, Y Gu (2000; **117**: 1–9)

Dental and skeletal findings on an ancient Egyptian mummy
J K. Thekkaniyil, S E. Bishara, M A. James (2000; **117**: 10–14)

The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets
E Canay, I Kocadereli, E Akça (2000; **117**: 15–19)

The air-abrasion technique versus the conventional acid-etching technique: A quantification of surface enamel loss and a comparison of shear bond strength
W L. van Waveren Hogervorst, A J. Feilzer, B Prah Andersen (2000; **117**: 20–26)

The effects of a modified protraction headgear on maxilla
T Alcan, A Keles, N Erverdi (2000; **117**: 27–38)

A new approach in maxillary molar distalization: Intraoral bodily molar distalizer
A Keles, K Sayinsu (2000; **117**: 39–48)

Comparison of Jones jig molar distalization appliance with extraoral traction
S Haydar, Ö Üner (2000; **117**: 49–53)

Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data
M. J. Trenouth (2000; **117**: 54–59)

Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: An American Board of Orthodontics case report
J. M. Griffies, C E. Meyers (2000; **117**: 60–67)

Orthodontic, genetic, and periodontal considerations in the treatment of impacted maxillary central incisors: A study of twins

A Brand, M Akhavan, H Tong, Y. A. Kook, J H. Zernik (2000; **117**: 68–74)

Maxillary and mandibular width changes studied using metallic implants
L G. Gandini, Jr, P H. Buschang (2000; **117**: 75–80)

The use of the lingual arch in the mixed dentition to resolve incisor crowding
M M. Brennan, Anthony A. Gianelly (2000; **117**: 81–85)

Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5
A Moro, M A. Scanavini, J W. Vigorito (2000; **117**: 86–97)

Effect of root and bone morphology on the stress distribution in the periodontal ligament
K Choy, E Pae, Y Park, K H Kim, C J. Burstone (2000; **117**: 98–105)

INTERNATIONAL JOURNAL OF ADULT ORTHODONTICS AND DENTOFACIAL ORTHOPEDICS

Neurosensory changes following orthognathic surgery
N Chen, CE. Neal, P Lingenbrink, D Bloomquist, A Kiyak (1999; **14**: 259–267)

Neurosensory function after sagittal split osteotomy of the mandible: A comparison between subjective evaluation and objective assessment
A Westermark, L Engleson, U Bongenhielm (1999; **14**: 268–275)

The optical surface scan as an alternative to the cephalograph for soft tissue analysis for orthognathic surgery
M Soncul, M A Bamber (1999; **14**: 277–283)

Prediction of soft tissue profiles in orthodontic surgery with the Dentofacial Planner
G R. Csaszar, B Bröker-Csaszar, H Niederdellmann (1999; **14**: 285–290)

A comparison of the perception of facial profile by the general public and 3 groups of clinicians
S M. Cochrane, S J. Cunningham, N P. Hunt (1999; **14**: 291–295)

Long-term stability of anterior segmental maxillary osteotomy
M M. Shawky Ahmed (1999; **14**: 297–303)

Bimaxillary orthognathic surgery in a patient with long face: A case report
Hanife Ataoglu, Sina Uçkan, Ali Ihya Karaman, Yavuz Uyar (1999; **14**: 304–309)

The nasal frame osteotomy: Technical note
M Y. Mommaerts, R O. M. Marinho, J V. S. Abeloos, C A. S. De Clercq, L F. Neyt (1999; **14**: 310–314)

Modified sagittal split ramus osteotomy with a reciprocating saw and new retractors
M Furutani, M Kawai, T Takenobu, F Iwaki (1999; **14**: 315–318)

JOURNAL OF CLINICAL ORTHODONTICS**A computerized tooth-width analysis**C T C Ho, T J Freer (1999; **23**: 498–503)**Felt pads for facial protraction masks**J F Sanchez, I P Ramirez, E T Vidal (1999; **23**: 504)**Loss of anterior torque control due to variations in bracket slot and archwire dimensions**R E Siatkowski (1999; **23**: 508–510)**A impacted central incisor with a severe root malformation**K Swinnen, R Van Erum, A Verdonck, C Carels (1999; **23**: 511–515)**Ideal appliance placement with APC brackets and indirect bonding**J T Kalange (1999; **23**: 516–526)**The Spring Jet for slow palatal expansion**A Carano, M Testa (1999; **23**: 527–531)**Stepwise overjet reduction with a modified twin-block appliance**P Banks, G Carmichael (1999; **23**: 620–623)**Chairside technique for the eruption of ectopic maxillary molars**M P Nedley, J B Krusky (1999; **23**: 637–641)**A fan-shaped maxillary expander**L Levrini, V Filippi (1999; **23**: 642–643)**Maxillary molar distalization with a modified pendulum appliance**G Scuzzo, F Pisani, K Takemoto (1999; **23**: 645–650)**Bilateral transposition of maxillary canines to the incisor region**A B M Rabie, R W K Wong (1999; **23**: 651–655)**Custom fit plastic chin cup**W C Wade (1999; **23**: 697)**Lingual lever-arm technique for en masse translation in patients with generalised marginal bone loss**R E Siatkowski (1999; **23**: 700–704)**A new appliance for orthopedic correction of class III malocclusion**Y S Chun, S G Jeong, J Row, S J Yang (1999; **23**: 705–711)**A simple method of determining the bite opening effect of posterior extrusion**H Noroozi (1999; **23**: 712–714)**The role of occlusal forces in open bite treatment**R G Alexander (2000; **24**: 23–29)**C-Space regainer for molar distalization**K R Chung, Y G Park, S J Ko (2000; **24**: 32–39)**Correction of Class III malocclusion with a Jasper Jumper**C de Moura Fuly, A G de Oliveira, W Ursi (2000; **24**: 41–46)**Fixed active retainer for minor anterior tooth movement**A Machi, N Cirulli (2000; **24**: 48–49)**A new orthodontic bonding adhesive**T W Ortendahl, U Ortengren (2000; **24**: 50–54)