

REPORT ON EXTENT OF USE OF N. F. V GALENICALS.

BY E. N. GATHERCOAL, CHAIRMAN, NATIONAL FORMULARY COMMITTEE.

HISTORICAL.

In March 1930 a request was made of I. A. Becker, pharmacist at the Michael Reese Hospital of Chicago, to indicate the number of N. F. galenicals and the amount of each that he used annually in the hospital pharmacy.

Mr. Becker kindly went through Part I of National Formulary V, checking the items that he used and the approximate amount of each. He found some fifty such items that were used in large quantity; another group he classified as being used in medium quantity and a third group as being used in small quantity, sometimes not more than once a year.

It was suggested to him that he make further inquiry among hospital pharmacists in Chicago along the same line. He did so and then suggested that a list of all the preparations in Part I should be prepared as being more convenient than to use the N. F. and then copy the checked items by hand. Such a list was prepared with three columns headed: "In Large Quantity," "In Medium Quantity," "In Small Quantity."

Mr. Becker then obtained the addresses of hospitals outside of Chicago as furnished by Dr. Caldwell, Secretary of the American Hospital Association, so that a total of 95 finally were reached. A personal letter was addressed to each hospital superintendent requesting the pharmacist to check and return the list. Up to December 1st, when the survey was closed, 76 of these had responded.

In the meantime, Chairman Gathercoal had addressed letters to pharmaceutical friends in most of the states or larger cities, asking for a list of the prominent prescription pharmacies in these states and cities. Nearly all of these friends responded with lists varying from three to forty names and the total number of pharmacists doing either an exclusively prescription business or having large prescription departments in their stores in this list is 330. The mimeographed National Formulary galenical list with a letter of explanation was sent to each of these pharmacies. Up to December 1st, 213 of these lists have been returned and in nearly every case, the checking of the list by the pharmacist was apparently carefully done.

At the request of Dr. E. L. Newcomb of New York City, Editor Herbert Mayes kindly volunteered to have the N. F. galenical list printed and mailed to each subscriber to the *American Druggist*. This was done and returns rapidly came in. Up to December 1st, these totalled 625.

THE EXTENT OF THE SURVEY.

The entire survey on the extent of use of N. F. V galenicals may be summarized as follows:

	Number reporting.		Number reporting.
ALABAMA (pop. 2,644,477)		COLORADO (pop. 1,033,156)	
Hospital pharmacies	1 (210 beds)	Hospital pharmacies	7 (1636 beds)
Prescription pharmacies	2 (27,098 R)	Prescription pharmacies	8 (73,619 R)
General drug stores	5	General drug stores	3
ARIZONA (pop. 435,573)		CONNECTICUT (pop. 1,606,903)	
Hospital pharmacies	0	Hospital pharmacies	1 (737 beds)
Prescription pharmacies	0	Prescription pharmacies	0
General drug stores	6	General drug stores	15
ARKANSAS (pop. 1,854,482)		DELAWARE (pop. 238,380)	
Hospital pharmacies	1 (125 beds)	Hospital pharmacies	0
Prescription pharmacies	0	Prescription pharmacies	0
General drug stores	10	General drug stores	2
CALIFORNIA (pop. 5,642,282)		DISTRICT OF COLUMBIA (pop. 486,869)	
Hospital pharmacies	3 (2117 beds)	Hospital pharmacies	1 (500 beds)
Prescription pharmacies	14 (570,664 R)	Prescription pharmacies	4 (40,422 R)
General drug stores	19	General drug stores	3

	Number reporting.		Number reporting.
FLORIDA (pop. 1,465,969)		MASSACHUSETTS (pop. 4,249,614)	
Hospital pharmacies	2 (375 beds)	Hospital pharmacies	2 (721 beds)
Prescription pharmacies	5 (53,380 R)	Prescription pharmacies	8 (156,071 R)
General drug stores	25	General drug stores	18
GEORGIA (pop. 2,901,127)		MICHIGAN (pop. 4,818,371)	
Hospital pharmacies	1 (200 beds)	Hospital pharmacies	4 (2562 beds)
Prescription pharmacies	2 (38,041 R)	Prescription pharmacies	6 (186,076 R)
General drug stores	10	General drug stores	17
IDAHO (pop. 445,032)		MINNESOTA (pop. 2,558,265)	
Hospital pharmacies	0	Hospital pharmacies	1 (661 beds)
Prescription pharmacies	0	Prescription pharmacies	7 (256,769 R)
General drug stores	1	General drug stores	17
ILLINOIS (pop. 7,630,283)		MISSISSIPPI (pop. 2,009,821)	
Hospital pharmacies	6 (5344 beds)	Hospital pharmacies	0
Prescription pharmacies	10 (391,671 R)	Prescription pharmacies	0
General drug stores	33	General drug stores	10
INDIANA (pop. 3,225,418)		MISSOURI (pop. 3,629,367)	
Hospital pharmacies	3 (1246 beds)	Hospital pharmacies	2 (1067 beds)
Prescription pharmacies	14 (159,961 R)	Prescription pharmacies	5 (375,509 R)
General drug stores	14	General drug stores	13
IOWA (pop. 2,467,900)		MONTANA (pop. 533,519)	
Hospital pharmacies	2 (1289 beds)	Hospital pharmacies	0
Prescription pharmacies	1 (13,097 R)	Prescription pharmacies	2 (13,050 R)
General drug stores	5	General drug stores	4
KANSAS (pop. 1,882,518)		NEBRASKA (pop. 1,386,619)	
Hospital pharmacies	0	Hospital pharmacies	0
Prescription pharmacies	11 (196,663 R)	Prescription pharmacies	6 (122,731 R)
General drug stores	20	General drug stores	9
KENTUCKY (pop. 2,622,809)		NEVADA (pop. 91,058)	
Hospital pharmacies	0	Hospital pharmacies	0
Prescription pharmacies	2 (54,784 R)	Prescription pharmacies	0
General drug stores	16	General drug stores	1
LOUISIANA (pop. 2,098,876)		NEW HAMPSHIRE (pop. 465,293)	
Hospital pharmacies	3 (2265 beds)	Hospital pharmacies	0
Prescription pharmacies	7 (354,361 R)	Prescription pharmacies	0
General drug stores	12	General drug stores	6
MAINE (pop. 797,423)		NEW JERSEY (pop. 4,041,334)	
Hospital pharmacies	1 (190 beds)	Hospital pharmacies	3 (950 beds)
Prescription pharmacies	0	Prescription pharmacies	0
General drug stores	8	General drug stores	27
MARYLAND (pop. 1,625,279)		NEW MEXICO (pop. 423,317)	
Hospital pharmacies	2 (997 beds)	Hospital pharmacies	0
Prescription pharmacies	10 (165,936 R)	Prescription pharmacies	0
General drug stores	6	General drug stores	1

	Number reporting.		Number reporting.
NEW YORK (pop. 12,609,555)		SOUTH DAKOTA (pop. 691,008)	
Hospital pharmacies	5 (3824 beds)	Hospital pharmacies	1 (125 beds)
Prescription pharmacies	14 (381,908 R)	Prescription pharmacies	3 (33,616 R)
General drug stores	101	General drug stores	3
NORTH CAROLINA (pop. 3,165,146)		TENNESSEE (pop. 2,616,556)	
Hospital pharmacies	0	Hospital pharmacies	1 (500 beds)
Prescription pharmacies	10 (86,383 R)	Prescription pharmacies	0
General drug stores	20	General drug stores	8
NORTH DAKOTA (pop. 681,273)		TEXAS (pop. 5,810,683)	
Hospital pharmacies	0	Hospital pharmacies	2 (825 beds)
Prescription pharmacies	3 (22,432 R)	Prescription pharmacies	7 (146,489 R)
General drug stores	4	General drug stores	14
OHIO (pop. 6,629,373)		UTAH (pop. 502,640)	
Hospital pharmacies	3 (1360 beds)	Hospital pharmacies	1 (185 beds)
Prescription pharmacies	20 (253,168 R)	Prescription pharmacies	1 (3272 R)
General drug stores	37	General drug stores	2
OKLAHOMA (pop. 2,396,040)		VERMONT (pop. 359,611)	
Hospital pharmacies	1 (225 beds)	Hospital pharmacies	0
Prescription pharmacies	0	Prescription pharmacies	0
General drug stores	11	General drug stores	4
OREGON (pop. 951,790)		VIRGINIA (pop. 2,418,075)	
Hospital pharmacies	1 (350 beds)	Hospital pharmacies	1 (80 beds)
Prescription pharmacies	5 (97,475 R)	Prescription pharmacies	6 (156,435 R)
General drug stores	6	General drug stores	0
PENNSYLVANIA (pop. 9,638, 099)		WASHINGTON (pop. 1,563,396)	
Hospital pharmacies	5 (1662 beds)	Hospital pharmacies	2 (350 beds)
Prescription pharmacies	13 (227,512 R)	Prescription pharmacies	5 (284,190 R)
General drug stores	47	General drug stores	0
RHODE ISLAND (pop. 687,497)		WISCONSIN (pop. 3,000,388)	
Hospital pharmacies	1 (253 beds)	Hospital pharmacies	3 (916 beds)
Prescription pharmacies	0	Prescription pharmacies	1 (9800 R)
General drug stores	6	General drug stores	14
SOUTH CAROLINA (pop. 1,738,765)		WYOMING (pop. 224,693)	
Hospital pharmacies	1 (325 beds)	Hospital pharmacies	0
Prescription pharmacies	0	Prescription pharmacies	1 (3035 R)
General drug stores	9	General drug stores	0

It is a matter of interest to note that the reports listed above have been received from 47 States and the District of Columbia; reports from hospital pharmacies from 32 States and the District of Columbia; reports from prescription pharmacies from 32 States and the District of Columbia; and reports from general drug stores from 45 States and the District of Columbia.

The Hospital Pharmacies.—The hospital pharmacies represent 34,172 beds. Information from the Secretary of the American Hospital Association indicates that in 1929 there were 1558 hospitals with 261,803 beds in the Association. Therefore, our report represents about 13% of the beds in the Association. However, the total number of beds in hospitals of all kinds in the United States was estimated in 1928 to be 824,342. About half of the hospitals reporting have no out-patient clinic and, therefore, compound relatively few, if any, prescriptions. Hospitals with out-patient clinics frequently fill a very large number of prescriptions. The extent of use

of N. F. items in the hospitals is not as great, on the average, as in the prescription pharmacies. This is to be expected, for the range of medicinal agents used by any one physician is very limited, and the range of medicinal agents used in a hospital is limited to the combined ranges of its attending staff. Frequently also, a few leading members of the staff markedly influence the younger members of the staff in their selection of medicinal agents. Our records show that those hospitals with large out-patient clinics where perhaps scores of physicians and surgeons are on the attending staff have as wide a range of use of N. F. items as do the larger prescription stores.

The data obtained from the hospital pharmacies as to the extent of use of N. F. galenicals certainly should represent the viewpoint of physicians on the use of these preparations; for the hospitals use very little medicine except under the direction of physicians.

The Prescription Pharmacies.—The 213 prescription stores report an annual prescription fill of 4,976,618, which is an average prescription fill of 23,365 annually. As a matter of fact, however, a number of these reports cover chains of stores so that the actual stores represented is somewhat greater than 213. A few of these prescription stores are also in the nature of supply houses both for physicians, for other smaller drug stores, and especially for small hospitals, clinics and first-aid rooms in factories, department stores, etc. Hence their stocks of medicines are large and broad in range.

The data on the use of N. F. galenicals obtained from stores that have a relatively large annual prescription fill or that are exclusive prescription stores again gives a fair idea of how the physician uses N. F. preparations. It is true that quite a number of the N. F. preparations are sold over the counter in the form of household remedies. Some N. F. preparations, such as ampuls, are used almost exclusively by physicians, but are not extensively represented in prescriptions.

The General Drug Stores.—We have no data on the number of prescriptions filled in the general drug stores reporting in the *American Druggist Survey*.

THE TABULATION OF THE DATA.

The three surveys, *viz.*, those of the hospital pharmacies, the prescription pharmacies and the general drug stores are combined into one tabulation. The extent of use of each galenical

Preparations Used Extensively.	Hospital Pharmacies, Prescription Pharmacies,		Drug Stores.
	Per Cent.	Per Cent.	Per Cent.
Acid Nitrohydrochlor. Dil.	56	89	63
Amp. Caff. Sod. Benz.	94	76	45
Amp. Sod. Cacodyl.	94	86	56
Aq. Hamam.	79	93	68
Collod. Salicyl. Co.	47	53	78
Elix. Ammon. Valer.	66	88	55
Elix. Brom. Tri.	82	91	78
Elix. Ferr. Quin. et Strych.	82	91	81
Elix. Terpin Hyd. et Codein.	90	93	78
Ext. Opii	59	73	37
Fldext. Gentian.	49	81	49
Fldext. Sarsap. Co.	62	87	59
Liq. Alumin. Acet.	77	79	49
Liq. Antisept.	81	93	64
Lotio Calam.	82	85	86
Magma Bism.	65	72	41
Pil. A. S. et B.	75	81	50
Sp. Æth. Co.	82	87	56
Syr. Hypophos. Co.	59	86	54
Syr. Pin. Alb. Co.	70	90	69
Tr. Arnic.	60	94	81
Tr. Delphin.	68	76	50
Tr. Gelsem.	57	84	45
Ung. Hydrarg. Chlor. Mit.	68	71	42
Ung. Resorcin. Co.	59	78	54

as "Large," "Medium" or "Small" is shown in the hospital pharmacies and the prescription pharmacies. The total number of stores and pharmacies using each galenical is shown under each survey and also the percentage of such stores or pharmacies as compared with the total number reporting is shown under each survey.

We find in this tabulation that the N. F. preparations are used on the average in about one-fourth of the general drug stores and in about one-half of the prescription stores. No N. F. galenical was used in all of the pharmacies in any of the three surveys. The largest use was that of Tincture of Arnica which reached 94% among the prescription stores.

The preparations named in the foregoing table are among those very extensively used.

As to the accuracy of the individual reports submitted by the pharmacists there is no means of positive determination. However, there is no reason why the pharmacist should not submit a report accurate to the best of his knowledge and judgment. A careful re-check was made in several instances and no marked discrepancies in the two reports even from different men in the same store were found. Some variation in the amount used whether "Large," "Medium" or "Small," was noted, but very little variation was found in the items "Used" or "Not Used." One hospital sent in two reports about 3 months apart. This was due to our inadvertently sending the galenical list twice to the same hospital, though the second mailing was not intentional. The first report returned was entered in the tabulation and the second one not entered. There were 54 changes in the second report out of a possible 565. This is less than 10% variation. If the second report had been entered instead of the first one, 30 items would have been advanced and 24 items lowered in standing; 13 would have been added as being used and 10 would have been dropped as not used. While these figures may appear large, they are not really so, for the report covers 15 closely typewritten pages, 565 items.

The data as presented in the tabulation herewith is of great value to the National Formulary Committee as it gives a fairly clear picture of the extent to which the preparations of the N. F. V are being used in the United States.

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.					PRESCRIPTION PHARMACIES.					DRUG STORES.		
	Extent of Use.			Per cent		Extent of Use.			Per cent		Total	Per cent	
	Large.	Med.	Small.	using.	using.	Large.	Med.	Small.	using.	using.	using.	using.	
Acet. Arom.			8	8	10		5	24	29	13	48	8	
Acid. Nitrohydrochl.	1	4	20	25	33	7	31	96	134	63	250	40	
Acid. Nitrohydrochl. Dil.	4	7	32	43	56	22	47	121	190	89	402	63	
Ampul. Caff. Sod.-Benz.	56	13	2	71	94	39	62	61	162	76	285	45	
Ampul. Camph.	20	24	24	68	90	24	45	109	178	84	252	40	
Ampul. Emet. Hydrochl.	7	9	38	54	71	11	30	89	130	61	114	18	
Ampul. Iodi	2		8	10	13	4	12	36	52	24	30	5	
Ampul. Quin. et Urea Hydrochl.	4	7	43	54	71	18	50	85	153	72	208	33	
Ampul. Quin. Dihydrochl.	5	5	36	46	60	11	30	64	105	50	64	10	
Ampul. Sod. Cacodyl.	23	17	31	71	94	77	63	44	184	86	355	56	
Aq. Hamam.	11	15	34	60	79	119	52	26	197	93	431	68	
Aq. Phenol.	2	3	14	19	25	10	9	51	70	33	130	21	
Caff. Sod.-Sal.	11	8	16	35	46	12	31	46	89	42	160	26	
Catapl. Kaolin.	2	4	22	28	37	6	18	51	75	35	101	16	
Ceratum Camph.			2	9	11	4	11	44	59	28	50	8	
Cerat. Plumb. Subacet.			1	14	15	20	1	23	92	116	55	143	23
Cerat. Resin. Co.			3	20	23	30	18	37	92	147	69	262	42
Charta Pot. Nit.			1	8	9	12	1	16	17	8	17	3	
Chloral Camph.			4	18	22	29	6	21	73	100	47	97	16
Collod. Bitum. Sulphon.	1	3	5	9	12	1	6	12	19	9	9	1	
Collod. Salicyl. Co.	3	11	22	36	47	13	27	71	112	53	111	18	
Collod. Stypt.	2	4	15	21	27	4	11	49	64	30	90	14	
Confect. Ros.			8	8	10	5	7	42	54	25	27	4	
Confect. Senn.			10	10	13	3	8	56	67	31	47	7	
Curat. Paraf.	1	2	8	11	14		4	13	17	8	7	1	
Dentif.	2		4	6	8	1	5	11	17	8	9	1	
Dentilin. Aconit. Co.			1	9	10	13	2	6	33	41	19	62	10
Dentilin. Aconit. et Iod. Co.	1	1	17	19	25	5	13	82	100	47	108	17	
Elix. Aletrid. Co.			1	6	7	9	3	16	68	87	41	115	18
Elix. Ammon. Brom.	3	8	16	27	36	7	34	82	123	58	206	33	

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.			PRESCRIPTION PHARMACIES.			DRUG STORES.						
	Extent of Use. Large. Med.	Total using.	Per cent using.	Extent of Use. Large. Med.	Total using.	Per cent using.	Total using.	Per cent using.					
Elix. Ammon. Valer.	4	12	35	51	66	22	75	91	188	88	353	55	
Elix. Amygdal. Co.	6	3	6	15	20	9	20	44	73	34	89	14	
Elixir Anis.			8	8	10	2	10	49	61	29	94	15	
Elix. Arom. Rub.	4	4	12	20	26	16	28	48	92	43	147	24	
Elix. Aurant. Amar.	2	5	7	14	19	2	11	44	57	27	47	8	
Elix. Bism.	2	1	5	8	10	6	15	55	76	36	52	8	
Elix. Bromid. Quinq.	11	8	20	39	51	62	63	54	179	84	421	66	
Elix. Brom. Tri.	21	19	23	63	82	76	70	47	193	91	497	80	
Elix. Buchu	2	3	12	17	22	15	28	77	120	56	313	50	
Elix. Buchu Co.	2	3	14	19	25	12	29	52	93	44	157	25	
Elix. Buchu et Pot. Acet.	4	6	17	27	36	18	35	69	91	43	242	39	
Elix. Buchu, Junip. et Pot. Acet.	5	7	17	29	38	62	60	60	182	86	368	58	
Elix. Calc. et Sod. Glycerophos.			8	36	44	36	61	76	173	81	286	46	
Elix. Calc. Lactophos.			3	20	23	30	7	25	87	119	56	184	30
Elix. Card. Co.	1	5	17	23	30	9	11	54	74	35	92	15	
Elix. Carn. et Ferr.			6	12	18	23	14	26	42	82	39	123	20
Elix. Casc. Sagr.	7	2	9	18	23	4	15	50	69	32	77	12	
Elix. Casc. Sagr. Co.	2	2	8	12	16	7	10	35	52	24	51	8	
Elix. Catar. et Foenic.			1	17	18	23	21	53	111	185	87	462	74
Elix. Cathart. Co.				4	5	3	8	24	35	16	47	8	
Elix. Chlorid.				1	1		12	20	32	15	29	4	
Elix. Cinchon. Alk.	3	1	13	17	22	22	31	58	111	52	235	37	
Elix. Cinchon. et Ferr.	1	2	5	8	10	2	19	41	62	29	55	9	
Elix. Cinchon. Ferr. et Bism.	2		7	9	12		9	30	39	18	25	4	
Elix. Cinchon. Ferr. Bism. et Strych.	2		4	6	8	4	13	36	53	25	42	7	
Elix. Cinchon. Ferr. et Strych.	4	2	2	8	10	5	14	35	54	25	93	15	
Elix. Coryd. Co.				0			4	34	38	18	21	3	
Elix. Eriodict. Arom.				9	12	3	14	53	70	33	50	8	
Elix. Euphorb. Co.			1	10	11	14	5	5	28	38	18	42	7
Elix. Ferr. Pyrophos. Quin. et Strych.	11	4	10	25	33	46	27	48	121	57	175	28	
Elix. Ferr. Quin. et Strych.	46	12	5	63	82	124	45	25	194	91	512	82	
Elix. Gent.	1	9	20	30	40	23	52	79	154	73	196	31	
Elix. Gent. et Ferr.	1	2	19	22	29	16	27	76	119	56	141	23	
Elix. Gent. et Ferr. Phos.				8	8	10	2	17	40	59	28	37	6
Elix. Gentian. Glycerin.	3	12	20	35	46	57	57	58	172	81	321	52	
Elix. Glycerophos. Co.	7	11	33	51	66	72	67	43	182	85	327	53	
Elix. Glycyrrh. Aq.	2	1	10	13	17	7	10	45	62	29	36	6	
Elix. Guar.				9	9	3	9	46	58	27	55	9	
Elix. Guaran. et Apii			1	8	9	12	4	11	50	65	31	54	9
Elix. Heloniad. Co.			3	13	16	21	10	19	67	96	45	121	20
Elix. Hydrang. et Lith.			1	6	7	9	3	14	63	80	38	85	14
Elix. Hydrast. Co.	2	4	6	12	16	3	10	44	57	27	59	9	
Elix. Manac. Co.	1		3	4	5	1	6	17	24	11	8	1	
Elix. Pepsin	5	5	19	29	38	16	37	65	118	55	206	33	
Elix. Pepsin. Bism. et Strych.	3	5	10	18	23	18	30	100	148	70	179	29	
Elix. Pepsin. Co.	7	4	5	16	21	29	22	41	92	43	63	10	
Elix. Pepsin. et Bism.	4	3	4	11	14	13	18	86	117	55	165	27	
Elix. Pepsin. et Rennin. Co.	8	5	3	16	21	25	19	24	68	32	63	10	
Elix. Phosphor.	2	2	3	7	9		8	66	74	35	132	21	
Elix. Phosphor. et Nuc. Vom.	2	3	2	7	9	10	52	62	62	29	46	8	
Elix. Pot. Brom.	5	12	27	44	57	44	53	63	160	75	200	32	
Elix. Sabal et Santal. Co.	3	4	6	63	82	24	27	58	109	51	93	15	
Elix. Sod. Brom.	17	12	25	54	71	51	45	66	162	76	279	44	
Elix. Sod. Salicyl.	6	7	11	24	31	16	28	60	104	49	137	22	
Elix. Sod. Salicyl. Co.			5	4	9	12	9	19	55	83	39	84	14
Elix. Tarax. Co.				13	13	16	33	75	124	58	99	16	
Elix. Terpin. Hyd.	23	17	15	55	72	74	51	40	165	78	444	70	
Elix. Terpin. Hyd. et Codein.	41	19	8	68	90	102	61	35	198	93	497	78	
Elix. Terpin. Hyd. et Creosot. Co.	4	4	7	15	20	12	20	53	85	40	122	20	
Elix. Tong. et Salicyl.			1	5	6	8	15	21	51	87	41	110	18

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.					PRESCRIPTION PHARMACIES.					DRUG STORES.	
	Extent of Use.		Total using.	Per cent using.	Extent of Use.		Total using.	Per cent using.	Total using.	Per cent using.		
	Large.	Small.			Large.	Small.						
Elix. Vanillin. Co.		4	7	11	14	9	15	44	68	32	49	8
Elix. Viburn. Opul. Co.	6	2	19	27	36	15	34	83	132	62	143	23
Elix. Viburn. Prun.	5	8	19	32	42	15	32	85	132	62	241	39
Emp. Fusc. Camph.			3	3	4	8	4	24	36	17	57	9
Emp. Sapon.		2	3	5	6	3	5	35	43	20	15	2
Emuls. Ol. Morr. c. Hypophos.	2	5	8	15	20	31	34	63	128	60	231	37
Emuls. Ol. Morr. c. Malt.	9	6	19	34	45	16	28	41	85	40	127	20
Emuls. Ol. Morr. c. Vitel.	2	1	3	6	8	10	18	55	83	39	45	7
Emuls. Ol. Ricin.	2	1	6	9	12	5	9	51	65	31	75	12
Emuls. Petrolat.	4	6	12	22	29	15	17	65	97	46	90	15
Ext. Conii			6	6	8		1	34	35	16	19	3
Ext. Ergot. Aq.	4	6	15	25	33	12	25	55	92	43	55	9
Ext. Euonymi			3	3	4		1	45	46	22	21	3
Ext. Ferr. Pomat.		1	2	3	4	3	9	27	39	18	34	5
Ext. Gentian.	2	8	25	35	46	29	45	83	157	74	234	38
Ext. Haematox.			6	6	8		4	27	31	14	17	3
Ext. Hydrast.	3	20	23	30	30	7	37	73	117	55	161	26
Ext. Ignat.			7	7	9	1	5	22	28	13	14	2
Ext. Kramer.			5	5	6	1	6	39	46	22	26	4
Ext. Leptand.			7	7	9	2	9	54	65	31	33	5
Ext. Opii	3	11	31	45	59	22	37	96	155	73	230	37
Ext. Sumbul			13	13	17	9	33	74	116	55	90	15
Ext. Tarax.		1	17	18	23	10	28	91	129	61	143	23
Ferr. Oxid. Sacch.	1	2	12	15	20	11	20	70	101	48	72	12
Fldext. Aconit.	4	11	27	42	55	14	44	121	179	84	361	57
Fldext. Adonid.			8	8	10	2	5	41	48	22	84	13
Fldext. Aletrid.			7	7	9	2	11	85	98	46	73	12
Fldext. Angel. Rad.			3	3	4	1	3	40	44	21	22	4
Fldext. Apii Fruct.		1	5	6	8		9	52	61	29	45	7
Fldext. Apocyn.	2	17	19	25	3	9	76	88	88	41	71	11
Fldext. Aral.			2	2	3	1	6	19	26	12	13	2
Fldext. Arnic.	1	6	22	29	38	18	39	92	149	70	166	27
Fldext. Asclep.			5	5	6	1	5	59	65	31	43	7
Fldext. Aven. Sativ.			1	1	1		5	34	39	18	35	6
Fldext. Baptis.	1		8	9	12	3	2	59	64	30	38	6
Fldext. Berber.		2	4	6	8		11	73	84	40	58	9
Fldext. Boldi			1	1	1	1	5	25	31	14	16	3
Fldext. Buchu Co.	3	17	20	26	9	27	84	120	56	56	81	13
Fldext. Calend.			11	11	14	5	15	86	106	50	133	21
Fldext. Calumb.	3	13	16	21	7	13	107	127	60	60	128	21
Fldext. Castan.			4	4	5	2	15	73	90	42	98	16
Fldext. Catar.	1		3	4	5	3	7	65	75	35	82	13
Fldext. Cauloph.			2	2	3	1	11	77	89	42	79	13
Fldext. Chimaph.			1	1	1		3	49	52	24	27	4
Fldext. Chionanth.	1		2	3	4	3	15	70	88	41	98	16
Fldext. Chirat.			1	1	1		5	38	43	20	19	3
Fldext. Cocillan.	2		5	7	9	1	8	36	45	21	50	8
Fldext. Coff.			4	4	5		2	22	24	11	17	3
Fldext. Colch. Corm.	2		21	23	30	5	19	97	121	57	124	20
Fldext. Condur.			15	15	20	11	23	96	130	61	146	24
Fldext. Conval. Rad.			7	7	9	1	9	97	107	50	78	13
Fldext. Copt.				0			2	21	23	11	11	2
Fldext. Corni			1	1	1	1	1	30	32	15	25	4
Fldext. Corydal.			3	3	4		5	63	68	32	30	5
Fldext. Cubeb.			5	5	6	3	12	97	112	53	129	21
Fldext. Cyriped.			2	2	3	1	15	75	91	43	55	9
Fldext. Damian.		2	4	6	8	7	16	95	118	55	118	19
Fldext. Digit.	7	4	19	30	40	27	40	102	169	79	314	50
Fldext. Dioscor.			4	4	5	2	16	74	92	43	94	15
Fldext. Droser.				0			3	40	43	20	26	4

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.				PRESCRIPTION PHARMACIES.				DRUG STORES.			
	Extent of Use.		Total	Per cent	Extent of Use.		Total	Per cent	Total		Per cent	
	Large.	Med. Small.	using.	using.	Large.	Med. Small.	using.	using.	using.	using.	using.	using.
Fldext. Dulcam.	1	3	4	5	1	4	43	48	23	35	6	
Fldext. Echin.	2	16	18	23	9	24	109	142	67	185	30	
Fldext. Euonym.		6	6	8	2	12	92	106	50	83	13	
Fldext. Eupator.	1	4	5	6	3	5	85	93	44	59	9	
Fldext. Euphorb.	1	9	10	13	4	16	82	102	48	111	18	
Fldext. Frang.	1	7	8	10	8	32	84	124	58	197	31	
Fldext. Fuci.			0		1	3	19	23	11	25	4	
Fldext. Galeg.		1	1	1	1	9	44	54	25	21	3	
Fldext. Gelsem.	3	25	28	37	10	37	111	158	75	239	38	
Fldext. Gentian.	2	11	23	36	47	35	42	96	173	81	309	49
Fldext. Geran.	1	3	4	5	1	10	51	62	29	48	8	
Fldext. Gossyp. Cort.	1	5	15	21	27	32	59	99	190	89	437	69
Fldext. Grindel.	3	7	25	35	46	29	53	87	169	80	287	46
Fldext. Guarana	2	4	6	8	7	22	79	108	51	72	12	
Fldext. Hamamel. Fol.	1	1	14	16	21	11	36	106	153	72	237	38
Fldext. Helon.	1	2	6	9	12	4	15	88	107	50	67	11
Fldext. Humul.	2	5	7	9	1	13	75	89	42	77	12	
Fldext. Hydrang.	2	1	3	4	4	14	84	102	48	89	14	
Fldext. Irid. Vers.	1	2	3	4	3	6	73	82	39	77	12	
Fldext. Jalap.	1	8	9	12	2	14	71	87	41	81	13	
Fldext. Jugland.		2	2	3	1	3	46	50	23	24	4	
Fldext. Junip.	1	3	4	5	5	9	60	74	35	94	15	
Fldext. Kav.	1	3	4	5	2	10	76	88	41	64	10	
Fldext. Kol.	1	6	7	9	2	12	58	72	34	50	8	
Fldext. Kramer.	4	11	15	20	6	17	97	120	56	132	21	
Fldext. Lapp.	1	4	5	6	5	9	77	91	43	110	18	
Fldext. Leptand.	1	3	4	5	3	9	96	108	51	116	19	
Fldext. Lobel.	4	6	20	30	40	8	31	112	151	71	277	44
Fldext. Lupulin.	1	5	6	8	1	10	68	79	37	67	11	
Fldext. Manac.		1	1	1	1	3	30	34	16	22	4	
Fldext. Matic.		1	1	1	1	4	35	40	19	23	4	
Fldext. Mezer.		1	1	1	1	5	32	38	18	13	2	
Fldext. Mitchel.		2	2	3	1	4	33	38	18	21	3	
Fldext. Nuc. Vom.	10	6	20	36	47	30	44	98	172	81	388	61
Fldext. Pareir.		2	2	3	5	5	48	58	27	29	5	
Fldext. Phytolac.		2	8	10	13	6	37	105	148	70	183	29
Fldext. Prun. Virg.	5	10	12	27	36	29	47	90	166	78	319	51
Fldext. Quass.	3	5	15	23	30	7	22	87	116	55	159	25
Fldext. Querc.	1	3	4	5	2	12	55	69	32	39	6	
Fldext. Rham. Cathart.	1	8	9	12	14	22	58	94	44	107	17	
Fldext. Rubi	1	5	6	8		5	57	62	29	43	7	
Fldext. Rumic.	2	2	4	5	3	14	64	81	38	76	12	
Fldext. Sabal	1	6	7	9	4	11	72	87	41	58	9	
Fldext. Sanguin.	1	12	13	17	4	17	107	128	60	70	11	
Fldext. Santal Alb.	1	2	3	6	8	1	11	62	74	35	65	11
Fldext. Sarsap. Co.	11	11	26	48	62	59	76	50	185	87	376	60
Fldext. Scopar.		3	3	4	1	6	55	62	29	36	6	
Fldext. Scutellar.		1	1	1	3	4	65	72	34	45	7	
Fldext. Senecion.		3	3	4	3	5	46	54	25	30	5	
Fldext. Serpentar.		9	9	12		12	103	115	54	104	17	
Fldext. Solan.		1	1	1	1	6	36	43	20	21	3	
Fldext. Stilling.		10	10	13	5	25	104	134	63	185	30	
Fldext. Stilling. Co.		5	5	6	5	20	68	93	44	115	18	
Fldext. Stramon.	2	8	15	25	33	1	30	99	130	61	157	25
Fldext. Tara.	2	2	14	18	23	22	43	107	172	81	273	43
Fldext. Thuj.		4	4	5		5	64	69	32	55	9	
Fldext. Thym.		3	3	4	2	6	53	61	29	59	9	
Fldext. Tong.		2	2	3	3	6	39	48	22	28	4	
Fldext. Trifol.	1	11	12	16	7	31	73	101	48	156	25	
Fldext. Trifol. Co.	2	10	12	16	15	39	63	117	55	140	23	

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.					PRESCRIPTION PHARMACIES.					DRUG STORES.	
	Extent of Use.		Total using.	Per cent using.	Extent of Use.		Total using.	Per cent using.	Total using.	Per cent using.	Total using.	Per cent using.
	Large.	Med. Small.			Large.	Med. Small.						
Fldext. Trill.			1	1	1	2	5	43	50	23	37	6
Fldext. Tritic.	1	1	11	13	17	19	38	95	151	71	184	29
Fldext. Valer.	1	7	28	36	47	23	39	89	151	71	197	31
Fldext. Verbasc. Fol.				0		2	4	35	41	19	43	7
Fldext. Viburn. Opul.	2	3	23	28	37	15	44	108	167	79	243	39
Fldext. Viburn. Prun.	2	8	23	33	44	23	57	101	181	85	287	46
Fldext. Xanthox.		2	8	10	13	3	20	96	119	56	93	15
Fldext. Zea		2	9	11	14	12	32	89	133	63	143	23
Fldglycer. Casc. Sagr.	3	2	1	6	8	10	10	15	35	60	56	9
Fldglycer. Casc. Sagr. Arom.	7		2	9	12	17	8	13	38	18	56	9
Fldglycer. Glycyrrhiz.	3	3	6	6	8	6	18	29	53	25	61	10
Fldglycer. Kramer.			5	5	6	2	1	19	22	10	19	3
Fldglycer. Rhei	1	3	4	4	5	1	4	12	17	8	37	6
Formal. Cresol.				0			5	19	24	11	3	1
Garg. Guaiac. Co.			3	3	4	4	3	21	28	13	25	4
Glycer. Bism.		2	6	8	10		8	48	56	26	94	15
Glycer. Pepsin.	3	8	11	14		6	21	74	101	48	103	17
Glycer. Pic. Pin.	2		2	3			6	21	27	12	18	3
Glycer. Trag.	2	5	7	9			7	47	54	25	25	4
Glycer. Vitell.				0		2	6	18	26	12	11	2
Glycerogel. Acid. Salicyl.			2	2	3	2	4	8	14	7	6	1
Glycerogel. Iodof.			4	4	5		3	3	6	3	4	1
Glycerogel. Zinc. Dur.	5	1	5	11	14	3	5	23	31	14	9	1
Glycerogel. Zinc. Mol.		1	3	4	5	4	7	19	30	14	7	1
Gossyp. Stypt.		4	1	5	6	1	4	21	26	12	42	7
Inf. Brayer.				0			1	6	7	4	7	1
Inf. Gentian. Co.	1	4	8	13	17	10	18	64	92	43	108	17
Inf. Ros. Co.	1	1		2	3	1	6	14	21	10	9	1
Inf. Senn. Co.	1	5	15	21	27	6	16	65	87	41	85	13
Inunct. Menthol.	2		7	9	12	6	3	23	32	15	24	4
Inunct. Menthol. Co.	3	3	7	13	17	6	7	20	33	15	30	5
Lac. Ferment.		5	1	6	8	2	4	8	14	7	15	3
Lavat. Ori	2	3	3	8	10	2	2	11	15	7	11	2
Lin. Aconit. et Chlorof.		2	15	17	22	7	15	94	116	55	143	23
Lin. Ammon.	2		17	19	25	12	30	117	159	75	250	40
Lin. Bellad.	2		23	25	33	8	32	100	140	66	234	38
Lin. Calam.	5	15	11	31	41	20	30	51	101	48	179	29
Lin. Opii Co.		1	14	15	20	7	10	48	65	31	65	10
Lin. Sapon. Camph	13	20	16	49	64	46	58	54	158	75	367	58
Lin. Sapon. Mol. Co.	8	3	12	23	30	26	42	52	120	56	176	28
Lin. Sinap. Co.		2	5	7	9	1	6	46	53	25	16	3
Lin. Terebinth.	2	4	9	15	20	5	23	79	97	46	155	25
Lin. Terebinth. Acet.			7	7	9	16	14	56	86	40	99	16
Liq. Alumin. Acet.	15	14	30	59	77	57	50	60	167	79	309	49
Liq. Alumin. Subacet.	5	9	23	37	49	30	31	61	122	57	176	28
Liq. Antisept.	32	20	10	62	81	81	66	50	197	93	407	65
Liq. Aromat. Alk.	28	14	7	49	64	61	50	45	156	74	292	47
Liq. Aur. Brom. et Arsen.			2	2	3	1	7	49	57	27	32	5
Liq. Bism.	2		2	4	5	2	3	32	37	17	10	2
Liq. Calc. Sulphurat.	5	2	7	14	19	11	22	71	104	49	50	8
Liq. Carmin.			16	16	21	7	13	83	103	49	75	12
Liq. Chlor. Co.	1	9	3	13	17	1	11	50	62	29	44	7
Liq. Cocci	1	7	11	19	25	8	16	93	117	55	179	29
Liq. Ferr. Albumin.		1	3	4	5	2	13	37	52	24	34	5
Liq. Ferr. Cit.	1	3	13	17	22	3	8	41	52	24	50	8
Liq. Ferr. Pepton.		1	9	10	13	6	16	43	65	31	106	17
Liq. Ferr. Pepton. et Mangan.	5	7	24	36	47	40	57	60	157	74	284	46
Liq. Ferr. Salicyl.			3	3	4	2	5	28	35	16	10	2
Liq. Ferr. Subsulph.	3	8	30	41	54	9	32	91	132	62	104	17
Liq. Hydrastin. Co.			6	6	8	1	8	26	35	16	31	5

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.				PRESCRIPTION PHARMACIES.				DRUG STORES.			
	Extent of Use.		Total using.	Per cent using.	Extent of Use.		Total using.	Per cent using.	Total using.		Per cent using.	
	Large.	Med. Small.			Large.	Med. Small.			Large.	Med. Small.		
Liq. Hyponphos. Co.	4	15	19	25	15	20	48	83	39	49	8	
Liq. Iodi et Zinc. Phenolsul.		3	3	4	3	3	9	15	7	12	2	
Liq. Iodi Phenol.	5	5	10	13	6	7	41	54	25	50	8	
Liq. Pancreat.		9	9	12		10	34	44	21	40	6	
Liq. Pepsin.	2	9	11	14	1	10	45	56	26	42	7	
Liq. Pepsin. Antisept.		7	7	9	1	6	12	19	9	7	1	
Liq. Pepsin. Arom.	2	5	7	9	3	6	19	28	13	16	3	
Liq. Phos. Acid.	1	9	10	13	4	9	33	46	22	32	5	
Liq. Phos. Co.	1	9	10	13	2	10	22	34	16	8	1	
Liq. Phosphor.		5	5	6	2	32	34	34	16	14	2	
Liq. Pic. Carbon	3	5	13	21	27	8	16	51	75	35	92	15
Liq. Plum. Subacet. Dil.	4	9	29	42	55	30	53	89	172	81	302	48
Liq. Pot. Iod.	27	12	10	49	64	70	38	29	137	64	259	41
Liq. Procaïn. Hydroch.	15	4	9	28	37	12	21	41	74	35	37	6
Liq. Sod. et Menth.	2	1	14	17	22	8	20	37	65	31	58	9
Liq. Sod. Arsenat.	1	2	3	6	8	2	7	51	60	28	43	7
Liq. Sod. Arsenat. Dil.	1		2	3	4	5	9	29	43	20	29	5
Liq. Sod. Bor. Co.	17	11	9	37	49	60	25	29	114	54	142	23
Liq. Sod. Cit.	7	9	12	28	37	10	23	44	77	36	87	14
Liq. Sod. Phos. Co.	1	4	10	15	20	12	28	52	92	43	45	7
Lot. Alba Vet.			4	4	5		8	21	29	13	45	7
Lot. Ammon. Camph.			3	3	4	5	3	20	28	13	21	3
Lot. Calam.	35	22	6	63	82	108	52	22	182	85	545	87
Lot. Calam. Co.	22	8	12	42	55	70	50	33	153	72	212	34
Lot. Flav.	2	4	12	18	23	13	29	82	124	58	176	28
Lot. Nigr.	5	7	30	42	55	17	44	102	163	77	354	57
Lot. Plumb. et Opii	5	19	33	57	75	45	62	67	174	82	345	55
Magma Bism.	17	11	22	50	65	56	55	43	154	72	259	42
Mass. Copaib.	1		5	6	8	2	9	25	36	17	30	5
Mel Ros. et Sod. Bor.		1	8	9	12	1	12	36	49	23	90	14
Mel Sod. Bor.		1	7	8	10	2	8	35	45	21	98	16
Menthol Camph.	1	2	15	18	23	9	14	54	77	36	48	8
Mist. Adstring.		1	8	9	12	4	1	24	29	13	39	6
Mist. Carminat.			12	12	16	5	12	64	81	38	111	18
Mist. Chloral. et Pot. Brom. Co.	2	6	14	22	29	9	31	70	110	52	75	12
Mist. Chlorof. et Morph. Co.	1	2	3	6	8	5	8	23	36	17	11	2
Mist. Copaib.	2	6	6	14	19	28	32	70	130	61	238	38
Mist. Copaib. et Opii		3	1	4	5	3	6	15	24	11	27	4
Mist. Mag. Asafoet. et Opii			3	3	4	8	9	38	55	26	68	11
Mist. Ol. Balsam.			5	5	6		4	15	19	9	19	3
Mist. Opii et Chlorof. Co.			7	7	9	3	12	25	40	19	15	2
Mist. Opii et Rhei Co.			5	5	6	3	6	19	28	13	24	4
Mist. Pect.	5	1	15	21	27	13	21	60	94	44	137	22
Mist. Rhei Alk.		3	21	24	31	20	35	77	132	62	216	34
Mist. Rhei Co.	8	9	16	33	44	52	28	59	139	65	223	36
Mucil. Chondr.			6	6	8	5	9	38	52	24	41	7
Mucil. Sassa. Medul.			3	3	4	1	2	15	18	8	14	2
Mull. Ac. Salicyl.			2	2	3		1	14	15	7	10	2
Mull. Creosot. Salicyl.				0		2		6	8	4	4	1
Mull. Hydrarg. Chlor. Corros.			1	1	1		1	5	6	3	7	1
Mull. Zinc.			1	1	1	1	1	10	12	6	7	1
Nebul. Arom.	3	3	14	20	26	10	25	53	88	41	108	17
Nebul. Eucalyptol	2	3	19	24	31	5	16	55	76	36	104	17
Nebul. Menthol.	4	7	19	30	40	14	25	51	90	42	141	23
Nebul. Menthol. Co.	7	9	19	35	46	13	32	54	99	47	129	21
Nebul. Thymol.	1	1	9	11	14	4	9	40	53	25	58	9
Odontalg.	1		4	5	6	1	4	21	26	12	12	2
Ol. Inf.			2	2	3	3	4	17	24	11	9	1
Oleat. Quin.				0			2	18	20	9	11	2
Oleat. Veratrin.			2	2	3			15	15	7	5	1

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.					PRESCRIPTION PHARMACIES.					DRUG STORES.	
	Extent of Use.		Total using.	Per cent using.	Total using.	Extent of Use.		Total using.	Per cent using.	Total using.	Per cent using.	
	Large.	Med. Small.				Large.	Med. Small.					
Oleores. Cubeb.			5	5	6	2	17	71	90	42	69	11
Oleosacchara			6	6	8	10	12	56	78	37	74	12
Ol. Æther.		2	18	20	26	2	10	86	98	46	85	14
Ol. Hyoscy. Co.	1		6	7	9	4	9	42	55	26	54	9
Ol. Phenol.		1	11	12	16	2	15	57	74	35	58	9
Ol. Phosphorat.		1	11	12	16	4	12	59	75	35	56	9
Ol. Ricin. Arom.	4	3	12	19	25	23	41	79	143	67	277	44
Oxymel Scill.			2	2	3	1	5	25	31	14	35	5
Pastæ Dermatologicae	4	7	10	21	27	18	12	38	68	32	76	12
Past. Betanaphth.	2		8	10	13	3	6	38	47	22	49	8
Past. Dextrin.	2		5	7	9	2	5	13	20	9	10	2
Past. Resorcin. Fort.	3	4	12	19	25	7	20	46	73	34	88	14
Past. Resorcin. Mit.	4	5	14	23	30	9	21	61	91	43	129	21
Past. Zinc.	12	16	20	48	62	45	46	57	148	70	277	44
Past. Zinc. Moll.	4	9	18	31	41	21	26	37	84	40	80	13
Past. Zinc. Sulphur.	2	1	12	15	20	4	12	25	41	19	30	5
Pepsin. Sacchar.		3	21	24	31	19	37	100	156	74	249	40
Petrox. Hydrarg.			3	3	4		2	10	12	6	6	1
Petrox. Liq.	2	1	11	14	19	6	19	37	62	29	65	10
Petroxolina Medicata			7	7	9						26	4
Petrox. Betanaphth.			4	4	5	1	11		12	6	4	1
Petrox. Bitum. Sulphon.			4	4	5	3	9		12	6	9	1
Petrox. Cadinum		2	4	6	8	3	7		10	5	8	1
Petrox. Chlorof. Camph.			6	6	8	3	10		13	6	7	1
Petrox. Eucalyptolis			5	5	6	1	8		9	4	6	1
Petrox. Guaiacolis			6	6	8	2	17		19	9	16	3
Petrox. Iodi			12	12	16	9	18	36	63	30	97	16
Petrox. Iodi Dil.	1	9	10	13	17	7	13	25	45	21	43	7
Petrox. Mentholis			8	8	10	1	8	19	28	13	14	2
Petrox. Methyl. Salicyl.	1		8	9	12	4	10	27	41	19	18	3
Petrox. Phenolis	1	7	8	10	14	1	4	16	21	10	15	3
Petrox. Phenol. Camph.			6	6	8	4	10	14	14	7	12	2
Petrox. Sulphurat.			2	2	3	2	11		13	7	7	1
Petrox. Sulphurat. Co.			2	2	3	2	5		7	3	6	1
Petrox. Spissum	1	6	7	9	12	4	5	20	29	13	15	3
Phenol Iodat.		1	10	11	14	4	4	52	60	29	34	5
Pil. Aloe. et Asafoet.		1	11	12	16	3	8	73	84	40	126	20
Pil. Aloe. et Ferr.			8	8	10	3	5	67	75	35	61	10
Pil. Aloe. et Mastich.	3	4	9	16	21	15	22	76	113	53	93	15
Pil. Aloe. et Myrrh.		1	12	13	17	4	14	78	96	45	102	17
Pil. Aloe. et Podoph. Co.	1	1	9	11	14	3	9	45	57	27	50	8
Pil. Aloe. Hydrarg. et Podoph.			6	6	8		3	30	33	15	30	5
Pil. Aloin. Co.	1	2	12	15	20	7	17	53	77	36	94	15
Pil. A. S. et B.	11	21	25	57	75	41	59	72	172	81	310	50
Pil. A. S. et B. Co.	8	16	18	42	55	42	41	68	151	71	254	41
Pil. Antiperiod.			5	5	6	5	19	67	91	43	116	19
Pil. Antiperiod. s. Aloe			5	5	6	8	13	52	73	34	62	10
Pil. Cathart. Veget.	10	11	25	46	60	40	60	68	168	79	320	51
Pil. Digit., Scill. et Hydrarg.	1	4	22	27	36	6	22	61	89	42	70	11
Pil. Ferr. Iod.	1	2	14	17	22	5	23	70	98	46	88	14
Pil. Ferr. Quin. Aloe. et Nuc. Vom.	1		7	8	10	3	10	39	52	24	53	8
Pil. Ferr. Quin. Strych. et Arsen. F.	1	1	14	16	21	4	25	48	77	36	71	11
Pil. Ferr. Quin. Strych. et Arsen. Mit.	1	3	13	17	22	9	20	56	85	40	68	11
Pil. Lax. Co.	2	7	6	15	20	15	19	47	81	38	110	18
Pil. Opii, Digit. et Quin.		2	4	6	8	3	6	21	30	14	7	1
Pil. Opii et Camph.			13	13	17		8	53	61	29	18	3
Pil. Opii et Plumb.			5	20	25	2	15	63	80	38	30	5
Pil. Rhei.	1	2	14	17	22	6	26	54	86	40	94	15
Pil. Rhei Co.	4	5	20	29	38	15	20	67	102	48	148	24
Pulv. Acetanil. Co.	2		23	25	33	11	32	90	133	63	194	31

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.					PRESCRIPTION PHARMACIES.					DRUG STORES.				
	Extent of Use.		Per		Total	Extent of Use.		Per		Total	Extent of Use.		Per		Total
	Large.	Small.	using.	cent		using.	cent	Large.	Small.		using.	cent	using.	cent	
Pulv. Aloe. et Canell.			5	5	6	1	6	49	56	26	69	11			
Pulv. Antimon.			1	1	1		1	20	21	10	18	3			
Pulv. Antisept.	6	8	17	31	41	52	59	57	168	79	299	48			
Pulv. Arom.	1	2	27	30	40	8	40	113	161	76	256	41			
Pulv. Arom. Rubefac.			4	4	5		5	15	20	9	15	3			
Pulv. Cret. Arom.		4	19	23	30	6	18	83	107	50	111	18			
Pulv. Cret. et Opii Arom.		2	5	7	9		3	23	26	12	19	3			
Pulv. Hydrarg. Chlor. Mit. et Jalap.		3	4	7	9	1	4	26	31	14	45	7			
Pulv. Myric. Co.			1	1	1	1	1	15	17	8	10	2			
Pulv. Pancreat. Co.	1	3	10	14	19	2	8	26	36	17	14	3			
Pulv. Rhei et Magnes. Anis.		2	3	5	6	1	5	32	38	18	12	2			
Pulv. Talc. Co.		2	8	10	13	5	9	27	41	19	19	3			
Sal. Carol. Fact.		7	24	31	41	16	31	83	130	61	182	29			
Sal. Carol. Fact. Eff.	2	4	11	17	22	8	25	79	112	53	94	15			
Sal. Kissingen. Fact.		2	11	13	17	4	20	71	95	45	99	16			
Sal. Kissingen. Fact. Eff.		2	7	9	12	4	19	84	107	50	81	13			
Sal. Lith. Cit. Eff.		4	10	14	19	4	15	87	106	50	62	10			
Sal. Mag. Sulph. Eff.	4	1	10	15	20	7	17	88	112	53	94	15			
Sal. Pot. Brom. Eff. Co.	2	2	6	10	13	3	5	58	66	31	39	6			
Sal. Vichy. Fact.	2	4	5	11	14	8	13	79	100	47	112	18			
Sal. Vichy. Fact. Eff.	2	4	5	11	14	8	15	87	110	52	93	15			
Sev. Benz.			1	1	1	2	4	16	22	10					
Sol. Mastic. Chlorof. Co.			2	2	3			4	4	2	4	1			
Sol. Resin. Chlorof.			2	2	3		2	10	12	6	5	1			
Spec. Emoll.			2	2	3	3	2	11	16	7	6	1			
Spec. Lax.			1	1	1	5	6	21	32	15	25	4			
Spec. Pect.		1		1	1	8	7	21	36	17	57	9			
Sp. Ac. Formic.	1	4	20	25	33	13	19	113	145	68	121	19			
Sp. Ætheris		9	31	40	52	7	35	101	143	67	168	27			
Sp. Æth. Co.	2	15	46	63	82	11	59	115	185	87	358	57			
Sp. Ammon. Anis.	2	6	19	27	36	19	17	87	123	58	199	31			
Sp. Amydg. Amar.	1	6	24	31	41	3	27	91	121	57	174	28			
Sp. Card. Co.	2	3	16	21	27	7	23	64	94	44	116	18			
Sp. Myrciæ Co.	4	19	23	30	32	32	32	56	120	57	72	12			
Sp. Odorat.	1	6	7	9	9	8	19	44	71	33	56	9			
Sp. Oleorum Volatilium	1	12	13	17	17	4	10	46	60	28	41	7			
Sp. Sinap.	1	3	4	5	5	2	5	36	43	20	42	7			
Sp. Vanil. Co.	1	10	11	14	14	6	9	25	40	19	41	7			
Stil. Medic.			3	3	4	3	4	14	21	10	31	5			
Stil. Acid. Salicyl.			4	4	5	2		13	15	7	13	2			
Sulphur. Iod.			1	1	1	1	2	23	26	12	10	2			
Supp. Boroglycerini	1	7	17	25	33	26	39	67	132	62	105	17			
Syr. Allii			2	2	3	1	6	13	20	9	21	3			
Syr. Althæ.			3	3	4	3	12	60	75	35	54	9			
Syr. Ammon. Hypophos.	1	4	14	19	25	16	32	72	120	56	108	17			
Syr. Asar. Co.			5	5	6	6	17	42	65	31	49	8			
Syrup Bromidor.	3	7	10	20	26	31	32	51	114	54	176	28			
Syr. Cacao		2	6	8	10	6	11	25	42	20	24	4			
Syr. Calc. et Sod. Hypophos.	2	4	17	23	30	16	28	72	116	55	126	21			
Syr. Calc. Hypophos.		3	12	15	20	8	22	63	93	44	96	15			
Syr. Calc. Iodid.			9	9	12	3	14	51	68	32	38	6			
Syr. Calc. Lactophos.	1	3	22	26	34	10	37	91	138	65	164	26			
Syr. Calc. Lactophos. et Ferr.			6	6	8	6	12	39	57	27	24	4			
Syr. Cinnam.		2	7	9	12	3	11	37	51	24	19	3			
Syr. Eriodict. Arom.		1	19	20	26	10	26	66	102	48	93	15			
Syr. Ferr. Quin. et Strych. Phos.			12	12	16	2	9	67	78	37	61	10			
Syr. Ferr. Sacch. Sol.			3	3	4	2	3	22	27	12	13	2			
Syr. Ficor. Co.		2	5	7	9	9	14	26	49	23	90	14			
Syr. Glycyrrhiz.	3	6	31	40	52	29	44	86	159	75	248	40			
Syr. Hypophos.		6	31	37	49	34	54	59	147	69	210	34			
Syr. Hypophos. Co.	3	17	25	45	59	72	56	55	183	86	434	69			
Syr. Iodotan.		1		1	1	2	3	16	21	10	14	2			
Syr. Ipecac. et Opii		1	15	16	21	2	22	59	83	39	82	13			

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.				PRESCRIPTION PHARMACIES.				DRUG STORES.				
	Extent of Use.		Total using.	Per cent	Extent of Use.		Total using.	Per cent	Total using.	Per cent			
	Large.	Small.			Large.	Small.							
Syr. Kramer.			2	2	3			2	28	30	14	15	3
Syr. Mann.			1	1	1			1	30	31	14	15	3
Syr. Phos. Co.	1		3	4	5	2	7	40	49	23	27	4	
Syr. Phos. c. Quin. et Strych.		1	8	9	12	5	7	43	55	26	46	7	
Syr. Pin. Alb. Co.	9	11	33	53	70	74	59	59	192	90	438	70	
Syr. Pin. Alb. c. Morph.	1		7	8	10	16	21	49	86	40	78	12	
Syr. Quinid.			2	2	3			3	20	23	11	28	4
Syr. Rham. Cathart.			2	2	3	2	14	35	51	24	50	8	
Syr. Ros.		2	3	5	6		4	16	20	9	11	2	
Syr. Rubi		2	6	8	10	4	10	47	61	29	37	6	
Syr. Rubi Id.	2	5	20	27	36	28	37	90	155	73	238	38	
Syr. Senn. Arom.	2		11	13	17	7	18	46	71	33	73	12	
Syr. Stilling. Co.	1		5	6	8	4	18	55	77	36	72	12	
Syr. Thymi	1		6	7	9	6	8	40	54	25	72	12	
Syr. Thymi Co.	1	3	4	5	6	6	6	36	48	22	55	9	
Syr. Trifol. Co.	1	11	12	16	28	52	72	152	152	72	138	22	
Tab. Carb. Anim.		5	22	27	36	12	20	33	65	31	99	16	
Tab. Hydrarg. Chlor. Mit.	13	16	32	62	81	72	61	39	172	81	321	52	
Tab. Phenolphthal.	12	16	32	60	79	37	58	74	169	80	259	42	
Tab. Santonin.		1	2	3	4	22	34	98	154	73	324	52	
Tab. Santonin. Co.	1	3	15	19	25	17	29	69	105	49	147	23	
Tab. Sod. Bicarb.	35	13	14	62	81	64	56	53	173	81	337	54	
Tab. Sulphur. et Pot. Bitart.		3	14	17	22	50	50	66	166	78	277	44	
Tr. Aloes	1	23	24	31	11	36	123	170	170	80	347	55	
Tr. Aloe. et Myrrh.			17	17	22	5	23	114	142	67	239	38	
Tr. Amar.			5	5	6		6	52	58	27	50	8	
Tr. Antimon.	2		7	9	12	1	6	35	42	20	60	10	
Tr. Antiperiod.	1	3	4	5	5	18	42	62	29	123	20		
Tr. Antiperiod. s. Aloe	1	6	7	9	6	15	45	66	31	95	15		
Tr. Arnic.	1	5	40	46	60	53	87	60	200	94	505	81	
Tr. Aromatica			8	8	10	3	12	56	71	33	67	11	
Tr. Bryon.	2		12	14	19	8	17	84	109	51	153	24	
Tr. Cact. Grand.	1	10	11	14	6	12	78	96	45	86	13		
Tr. Calend.			13	13	17	5	16	80	101	48	88	14	
Tr. Capsic. et Myrrh.	1	6	7	9	3	20	89	112	53	133	21		
Tr. Cimicif.	1	13	14	19	7	26	103	136	64	193	30		
Tr. Cinnam.	1	12	13	17	4	17	92	113	53	132	21		
Tr. Coccul.	1	1	9	11	14	2	10	58	70	33	44	7	
Tr. Colch. Corm. Fort.			19	19	25	7	15	65	87	41	52	8	
Tr. Croci	1	6	7	9	3	5	28	36	17	22	3		
Tr. Cubeb.		3	7	10	13	3	18	75	96	45	92	15	
Tr. Delphin.	10	14	28	52	68	37	60	65	162	76	313	50	
Tr. Ferr. Chlor. Aeth.	1	4	6	11	14	7	25	37	69	32	45	7	
Tr. Ferr. Citrochlor.	5	10	19	34	45	14	39	76	129	61	244	39	
Tr. Ferr. Pomat.			5	5	6	2	12	42	56	26	48	8	
Tr. Gall.			8	8	10	2	5	48	55	26	26	4	
Tr. Gelsem.	7		37	44	57	16	57	106	179	84	280	45	
Tr. Guaiac.	2		28	30	40	12	39	108	159	75	226	37	
Tr. Guaiac. Ammou.	1	3	24	28	37	13	43	110	166	78	269	43	
Tr. Guaiac. Co.	1	11	12	16	2	16	54	72	34	34	5		
Tr. Humul.			3	3	4	3	11	50	64	30	46	7	
Tr. Hydrast.	1	30	31	41	12	30	96	138	65	226	36		
Tr. Ignat.			7	7	9	3	6	50	59	28	27	4	
Tr. Iodidor.	2		6	8	10	13	17	32	62	29	79	13	
Tr. Iod. Fort.	7	8	14	29	38	18	26	77	121	57	169	27	
Tinct. Ipecac.	1	18	19	25	3	17	70	90	42	113	18		
Tr. Ipecac. et Opii	1	13	14	19	4	17	76	97	46	86	14		
Tr. Jalap.	1	15	16	21	2	8	74	84	40	51	8		
Tr. Jalap. Co.			10	10	13	1	4	55	60	28	35	6	
Tr. Opii Crocat.				0			1	18	19	9	8	1	
Tr. Opii et Gambir Co.			1	1	1		4	14	18	8	25	4	
Tr. Passiflor.	3	3	6	8	3	9	43	55	26	50	8		

ABBREVIATED NAME OF PREPARATION.	HOSPITAL PHARMACIES.			PRESCRIPTION PHARMACIES.			DRUG STORES.					
	Extent of Use. Large. Med.	Small. using.	Total using.	Per cent using.	Extent of Use. Large. Med.	Small. using.	Total using.	Per cent using.				
Tr. Persion	4	10	35	49	64	23	38	101	162	76	295	47
Tr. Persion. Co.	1	8	23	32	42	11	41	76	128	60	232	37
Tr. Pulsatil.	1		9	10	13	4	14	89	107	50	93	15
Tr. Quas.		3	16	19	25	1	17	106	130	61	145	23
Tr. Quillaj.		1	12	13	17	3	17	67	87	41	65	10
Tr. Rhei Aq.			5	5	6		8	41	49	23	35	6
Tr. Rhei Dulc.		3	7	10	13	3	13	68	84	40	107	17
Tr. Rhei et Gent.		2	5	7	9	2	4	28	34	16	29	5
Tr. Sabal et Santal.	1	3	7	11	14	4	6	40	50	23	63	10
Tr. Sanguin.			21	21	27	6	12	116	134	63	143	23
Tr. Serpent.			11	11	14	3	11	82	96	45	75	12
Tr. Sumbul		1	8	9	12	5	14	55	74	35	55	9
Tr. Vanill.	6	11	18	35	46	43	37	69	149	70	231	37
Tr. Viburn. Opul. Co.	1	5	18	24	31	12	22	65	99	47	134	22
Tr. Æthereæ			3	3	4	1	10	42	53	25	24	4
Tr. Medicamentorum Recentium	1	6	7	9	3	13	36	52	25	33	5	
Troch. Eucalypt. Gum.			4	4	5	1	5	26	32	15	13	2
Troch. Ulmi		2	10	12	16	9	9	55	73	34	34	5
Ung. Bitum. Sulphon.	10	1	9	20	26	23	10	18	51	24	39	6
Ung. Calamin.	5	4	18	27	36	16	39	82	137	64	209	33
Ung. Camph.	4	1	14	19	25	8	11	53	72	34	90	14
Ung. Capsic.		4	14	18	23	4	9	54	67	31	100	16
Ung. Fusc.		3	3	6	8	5	7	28	40	19	49	8
Ung. Hydrarg. Chlor. Mit.		12	40	52	68	13	43	94	150	71	264	42
Ung. Hydrarg. Nit.		2	20	22	29	3	27	118	148	70	127	20
Ung. Hydrarg. Oxid. Rub.		3	19	22	29	8	19	108	135	63	200	32
Ung. Iod. Demig.	2	8	10	20	26	13	25	53	91	43	165	26
Ung. Pic. Co.	1	4	28	33	44	13	16	82	111	52	140	23
Ung. Plumb. Iod.		2	6	8	10	3	12	54	69	32	40	6
Ung. Pot. Iod.		1	8	9	12		12	67	79	36	82	13
Ung. Resorcin. Co.	2	8	35	45	59	28	61	77	166	78	337	54
Ung. Sinap.		3	11	14	19	4	16	47	67	31	86	14
Ung. Stramon.	1		19	20	26	3	19	81	103	49	108	17
Ung. Sulphur. Alk.		2	13	15	20	7	14	44	65	30	50	8
Ung. Sulphur. Co.	5	3	20	28	37	19	36	81	136	64	197	31
Ung. Veratrin.			5	5	6	2	5	32	39	18	29	5
Ung. Zinc. Stear.	2	2	9	13	17	1	10	60	71	33	115	18

Acknowledgment of the splendid coöperation and an expression of thanks are due to all of the pharmacists who have sent in reports and thus contributed to this data, but especial acknowledgment is hereby made to:

I. A. Becker, pharmacist, Michael Reese Hospital, Chicago; Secretary Bert W. Caldwell of the American Hospital Association; Herbert R. Mayes, Editor of the *American Druggist*, and the following who sent in lists of prescription pharmacists:

L. A. BLAKE, Auburn, Ala.	L. A. SELTZER, Detroit, Mich.
F. E. MORTENSEN, Los Angeles, Calif.	G. BACHMAN, Minneapolis, Minn.
W. BRUCE PHILIP, San Francisco, Calif.	CHAS. GIETNER, St. Louis, Mo.
CHAS. J. CLAYTON, Denver, Colo.	H. C. NEWTON, Omaha, Nebr.
S. L. HILTON, Washington, D. C.	H. V. ARNY, New York, N. Y.
B. V. CHRISTENSEN, Gainesville, Fla.	O. P. M. CANIS, Ozone Park, Long Island, N. Y.
L. J. TAYLOR, Eustis, Fla.	E. V. HOWELL, Chapel Hill, N. C.
R. C. WILSON, Athens, Ga.	EDWARD SPEASE, Cleveland, Ohio.
J. A. HYNES, Chicago, Ill.	M. N. FORD, Columbus, Ohio.
F. W. MEISSNER, LaPorte, Ind.	A. B. NICHOLS, Philadelphia, Pa.
C. B. JORDAN, Lafayette, Ind.	LOUIS SAALBACH, Pittsburgh, Pa.
L. D. HAVENHILL, Lawrence, Kan.	D. F. JONES, Watertown, So. Dak.
J. W. GAYLE, Frankfort, Ky.	W. F. GIDLEY, Austin, Tex.
J. J. GRASSER, New Orleans, La.	A. L. I. WINNE, Richmond, Va.
GLENN L. JENKINS, Baltimore, Md.	H. A. LANGENHAN, Seattle, Wash.
H. W. YOUNGKEN, Boston, Mass.	HENRY G. RUENZEL, Milwaukee, Wis.