

BIBLIOGRAPHY OF PHARMACEUTICAL RESEARCH

Compiled by A. G. DuMez, Reporter on the Progress of Pharmacy.

All articles in these lists will be presented in abstract form in the bound volumes of the Year Book, which is issued annually. Those desiring abstracts immediately can obtain them for a fee of one dollar each by communicating with A. G. DuMez, University of Maryland, School of Pharmacy, N. W. cor. Lombard and Greene Sts., Baltimore, Maryland.

APPARATUS AND MANIPULATIONS.

Budge, E. A.

New form of bubble counter for measurement of gas evolution

J. Am. Chem. Soc., 53 (1931), 2451

Morkert, K. H., and Hatfield, W. D.

New method of marking chemical glassware

Ind. Eng. Chem., Analyt. Ed., 3 (1931), 242

PHARMACOPŒIAS AND FORMULARIES.

Biot, J. B.

Comparative study of the Belgian Pharmacopœia III and IV

J. pharm. Belg., 13 (1931), 487

British Pharmacopœial Commission

Report of the pharmaceutical chemistry sub-committee

Pharm. J., 126 (1931), 522, 566, 584; v. 127, p. 25

British Pharmacopœial Commission

Report of sub-committee on the preparation of sterile solutions for injection

Pharm. J., 127 (1931), 8

British Pharmacopœial Commission

Report of committee on digitals and strophanthus

Pharm. J., 127 (1931), 23

PHARMACEUTICAL PREPARATIONS.

Bailey, Arthur E.

Note on the preparation of Mistura Chlori, B. P. C.

Pharm. J., 127 (1931), 31

Bümming, G.

Assay of mercurial ointment

Pharm. Ztg., 76 (1931), 721

Deussen, Ernst

Preparation of sterile gelatin solutions

Apoth.-Ztg., 46 (1931), 842

Eschenbrenner, H.

Notes on ipecac preparations and their stability

Pharm. Ztg., 76 (1931), 694

Redgrove, H. Stanley

Syrupus Rhocados and the red coloring matter of red poppy petals

Pharm. J., 126 (1931), 564

Schousen, Chr.

Fluidextract of senega

Farm. Tidende Nos. 49 and 50 (1931); through *Pharm. J.*, 126 (1931), 589

PHARMACOLOGY, TOXICOLOGY AND THERAPEUTICS.

Forkner, Claude E., *et al.*

Arsenic as a therapeutic agent in chronic myelogenous leukemia

J. A. M. A., 97 (1931), 3

Gardner, John H., and Haenni, Edward O.

Some new local anesthetics containing the morpholine ring

J. Am. Chem. Soc., 53 (1931), 2763

Leonard, Geo. F.

Limitations of phenol-coefficient tests in determining germicidal activities

J. Infect. Diseases, 48 (1931), 358; through *Chem. Abstr.*, 25 (1931), 3127

Macht, David I., and Barba-Gose, J.

Two new methods for pharmacological comparison of insoluble purgatives

Jour. A. Ph. A., 20 (1931), 558

Miller, Ruth E.

Bactericidal efficiency of essential oils

Am. J. Pharm., 103 (1931), 324

Neely, James S., and Davy, Edward D.

Anthelmintic properties of pepo, U. S. P. and Cucurbita pepo

Jour. A. Ph. A., 20 (1931), 555

Nyiri, William, and Dubois, Louis

Toxicity of colloidal iodine

Jour. A. Ph. A., 20 (1931), 546

Peabody, William A.

Iodine retention and distribution in rabbits

Jour. A. Ph. A., 20 (1931), 551

Short, Charles L.

A case of polyneuritis from thallium acetate

J. A. M. A., 97 (1931), 101

Walker, John E.

Germicidal and therapeutic applications of soaps

J. A. M. A., 97 (1931), 19

ANIMAL AND VEGETABLE DRUGS.

Asano, M., and Kanematsu, T.

Sanshool, a constituent of *Xanthoxylum piperitum*

- J. Pharm. Soc. Japan*, No. 591 (1931), 34
Asano, M., and Kanematsu, T.
Constituents of Iceland moss of Japanese origin
J. Pharm. Soc. Japan, No. 591 (1931), 35
MacArthur, C. G.
Posterior pituitary preparation
Science, 73 (1931), 448; through *Chem. Abstr.*,
25 (1931), 3127
Marshall, P. G., and Wiesner, B. P.
Extraction of insulin
Nature, 127 (1931), 630; through *Chem.*
Abstr., 25 (1931), 3436
Moore, Marjorie B., and Moore, Edmund E.
Studies on pollen and pollen extracts. VII
J. Am. Chem. Soc., 53 (1931), 2744
Murayama, Y., and Shinozaki, K.
Pungent constituent of *Xanthoxylum piperitum*
J. Pharm. Soc. Japan, No. 591 (1931), 33
Riu, J. Olivella
New method of evaluation of cantharides
Anales soc. españ. fis. quim., 29 (1931), 164;
through *Chem. Abstr.*, 25 (1931), 3128
Rosenthaler, L.
Constituents of purgative drugs. III. Aloin
Pharm. Acta Helv., 6 (1931), 115
Schmid, Leopold, and Zacherl, Michael K.
Euphorbium
Monatsh., 57 (1931), 177; through *Chem.*
Abstr., 25 (1931), 3436
Schou, Svend Aage, and Abilgaard, Jens
Differentiation of natural and artificial honeys
Dansk Tids. Farm., 5 (1931), 89
Van Zijp, C.
**Contribution to the microchemistry of arte-
misin and santonin**
Pharm. Weekbl., 68 (1931), 615

ALKALOIDS AND GLUCOSIDES.

- Boehm, Theodor
**Determination of hyoscyamine in hyoscyamus
and belladonna leaves**
Apoth.-Ztg., 46 (1931), 793
David, Lajos
New method for the determination of morphine
Pharm. Ztg., 76 (1931), 706
Ekkert, Lad.
**Contribution to the reactions of g- and k-
strophanthins**
Pharm. Zentralh., 72 (1931), 388
Klein, G., and Farkass, E.
Microchemical detection of alkaloids in plants.
XIV. Cytisine
Oesterr. Bot. Z., 79 (1930), 107; through
Chem. Abstr., 25 (1931), 3432
Kotake, Munio
Glucoside of *Panax ginseng*
J. Chem. Soc. Japan, 51 (1930), 357; through
Chem. Abstr., 25 (1931), 3439
Lopuzanski
**Determination of piperazine and urotropin
in effervescent preparations**
Pharm. Zentralh., 71 (1930), 442; through
Schweiz. Apoth. Ztg., 69 (1931), 289
Martin-Gans, E.
General occurrence of alkaloids in *Buxaceæ*
Compt. rend., 191 (1930), 625; through *Chem.*
Abstr., 25 (1931), 3123
Paget, M.
Nature and localisation of adrenaline
J. pharm. chim., 13 (1931), 617
Terata, Bunjiro, and Ito, Ryoichio
**Action of ultra-violet rays and of sunlight on
adrenaline**
Folia Pharmacol. Japan, Vol. 12, page 74;
through *Chem. Abstr.*, 25 (1931), 3127

ESSENTIAL OILS.

- Bennett, C. T., and Cocking, T. Tusting
**Hydroxylamine method for the determination
of ketones in essential oils**
Perf. & Ess. Oil Rec., 22 (1931), 168
Munch, James C., and Reindollar, William F.
**Statistical study of the pharmacopœial con-
stants of chenopodium oil**
Jour. A. Ph. A., 20 (1931), 564
Seaber, W. M., and Marshall, S.
**Some abnormal aniseed oils and B. P. re-
quirements**
Perf. & Ess. Oil Rec., 22 (1931), 163

OILS, FATS AND WAXES.

- Beliaiev, N.
Seeds and oil of *Sinapis dissecta*, Lag.
Masloboino Zhir. Del., No. 6 (1929), 25;
through *J. Soc. Chem. Ind.*, 50 (1931), 595
Ekkert, L.
Reactions of cod liver oil and castor oil
Magyar Gyogyszeseztud. Társaság Ertesitoje,
7 (1931), 115; through *Chem. Abstr.*, 25
(1931), 3126
Schuette, H. A., and Enz, W. W. F.
Expressed Brazil nut oil
J. Am. Chem. Soc., 53 (1931), 2756

GENERAL AND PHYSICAL CHEMISTRY.

- Anon.
Radioactive constants as of 1930
J. Am. Chem. Soc., 53 (1931), 2437
Eder, R., and Haas, W.
Vacuum microsublimation of synthetic drugs

Mikrochem., Emich Festschr. (1930), 43;
through *Chem. Abstr.*, 25 (1931), 3123

Kofler, L., and Dernbach, W.

Micro melting-point determinations of drug products

Arch. Pharm., 269 (1931), 104

Koks, M. Th.

Uses of Millon's reagent

Pharm. Weekbl., 68 (1931), 557

Markees, M.

Chloramin and its use in analytical chemistry

Pharm. Acta Helv., 6 (1931), 106

McCrumb, F. R.

Use of wide-range indicators for pH determinations

Ind. Eng. Chem., Analyt. Ed., 3 (1931) 233

Stover, Norman M., and Sandin, Reuben B.

Use of boric acid in micro-Kjeldahl determination of nitrogen

Ind. Eng. Chem., Analyt. Ed., 3 (1931), 240

INORGANIC CHEMICALS.

Fenimore, E. P., and Wagner, E. C.

Inaccuracy in determination of mercury by precipitation as mercuric sulphide

J. Am. Chem. Soc., 53 (1931), 2453

Fiske, Cyrus H., and Adams, Elliott T.

Determination of calcium by alkalimetric titration

J. Am. Chem. Soc., 53 (1931), 2498

Gaume, G.

Characteristics and assay of colloidal silver by the chemical method

J. pharm. chim., 13 (1931), 609

Hopkins, S. J.

Note on colloidal iodine

Pharm. J., 126 (1931), 538

Wohlk, Alfred

Stability of magnesium peroxide

Dansk Tids. Farm., 5 (1931), 106

ORGANIC CHEMICALS.

Denigès, Georges

Microchemistry of sedormid, allylisopropyl-acetylcarbamide

Bull. Soc. Pharm., Bordeaux, 69 (1931), 79
Dox, Arthur W.

Oxygen ethers of barbital

J. Am. Chem. Soc., 53 (1931), 2741

Eder, R., and Büchi, J.

Preparation and properties of calcium lactate

Pharm. Acta Helv., 6 (1931), 118

Fenimore, E. P., and Wagner, E. C.

Anhydrous distillation method for the determination of certain metals in organic compounds

J. Am. Chem. Soc., 53 (1931), 2468

Germuth, Frederick G.

Hydrolysis of acetylsalicylic acid in ethanol, glycerol and ethanol-glycerol solutions

JOUR. A. PH. A., 20 (1931), 568

Hoff, Ronald W.

Determination of butyl chloride and diethyl phthalate together in ethyl alcohol

J. Soc. Chem. Ind., 50 (1931), 244T

Levine, Victor E.

Color reactions in the system, phenol-aldehyde-acid

JOUR. A. PH. A., 20 (1931), 537

Moore, Richard B., and DeVries, Thos.

Activation of ergosterol with radium emanation

J. Am. Chem. Soc., 53 (1931), 2676

Rojahn, C. A., and Müller, J. A.

Examination of some commercial tinctures with notes on the detection of methyl and isopropyl alcohols

Apoth.-Ztg., 46 (1931), 780

Rosenthaler, L.

Use of *p*-toluolsulphonic acid in qualitative organic analysis

Pharm. Ztg., 76 (1931), 775

Sjögren, Bertil, and Svedberg, Theo.

Molecular weight of insulin

J. Am. Chem. Soc., 53 (1931), 2657

von Fodor, K.

Quantitative reaction for capaicin

Z. Unters. Lebensm., 61 (1931), 94; through

J. Soc. Chem. Ind., 50 (1931), 611

SOLID CARBON DIOXIDE IN GERMANY.

The Leuna factory of the I. G. Farbenindustrie is reported to be planning quantity production of solid carbon dioxide. The product will be pressed into round discs and packed in insulated cardboard cartons. The present output of the Leuna plant averages from 1 to 2 metric tons daily. The Leuna plant has been manufacturing carbon dioxide for delivery to various parts of central Germany for industrial refrigeration purposes. (Consul Paul J. Reveley, Leipzig.)